


PRERJA A-A SHK 1:100



Shenim 1:

Shtrimi i dyshemese:
Fillimisht do te behet pastrimi i dyshemese dhe heqja e pjeseve te demtuara te betonit.
Me pas te behet shtrimi i dyshemese me Beton C7/10 per nivelimin e saj.
Pas nivelimit te vendoset zgara metalike me hekur periodik Ø8mm 15x15cm. Ne dy anet e tunelit dhe prane fugave, shufrat e zgares te kthehen 15cm.

Xhuntimi i shufrave te zgares te behet me gjatesi 40cm. Me pas do te behet betoni i dyshemese.

Siperfaqja pas nivelimit do te trajtohet me kreher. Dyshemeja do te shtrohet me beton C25/30 me trashesi 8cm.

Ne zonat e fugave dhe konturet anesore, siperfaqja do te behet e lemuar.

Shenim 2:

Pas sprucimit do te behet suvatimi i siperfaqes me llac i perzier M25 Pas suvatimit do te behet lyerja me boje hidromat me ngjyre te bardhe. Me pas do te behet pastrimi i siperfaqes se betonit te tunelit me kompresor ajri. Pas pastrimit ne pjesen e tavanit (zona harkore e tunelit) do te vendoset rrjeta e telit. Rrjeta do te fiksohet ne beton me gozhde betoni 6cm dhe me rondele me diameter 3-4cm. **Nderhyrjet ne mure dhe tavaneve**: Fillimisht do te behet heqja e tere suvatimit ekzistues ne mure dhe tavane. Me pas do te behet sprucimi i siperfaqes me llac cimento 1:1.

After the floor leveling will be installed the steel hoop with periodic steel Ø8mm 15x15cm. In both sides of the tunnel and near the joints, steel rods have to be turned 15cm. Note 1: **Floor paving**: Initially, it will be done the floor cleaning and removal of damaged parts of concrete. After that the floor will be paved with Concrete C7/10 for its leveling.


After those it will be done the floor concrete. Rods connection will be done in 40cm length.

The floor will be paved with concrete C25/30 with a thickness of 80. The surface after leveling will be treated with komb. In the joints zones and side countours, the surface will be smothed. C25/30 with a thickness of 8cm.


Interventions in walls and ceilings


After those it will be the surface spraying with plaster-cement 1:1. After the spraying it comes the surface plastering with mixed plaster M25. After plastering it will be done the painting with white hidromat paint. Metal mesh will be fixed in concrete To be continued with the cleaning of After the cleaning in the ceilng zone Initially it will be done the total removl of existing plaster in walls and ceilings. with concrete nail 6cm and with steel ring with diamter 3-4cm. concrete suface of the tunnel with air compressor. (arched area of the tunnel) it will be put the lattice.

PRERJA B-B SHK 1:100




PRERJA SHK 1:100





PRERJA D-D SHK 1:75



ARMIMI I PRERJES D-D SHK 1:75

