

DETAIL DESIGN

WALL MATERIAL : WOOD WALL





FLOOR FINISHES



DETAIL DESIGN

FLOOR MATERIAL : FF.01



MATERIAL :
BROWN GREY LG WOVEN


SERIAL NO :
6327, LG

COLOR :
BROWN GREY

SUPPLIER :
LG

DETAIL DESIGN

FLOOR MATERIAL : FF.02



MATERIAL :

OAK ITALIAN WALNUT

SERIAL NO :

2544,LG

COLOR :


OAK

SUPPLIER :

LG

DETAIL DESIGN

FLOOR MATERIAL : FF.03



MATERIAL :

WASHED OAK

SERIAL NO :

1227, LG


COLOR :

WASHED OAK

SUPPLIER :

LG

DETAIL DESIGN
FLOOR MATERIAL : FF.04





MATERIAL :
LIGHT GREY STONE

SERIAL NO :
1227, LG

COLOR :
LIGHT GREY STONE

SUPPLIER :
LG

DETAIL DESIGN
FLOOR MATERIAL : FF.05



MATERIAL :
SOLID REXCOURT
SERIAL NO :
SPF 6400
COLOR :
DARK BLUE
SUPPLIER :
LG



MATERIAL :
SOLID REXCOURT
SERIAL NO :
SPF 6403
COLOR :
SKY BLUE
SUPPLIER :
LG



MATERIAL :
SOLID REXCOURT
SERIAL NO :
SPF 6303
COLOR :
GRAY
SUPPLIER :
LG

LIGHTINGS



LIGHTING DESING

L1



SERIAL NO :

C1602/12W-WH

DISCRIPTION :

Chip Brand : TAIWAN
Power : 12W
CCT : WW/4000K/WH
Cut-out (mm) : Φ 75*125mm
Input Voltage : AC85~265V
Chip type/Qty : 2835SMD*60PCS
Materials : Aluminum+Acrylic
Beam Angle : 25°
IP Grade : IP20
CRI : Φ 80
Luminous for Chip : 1200lm $\pm$ 5%



LIGHTING DESING

L2



SERIAL NO :

C1601/12W-WH

DISCRIPTION :

Chip Brand : TAIWAN
Power : 12W
CCT : WW/4000K/WH
Lamp Size (mm) : $\Phi 30 \times 98$
Cut - out (mm) :
Input Voltage : AC85~265V
Chip type/Qty : 2835SMD*60PCS
Materials : Aluminum+Acrylic
Beam Angle : 60°
IP Grade : IP20
CRI : $\Phi 80$
Luminous for Chip : 1200lm $\pm 5\%$

