

REQUEST FOR QUOTATION (RFQ)
Procurement of Pedagogic training equipment kits for the use of the Tunisian Ministry of Interior (TUNZ65 Project)

NAME & ADDRESS OF FIRM UNDP / UNODC TUNISIA	DATE: 19/04/ 2018
	REFERENCE: UNDP/RFQ/2018/10

Dear Sir / Madam:

We kindly request you to submit your quotation for the procurement of pedagogic training equipment kits for the use of the Tunisian Ministry of Interior, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or **before 4 May, 2018** via email to the following address procurement.tn@undp.org or via *courier mail/ hand delivered* to the following address :

To the attention of the Resident Representative of UNDP TUNISIA
United Nations Development Programme
41 bis, impasse Louis Braille – Avenue Louis Braille –
Cité El Khadra – 1003 Tunis, Tunisie.

Quotations submitted by courier/hand delivered email must indicate the reference of the call of tenders

Quotations submitted by email must be limited to a maximum of 4 MB, virus-free and no more than 3 emails transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s: *[check the condition that applies to this RFQ, delete the entire row if condition is not applicable to the goods being procured]*

Delivery Terms [INCOTERMS 2010] (Pls. link this to price schedule)	DAP
Customs clearance ¹ , if needed, shall be done by:	Supplier/Offeror
Exact Address/es of Delivery Location/s (identify all, if multiple)	Immeuble Karray, Bloc B, 2ème étage, rue du Lac d'Annecy, Les Berges du Lac 1, 1053 Tunis, Tunisia
UNDP Preferred Freight Forwarder, if any ²	N/A
Distribution of shipping documents (if using freight forwarder)	N/A
Latest Expected Delivery Date and Time (if delivery time exceeds this, quote may be rejected by UNDP)	60 days from the issuance of the Purchase Order (PO)
Delivery Schedule	Required
Packing Requirements	N/A
Mode of Transport	N/A
Preferred Currency of Quotation ³	US\$ / Euro € for international suppliers Local Currency: Tunisian Dinars for local suppliers
Value Added Tax on Price Quotation ⁴	Must be exclusive of VAT and other applicable indirect taxes
After-sales services required	Warranty on Parts and Labor for minimum period of one year
Deadline for the Submission of Quotation	COB, Friday, May 04 ,2018 at 15:00 Tunis time
All documentations, including catalogs, instructions and operating manuals, shall be in this language	English or French
Documents to be submitted ⁵	Duly Accomplished Form as provided in Annex 2 (stamped and signed); Written Self- declaration of not being included in the UN Security

¹ Must be linked to INCO Terms chosen.

² Depends on INCO Terms. The suggestion to use a UNDP preferred courier is only for purposes of familiarity with procedures and documentary requirements applicable to the UNDP when clearing with customs.

³ Local vendors must comply with any applicable laws regarding doing business in other currencies. Conversion of currency into the UNDP preferred currency, if the offer is quoted differently from what is required, shall be based only on UN Operational Exchange Rate prevailing at the time of UNDP's issuance of Purchase Order.⁴ This must be reconciled with the INCO Terms required by the RFQ. Furthermore, VAT exemption status varies from one country to another. Pls. tick whatever is applicable to the UNDP CO/BU requiring the goods.

⁴ This must be reconciled with the INCO Terms required by the RFQ. Furthermore, VAT exemption status varies from one country to another. Pls. tick whatever is applicable to the UNDP CO/BU requiring the goods.

⁵ First 2 items in this list are mandatory for the supply of imported goods

	<p>Council 1267/1989 list, UN Procurement Division List of other UN ineligibility List;</p> <p>Business Registration of the Firm/Company;</p> <p>Company Profile;</p>
Period of Validity of Quotes starting the Submission Date	<p>120 days</p> <p>In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.</p>
Partial Quotes	Not permitted
Payment Terms ⁶	100% upon complete delivery of goods and Upon receipt of duly certified invoice, the incurred cost shall be settled within 30 days (from the day UNDP receives the said invoice)
Liquidated Damages	N/A
Evaluation Criteria <i>[check as many as applicable]</i>	<p>Technical responsiveness/Full compliance to requirements and lowest price⁷</p> <p>Comprehensiveness of after-sales services</p> <p>Full acceptance of the PO/Contract General Terms and Conditions <i>[this is a mandatory criteria and cannot be deleted regardless of the nature of services required]</i></p>
UNDP will award to:	One and only one supplier
Type of Contract to be Signed	Purchase Order
Special conditions of Contract	Cancellation of PO/Contract if the delivery/completion is delayed by 20 days
Conditions for Release of Payment	100% upon the delivery and written acceptance of goods based on full compliance with RFQ requirements within 30 days of delivery.
Annexes to this RFQ ⁸	<p>Specifications of the Goods Required (Annex 1)</p> <p>Form for Submission of Quotation (Annex 2)</p> <p>General Terms and Conditions / Special Conditions (Annex 3).</p> <p>Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.</p>

⁶ UNDP preference is not to pay advanced amount upon signing of contract. If vendor strictly requires advanced payment, it will be limited only up to 20% of the total price quoted. For any higher percentage, or advanced payment of \$30,000 or higher, UNDP shall require the vendor to submit a bank guarantee or bank cheque payable to UNDP, in the same amount as the advanced payment made by UNDP to the vendor.

⁷ UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

⁸ Where the information is available in the web, a URL for the information may simply be provided.

Contact Person for Inquiries (Written inquiries only) ⁹	Procurement.tn@undp.org Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
---	--

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>

⁹ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

**Sincerely yours,
Procurement Department**

Annex 1

Technical Specifications

#	Description
1	Tack matt: adhesive matt panel - high tack debris collection - minimise cross contamination - easy to use and clean - for both scene and lab - approx 30 sheets per pad, UOM per pad
2	Compass: calibrated to 64' and 360° - robust casing - oil damped fully floating 45 mm dial.
3	Measure:Tape,Metric
3.01	<u>Measure tape 30m:</u> speed rewind tape 30m/100' - metric marking - geared for fast rewinding - with a claw end fitting.
3.02	<u>Measure tape 100m:</u> fibreglass tape with easy grip handle and enclosed frame to protect tape line - sturdy plastic rewind handle.
3.03	Road Measurer: high density polypropylene measuring wheel - foldable - measuring up to 99999.9m - not more than 2.5 Kg - robust storage/carrying bag - stand and brake.
4	Anemometer - Temperature: digital - lightweight and pocket size - Wind speed units: km/h m/s knots mph fps - backlight - stainless steel back - replaceable battery - long lasting battery - accuracy according to Swiss standards - balanced instant windspeed - Measuring range of sensor: -40°C to 80°C (-40°F to 176°F).
5	Marker:Forensic Exhibit
5.01	<u>Marking Chalk:</u> reflective White - thick - no permanent traces - creates highly reflective marks - sold per pack of 3 chalks
5.02	<u>Pencil:</u> soft China pencil
5.03	<u>Permanent Markers - Fine - Black</u>
5.04	<u>Permanent Markers - Thick - Black</u>
6	Writer Clip Board: Basic model - plastic support
7	Crime Scene Template: rigid plastic, with scale and usual crime scene drawing patterns cutouts - 8 ½" by 11" - includes furniture and plumbing cutouts in two convenient scales - scale rulers included.
8	Custom Barrier Tapes (75mm x 250m long): yellow with black writing in Arabic (crime scene - restricted access)
9	Traffic Cone With Reflective Sleeve
10	Tent:Forensics
10.01	<u>Evidence Preservation Cover:</u> customized text printed on them - easy to use - quick to erect - light weight, portable and robust - easy to sterilize.
10.02	<u>PVC Tent:</u> Rapid erect - robust, thick, stable, portable, lightweight and strong - and easy to use - made from quality PVC or nylon material - carrying case - approx. 3mx3mx2m - cleanable - water/shower proof - no see through - flame retardant - easily repaired
11	Hairnet
11.01	Disposable Beard Cover
11.02	Disposable Hair Net
12	Cover:Shoe
12.01	<u>Disposable Over Boots - M:</u> durable material - Tyvek
12.02	<u>Disposable Over Boots - L:</u> durable material - Tyvek
13	Coveralls:Disp
13.01	<u>Tyvek Coverall - M:</u> Type 5/6 coverall with hood, knit cuffs & elasticated wrists.
13.02	<u>Tyvek Coverall - L:</u> Type 5/6 coverall with hood, knit cuffs & elasticated wrists.
14	Cotton Gloves: lightweight - knit wrist - pair
15	Gloves:Dspbl (Box)
15.01	<u>Nitrile Powder Free Gloves:</u> M - high performance protection - durable and strong - sensitive and comfortable - box of 100 min.

15.02	Nitrile Powder Free Gloves: L - high performance protection - durable and strong - sensitive and comfortable - box of 100 min.
16	Kevlar Grip Gloves - L: Seamless 100% Kevlar knitted liner with latex coating on palm and fingers - pair.
17	Heavy Duty Knee Pads: Superior padding with soft lining - velcro fastening - ribbed kneeling surface - pair.
18	Safety Spectacles: Scratch resistant polycarbonate lens.
19	Mask:Dust
19.01	<u>Disposable Masks (FFP1):</u> suitable for non-toxic dusts, fumes and water based mists - filter at least 80% of airbourne particles - with European Standard - breathing resistance.
19.02	<u>Disposable Masks With Filtration System (FFP2 or FFP3):</u> suitable at the minimum for toxic dusts, water based mists and fumes - with European Standard - ventex valve.
20	Magnetic Letters 23mm Black on White
21	Scale:Forensic
21.01	<u>Right Angled Scale (ABFO) Photomacrographic Scale:</u> approx 15 x 15cm - calibrated - durable - 1mm thick approx.
21.02	<u>L Shaped Reversible Scale:</u> 15cm x 30 cm and a straight 15cm - one side black on white and the other, white on black - reversible - calibrated - durable - 1mm thick approx.
21.03	<u>Folding Metric Reference Scale:</u> three parts of approx 30cm - large numbers - bright colors - black prints on yellow - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better.
21.04	<u>Adhesive Right Angled Scale (ABFO) Photomacrographic Scale:</u> approx 15 x 15cm - easy peel adhesive label - low tack - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better. Packs of 8 scales.
21.05	<u>Fluorescent Right Angled Scale (ABFO) Photomacrographic Scale:</u> approx 15 x 15cm - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better.
21.06	<u>Magnetic scales 15cm:</u> calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better
22	Photographic Adhesive Red Arrows 25mm: self adhesive - non-permanent backing - easy peel adhesive label. (1 800 adhesive arrows required)
23	Viewing Filter Plate. Orange: For eye protection - for seeing latent prints or evidence fluorescing - 8" x 8".
24	Light:Work Portable.Recharge Elect
24.01	<u>Forensic Light Kit:</u> minimum of 4 modes of light output red, green, blue, UV and whiteBlue - robust & strong - min. 440 lumens - approx. 190m beam distance - min. battery life 400 hrs - composed at the minimum of 1x torch, 1x red goggles, 1x orange goggles, 1x charger, 1x vehicle charger adapter - carrying protective case
24.02	<u>Floodlight system:</u> Head: approx. 11600 lumens - high and low power options - robust and impact resistant - cool running and glare free operation - wide angle; tripod: robust - adjustable - extendable approx. from 1m to 4m - powerpack: battery level indicator - robust - silent / no noise pollution; supplied with lamp, powerpack, tripod and chargers elements (mains & vehicle - recharges) - fully and easily transportable and mounted - carrying case - water proof - stable - quickly set-up – weatherproof
24.03	<u>Powerfull portable light:</u> Latest LED technology - at least 8 hours continuous power - up to 1500 lumens - at least 2 light modes: high and low, battery level indicator - rechargeable battery / charger elements (mains & vehicle - recharges) - robust and impact resistant, portable, weatherproof - carrying case - spare bulbs
25	Marker:Forensic Exhibit
25.01	Photo Direction Indicators: Up. Down. Right/Left. North Arrows
25.02	Yellow ID Tents. 1 to 20. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.
25.03	Yellow ID Tents. 21 to 40. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.

25.04	Yellow ID Tents. 41 to 60. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.
25.05	Yellow ID Tents. 61 to 80. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.
25.06	Yellow ID Tents. 81 to 100. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.
26	Coloured Evidence Marking Flags
27	CSI Gunshot Residue Kit (GSR): Presumptive "binary" test to be used at the scene (respecting the norm ISO17025).
28	Laser Trajectory Kit: Laser trajectory kit with co-aligned penetration rods and laser - pointer - high power laser - four large diameter connecting rods - suitable for use on holes down to 0.32 caliber - tripod - four sets of spacer cones and O-rings - tripod mount - angle measurer - batteries - easy to photograph
29	Collection Kt: Evidence
29.01	Hair Collection Module: Module/kit for 1 time use, sterile - including at least a fine tooth comb, scissors, forceps and drapes - with forensic evidence packaging as part of the module.
29.02	Contact DNA Recovery Kit: including at least a fine tooth comb, scissors, forceps and drapes.
29.03	Fingernails Collection Kit: Forensic DNA Grade - to collect and store samples from the fingernails - contains nail clippers, approx 3" fine tip swabs with individual tube, ampoule of sterile water and evidence packaging, DNA free paper envelopes - Suitable for trace DNA recovery.
29.04	Sterile Mini-lifting Tapes For Trace DNA: EtO sterilised - Suitable for trace DNA recovery - for collecting trace DNA from large surface areas, both absorbent and non-absorbent - box of 100 DNA-free lifting tape.
29.05	Hand Swab Kit: Forensic DNA Grade - To collect and store body fluid or contact trace evidence from the skin - contains swabs with individual tube, ampoule of sterile water and evidence packaging - Suitable for trace DNA recovery.
29.06	Forensic Medical Examination / Sexual Offence Kit: Drug-free - Alcohol-free - DNA-free - Contains at least the following kits: alcohol/drug blood kit (including material for collecting and storing blood sample), alcohol/drug urine kit (including Forensic DNA Grade material for collecting and storing urine sample), mouth collection kit (including Forensic DNA Grade material for collecting and storing individually tubed swabs samples and container), standard swab kit (including Forensic DNA Grade material for collecting and storing individually tubed swabs samples and ampoule of sterile water), hair collection kit (including Forensic DNA Grade material for collecting and storing samples and a fine tooth comb, scissors, forceps and drapes), nail collection kit (including Forensic DNA Grade material for collecting and storing samples and nail clippers, approx 3" fine tip swabs with individual tube, ampoule of sterile water and evidence packaging, DNA free paper envelopes), hand swab kit (including Forensic DNA Grade material for collecting and storing body fluid or contact trace evidence from the skin - contains swabs with individual tube, ampoule of sterile water and evidence packaging), Fibre Collection kit (including Forensic DNA Grade Sterile standing sheet and packing supplies to collect trace evidence), Disposable Clothing kits (single packed gown), Doctors clothing kit (disposable), cover sheet kit (including Forensic DNA Grade material for collecting and storing samples falling during examination)
30	Rapid Test Kt
30.01	Saliva Presumptive Test: instant results - amylase test type - field or lab use - min 5 test per pack
30.02	Blood Presumptive Test: instant results - dip stick test - field or lab use - min 10 tests per pack
30.03	Human Blood Presumptive Test: instant results - OBTI type test - detection of human hemoglobine - field or lab use - min 24 tests per pack
30.04	Seminal Fluid Presumptive Test: instant results - detection of human semen - field or lab use - min 10 tests per pack
31	Bluestar Tablets (8 applications): compact, lightweight, multi-use - pack weight 40 grams.
32	Sterile Water: Approx 5ml – per vials (900 vials required)
33	Swab:Stick.Single Head

33.01	<u>Sterile Swab With Transport Tube</u> : DNA Forensic Grade - protective tube - clearly printed with lot number and expiry date.
33.02	<u>Mini Pointed Sterile Swab With Transport Tube</u> : DNA Forensic Grade - protective Tube.
33.03	<u>Disposable Swab Drying Rack</u> : disposable - prevents cross-contamination - up to 12 swabs.
34	Fingerstick Lancets : Approx 21 gauge - fixed depth - sterile lancets - quick, simple to use and safe - Forensic DNA Grade
35	Fingerprint Kt – brushes
35.01	<u>Zephyr Fingerprint Brush With Transport Tube</u> : non shedding - washable - quality made - with transport tube.
35.02	<u>Marabou Feather Brush</u> : DNA Forensic Grade option - delicate - no damaging of the print after recoverage.
35.03	<u>Magnetic Brush</u> : Spring loaded - Easy to load and clean - Saves powder stocks - Robust and strong.
36	Fingerprint Kt - powders & ink
36.01	<u>Magnetic Fingerprint Powder - Black</u> : approx 30g/1oz - Sensitive on light surfaces - Easy to use - High sensitivity level.
36.02	<u>Magnetic Fingerprint Powder - Silver</u> : approx 30g/1oz - Sensitive on dark & light surfaces - Performs well on paper, wood and rougher surfaces - Easy to use - High sensitivity level.
36.03	<u>Fluorescent Magnetic Fingerprint Powder - Yellow</u> : approx 30g/1oz - Effective on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - Easy to use - High sensitivity level.
36.04	<u>Fluorescent Magnetic Fingerprint Powder - Red</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - High sensitivity level.
36.05	<u>Fluorescent Magnetic Fingerprint Powder - Green</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - Easy to use - High sensitivity level.
36.06	<u>Fingerprint Powder - Black</u> : approx 30g/1oz - Effective results for volume crime - Optional additives for climate control - Workhorse for crime scene development - High sensitivity level.
36.07	<u>Fingerprint Powder - Aluminium</u> : approx 30g/1oz - Great on non-porous surfaces - Yields great results on a wide variety of difficult surfaces - High sensitivity level.
36.08	<u>Fingerprint Powder - Black</u> : approx 100g/3,5oz - Suitable for general use - High sensitivity level.
36.09	<u>Wet Powder - White</u> : approx 250ml - excellent friction ridge detail results - indefinite shelf life - applies easily with a washable brush - High sensitivity level.
36.10	<u>Wet Powder - Black</u> : approx 250ml - excellent friction ridge detail results - indefinite shelf life - applies easily with a washable brush - High sensitivity level.
36.11	<u>Powder Suspension - Yellow</u> : approx 250ml - Used across wide range of surfaces - Used pouring, dipping or spraying - Easy & quick to use - High sensitivity level.
36.12	<u>Powder Suspension - Black</u> : approx 250ml - Used across wide range of surfaces - Used pouring, dipping or spraying - Easy & quick to use - High sensitivity level.
36.13	<u>Fluorescent Fingerprint Powder - Red</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.
36.14	<u>Fluorescent Fingerprint Powder - Orange</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.
36.15	<u>Fluorescent Fingerprint Powder - Yellow</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.
36.16	<u>Fluorescent Fingerprint Powder - Green</u> : approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.
36.17	<u>Fingerprint Preparation Towelettes</u> : Easy to use - Hermetically sealed.
36.18	<u>Ink Pad - Medium Round</u> : approx 50mm - Circular 50mm diameter - Stain free - Easy to use.
36.19	<u>Ink Pad - Rectangular</u> : approx 65mm x 155mm - Wipe clean pad - Black ink.
37	Fingerprint Kt - lifters & treatments
37.01	<u>Lifter With Scale - White</u> : approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25

	sheets.
37.02	<u>Lifter With Scale - Black</u> : approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.
37.03	<u>Lifter With Scale - Clear</u> : approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.
37.04	<u>Lifter With Scale - White</u> : approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.
37.05	<u>Lifter With Scale - Black</u> : approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.
37.06	<u>Lifter With Scale - Clear</u> : approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.
37.07	<u>Gel Lifter - White</u> : approx 13 cm x 18 cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 10 sheets.
37.08	<u>Gel Lifter - Black</u> : approx 13 cm x 18 cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 10 sheets.
37.09	<u>Gel Lifter - Clear</u> : approx 13 cm x 18 cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 10 sheets.
37.10	<u>Gel Lifter - White</u> : approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.
37.11	<u>Gel Lifter - Black</u> : approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.
37.12	<u>Gel Lifter - Clear</u> : approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.
37.13	<u>Fingerprint Lift Tape</u> : 50mm - Available in 25mm & 50mm - Easy tear for ease of use - High quality low tack adhesive.
37.14	<u>Iodine Fuming Kit</u> : no interference with subsequent application - comes with carrying case and whole kit.
37.15	<u>DFO Spray</u> : approx 250ml spray bottle - Ready to use - Excellent results on multi coloured backgrounds.
38	Quick Cast Kit : Ready and Easy-to-use Pouch - Small water pack enclosed.
39	Mikrosil Casting Paste Kit : Black - excellent rendering of small details and high contrast - good releasing ability for cast and short setting time - Easy-to-use.
40	Foam Impression Kits : Comes in a cardboard container suitable for storage and protect the impression - blue in color - size approx 14" x 6" x 2 1/4".
41	Adjustable Casting Frame : Used to contain casting material - adaptable for footwear or tire impressions - unique overlap clips allow approx eight inches or more of expansion - Each frame includes two "U" shaped bars.
42	Precast Spray : For preparation of casting in soil or sand - Stabilizer - Quick-drying - Decreases the chance of detail damage due to the weight of the casting material.
43	Handle Held Sweeper : Best used before taking fibre tapings - Cleanable.
44	Lifter Pad : Approx 100mm x 150mm - Ideal for fibre collection - pack of 5 sheets
45	Body Sheet Black : Approx 3.3m x 2m - Individually wrapped.
46	Fingerprint Kt – Cadaver
46.01	<u>Cadaver Fingerprint Kit</u> : Contains at least Mask, Gloves, Bio Bags, Record Cards, Ink strip foils, finger roller/ straightener, wipes.
46.02	<u>Finger Straighteners</u> : Containing a set of small, medium and large chrome plated straighteners.
47	Body Bag Set
47.01	<u>Child Body Bag</u> : Approx 28" x 48" - PEVA LDPE - Low density polyethylene.
47.02	<u>Adult Body Bag</u> : Extra Heavy Duty - Flame retardant PU coated nylon/polyester - size approx 1000mm (39") wide x 2420mm (95") long.
48	Forensic bags
48.01	<u>Tamper Breathable Evidence Bag - S</u> : Allows damp or wet evidence to dry without degradation -

	Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.02	<u>Tamper Breathable Evidence Bag - M:</u> Allows damp or wet evidence to dry without degradation - Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.03	<u>Tamper Breathable Evidence Bag - L:</u> Allows damp or wet evidence to dry without degradation - Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.04	<u>Sealable Paper Sacks - S:</u> With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.05	<u>Sealable Paper Sacks - M:</u> With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.06	<u>Sealable Paper Sacks - L:</u> With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.07	<u>Sealable Paper Sacks - XL:</u> With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.
48.08	<u>Tamper Evidence Bag - S:</u> Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.
48.09	<u>Tamper Evidence Bag - M:</u> Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.
48.10	<u>Tamper Evidence Bag - L:</u> Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.
48.11	<u>Tamper Evidence Bag - XL:</u> Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.
48.12	<u>Tamper Evidence Bag - XXL:</u> Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.
49	Forensic boxes
49.01	<u>Mobile Phone Evidence Box:</u> With Window for visual examination - Customized Chain of Custody form - Complete storage for mobile phones - approx 180mm x 110mm x 65mm - Insert for securing device.
49.02	<u>Hand Gun / Knife Evidence Box:</u> With Window for visual examination - Customized Chain of Custody form - Grid of push-out holes for securing - Robust & Strong - Insert for securing item.
49.03	<u>Number Plate Box:</u> With Customized Chain of Custody form - Stores two plates - Size approx 53 cm L x 16 cm D x 12cm H.
49.04	<u>Rifle Evidence Box:</u> With Window for visual examination - Customized Chain of Custody form - Grid of push-out holes for securing - Robust & Strong - Insert for securing item.
50	Hand Preservation Kit: Breathable Tyvek material - Drawstring for securing to wrist - by pair.
51	Tube
51.01	Telescopic Weapon Tube With End Caps - S: Usable for non-sharps and sharps - Telescopic to adjust to fit.
51.02	Telescopic Weapon Tube With End Caps - M: Usable for non-sharps and sharps - Telescopic to adjust to fit.
51.03	Telescopic Weapon Tube With End Caps - L: Usable for non-sharps and sharps - Telescopic to adjust to fit.
51.04	Telescopic Weapon Tube With End Caps - XL: Usable for non-sharps and sharps - Telescopic to adjust to fit.
52	Forensic boxes
52.01	<u>Cardboard Box - S:</u> approx 100x100x100mm - suitable for storage, packaging and transportation -

	single or double wall rigid corrugate board with a kraft paper finish.
52.02	Cardboard Box - M: approx 200x200x200mm - suitable for storage, packaging and transportation - single or double wall rigid corrugate board with a kraft paper finish - Used with heavier items and tough shipping conditions.
52.03	Cardboard Box - XL: approx 430mm x 310mm x 50mm - suitable for storage, packaging and transportation - single or double wall rigid corrugate board with a kraft paper finish - For metal evidence or sharp evidence.
52.04	Rectangular Clear Plastic Box - S: Made of clear plastic for visibility - Strong, durable & robust - Tight push fit lid.
53	Vial:Specimen
53.01	Screw Lid Glass Jar: approx 125ml - Screw cap - Glass - unlabelled.
53.02	Screw Lid Glass Jar: approx 30ml - Screw cap - Glass - unlabelled.
54	Double Mattress Cover Bag XXXL:
55	Sterile Eppendorf Tubes: Individually Sealed - Prevents contamination and protects samples from being crushed.
56	Fibre Collection Sterile Paper: Forensic DNA Grade - contaminant free.
57	Kraft Paper Roll: Approx 750mm x 220m - Made from thick (min 70gsm) paper.
58	Security Unique Numbered Seal Nylon Material: Approx 200mm - unique numbered seal - nylon material.
59	Cable Ties: Black - approx 580mm x 12.7mm - reduces the risk of cross contamination of gunshot.
60	Exhibit Labels Continuity Tags: Capture full evidential information - Standard tie on but also available as adhesive - customized option.
61	Exhibit Labels Continuity Stickers: Approx 4" x 5 3/4" - printed black ink on matte white stock - customized option.
62	Customized Evidence Sealing Tape: Approx 1 1/2" wide, 0.001" thick, on a 3" core - backed with 50 lb. stock Kraft liner - customized option.
63	Fingerprints Do Not Touch Labels: Customized option.
64	Tamper Evidence Seals: Approx 70 mm x 30 mm - Tamper Evident Closure - Perforation & unique numbering every 150mm - "OPENED" message - customized option.
65	DNA Caution Labels: Printed in fluorescent green and black on self-adhesive stock - easily visible 14 day lead time - customized option.
66	Forensic Bags
66.01	Anti-Static Bags: approx 200mmx5m - made from specially manufactured polyethylene film.
66.02	Nylon Bags - M: approx 250mm x 450mm - eliminates the potential for cross-contamination - Long term storage - Made using Rilsan 11.
66.03	Nylon Bags - L: approx 300mm x 600mm - eliminates the potential for cross-contamination - Long term storage - Made using Rilsan 11.
66.04	Faraday Bags - M: blocks cellphone signal.
67	Disposable Sterile Plastic Tweezers-Forceps: Sterile - individually wrapped.
68	Disposable Sterile Plastic Pipettes: Sterile - individually wrapped
69	Disposable Sterile Plastic Scalpels N°11: Sterile - individually wrapped - pack of 10 scalpels
70	Disposable Sterile Plastic Scissors: Sterile - individually wrapped
71	Safety Knife: Usable for general packaging and multi-layer paper or polythene bags, as well as for ropes and netting.
72	Steel Shaft Claw Hammer
73	Professional Combination Pliers 200mm
74	Professional Long Nose Pliers 200mm
75	Window Crime Scene Black-out: Quick, easy, cheap - statically charged - stick to glass and windows - never leaves any marks
76	Hacksaw with blade (150mm)
77	Scissors

78	Polythene Bucket With Handle approx 9L
79	Folding Table
80	Screwdriver Set: Magnetic tip - softgrip handles - supplied in plastic carry case.
81	Digital Pocket Scales 0.1g - 500g - readability: 0.1g/0.01oz/0.1dwt/1.5gn - accuracy: ±0.1g - optimum temperature range: 10-30 - display : LCD 5 1/2 digits - power requirements: 2 CR2032/2pcs 3V AAA batter - platform material stainless steel.
82	Dustpan Set: Supplied in a polybag to keep clean.
83	Sharps Box: Approx 2,5L - used for the safe storage - with cover.
84	Clinical Waste Container: Approx 9L - with strong self- sealing adhesive lid to prevent leakage - with integral carrying handle.
85	Centrefeed Roll. White
86	Biohazard Bags: Dissolvable bags - solve the problem of cross contamination - approx 18 x 28 x 38 inch.
87	Hand-Held Magnifier: Approx 75mm - 3,5x - lightweight - inexpensive - durable - fit comfortably in the hand.
88	Dental Mirror - Metal - 90 degrees fixed angle.
89	Folding Steel Shovel: Carbon steel - tubular steel handle - powder coated to prevent corrosion - handle tightened by integral collet.
90	Rake: Flat Teeth - around 16 teeth.
91	Sieve Set: Three different sizes - from approx 12" to 5" - high stainless steel - three interchangeable screens.
92	Pistol Grip Tape Dispenser: L (50-75mm) - extremely sharp - comfortable - Equipped to cleanly cut filament and cloth tapes.
93	Reinforced Clear Packing Tape 50mm
94	Multi-Toolbox Storage Combinaison Wheeled Suitcase
95	Utility boxes:
95.01	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 25L - Material polypropylene, approx int. dim. 321mm x 244mm x 295mm, approx weight 2.5kg.
95.02	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 54L - Material polypropylene, approx int. dim. 508mm x 335mm x 285mm, approx weight 3.2kg.
95.03	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 80L - Material polypropylene, approx int. dim. 597mm x 374mm x 330mm, approx weight 4.2kg.
96	Electric Cooler With Car Charger: Min cools to 18°C below ambient (outside) temperature & warms up to 65°C - Capacity min 28lt - Battery cut out to protect car battery.
97	HDL4 High Level Disinfectant Wipes: DNA DENATURE
98	CHEMGENE HLD4L Disinfectant Spray: DNA DENATURE - approx 750ml - safe, simple and secure - more efficient removal of surface contaminants.
99	Crime Scene Cleaning & Decontaminating: DNA DENATURE - BULK (5L) - contains no bleach or harmful ingredients - safe on most surfaces including fabric & carpet - 24 hour residual effect.
100	Desiccant Packets: Complies with FDA guidelines.
101	First Aid Kit - 10pp
102	Training equipment
102.01	<u>BlueStar Forensic Training Tablets:</u> Version intended for training - no DNA analysis involved - 24 applications per pack - react the same way as the BlueStar
102.02	<u>BlueStar Training DVD:</u> 45min video training on how to use Bluestar® forensic on a crime scene
102.03	<u>Simulated Blood:</u> Bottle of 5L minimum - mimic the color and consistency of real human blood - safe - non-biological - non-toxic and non-irritating
102.04	<u>Training scenesuits - L:</u> Low cost training scene suits - coverall - Tyvek type
102.05	<u>Training scenesuits - M:</u> Low cost training scene suits - coverall - Tyvek type
102.06	<u>Training scenesuits - XL:</u> Low cost training scene suits - coverall - Tyvek type
102.07	<u>Body simulation:</u> Fake body - mannequin type - articulated - for crime scene simulation - washable

102.08	<u>Body parts simulation</u> : Ear - for crime scene simulation - washable
102.09	<u>Body parts simulation</u> : Finger - for crime scene simulation - washable
102.1	<u>Knife replica</u> : Realist and accurate replica - cleanable
102.11	<u>Pistol replica</u> : Realist and accurate replica - 9 mm pistol (e.g. replica of S&W or Beretta) - magazine clip can be removed - working slide action - cleanable - non-firing
102.12	<u>Rifle replica</u> : Realist and accurate replica - AK47 type - Features removable magazine - Non-fireable Replica - Cocking mechanism and working trigger - cleanable
102.13	<u>Bullets and casing replica</u> : Realist and accurate replica - inert - 9 mm - cleanable - pack of 10
102.14	<u>Ammunition replica</u> : Realist and accurate replica - inert - 9 mm - cleanable - pack of 12
102.15	<u>Bullets and casing replica</u> : Realist and accurate replica - inert - AK47 type corresponding to the caliber of the rifle replica (#101.14) - cleanable - pack of 10
102.16	<u>Ammunition replica</u> : Realist and accurate replica - inert - AK47 type corresponding to the caliber of the rifle replica (#101.14) - cleanable - pack of 12

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹⁰

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹¹)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. _____:

TABLE 1 : Offer to Supply Goods Compliant with Technical Specifications and Requirements

#	Description	Quantity (Total/sub)	Latest Delivery Date	Unit Price	Total Price /Item
1	Tack matt: adhesive matt panel - high tack debris collection - minimise cross contamination - easy to use and clean - for both scene and lab - approx 30 sheets per pad, UOM per pad	20			
2	Compass: calibrated to 64' and 360° - robust casing - oil damped fully floating 45 mm dial.	5			
3	Measure:Tape,Metric	<i>Total: 15</i>			
3.01	<u>Measure tape 30m:</u> speed rewind tape 30m/100' - metric marking - geared for fast rewinding - with a claw end fitting.	5			
3.02	<u>Measure tape 100m:</u> fibreglass tape with easy grip handle and enclosed frame to protect tape line - sturdy plastic rewind handle.	5			
3.03	<u>Road Measurer:</u> high density polypropylene measuring wheel - foldable - measuring up to 99999.9m - not more than 2.5 Kg - robust storage/carrying bag - stand and brake.	5			
4	Anemometer - Temperature: digital - lightweight and pocket size - Wind speed units: km/h m/s knots mph fps - backlight - stainless steel back - replaceable battery - long lasting battery - accuracy according to Swiss standards - balanced instant windspeed - Measuring range of sensor: -40°C to 80°C (-40°F to 176°F).	5			
5	Marker:Forensic Exhibit	<i>Total: 550</i>			
5.01	<u>Marking Chalk:</u> reflective White - thick - no permanent traces - creates highly reflective marks - sold per pack of 3 chalks	20			
5.02	<u>Pencil:</u> soft China pencil	240			
5.03	<u>Permanent Markers - Fine – Black</u>	160			
5.04	<u>Permanent Markers - Thick – Black</u>	130			
6	Writer Clip Board: Basic model - plastic support	5			
7	Crime Scene Template: rigid plastic, with scale and usual crime scene drawing patterns cutouts - 8 ½" by 11" - includes furniture and plumbing cutouts in two convenient scales - scale rulers included.	5			
8	Custom Barrier Tapes (75mm x 250m long): yellow with black	70			

¹⁰ This serves as a guide to the Supplier in preparing the quotation and price schedule.

¹¹ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

	writing in Arabic (crime scene - restricted access)				
9	Traffic Cone With Reflective Sleeve	20			
10	Tent:Forensics	<i>Total: 26</i>			
10.01	<u>Evidence Preservation Cover</u> : customized text printed on them - easy to use - quick to erect - light weight, portable and robust - easy to sterilize.	25			
10.02	<u>PVC Tent</u> : Rapid erect - robust, thick, stable, portable, lightweight and strong - and easy to use - made from quality PVC or nylon material - carrying case - approx. 3mx3mx2m - cleanable - water/shower proof - no see through - flame retardant - easily repaired	1			
11	Hairnet	<i>Total: 1200</i>			
11.01	Disposable Beard Cover	600			
11.02	Disposable Hair Net	600			
12	Cover:Shoe	<i>Total: 1200</i>			
12.01	<u>Disposable Over Boots - M</u> : durable material - Tyvek	600			
12.02	<u>Disposable Over Boots - L</u> : durable material - Tyvek	600			
13	Coveralls:Disp	<i>Total: 300</i>			
13.01	<u>Tyvek Coverall - M</u> : Type 5/6 coverall with hood, knit cuffs & elasticated wrists.	150			
13.02	<u>Tyvek Coverall - L</u> : Type 5/6 coverall with hood, knit cuffs & elasticated wrists.	150			
14	Cotton Gloves : lightweight - knit wrist - pair	30			
15	Gloves:Dspbl (Box)	<i>Total: 480</i>			
15.01	<u>Nitrile Powder Free Gloves: M</u> - high performance protection - durable and strong - sensitive and comfortable - box of 100 min.	240			
15.02	<u>Nitrile Powder Free Gloves: L</u> - high performance protection - durable and strong - sensitive and comfortable - box of 100 min.	240			
16	Kevlar Grip Gloves - L : Seamless 100% Kevlar knitted liner with latex coating on palm and fingers - pair.	30			
17	Heavy Duty Knee Pads : Superior padding with soft lining - velcro fastening - ribbed kneeling surface - pair.	30			
18	Safety Spectacles : Scratch resistant polycarbonate lens.	50			
19	Mask:Dust	<i>Total: 850</i>			
19.01	<u>Disposable Masks (FFP1)</u> : suitable for non-toxic dusts, fumes and water based mists - filter at least 80% of airborne particles - with European Standard - breathing resistance.	550			
19.02	<u>Disposable Masks With Filtration System (FFP2 or FFP3)</u> : suitable at the minimum for toxic dusts, water based mists and fumes - with European Standard - ventex valve.	300			
20	Magnetic Letters 23mm Black on White	30			
21	Scale:Forensic	<i>Total: 530</i>			
21.01	<u>Right Angled Scale (ABFO) Photomacrographic Scale</u> : approx 15 x 15cm - calibrated - durable - 1mm thick approx.	40			
21.02	<u>L Shaped Reversible Scale</u> : 15cm x 30 cm and a straight 15cm - one side black on white and the other, white on black - reversible - calibrated - durable - 1mm thick approx.	40			
21.03	<u>Folding Metric Reference Scale</u> : three parts of approx 30cm - large numbers - bright colors - black prints on yellow - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better.	30			

21.04	<u>Adhesive Right Angled Scale (ABFO) Photomacrographic Scale:</u> approx 15 x 15cm - easy peel adhesive label - low tack - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better. Packs of 8 scales.	340			
21.05	<u>Fluorescent Right Angled Scale (ABFO) Photomacrographic Scale:</u> approx 15 x 15cm - calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better.	40			
21.06	<u>Magnetic scales 15cm:</u> calibrated - durable - 1mm thick approx. - millimeter markings accurate to 0.1 mm or better	40			
22	Photographic Adhesive Red Arrows 25mm: self adhesive - non-permanent backing - easy peel adhesive label. (1 800 adhesive arrows required)	1 800			
23	Viewing Filter Plate. Orange: For eye protection - for seeing latent prints or evidence fluorescing - 8" x 8".	2			
24	Light:Work Portable.Recharge Elect	<i>Total: 7</i>			
24.01	<u>Forensic Light Kit:</u> minimum of 4 modes of light output red, green, blue, UV and whiteBlue - robust & strong - min. 440 lumens - approx. 190m beam distance - min. battery life 400 hrs - composed at the minimum of 1x torch, 1x red goggles, 1x orange goggles, 1x charger, 1x vehicle charger adapter - carrying protective case	2			
24.02	<u>Floodlight system:</u> Head: approx. 11600 lumens - high and low power options - robust and impact resistant - cool running and glare free operation - wide angle; tripod: robust - adjustable - extendable approx. from 1m to 4m - powerpack: battery level indicator - robust - silent / no noise pollution; supplied with lamp, powerpack, tripod and chargers elements (mains & vehicle - recharges) - fully and easily transportable and mounted - carrying case - water proof - stable - quickly set-up – weatherproof	3			
24.03	<u>Powerfull portable light:</u> Latest LED technology - at least 8 hours continuous power - up to 1500 lumens - at least 2 light modes: high and low, battery level indicator - rechargeable battery / charger elements (mains & vehicle - recharges) - robust and impact resistant, portable, weatherproof - carrying case - spare bulbs	2			
25	Marker:Forensic Exhibit	<i>Total: 30</i>			
25.01	Photo Direction Indicators: Up. Down. Right/Left. North Arrows	5			
25.02	Yellow ID Tents. 1 to 20. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.	5			
25.03	Yellow ID Tents. 21 to 40. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.	5			
25.04	Yellow ID Tents. 41 to 60. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.	5			
25.05	Yellow ID Tents. 61 to 80. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable plastic - easy storage - flat surface.	5			
25.06	Yellow ID Tents. 81 to 100. Standard: with scale - three 3" x 3" surfaces on each tent - elevated field use possible - durable	5			

	plastic - easy storage - flat surface.				
26	Coloured Evidence Marking Flags	1 200			
27	CSI Gunshot Residue Kit (GSR): Presumptive "binary" test to be used at the scene (respecting the norm ISO17025).	16			
28	Laser Trajectory Kit: Laser trajectory kit with co-aligned penetration rods and laser - pointer - high power laser - four large diameter connecting rods - suitable for use on holes down to 0.32 caliber - tripod - four sets of spacer cones and O-rings - tripod mount - angle measurer - batteries - easy to photograph	1			
29	Collection Kit:Evidence	<i>Total: 446</i>			
29.01	<u>Hair Collection Module:</u> Module/kit for 1 time use, sterile - including at least a fine tooth comb, scissors, forceps and drapes - with forensic evidence packaging as part of the module.	80			
29.02	<u>Contact DNA Recovery Kit:</u> including at least a fine tooth comb, scissors, forceps and drapes.	120			
29.03	<u>Fingernails Collection Kit:</u> Forensic DNA Grade - to collect and store samples from the fingernails - contains nail clippers, approx 3" fine tip swabs with individual tube, ampoule of sterile water and evidence packaging, DNA free paper envelopes - Suitable for trace DNA recovery.	100			
29.04	<u>Sterile Mini-lifting Tapes For Trace DNA:</u> EtO sterilised - Suitable for trace DNA recovery - for collecting trace DNA from large surface areas, both absorbent and non-absorbent - box of 100 DNA-free lifting tape.	6			
29.05	<u>Hand Swab Kit:</u> Forensic DNA Grade - To collect and store body fluid or contact trace evidence from the skin - contains swabs with individual tube, ampoule of sterile water and evidence packaging - Suitable for trace DNA recovery.	100			
29.06	<u>Forensic Medical Examination / Sexual Offence Kit:</u> Drug-free - Alcohol-free - DNA-free - Contains at least the following kits: alcohol/drug blood kit (including material for collecting and storing blood sample), alcohol/drug urine kit (including Forensic DNA Grade material for collecting and storing urine sample), mouth collection kit (including Forensic DNA Grade material for collecting and storing individually tubed swabs samples and container), standard swab kit (including Forensic DNA Grade material for collecting and storing individually tubed swabs samples and ampoule of sterile water), hair collection kit (including Forensic DNA Grade material for collecting and storing samples and a fine tooth comb, scissors, forceps and drapes), nail collection kit (including Forensic DNA Grade material for collecting and storing samples and nail clippers, approx 3" fine tip swabs with individual tube, ampoule of sterile water and evidence packaging, DNA free paper envelopes), hand swab kit (including Forensic DNA Grade material for collecting and storing body fluid or contact trace evidence from the skin - contains swabs with individual tube, ampoule of sterile water and evidence packaging), Fibre Collection kit (including Forensic DNA Grade Sterile standing sheet and packing supplies to collect trace evidence), Disposable Clothing kits (single packed gown), Doctors clothing kit (disposable), cover sheet kit (including Forensic DNA Grade material for collecting and storing samples falling during	40			

	examination)				
30	Rapid Test Kt	<i>Total: 140</i>			
30.01	<u>Saliva Presumptive Test:</u> instant results - amylase test type - field or lab use - min 5 test per pack	40			
30.02	<u>Blood Presumptive Test:</u> instant results - dip stick test - field or lab use - min 10 tests per pack	60			
30.03	<u>Human Blood Presumptive Test:</u> instant results - OBTI type test - detection of human hemoglobine - field or lab use - min 24 tests per pack	12			
30.04	<u>Seminal Fluid Presumptive Test:</u> instant results - detection of human semen - field or lab use - min 10 tests per pack	28			
31	Bluestar Tablets (8 applications): compact, lightweight, multi-use - pack weight 40 grams.	6			
32	Sterile Water: Approx 5ml – per vials (900 vials required)	900			
33	Swab:Stick.Single Head	<i>Total: 1442</i>			
33.01	<u>Sterile Swab With Transport Tube:</u> DNA Forensic Grade - protective tube - clearly printed with lot number and expiry date.	1 050			
33.02	<u>Mini Pointed Sterile Swab With Transport Tube:</u> DNA Forensic Grade - protective Tube.	300			
33.03	<u>Disposable Swab Drying Rack:</u> disposable - prevents cross-contamination - up to 12 swabs.	92			
34	Fingerstick Lancets: Approx 21 gauge - fixed depth - sterile lancets - quick, simple to use and safe - Forensic DNA Grade	150			
35	Fingerprint Kt – brushes	<i>Total: 40</i>			
35.01	<u>Zephyr Fingerprint Brush With Transport Tube:</u> non shedding - washable - quality made - with transport tube.	20			
35.02	<u>Marabou Feather Brush:</u> DNA Forensic Grade option - delicate - no damaging of the print after recoverage.	10			
35.03	<u>Magnetic Brush:</u> Spring loaded - Easy to load and clean - Saves powder stocks - Robust and strong.	10			
36	Fingerprint Kt - powders & ink	<i>Total: 1180</i>			
36.01	<u>Magnetic Fingerprint Powder - Black:</u> approx 30g/1oz - Sensitive on light surfaces - Easy to use - High sensitivity level.	50			
36.02	<u>Magnetic Fingerprint Powder - Silver:</u> approx 30g/1oz - Sensitive on dark & light surfaces - Performs well on paper, wood and rougher surfaces - Easy to use - High sensitivity level.	50			
36.03	<u>Fluorescent Magnetic Fingerprint Powder - Yellow:</u> approx 30g/1oz - Effective on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - Easy to use - High sensitivity level.	50			
36.04	<u>Fluorescent Magnetic Fingerprint Powder - Red:</u> approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - High sensitivity level.	50			
36.05	<u>Fluorescent Magnetic Fingerprint Powder - Green:</u> approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with forensic light source - Allows user to layer - Easy to use - High sensitivity level.	50			
36.06	<u>Fingerprint Powder - Black:</u> approx 30g/1oz - Effective results for volume crime - Optional additives for climate control - Workhorse for crime scene development - High sensitivity level.	50			
36.07	<u>Fingerprint Powder - Aluminium:</u> approx 30g/1oz - Great on non-porous surfaces - Yields great results on a wide variety of difficult	50			

	surfaces - High sensitivity level.				
36.08	Fingerprint Powder - Black: approx 100g/3,5oz - Suitable for general use - High sensitivity level.	50			
36.09	Wet Powder - White: approx 250ml - excellent friction ridge detail results - indefinite shelf life - applies easily with a washable brush - High sensitivity level.	40			
36.10	Wet Powder - Black: approx 250ml - excellent friction ridge detail results - indefinite shelf life - applies easily with a washable brush - High sensitivity level.	40			
36.11	Powder Suspension - Yellow: approx 250ml - Used across wide range of surfaces - Used pouring, dipping or spraying - Easy & quick to use - High sensitivity level.	40			
36.12	Powder Suspension - Black: approx 250ml - Used across wide range of surfaces - Used pouring, dipping or spraying - Easy & quick to use - High sensitivity level.	40			
36.13	Fluorescent Fingerprint Powder - Red: approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.	50			
36.14	Fluorescent Fingerprint Powder - Orange: approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.	50			
36.15	Fluorescent Fingerprint Powder - Yellow: approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.	50			
36.16	Fluorescent Fingerprint Powder - Green: approx 30g/1oz - Excellent results on multi coloured surfaces - Fluoresces with UV 365nm - Allows user to layer - High sensitivity level.	50			
36.17	Fingerprint Preparation Towelettes: Easy to use - Hermetically sealed.	360			
36.18	Ink Pad - Medium Round: approx 50mm - Circular 50mm diameter - Stain free - Easy to use.	30			
36.19	Ink Pad - Rectangular: approx 65mm x 155mm - Wipe clean pad - Black ink.	30			
37	Fingerprint Kt - lifters & treatments	<i>Total: 366</i>			
37.01	Lifter With Scale - White: approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.02	Lifter With Scale - Black: approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.03	Lifter With Scale - Clear: approx 5x6cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.04	Lifter With Scale - White: approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.05	Lifter With Scale - Black: approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.06	Lifter With Scale - Clear: approx 10x11,5cm - Incorporates photo scale - Easy peel system - pack of 25 sheets.	8			
37.07	Gel Lifter - White: approx 13 cm x 18 cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 10 sheets.	40			
37.08	Gel Lifter - Black: approx 13 cm x 18 cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 10 sheets.	40			
37.09	Gel Lifter - Clear: approx 13 cm x 18 cm - Used on most surfaces -	40			

	Versatile on application - Quality lifting device - pack of 10 sheets.			
37.10	Gel Lifter - White: approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.	40		
37.11	Gel Lifter - Black: approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.	40		
37.12	Gel Lifter - Clear: approx 18x36cm - Used on most surfaces - Versatile on application - Quality lifting device - pack of 2 sheets.	40		
37.13	Fingerprint Lift Tape: 50mm - Available in 25mm & 50mm - Easy tear for ease of use - High quality low tack adhesive.	50		
37.14	Iodine Fuming Kit: no interference with subsequent application - comes with carrying case and whole kit.	14		
37.15	DFO Spray: approx 250ml spray bottle - Ready to use - Excellent results on multi coloured backgrounds.	14		
38	Quick Cast Kit: Ready and Easy-to-use Pouch - Small water pack enclosed.	120		
39	Mikrosil Casting Paste Kit: Black - excellent rendering of small details and high contrast - good releasing ability for cast and short setting time - Easy-to-use.	30		
40	Foam Impression Kits: Comes in a cardboard container suitable for storage and protect the impression - blue in color - size approx 14" x 6" x 2 1/4".	100		
41	Adjustable Casting Frame: Used to contain casting material - adaptable for footwear or tire impressions - unique overlap clips allow approx eight inches or more of expansion - Each frame includes two "U" shaped bars.	5		
42	Precast Spray: For preparation of casting in soil or sand - Stabilizer - Quick-drying - Decreases the chance of detail damage due to the weight of the casting material.	40		
43	Handle Held Sweeper: Best used before taking fibre tapings - Cleanable.	5		
44	Lifter Pad: Approx 100mm x 150mm - Ideal for fibre collection - pack of 5 sheets	120		
45	Body Sheet Black: Approx 3.3m x 2m - Individually wrapped.	5		
46	Fingerprint Kt – Cadaver	<i>Total: 33</i>		
46.01	Cadaver Fingerprint Kit: Contains at least Mask, Gloves, Bio Bags, Record Cards, Ink strip foils, finger roller/ straightener, wipes.	30		
46.02	Finger Straighteners: Containing a set of small, medium and large chrome plated straighteners.	3		
47	Body_Bag_Set	<i>Total: 10</i>		
47.01	Child Body Bag: Approx 28" x 48" - PEVA LDPE - Low density polyethylene.	5		
47.02	Adult Body Bag: Extra Heavy Duty - Flame retardant PU coated nylon/polyester - size approx 1000mm (39") wide x 2420mm (95") long.	5		
48	Forensic bags	<i>Total: 3500</i>		
48.01	Tamper Breathable Evidence Bag - S: Allows damp or wet evidence to dry without degradation - Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	600		
48.02	Tamper Breathable Evidence Bag - M: Allows damp or wet evidence to dry without degradation - Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy &	280		

	quick - Save time at scene - Customized Chain of Custody form.				
48.03	<u>Tamper Breathable Evidence Bag - L</u> : Allows damp or wet evidence to dry without degradation - Breathable reverse - Secures evidence with same functionality - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	200			
48.04	<u>Sealable Paper Sacks - S</u> : With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	600			
48.05	<u>Sealable Paper Sacks - M</u> : With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	280			
48.06	<u>Sealable Paper Sacks - L</u> : With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	200			
48.07	<u>Sealable Paper Sacks - XL</u> : With Window - Sealable Strip - Easy & quick - Save time at scene - Customized Chain of Custody form.	100			
48.08	<u>Tamper Evidence Bag - S</u> : Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.	600			
48.09	<u>Tamper Evidence Bag - M</u> : Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.	280			
48.10	<u>Tamper Evidence Bag - L</u> : Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.	200			
48.11	<u>Tamper Evidence Bag - XL</u> : Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.	100			
48.12	<u>Tamper Evidence Bag - XXL</u> : Unique lick line - Void/STOP on seal - Unique Sequential numbering & barcode - Sealable Strip - Easy & quick - Save time at scene - Robust - Customized Chain of Custody form.	60			
49	Forensic boxes	<i>Total: 240</i>			
49.01	<u>Mobile Phone Evidence Box</u> : With Window for visual examination - Customized Chain of Custody form - Complete storage for mobile phones - approx 180mm x 110mm x 65mm - Insert for securing device.	60			
49.02	<u>Hand Gun / Knife Evidence Box</u> : With Window for visual examination - Customized Chain of Custody form - Grid of push-out holes for securing - Robust & Strong - Insert for securing item.	60			
49.03	<u>Number Plate Box</u> : With Customized Chain of Custody form - Stores two plates - Size approx 53 cm L x 16 cm D x 12cm H.	60			
49.04	<u>Rifle Evidence Box</u> : With Window for visual examination - Customized Chain of Custody form - Grid of push-out holes for securing - Robust & Strong - Insert for securing item.	60			
50	Hand Preservation Kit : Breathable Tyvek material - Drawstring for securing to wrist - by pair.	100			
51	Tube	<i>Total: 280</i>			
51.01	Telescopic Weapon Tube With End Caps - S: Usable for non-sharps and sharps - Telescopic to adjust to fit.	90			
51.02	Telescopic Weapon Tube With End Caps - M: Usable for non-	90			

	sharps and sharps - Telescopic to adjust to fit.			
51.03	Telescopic Weapon Tube With End Caps - L: Usable for non-sharps and sharps - Telescopic to adjust to fit.	50		
51.04	Telescopic Weapon Tube With End Caps - XL: Usable for non-sharps and sharps - Telescopic to adjust to fit.	50		
52	Forensic boxes	<i>Total: 550</i>		
52.01	<u>Cardboard Box - S:</u> approx 100x100x100mm - suitable for storage, packaging and transportation - single or double wall rigid corrugate board with a kraft paper finish.	170		
52.02	<u>Cardboard Box - M:</u> approx 200x200x200mm - suitable for storage, packaging and transportation - single or double wall rigid corrugate board with a kraft paper finish - Used with heavier items and tough shipping conditions.	130		
52.03	<u>Cardboard Box - XL:</u> approx 430mm x 310mm x 50mm - suitable for storage, packaging and transportation - single or double wall rigid corrugate board with a kraft paper finish - For metal evidence or sharp evidence.	70		
52.04	<u>Rectangular Clear Plastic Box - S:</u> Made of clear plastic for visibility - Strong, durable & robust - Tight push fit lid.	180		
53	Vial:Specimen	<i>Total: 320</i>		
53.01	<u>Screw Lid Glass Jar:</u> approx 125ml - Screw cap - Glass - unlabelled.	100		
53.02	<u>Screw Lid Glass Jar:</u> approx 30ml - Screw cap - Glass - unlabelled.	220		
54	Double Mattress Cover Bag XXXL:	40		
55	Sterile Eppendorf Tubes: Individually Sealed - Prevents contamination and protects samples from being crushed.	250		
56	Fibre Collection Sterile Paper: Forensic DNA Grade - contaminant free.	80		
57	Kraft Paper Roll: Approx 750mm x 220m - Made from thick (min 70gsm) paper.	40		
58	Security Unique Numbered Seal Nylon Material: Approx 200mm - unique numbered seal - nylon material.	480		
59	Cable Ties: Black - approx 580mm x 12.7mm - reduces the risk of cross contamination of gunshot.	240		
60	Exhibit Labels Continuity Tags: Capture full evidential information - Standard tie on but also available as adhesive - customized option.	248		
61	Exhibit Labels Continuity Stickers: Approx 4" x 5 3/4" - printed black ink on matte white stock - customized option.	495		
62	Customized Evidence Sealing Tape: Approx 1 1/2" wide, 0.001" thick, on a 3" core - backed with 50 lb. stock Kraft liner - customized option.	50		
63	Fingerprints Do Not Touch Labels: Customized option.	620		
64	Tamper Evidence Seals: Approx 70 mm x 30 mm - Tamper Evident Closure - Perforation & unique numbering every 150mm - "OPENED" message - customized option.	495		
65	DNA Caution Labels: Printed in fluorescent green and black on self-adhesive stock - easily visible 14 day lead time - customized option.	620		
66	Forensic Bags	<i>Total: 480</i>		
66.01	Anti-Static Bags: approx 200mmx5m - made from specially manufactured polyethylene film.	150		

66.02	Nylon Bags - M: approx 250mm x 450mm - eliminates the potential for cross-contamination - Long term storage - Made using Rilsan 11.	150			
66.03	Nylon Bags - L: approx 300mm x 600mm - eliminates the potential for cross-contamination - Long term storage - Made using Rilsan 11.	100			
66.04	Faraday Bags - M: blocks cellphone signal.	80			
67	Disposable Sterile Plastic Tweezers-Forceps: Sterile - individually wrapped.	1 500			
68	Disposable Sterile Plastic Pipettes: Sterile - individually wrapped	600			
69	Disposable Sterile Plastic Scalpels N°11: Sterile - individually wrapped - pack of 10 scalpels	490			
70	Disposable Sterile Plastic Scissors: Sterile - individually wrapped	1 300			
71	Safety Knife: Usable for general packaging and multi-layer paper or polythene bags, as well as for ropes and netting.	5			
72	Steel Shaft Claw Hammer	5			
73	Professional Combination Pliers 200mm	5			
74	Professional Long Nose Pliers 200mm	5			
75	Window Crime Scene Black-out: Quick, easy, cheap - statically charged - stick to glass and windows - never leaves any marks	20			
76	Hacksaw with blade (150mm)	5			
77	Scissors	5			
78	Polythene Bucket With Handle approx 9L	5			
79	Folding Table	5			
80	Screwdriver Set: Magnetic tip - softgrip handles - supplied in plastic carry case.	5			
81	Digital Pocket Scales 0.1g - 500g - readability: 0.1g/0.01oz/0.1dwt/1.5gn - accuracy: ±0.1g - optimum temperature range: 10-30 - display : LCD 5 1/2 digits - power requirements: 2 CR2032/2pcs 3V AAA batter - platform material stainless steel.	5			
82	Dustpan Set: Supplied in a polybag to keep clean.	5			
83	Sharps Box: Approx 2,5L - used for the safe storage - with cover.	50			
84	Clinical Waste Container: Approx 9L - with strong self- sealing adhesive lid to prevent leakage - with integral carrying handle.	5			
85	Centrefeed Roll. White	90			
86	Biohazard Bags: Dissolvable bags - solve the problem of cross contamination - approx 18 x 28 x 38 inch.	320			
87	Hand-Held Magnifier: Approx 75mm - 3,5x - lightweight - inexpensive - durable - fit comfortably in the hand.	5			
88	Dental Mirror - Metal - 90 degrees fixed angle.	5			
89	Folding Steel Shovel: Carbon steel - tubular steel handle - powder coated to prevent corrosion - handle tightened by integral collet.	5			
90	Rake: Flat Teeth - around 16 teeth.	5			
91	Sieve Set: Three different sizes - from approx 12" to 5" - high stainless steel - three interchangeable screens.	5			
92	Pistol Grip Tape Dispenser: L (50-75mm) - extremely sharp - comfortable - Equipped to cleanly cut filament and cloth tapes.	5			
93	Reinforced Clear Packing Tape 50mm	60			
94	Multi-Toolbox Storage Combinaison Wheeled Suitcase	5			

95	Utility boxes:	<i>Total: 30</i>			
95.01	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 25L - Material polypropylene, approx int. dim. 321mm x 244mm x 295mm, approx weight 2.5kg.	15			
95.02	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 54L - Material polypropylene, approx int. dim. 508mm x 335mm x 285mm, approx weight 3.2kg.	10			
95.03	<u>Heavy Duty Croc Box Attached Lid Plastic Storage Boxes:</u> Approx 80L - Material polypropylene, approx int. dim. 597mm x 374mm x 330mm, approx weight 4.2kg.	5			
96	Electric Cooler With Car Charger: Min cools to 18°C below ambient (outside) temperature & warms up to 65°C - Capacity min 28lt - Battery cut out to protect car battery.	3			
97	HDL4 High Level Disinfectant Wipes: DNA DENATURE	3 000			
98	CHEMGENE HLD4L Disinfectant Spray: DNA DENATURE - approx 750ml - safe, simple and secure - more efficient removal of surface contaminants.	110			
99	Crime Scene Cleaning & Decontaminating: DNA DENATURE - BULK (5L) - contains no bleach or harmful ingredients - safe on most surfaces including fabric & carpet - 24 hour residual effect.	8			
100	Desiccant Packets: Complies with FDA guidelines.	496			
101	First Aid Kit - 10pp	18			
102	Training equipment	<i>Total: 931</i>			
102.01	<u>BlueStar Forensic Training Tablets:</u> Version intended for training - no DNA analysis involved - 24 applications per pack - react the same way as the BlueStar	6			
102.02	<u>BlueStar Training DVD:</u> 45min video training on how to use Bluestar® forensic on a crime scene	1			
102.03	<u>Simulated Blood:</u> Bottle of 5L minimum - mimic the color and consistency of real human blood - safe - non-biological - non-toxic and non-irritating	6			
102.04	<u>Training scenesuits - L:</u> Low cost training scene suits - coverall - Tyvek type	300			
102.05	<u>Training scenesuits - M:</u> Low cost training scene suits - coverall - Tyvek type	300			
102.06	<u>Training scenesuits - XL:</u> Low cost training scene suits - coverall - Tyvek type	300			
102.07	<u>Body simulation:</u> Fake body - mannequin type - articulated - for crime scene simulation – washable	1			
102.08	<u>Body parts simulation:</u> Ear - for crime scene simulation – washable	2			
102.09	<u>Body parts simulation:</u> Finger - for crime scene simulation – washable	5			
102.1	<u>Knife replica:</u> Realist and accurate replica - cleanable	2			
102.11	<u>Pistol replica:</u> Realist and accurate replica - 9 mm pistol (e.g. replica of S&W or Beretta) - magazine clip can be removed - working slide action - cleanable - non-firing	2			
102.12	<u>Rifle replica:</u> Realist and accurate replica - AK47 type - Features removable magazine - Non-fireable Replica - Cocking mechanism and working trigger – cleanable	2			
102.13	<u>Bullets and casing replica:</u> Realist and accurate replica - inert - 9 mm - cleanable - pack of 10	1			

102.14	<u>Ammunition replica</u> : Realist and accurate replica - inert - 9 mm - cleanable - pack of 12	1			
102.15	<u>Bullets and casing replica</u> : Realist and accurate replica - inert - AK47 type corresponding to the caliber of the rifle replica (#101.14) - cleanable - pack of 10	1			
102.16	<u>Ammunition replica</u> : Realist and accurate replica - inert - AK47 type corresponding to the caliber of the rifle replica (#101.14) - cleanable - pack of 12	1			
Add : Cost of Transportation					
Add : Cost of Insurance					
Total (USD/TND)					

TABLE 3 : Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our Quotation are as follows :	Your Responses		
	<i>Yes. we will comply</i>	<i>No. we cannot comply</i>	<i>If you cannot comply. pls. indicate counter proposal</i>
Delivery Lead Time			
Country/ies Of Origin ¹² :			
Warranty and After-Sales Requirements			
a) Minimum one (1) year warranty on both parts and labor			
Validity of Quotation			
All Provisions of the UNDP General Terms and Conditions			
Other requirements <i>[pls. specify]</i>			

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]

¹² *If the country of origin requires Export License for the goods being procured, or other relevant documents that the country of destination may require, the supplier must submit them to UNDP if awarded the PO/contract.*

General Terms and Conditions

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

- 3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
- 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes

expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.

7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.

9.2 Refuse to accept delivery of all or part of the goods.

9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.

11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

16.1 Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any

money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.

18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19.0 OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.