

Wing Wall
Section C-C

5.0.0

PCC-M200, $\mu=18\text{cm}$
(See No 7)

Stone masonry-M200
(See No 2)

PCC-M180
(See No 7)

8.0

7.0


1.0

1.0

7.0

اندازه های ابعاد دیوار های توجه کننده مطابق ساحه تعیین گردد

1. All dimensions are in centimeters unless otherwise specified.
2. If rounded stone from a river or other sources is used, it shall not comprise of more than 30% of the total volume of stone and shall be evenly distributed throughout the wall.
3. All masonry work should be pointed.
4. Angel and length of wing walls should be adjusted by the Engineer as per site conditions.
5. Refer to the bar schedule for the length and shape of reinforcement.
6. Concrete mixshall be proportioned by volume with a water /cement ratio of not more than 0.45.
7. The culver should be contracted with a fall of (2 - 4) % .



NATIONAL SOLID CITY PROGRAM - AFGHANISTAN
STANDARDIZATION UNIT
STANDARD DESIGN

PCR



Project Title	Span 150m for 6m road	Sheet No	1/3	Design by	Safillah "Ahmadli"	Reviewed by		Date	
Project Subject	Details & Steel bar table	Scale	in dimension	Drawn by	Safillah "Ahmadli"	Approved by			