

#### **REQUEST FOR QUOTATION (RFQ)**

# Construction of Portable Water Systems in Lithipeng, Khoelenya and Thaba Mokhele Community Councils

NAME & ADDRESS OF FIRM	
	DATE: August 29, 2018
	REFERENCE: UNDP/RFQ/Portable
	Water Systems/2018

Dear Sir / Madam:

We kindly request you to submit your quotation for Construction Portable Water Systems in Lithipeng, Khoelenya and Thaba Mokhele Community Councils, as detailed in Annex I of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before 5:00 PM, 21 September 2018 in sealed envelope by courier mail or hand delivery to the address below:

United Nations Development Programme Ref: UNDP/RFQ/Portable Water Systems/2018 3rd Floor UN House

Email: <u>ls.procurement@undp.org</u>

Quotations submitted by email must be limited to a maximum of 8 MB, virus-free and no more than 3 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.



Please take note of the following requirements and conditions pertaining to the supply of the abovementioned services:

xact	Lot 1		
ddress/es of elivery	Area	Constituency	Council
ocation/s dentify all,	Ha Selemo	Mpharane	Thaba-Mokhele
multiple)	Majakaneng	Qaqatu	Lithipeng
	Maporoteng	Mpharane	Thaba-Mokhele
	Nthoants'o	Mpharane	Thaba-Mokhele
	Mokalimots'o	Mpharane	Thaba-Mokhele
	Seabela(Waterfalls)	Qaqatu	Lithipeng
	Lot 2	'	•
	Area	Constituency	Council
	Bereng-Matsoho	Mekaling	Khoelenya
	Ha Makhabane	Mekaling	Khoelenya
	Rashaba	Mekaling	Khoelenya
	Khohloaneng	Makaling	Khoelenya
	Morobong	Mekaling	Khoelenya
	Lot 3		
	Area	Constituency	Council
	Ha Khoai	Qaqatu	Lithipeng
	Ha Raisa(Chola)	Qaqatu	Lithipeng
	Marakong	Qaqatu	Lithipeng
	Ralekone	Qaqatu	Lithipeng
	Tlokoeng	Qaqatu	Lithipeng
atest xpected elivery Date nd Time (if elivery time xceeds this, uote may be	Within three months upor	n signing of the contra	act

	]
rejected by UNDP)	
Delivery	
Schedule	Required
Mode of	Road
Transport	
Preferred	
Currency of	
Quotation	Local Currency: Loti (LSL)
Value Added	Must be inclusive of VAT and all other applicable indirect taxes, but a separate
Tax	VAT line should be included indication applicable tax percentages applied.
After-sales	Defect liability period for 1 year
services	
required	
Deadline for	5:00 PM, 21 September 2018
the Submission	
of Quotation	
Pre-Bid	Pre-Bid Meeting: 06 September 2018, at Mohale's Hoek at Hotel Mount Maluti
Meeting & Site	Site visit: 4, 5, 7th September 2018, 9:00hrs
Visit	At Department of Rural Water Supply Office in Mohale's Hoek
All	English
documentation	
s, including	
catalogs,	
instructions	
and operating	
manuals, shall	
be in this	
1	
language	
Documents to	> Price Schedule form as provided in Annex 2, and in accordance with the
be submitted	Schedule of Requirements in Annex 1;
	Detailed Cost Breakdown using the attached form (Section 2-1)
	Bidders shall furnish actual price analysis for all items in the Bill of
VI TO	Quantities.
	<ul> <li>Bid Securing Declaration (Annex 4)</li> <li>Passport Copy (If Sole Trader);</li> </ul>
desired.	> Certificate of Incorporation (If Company)
¥ .	Latest Internal Revenue Certificate / Tax Clearance;
	> Valid Classification Certificate from the Department of Rural Water
4	Supply
	➤ Business Profile
-	➤ Written Self-Declaration of not being included in the UN Security
1	Council 1267/1989 list, UN Procurement Division List or other UN
-	Ineligibility List;
	➤ Independently Audited financial accounts for the last accounting year
	(2016/2017). UNDP will check the financial accounts to

	compute the quick ratio. Quick ratio tests the company's financial strength and liquidity.  Certified educational certificates and CVs of Supervisor, Foreman and Mason  List and value of on-going projects with contact details of clients and current percentage completion of each ongoing project.  List and value of projects performed in the last five years, and clients with contact details who may be contacted for further information on those contracts.  Reference letters from 2 clients where similar services were undertaken.  List of construction equipment owned / Leased and proposed to carry out the contract.  Written Self-Declaration of availability of a Set of Manson toolbox and Plumber set  Written Confirmation of Availability of a 4 X 4 or 2 X 4 pick-up vehicle with proof of ownership/Lease documents.
Period of Validity of Quotes starting the Submission Date	90 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	Permitted Option 1 - Lot 1 Option 2 - Lot 2 Option 3 - Lot 3 Option 4 - Lot 1&2 Option 5 - Lot 1&3 Option 6 - Lot 2&3 Option 7 - Lot 1&2&3 Indicate on the envelope the Options you are quoting for
Payment Terms <sup>1</sup>	40% Payment will be released upon certification on fifty percent completion of work; remaining 40% payment will be released upon completion of 100% work. Retention fee of 10% amount will be withheld by UNDP and will be released to the contractor after 6 months of completion of the work. Payments will be issued within 30 days of satisfactory acceptance by DRWS technical staff.

Contract Awarding	The contract shall be awarded to the qualified bidder who has submitted the lowest-priced, technically acceptable and responsive offer
Bid Security	Instead of the requested Bid Security, requests that the Bidder Complete Annex E – Bid Security Declaration and return with the quotation
Evaluation Criteria [check as many as applicable]	<ol> <li>Technical responsiveness/Full compliance to requirements(Pass/Fail)</li> <li>1.1 Primary Technical Evaluation Criteria</li> <li>Human Resource</li> <li>At least 1 Supervisor, Foreman and Mason with minimum of 3 years' experience in construction.</li> <li>Certified educational certificates of Supervisor, Foreman and Mason.</li> <li>CV of Supervisor, Foreman and Mason with clear positions held for the last 3 years</li> <li>Category B or C according to Department of Rural Water Supply Standards</li> <li>Equipment – Availability of a Set of Manson toolbox and Plumber set</li> <li>Transport - Availability of a 4 X 4 or 2 X 4 pick-up vehicle with proof of ownership</li> <li>Work Experience – Proof of at similar projects successfully undertaken in the last five years</li> <li>Financial Capacity - Sound liquidity and stand-by credit</li> <li>Reference letters from 2 clients where similar services were undertaken.</li> <li>1.2 Primary Technical Evaluation Criteria</li> <li>Physical inspection of 1 site where similar work was done on any site provided above for contractors who have passed the primary evaluation criteria.</li> <li>Full acceptance of the PO/Contract General Terms and Conditions</li> </ol>
UNDP will award to:	One or more Supplier, depending on the following factors: Per Lot
Type of Contract to be Signed	Contract Face Sheet (Goods and-or Services) UNDP
Contract General Terms and Conditions	UNDP General Terms and Conditions for Civil Works Applicable Terms and Conditions are available at



	http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
Conditions for Release of Payment	<ul> <li>Written Acceptance of completion of the services, based on full compliance with RFQ requirements</li> <li>Passing Inspection and Certification of DRWS technical Team</li> <li>Completion of Construction</li> </ul>
Completeness of bids	<ul> <li>The Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities.</li> <li>Items for which no rate or price is entered by the Bidder will not be paid for by         UNDP when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.</li> <li>UNDP reserves the right to reject any or all proposals/bids. Without limiting the generality of the foregoing, any proposal/bid which is incomplete, obscure, or irregular may be rejected.</li> <li>A proposal/bid shall contain no interlineations, erasures, or overwriting, except as necessary to correct errors made by the Bidder, in which case such corrections shall be initialed by person or persons signing the bid.</li> <li>All documents are to be properly signed.</li> </ul>
Contact Person for Inquiries (Written inquiries only) <sup>2</sup>	Rethabile Maope Procurement Associate Rethabile.thipe@undp.org Tel: 22228127 Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Annexes to this RFQ <sup>IO</sup>	<ol> <li>Annex 1 – Schedule of Requirement (Bill of Quantities)</li> <li>Annex 2 – Price Schedule form as provided in Annex 2</li> <li>Annex 3 - Detailed Cost Breakdown using the attached Excel Form-Bidders shall furnish actual price analysis for all items in the Bill of Quantities.</li> <li>Annex 4 - Bid Security Declaration</li> <li>Form for Performance Security (Annex 5)</li> <li>UNDP General Terms and Conditions for Civil Works: <a href="http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html">http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</a></li> </ol>

<sup>&</sup>lt;sup>2</sup> This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.





#### **Special Conditions**

The following Special Conditions shall complement, supplement, or amend the General Conditions. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions.

#### Warranty/Guarantee

The Contractor shall be responsible for the maintenance of the subject works for a period of Twelve (12) Months effective from the day of issuance of the Certificate of Substantial Completion of the Works.

#### Liquidated damages

If the contractor fails to deliver the specified works within the time period(s) stipulated by the Contract, UNDP shall, without prejudice to its other remedies under the contract, deduct from the payments due to the Contractor, as liquidated damages, a sum equivalent to 0.5% of the contract amount per calendar day up to a maximum duration of 30 days. Thereafter UNDP may consider termination of the Contract.

#### **Performance Security**

Performance Security shall be submitted by the Contractor within 7 days of receipt of the Contract from UNDP for an amount of 10% (ten percent) of the total price of the Contract. The Performance Guarantee shall be valid for a period of Six (12) calendar months. Form for Performance Security (Annex 5)

#### UNDP's Right to Vary Requirements during execution of contract

UNDP reserves the right at the time of making the award of contract to increase or decrease the quantity of works specified in the RFQ, regardless of the percentage of change in quantities, without any change in unit price or other terms.

#### **Defects Liability**

Any damage by the Contractor on the executed works during the defects liability period should be repaired by the contractor and at his own expense and during a week after receiving a notice in writing from the UNDP; and if the contractor does not repair these damages during the above specified period, then UNDP does these repairs at the expense of the contractor, which shall be deducted from due sums against the Performance Security

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.



The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <a href="http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html">http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</a>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/

**UNDP encourages every prospective Vendor to** avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: <a href="http://www.un.org/depts/ptd/pdf/conduct\_english.pdf">http://www.un.org/depts/ptd/pdf/conduct\_english.pdf</a>

Thank you and we look forward to receiving your quotation. Sincerely yours, [Enter name of authorized staff]



Schedule of Requirements (Bill of Quantities)

Annex 1

#### LOT 1

Village Name: Selemo

25 Km Road

Ref.N0 - LOT 1-1

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Storage Tank			s-05	1	no
Washout with Plug	32			2	no
Air-release with plug	32			1	no
Pipelaying	50	mm		36	m
Pipelaying	32	mm	HDPE	100	m
Excavation trench (Soil)	60	cm	0-4	50	m
Excavation trench (Soil)	40	cm	0-4	50	m
Backfiltjng trench	60	cm		50	m
Backfilling trench	40	cm	0-4	50	m
Scourchecks				5	no
Stone wall (40cm wide x 20 cm high)	20	cm		86	m
GF 100W Sorar modules				2	no
16mm x 2Core Armoured Cable				50	no
Fix Angle Iron				30	no
Supply and Install SQF 2-5,2			s-02		no



Village Name: Majakaneng

Ref.N0: 1-2

#### 25 Km Road

Description of Works	Size	Unit	Drg, No	Quantity	unit
Re-Plastering Siltbox	300	1	S-01	1	no
Re- roofing Siltbox	300	1	S-01	1	no
Valve Chamber		cm	S-04	1	no
Storage Tank Replaster	15		s-05	1	no
Standpipe (with washout)				2	no
Gtobevalve for standpipe				2	no
Washout with Plug	25			2	no
Air-release with plug	25			1	no
Washout with Plug	32			2	no
Air-release with plug	32			1	no
Spring Catchment with Manhole			0-1	1	no
Pipetaying	32	mm		50	m
Pipetaying	25	mm	НОРЕ	300	m
Excavation trench (Soil)	60	cm		50	m
Excavation trench (Soil)	40	cm	0-4	200	m
Excavation trench (Soil)	20	cm	0-4	50	m
Backfilling trench	60			50	m
Backfilling trench	40	cm	0-4	200	m
Scourchecks				8	no
Stone wall (40cm wide x 20 cm high)	20	cm	0-4	50	m
Pipe sleeve				1	

Carrier Control of the Control of th

Village Name ; Seabela

0 Km Off-Road

Ref Nm: LOT 1-3

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Demolish old Siltbox and dispose rubble	750	1	S-01	1	no
Siltbox	750	1	S-01	1	no
Valve Chamber	60x95	cm	S-04	1	no
Demolish old Tank and dispose rubble	7.5	m3	S-05	1	no
Storage Tank + Aluminum Step Ladder	7.5	m3	S-05	1	no
Standpipe (with washout)				5	no
Globe valve for standpipe				3	no
Spring Catchment with Manhole			0-1	1	no
Pipelaying	40	mm	GI	24	m
Pipelaying	20	mm	GI	12	m
Pipetaying	25	mm	HDPE	850	m
Excavation trench (Soil)	60	cm	0-4	200	m
Excavation trench (Soil)	40	cm	0-4		
Excavation trench (Soil)	20	Cm	0-4		
Backfilling trench	60	Cm	0-4	200	m
Backfilling trench	40	Cm	0-4	412	m
Scourchecks				25	no
Pipe sleeve	40	Mm		48	m
Stone wall (40cm wide x 20 cm high)	20	Cm	0-4	274	m



Village Name; Mokali-Mots'o

Ref.No: LOT 1-4



35

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Demolish old Siltbox and dispose rubble	500	L	S-01	1	no
Siltbox	500	L	S-01	18 m	m
Storage Tank Replaster	10	M3	S-05	200	m
Pipelaying	50	mm	GI	176	m
Stone wall(40cm wide x 20 cm high)	20	cm	0-4	160	m



Village Name

Maporoteng

40 Thosa

Ref.No:

LOT 1-5

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Water point	1000	1	S-08	1	no
Standpipe (standard)			C-01	1	no
Washout with Plug	25			1	no
Air-release with lug	25			1	no
Spring Catchment with inspection chamber			0-1	1	no
Pipelaying	50	mm	GI	48	m
Pipelaying	25	mm	HDPE	100	m
Excavation trench (Soil	60	Cm	0-4	25	m
Excavation trench (Soil)	40	Cm	0-4	55	m
Excavation trench (Soil)	20	Cm	0-4	20	m
Backfilling trench	60	Cm	0-4	25	m
Backfilling trench	40	Cm	0-4	55	m
Scourchecks				5	no
Stone wall (40cm wide x 20 cm high)	20	Cm	0-4	68	m
Pipe sleeve	40	mm		24	m
Donga Crossing	50	mm	0-4	1	no



### Village Name: Nthantso



### 33 Km Road

### Ref.No. LOT 1-6

### Off-road

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Valve Chamber		cm	s-04	1 .	no
Standpipe (standard)			c-01	1	no
Standpipe (with washout)				3	no
Globevalve for standpipe				I	no
Air-release with plug	25			2.	no
Washout with Plug	32			I	no
Pipelaying	32	mm	HDPE	250	m
Pipelaying	25	mm	HDPE	200	m
Excavation trench (Soil)	60	cm	0-4	40	m
Excavation trench Soil	40	cm	0-4	190	m
Excavation trench (Soil)	20	cm	0-4	220	m
Backfilling trench	60	cm	0-4	40	m
Backfilling trench	40	cm	0-4		
Scourchecks				15	no
Stone wall (40cm wide x 20 cm high)	20		0-4		
		cm		220	m
pipe sleeve	50	mm		24	m

### LOT 2

Village Name: Makhabane

Ref.No. Lot 2-1

29 Km Off-

road



Description of Works	Size	Unit	Quantity	Unit
Rewiring of Solar modules, supply and installation of				
Lightning Arrestors			I	no
Supply and Install SQF 25-2 with All Accessories			1	
Washout with Plug	32		3	no
Air-release with plug	32		2	no
Pipelaying	32			
Excavation trench (Soil)	60	cm	200	m
Excavation trench (Soil)	40		400	m
Excavation trench (Soil)	20	cm	200	m
Backfilling trench	60	cm	200	m
Backfilling trench	40	cm	400	m
Scourchecks			30	no
Stone wall (40cm wide x 20 cm high)	20	cm	200	m
Pipe sleeve	50	mm	60	m
Donga Crossing	50	mm	1	no

Village Name: Bereng Ntso

26 Km

Ref-No: LOT 2-2

Off-road

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Waterpoint	1000	1	s-08	1	no
Spring Catchment			0-1	1	no
Pipelaying	50	mm	GI	24	m
Stone wall (40cm wide x 20 cm high)	20	cm	0-4	24	m



TO THE OWNER OF THE OWNER OWNER

Village name: Ha Rashaba

25 Km

Ref.No. LOT 2-3

Off-road

Theea

			Drg.	Quanti	ty Unit
Description of Works	Size	Unit	No		
Demolish old Siltbox and dispose rubble	300	1	s-01	1	no
Siltbox	300	1	s-01	2	no
Distribution Chamber			s-02	I	no
Washout with Plug	25			2	no
Air-release with plug	25			2	no
Spring Catchment with manhole	1.7		0-1	1	no
Pipelaying	50	mm	GI	36	m
Pipelaying	25	mm	HDPE	1600	M
Excavation trench Soil	60	cm	0-4	370	М
Excavation trench (Soil	40	cm	0-4	430	М
Excavation trench Soil	20		0-4	500	M
Backfilling trench	60		0-4	370	M
Backfilling trench	40			430	M
Scourchecks				40	no
Stone wall (40cm wide x 20 cm high)	20	cm	0-4	536	М
Pi e sleeve	40	mm		36	M
Donga Crossing	50	mm	0-4	1	No



Village Name:

Khohloaneng

32

Ref.No.

LOT 2-4

.0 Km Off-road

Description of Works	Size	Unit	No	Quantity	Unit
Valve Chamber	4560	em	s-04	1	no
Washout with Pluri					no
Air-release with plug	25			I	no
Washout with Plug	32			1	no
Air-release with plug	32			I	no
Spring Catchment with Manhole			0-1	I	no
Pipelaying	32	mm	HDPE	150	m
Pipelaying	25	mm	HDPE	150	m
Excavation trench (Soil)	60	cm	0-4	100	m
Excavation trench (Soil)	40	cm	0-4	130	m
Excavation trench (Soil)	20		0-4	70	m
Backfilling trench	60	cm	0-4	100	m
Backfilling trench	40	cm	0-4	130	m
Scourchecks			**************************************		
Stone wall (40cm wide x 20 cm high)	20		0-4	70	m
Supply and Insert Anchor Bolts for Hand Pump base on Concrete Plimth				4	no
Pipe sleeve	40	mm	***************************************	36	m

39 km Off -

Village Name:

Morobong

Road

Ref.No.

LOT 2-5

			Drg.	Quantity	Unit	
Description of Works	Size	Unit	No			
Equipment Mobilization				1	no	
Borehole Drilling with 81/2 inches diameter				8	m	
Borehole Drilling with 6 inches diameter				72	m	
140mm PVC Perforated Casing to the bottom of Borehole				80	m	
Steel Casing 8 inches				8	no	
Pumping Test				1	no	
Construction of Borehole Chamber				1	no	
Waterpoint	2000		S-08	1	no	
Spring Catchment with Manhole	*******************************		0-1	1	no	
Pipelaying	50	mm	GI	18	m	
Stone wall (40cm wide x 20 cm high)	20		0-4	18	m	



LOT 3

Village

Marakong

50 Km Off-

Ref. No.

LOT 3-1

Road

		W.	Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Storage Tank Replaster	4	m3	S-05	1	no
Waterpoint + Float Valve	1000	1	S-08	I	no
Standpipe (with washout)				1	no
Globevalve for standpipe				2	no
Pipelaying	25	mm	HDPE	600	m
Excavation trench (Soil)	60	cm	0-4	150	m
Excavation trench (Soil)	40	cm	0-4	200	m
Excavation trench (Soil)	20	cm	04	250	m
Backfilling trench	60	cm	0-4	150	m
Backfilling trench	40	cm	0-4	200	m
Scourchecks				20	no
Stone wall (40cm wide X 20 cm high)	20	cm	0-4	250	m
Pipe sleeve	40	mm		36	m

Theo


Village

Ref.N0:

Ralekone

LOT 3-2

		***************************************	Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Re-Plastering Storage Tank	5		S-05	1	no
Pipelaying	20		GI	18 m	m
Pipelaying	25	mm	HDPE	200	m
Excavation trench (Soil)	40		0-4	176	m
Excavation trench (Soil)	20	cm	0-4	160	m
Backfilling trench	40	cm	0-4	176	m
Scourchecks				10	no
Stone wall (40cm wide x 20 cm high)	20		0-4	160	m
Pipe sleeve	40	mm		36	m
Gate Valve Installation	32	mm		2	no



Village

Tlokoeng

82 Km Off

Ref.N0,:

LOT 3-3

-road

			Drg.	Quantity	Unit
Description of Works	Size	Unit	No		
Waterpoint	1000	1	S-08	1	no
Standpipe (with washout)				1	no
Washout with Plug	32			2	no
Air-release with plug	32			2	no
Spring Catchment with Manhole			0-1	1	no
Pipelaying	50	mm		24	m
Pipelaying	32	mm	HDPE	400	m
Excavation trench (Soil)	40		0-4	250	m
Excavation trench (Soil)	20	Cm	0-4	200	m
Backfilling trench	40	Cm	0-4	250	m
Scourchecks				15	no
Stonewall (40cm wide x 20 cm high)	20	Cm	0-4	215	m
Pipe sleeve	50		mm	48	no
Road Crossing	***************************************			1	no

### Village Name

### Raisa



2 Km Offroad

Ref-no:

**LOT 3-4** 

	-thelia-								
			org.	Quantity	Unit				
Description of Works	Size	Unit	No						
Re-Plastering Siltbox	300	1	S-01	1	no				
Re-Roofing Siltbox	300	1	S-01	1	no				
Supply & Install Bib Cobra for Taps				4.	no				
Supply & Install Gate Valve	25	mm		1	no				
Su p & Install Gate Valve	32	mm		1	no				
Washout with Plug	32			4	no				
Air-release with plug	32			4	no				
Spring Catchment			0-1	1	no				
Pipelaying	25	mm	GI	30	m				
Pipelaying	32	mm	HDPE	500	m				
Excavation trench Soil)	60	cm	0-4	150	m				
Excavation trench (Soil	40	cm	0-4	230	m				
Excavation trench (Soil	20	cm	0-4	150					
Backfilling trench	60	cm	0-4	150	m				
Backfilling trench	40	cm	0-4	230	m				
Scourchecks				15	no				
Stone wall (40cm Wide x 20 cm high)	20	cm	0-4	150	m				
Pipe sleeve	50	mm		60	m				
River Crossing with Suspended Sling	50	mm	0-4	1	no				
Water Minders toolbox	2			1	no				

DEVILOR DEVILOR

Village Name: Off-road Ha Khoai

45 Km

Ref. No:

LOT 3-5

Description of Works	Size	Unit	Drg. No	Quantity	Unit
Re-mastering Siltbox	300	1	S-01	1	no
Re-Roofing Siltbox	300	1	S-01	1	no
Valve Chamber	45>60	cm	S-04	1	no
Valve Chamber	60x95	cm	S-04	1	no
Standpipe (standard)			C-01	1	no
Washout with Plug	25			1	no
Air-release with plug	25			1	no
Washout with Plug	32			3	no
Air-release with plug	32			3	no
Spring Catchment With Manhole			0-1	1	no
Pipelaying	50	mm	GI	24	m
Pipelaying	25	mm	HDPE	350	m
Excavation trench (Soil)	60	cm	0-4	150	m
Excavation trench (Soil)	40	cm	0-4	150	m
Excavation trench (Soil)	20	cm	0-4	74	m
Backfilling trench	60	cm	0-4	150	m
Backfilling trench	40	cm	0-4	150	m
Stone wall (40cm wide x 20 cm high)	20	cm	0-4	74	m
Pipe sleeve	40	mm		24	m
Supply and Install Bib Cobra for Taps				4	no

Donga Crossing	50	mm	0-4	l no
Water Minders toolbox	2			1 no

)



#### Annex 2

#### Price Schedule Form<sup>3</sup>

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery\*)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. \_\_\_\_\_:

## TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

LOT 1

Village Name:

Selemo

25 Km Road

Ref.N0,:

LOT 1-1

			Drg.	Unit Rates	Quant	ity Unit	
Description of Works	Size	Unit	No				Total
Storage Tank			s-05		1	no	
Washout with Plug	32				2	no	
Air-release with plug	32				1	no	
Pipelaying	50	mm			36	m	
Pipelaying	32	mm	HDPE		100	m	
Excavation trench (Soil)	60	cm	0-4		50	m	
Excavation trench (Soil)	40	cm	0-4		50	m	
Backfiltjng trench	60	cm			50	m	
Backfilling trench	40	cm	0-4		50	m	
Scourchecks					5	no	

<sup>&</sup>lt;sup>3</sup> This serves as a guide to the Supplier in preparing the quotation and price schedule.

<sup>&</sup>lt;sup>4</sup> Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

Donga Crossing	50	mm	0-4	1	no
Water Minders toolbox	2			1	no





#### ANNEX 4

#### **Bid Securing Declaration**

Did Securing Decial ation
[The Bidder shall fill in this Form in accordance with the instructions indicated.]
Date: [insert date]
RFQ No.:
To: UNDP Procurement Unit
We, the undersigned, declare that:
We understand that, according to your conditions, tenders must be supported by a Tender-Securing Declaration.
We accept that we will automatically be suspended from being eligible for bidding in any contract with the Procuring Entity for the period of time of TWO YEARS from the date of bid closing, if we are in breach of our obligation(s) under the bid conditions, because:
(a) We withdrawn our Bid during the period of bid validity specified in the Form of Tender; or
(b) Having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the RFQ.
We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of twenty-eight days after the expiration of our Tender.
Signed: [insert signature of person whose name and capacity are shown] In the capacity of [insert legal capacity of person signing the Bid Securing Declaration]
Name: [insert complete name of person signing the Bid Securing Declaration]
Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]
Dated on day of, [insert date of signing]
Corporate Seal (where appropriate)
[Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint

Venture that submits the tender.]

Supply and Install Bib Cobra for Taps				4	no	
Donga Crossing	50	mm	0-4	1	no	
Water Minders toolbox	2			1	no	

Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]
Seal Stamp

#### PERFORMANCE SECURITY<sup>5</sup>

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made on this template)

To: UNDP
[Insert contact information as provided in Data Sheet]

WHEREAS [name and address of Contractor] (hereinafter called "the Contractor") has undertaken, in pursuance of Contract No. Click here to enter text.dated Click here to enter a date., to execute Services ....... (hereinafter called "the Contract"):

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract:

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until a date 30 days from the date of issue by UNDP of a certificate of satisfactory performance and full completion of services by the Contractor.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Date	 	 
Name of Bank	 	 
Address	 	 

<sup>&</sup>lt;sup>5</sup> If the RFP/ITB requires the submission of a Performance Security, which shall be made a condition to the signing and effectivity of the contract, the Performance Security that the Proposer's Bank will issue shall use the contents of this template

