

REQUEST FOR QUOTATION RFQ 073/18

NAME & ADDRESS OF FIRM	DATE: September 13, 2018 REFERENCE: Supply of Firefighting Equipment and Toolsfor UNDP project
	1 1 1 0

Dear Sir / Madam:

We kindly request you to submit your quotation for the *Supply of Firefighting Equipment and Toolsfor UNDP project* detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **16:00** (local time), **October 4, 2018** and via $\boxtimes e$ -mail, or \boxtimes courier mail to the address below:

Tenders.armenia@undp.org

or

United Nations Development Programme 14 Petros Adamyan street, 0010, Yerevan

Quotations submitted by email must be limited to a maximum of 5MB, virus-free and no more than 3 transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

Delivery Terms [INCOTERMS 2010]	🖾 DAP Yerevan
Customs clearance ¹ , if	⊠ by UNDP
needed, shall be done by:	
Exact Address of Delivery	14 P.Adamyan, UN House, Yerevan, Armenia
Location:	

¹ Must be linked to INCO Terms chosen.

Latest Expected Delivery	⊠ 60 days from the issuance of the Pu for Goods	urchase Order (PO)/Contract
Delivery Schedule	⊠Required	
Mode of Transport	\boxtimes LAND (preferred) \boxtimes SEA	⊠AIR
Preferred	⊠ United States Dollars or	
Currency of Quotation ²	⊠Local Currency: Armenian drams	
Value Added Tax on Price Quotation ³	⊠ Must be exclusive of VAT and other	r applicable indirect taxes
After-sales services required	⊠Warranty as per Annex 1	
Deadline for the Submission of Quotation	Thursday, October 04, 2018, 16:00 loco	al time
All documentations, including	🛛 English	
catalogs, instructions and	🛛 Armenian	
operating manuals, shall be in this language		
Documents to be submitted ⁴ Period of Validity of Quotes starting the Submission Date	 Duly Accomplished Form as provide accordance with the list of requirement Company's profile; Latest Business Registration Certifice Manufacturer's Authorization of the Supplier is not the manufacturer); Written Self-Declaration of not bein Council 1267/1989 list, UN Procurement Information on local warranty and provide Warranty (as per Annex 1 requirement 60 days In exceptional circumstances, UNDP ment 	nts in Annex 1; cate; e Company as a Sales Agent (if ng included in the UN Security nent Division List or other UN cost-warranty service; ents); nay request the Vendor to eyond what has been initially
	indicated in this RFQ. The Proposal shin writing, without any modification w	
Partial Quotes	Not permitted	
Payment Terms	☑ 100% upon complete delivery and a	acceptance of goods
Liquidated Damages	⊠Will be imposed under the following Percentage of contract price per d Max. no. of days of delay: 6 weeks Next course of action: contract termin	lay of delay: 0.25% s

² Local vendors must comply with any applicable laws regarding doing business in other currencies. Conversion of currency into the UNDP preferred currency, if the offer is quoted differently from what is required, shall be based only on UN Operational Exchange Rate prevailing at the time of UNDP's issuance of Purchase Order.

³ This must be reconciled with the INCO Terms required by the RFQ. Furthermore, VAT exemption status varies from one country to another. Pls. tick whatever is applicable to the UNDP CO/BU requiring the goods. ⁴ First 2 items in this list are mandatory for the supply of imported goods

Evaluation Criteria	⊠ Technical responsiveness/Full compliance to requirements and lowest price ⁵
	 Manufacturer/suppliers must have at least 3 years of experience in manufacturing/supply of required goods or similar products. Supplier should provide warranty as per Annex 1 requirements on supplied equipment.
	 Availability of local warranty and post-warranty service Full acceptance of the PO/Contract General Terms and Conditions
UNDP will award to:	☑ One or more Supplier, depending on the following factors: there can be one Supplier per each Lot (number of lots is 5)
Type of Contract to be Signed	☑ Contract for Goods
Conditions for Release of Payment	⊠ Written Acceptance of Goods based on full compliance with RFQ requirements.
Annexes to this RFQ ⁶	 Specifications of the Goods Required (Annex 1) Form for Submission of Quotation (Annex 2) General Terms and Conditions / Special Conditions (Annex 3).
	Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
Contact Person for Inquiries (Written inquiries only)	Procurement.armenia@undp.org Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary

⁵ UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

⁶ Where the information is available in the web, a URL for the information may simply be provided.

(increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours, Procurement Unit

•••	Firefighting Equipment and Tools				
Ν	Description Lot 1	Quantity			
1.	Back-pack pump (firefighter's backpack):				
1.	- capacity: max 20 L;				
	- dry weight: max 2,5 kg;				
	 water bag dimensions: height: max 725 mm, width: max 530 mm; 	360			
	 hand pump water stream distance: range 10-12 m; 				
	- corrosion resistant.				
2.	Collapsible pillow storage tank:				
	- capacity: max 450 L;				
	 NSF-61/ FDA approved for drinking water; 				
	- max 110 mm filler and 40 mm ball valve;	36			
	 Material: 30 oz heavy-duty PVC coated woven polyester fabric; 				
	- Urethane potable and chemical resistant.				
3.	Fire Swatter (Heavy-duty tool for smothering grass and grain fires):				
	- cross member and shank: made of a single piece of drop forged high carbon steel				
	tool, heat treated and normalized;	200			
	- flail: made of heavy duck, vulcanized and rubber surfaced both sides; max 35 x 40	360			
	cm; max 2,5 kg;				
	handle: min 1.5 m, made of GRP.				
4.	Spade:				
	- Edges – sharpened;				
	- Handle material –GRP;	360			
	- Total length – 1,450-1,600 mm;	500			
	- Width – 220-240 mm;				
	- Weight – max 3 kg.				
5.	Axe-hoe (Pulaski):				
	- Two opposite blades, including axe and hoe, sharpened and heat-treated at the				
	length of at least 15 mm;				
	- Handle material – GRP;				
	- Length – at least 900 mm;	360			
	- Width – at least 300 mm;				
	- Axe blade width – at least 110 mm;				
	- Hoe blade width – at least 70 mm;				
	- Weight – max 2.5 kg.				
6.	High pressure motor pump:				
	- Type – self-priming, centrifugal;				
	- Engine – 4-stroke with air cooling;				
	- Fuel – petrol;				
	 Fuel tank volume – at least 3.6 litres; Engine power – at least 5.5 HP; 	24			
	 Engine power – at least 5.5 HP; Capacity – at least 500 litres per second; 	24			
	 Capacity – at least 500 litres per second; Processes on exit. at least 6.5 atmospheres; 				
	 Pressure on exit – at least 6.5 atmospheres; 				
	 Liquid lifting height – at least 65 m; 				
	 Liquid suction height – at least 7 m; Suction closure (#50 mm at least 4 m long filter made from checkproof plastic; 				
	- Suction sleeve - Ø50 mm, at least 4 m long, filter made from shockproof plastic;				

	- Size – max 520x380x450;	
	- Dry weight – max 25.7 kg.	
7.	Drip torch:	
<i>,</i> .	- Material – stainless steel;	
	- Safety – availability of fire reverse exhaust prevention system, air supply and	
	burning intensity regulation system;	
	- Size (during transportation) – at least 225 mm (L), at least 140 mm (W), at least 342	
	mm (H);	
	- Size (working) – at least 225 mm (L), at least 140 mm (W), at least 615 mm (H);	24
	- Capacity – max 4.2 litres;	
	- Fuel consumption – max 0.3 l/s	
	- Fuel mix – petrol with engine oil (1:1);	
	 Outer covering – glossy, red; 	
	- Dry weight – max 1.7 kg;	
	 Exploitation weight – no than 5.9 kg; 	
8.	Chainsaw:	
	 Engine type – petrol, 2-stroke; 	
	 Power – at least 1.4 kW (2.0 HP); 	
	 Engine volume – at least 38.9 cubic cm; 	
	 Fuel tank – at least 0.36 litres; 	24
	 Oil tank – at least 0.26 litres; 	24
	 Weight, without chain and bus – max 4.4 kg; 	
	- Bus length – 35-41 cm;	
	- Ignition system – electronic;	
	- Dusty chain lubrication system – automatic.	
9.	First-aid kit:	
	 Alcohol or non-alcohol antiseptic wipes; 	
	- Band-aids;	
	- Cotton balls;	
	- Cotton swabs;	
	- lodine;	360
	- Bandages;	
	- Hydrogen peroxide;	
	- Gauze; - Saline;	
	- Dressings;	
	- Eye wash.	
10.	Universal compact filtering air pack:	
10.	 Protective action time – at least 30 minutes; 	360
	- Weight – max 650 gr.	500
	Lot 2	
11.	Helmet:	
	- F2 helmet with glasses;	200
	- weight: max 800 g;	360
	- size: 50% - large, 50% - extra-large.	
12.	Fire-fighting Shirt:	
	 with pockets, hook and loop closures; nickel plated snap front closure; self-storing 	360
	throat strap;	500
	 material: 100% cotton rip-stop, with nylon drawstring ties; 	

	- size: 50% - large, 50% - extra-large.	
13.	Firefighting trousers:	
	- material: 100 % cotton rip-stop, with nylon drawstring ties resistant to extreme	360
	thermal exposure;	
	- size: 50 % - large, 50 % - extra-large.	
14.	Firefighting gloves:	
	- material: cowhide leather;	
	 five-curved fingered with gunn cut and wing thumb; 	
	- the back side with elastic snugger band in the wrist area;	360
	- side split cowhide leather welting sewn on palm side of the two middle fingers;	
	- side split cowhide leather patch sewn in the thumb crotch area;	
	 leather hang-up loop on inside of glove attached; 	
	- size: 50% - large, 50% - extra-large.	
15.	Firefighting boots:	
	- compatible EN 345 standard;	
	- min 20 cm high,	360
	- leather lace-type with skid resistant soles;	
	- size: 50% - large, 50% - extra-large.	
10	Lot 3	
16.	 Base radio set, including: 1pc – DMR mobile radio (UHF – 400-500Mhz, 50W mobile radio, 64 Zone, 1024 	
	-	
	channel, analog and digital mode);	12
	- 1pc - Power Supply Samlex SEC-1225A (115-230VAC, 13.8VDC, 23Amps);	
	- 30-50m - Coaxial cable (8.53dB/100m at 400MHz);	
47	 1set - Antenna omnidirectional 5-6.5 dB, 400-500MHz with mounting. Handheld radio: 	
17.	- Frequency range: UHF: 400 - 500 MHz	
	 Supported operating modes: Digital and Analog 	
	- Channel capacity: at least 36	
	- Zone capacity: 3	36
	 Channel spacing: 12.5 / 20 / 25 kHz (analogue), 12.5 kHz (digital) Operating voltage: 5.8 V/ 	
	- Operating voltage: 5-8 V	
	Battery life: Analog - at least 12 hours, Digital – at least 15	
18.	Lot 4 Lot 4	
10.	- Engine – petrol, at least 5 HP;	
	- Trimming width – at least 50 cm;	24
	- Weight – max 50 kg;	24
	- "Walk behind"	
	Lot 5	
19.	Headlight	
<u> </u>	- Spotlight Lumens – at least 90;	
	- Dustproof/water proof;	
	 Integrated Stainless Steel Clip for use with most hard hat mounting brackets; 	360
	 3 AAA batteries (included); 	500
	 Package Contents: Headlamp with Hard Hat Clip, Hard Hat Mounting Bracket and 3 	
	AAA Batteries.	
	/www.battenes.	

Warranty period for all items is 1 year.

FORM FOR SUBMITTING SUPPLIER'S QUOTATION⁷

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery $^{\delta}$)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **RFQ 073/18**:

L	<u>OT 1</u>	-			-
ltem No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price currency	Total Price per Item, currency
1	 Back-pack pump (firefighter's backpack): capacity: max 20 L; dry weight: max 2,5 kg; water bag dimensions: height: max 725 mm, width: max 530 mm; hand pump water stream distance: range 10- 12 m; corrosion resistant. 	360	60 days		
2	 Collapsible pillow storage tank: capacity: max 450 L; NSF-61/ FDA approved for drinking water; max 110 mm filler and 40 mm ball valve; Material: 30 oz heavy-duty PVC coated woven polyester fabric; Urethane potable and chemical resistant. 	36	60 days		
3	 Fire Swatter (Heavy-duty tool for smothering grass and grain fires): cross member and shank: made of a single piece of drop forged high carbon steel tool, heat treated and normalized; flail: made of heavy duck, vulcanized and rubber surfaced both sides; max 35 x 40 cm; max 2,5 kg; handle: min 1.5 m, made of GRP. 	360	60 days		
4	 Spade: Edges – sharpened; Handle material –GRP; Total length – 1,450-1,600 mm; Width – 220-240 mm; 	360	60 days		

TABLE 1 : Offer to Supply Goods Compliant with Technical Specifications an	d Requirements
LOT 1	

Weight – max 3 kg.

Axe-hoe (Pulaski):

_

5

360

60 days

⁷ This serves as a guide to the Supplier in preparing the quotation and price schedule.

⁸ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

			Γ	T	1
	- Two opposite blades, including axe and hoe,				
	sharpened and heat-treated at the length of at				
	least 15 mm;				
	- Handle material – GRP;				
	 Length – at least 900 mm; 				
	- Width – at least 300 mm;				
	 Axe blade width – at least 110 mm; 				
	 Hoe blade width – at least 70 mm; 				
	- Weight – max 2.5 kg.				
6	High pressure motor pump:				
	 Type – self-priming, centrifugal; 				
	 Engine – 4-stroke with air cooling; 				
	- Fuel – petrol;				
	- Fuel tank volume – at least 3.6 litres;				
	 Engine power – at least 5.5 HP; 				
	 Capacity – at least 500 litres per second; 	24	CO 14		
	- Pressure on exit – at least 6.5 atmospheres;	24	60 days		
	- Liquid lifting height – at least 65 m;				
	- Liquid suction height – at least 7 m;				
	- Suction sleeve - Ø50 mm, at least 4 m long,				
	filter made from shockproof plastic;				
	- Size – max 520x380x450;				
	- Dry weight – max 25.7 kg.				
7	Drip torch:				
	- Material – stainless steel;				
	- Safety – availability of fire reverse exhaust				
	prevention system, air supply and burning				
	intensity regulation system;				
	- Size (during transportation) – at least 225 mm				
	(L), at least 140 mm (W), at least 342 mm (H);				
	- Size (working) – at least 225 mm (L), at least	24	60 days		
	140 mm (W), at least 615 mm (H);				
	- Capacity – max 4.2 litres;				
	- Fuel consumption – max 0.3 l/s				
	- Fuel mix – petrol with engine oil (1:1);				
	- Outer covering – glossy, red;				
	- Dry weight – max 1.7 kg;				
	 Exploitation weight – no than 5.9 kg; 				
8	Chainsaw:				
	- Engine type – petrol, 2-stroke;				
	 Power – at least 1.4 kW (2.0 HP); 				
	 Engine volume – at least 38.9 cubic cm; 				
	 Fuel tank – at least 0.36 litres; 				
	 Oil tank – at least 0.26 litres; 	24	60 days		
	 Weight, without chain and bus – max 4.4 kg; 				
	- Bus length – 35-41 cm;				
	- Ignition system – electronic;				
	 Dusty chain lubrication system – automatic. 				
9	First-aid kit:	360	60 days		

	- Alcohol or non-alcohol antiseptic wipes;			
	- Band-aids;			
	- Cotton balls;			
	- Cotton swabs;			
	- Iodine;			
	- Bandages;			
	- Hydrogen peroxide;			
	- Gauze;			
	- Saline;			
	- Dressings;			
	- Eye wash.			
10	Universal compact filtering air pack:			
	- Protective action time – at least 30 minutes;	360	60 days	
	- Weight – max 650 gr.			
	Total:			
	Total Prices of Goods ⁹			
	Add : Cost of Transportation			
	Add : Cost of Insurance			
	Add : Other Charges (pls. specify)			
	Total Final and All-Inclusive Price Quotation			

Additional Requirements

No	Description	Availability (Yes/No)
1	Technical responsiveness/Full compliance to requirements	
2	Manufacturer/suppliers must have at least 3 years of experience in manufacturing/supply of required goods or similar products.	
3	Warranty on required equipment as per Annex 1.	
4	Full acceptance of the PO/Contract General Terms and Conditions	
5	Detailed technical specifications	
6	Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

⁹ Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹⁰

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹¹)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **RFQ 073/18**:

TABLE 1 :	Offer to Supply	Goods Compliant	with Technical S	Specifications and Requirements	
<mark>LОТ </mark> 2		-			

ltem No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price currency	Total Price per Item, currency
1	Helmet:-F2 helmet with glasses;-weight: max 800 g;-size: 50% - large, 50% - extra-large.	360	60 days		
2	 Fire-fighting Shirt: with pockets, hook and loop closures; nickel plated snap front closure; self-storing throat strap; material: 100% cotton rip-stop, with nylon drawstring ties; size: 50% - large, 50% - extra-large. 	360	60 days		
3	 Firefighting trousers: material: 100 % cotton rip-stop, with nylon drawstring ties resistant to extreme thermal exposure; size: 50 % - large, 50 % - extra-large. 	360	60 days		
4	 Firefighting gloves: material: cowhide leather; five-curved fingered with gunn cut and wing thumb; the back side with elastic snugger band in the wrist area; side split cowhide leather welting sewn on palm side of the two middle fingers; side split cowhide leather patch sewn in the thumb crotch area; leather hang-up loop on inside of glove attached; size: 50% - large, 50% - extra-large. 	360	60 days		
5	 Firefighting boots: compatible EN 345 standard; min 20 cm high, 	360	60 days		

¹⁰ This serves as a guide to the Supplier in preparing the quotation and price schedule.

¹¹ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

 leather lace-type with skid resistant soles; size: 50% - large, 50% - extra-large. 			
Total:			
Total Prices of Goods ¹²	_		
Add : Cost of Transportation			
Add : Cost of Insurance			
Add : Other Charges (pls. specify)			
Total Final and All-Inclusive Price Quotation			

Additional Requirements

No	Description	Availability (Yes/No)
1	Technical responsiveness/Full compliance to requirements	
2	Manufacturer/suppliers must have at least 3 years of	
	experience in manufacturing/supply of required goods or	
	similar products.	
3	Warranty on required equipment as per Annex 1.	
4	Full acceptance of the PO/Contract General Terms and	
	Conditions	
5	Detailed technical specifications	
6	Written Self-Declaration of not being included in the UN	
	Security Council 1267/1989 list, UN Procurement Division List	
	or other UN Ineligibility List	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

¹² Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

FORM FOR SUBMITTING SUPPLIER'S QUOTATION 13

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery 14)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **RFQ 073/18**:

ltem No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price currency	Total Price per Item, currency
1	 Base radio set, including: 1pc – DMR mobile radio (UHF – 400-500Mhz, 50W mobile radio, 64 Zone, 1024 channel, analog and digital mode); 1pc - Power Supply Samlex SEC-1225A (115-230VAC, 13.8VDC, 23Amps); 30-50m - Coaxial cable (8.53dB/100m at 400MHz); 1set - Antenna omnidirectional 5-6.5 dB, 400-500MHz with mounting. 	12	60 days		
2	 Handheld radio: Frequency range: UHF: 400 - 500 MHz Supported operating modes: Digital and Analog Channel capacity: at least 36 Zone capacity: 3 Channel spacing: 12.5 / 20 / 25 kHz (analogue), 12.5 kHz (digital) Operating voltage: 5-8 V Battery life: Analog - at least 12 hours, Digital – at least 15 	36	60 days		
	Total:				
	Total Prices of Goods ¹⁵				
	Add : Cost of Transportation Add : Cost of Insurance				

 TABLE 1 : Offer to Supply Goods Compliant with Technical Specifications and Requirements

 LOT 3

Additional Requirements

No	Description	Availability (Yes/No)
1	Technical responsiveness/Full compliance to requirements	

¹³ This serves as a guide to the Supplier in preparing the quotation and price schedule.

¹⁴ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

¹⁵ Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

2	Manufacturer/suppliers must have at least 3 years of experience in manufacturing/supply of required goods or similar products.	
3	Warranty on required equipment as per Annex 1.	
4	Full acceptance of the PO/Contract General Terms and Conditions	
5	Detailed technical specifications	
6	Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹⁶

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹⁷)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **RFQ 073/18**:

TABLE 1 :	Offer to Supply	Goods Complia	nt with Techni	cal Specifications a	nd Requirements
LOT 4		-		-	-

ltem No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price currency	Total Price per Item, currency
1	 Lawn mower: Engine – petrol, at least 5 HP; Trimming width – at least 50 cm; Weight – max 50 kg; 	24	60 days		
	- "Walk behind" Total:				
	Total Prices of Goods ¹⁸				
	Add : Cost of Transportation				
	Add : Cost of Insurance				
	Add : Other Charges (pls. specify)				
	Total Final and All-Inclusive Price Quotation				

Additional Requirements

No	Description	Availability (Yes/No)
1	Technical responsiveness/Full compliance to requirements	
2	Manufacturer/suppliers must have at least 3 years of	
	experience in manufacturing/supply of required goods or	
	similar products.	
3	Warranty on required equipment as per Annex 1.	
4	Full acceptance of the PO/Contract General Terms and	
	Conditions	
5	Detailed technical specifications	
6	Written Self-Declaration of not being included in the UN	
	Security Council 1267/1989 list, UN Procurement Division List	
	or other UN Ineligibility List	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

¹⁶ This serves as a guide to the Supplier in preparing the quotation and price schedule.

¹⁷ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

¹⁸ Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹⁹

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery²⁰)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. RFQ 073/18:

TABLE 1 :	Offer to Supply	Goods Compliar	nt with Technica	I Specifications and	d Requirements
LOT 5					

1 Hea			Date	currency	per Item, currency
	adlight				
-	Spotlight Lumens – at least 90;				
-	Dustproof/water proof;				
-	Integrated Stainless Steel Clip for use with				
	most hard hat mounting brackets;	360	60 days		
-	3 AAA batteries (included);				
-	Package Contents: Headlamp with Hard Hat				
	Clip, Hard Hat Mounting Bracket and 3 AAA				
	Batteries.				
Tot	tal:				
Tot	Total Prices of Goods ²¹				
Ac	dd : Cost of Transportation				
Ac	dd : Cost of Insurance				
Ac	dd : Other Charges (pls. specify)				

¹⁹ This serves as a guide to the Supplier in preparing the quotation and price schedule.

²⁰ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes ²¹ Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

Additional Requirements

No	Description	Availability (Yes/No)
1	Technical responsiveness/Full compliance to requirements	
2	Manufacturer/suppliers must have at least 3 years of experience in manufacturing/supply of required goods or similar products.	
3	Warranty on required equipment as per Annex 1.	
4	Full acceptance of the PO/Contract General Terms and Conditions	
5	Detailed technical specifications	
6	Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

Annex 3

General Terms and Conditions

Attached separately.