

21 September 2018

To: All Interested Companies

From: Ge Yunyan



Operations Manager

Subject: Amendment to Invitation to Bid for Materials for EE and RE Measures under SES Project of Democratic People's Republic of Korea.

With reference to the ITB for Materials for EE and RE Measures under SES Project of Democratic People's Republic of Korea dated on 11 September 2018, UNDP hereby informs you the following updates:

1) In **Section 5a: Schedule of Requirements and Technical Specifications**, the technical specification of item 14: Insulated door and item 15: Window in Lot 1 and item 24: Insulated door and item 28: Window in Lot 2, and their quantity required and unit are changed to the following:

Lot 1									
No	Materials	Technical Specification	Dimension	Quantity					Reference (name of drawing)
				unit	RA	SG	SO	Total	
14	Insulated door	Better wooden material made, foam plastic inside with $K \leq 0.04 \text{ W/(mk)}$ and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	1500 (W) X 2100 (H)	pc	1	1	2	4	Design Door 15-21.pdf
			900 (W) X 1900 (H)	pc	2	2	1	5	Design Door 9-19.pdf
15	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1210 (W) X 1210 (H)	pc	5	5		10	Design Window 12-12.pdf
			910 (W) X 1210 (H)	pc			4	4	Design Window 9-12.pdf

Lot 2									
No	Materials	Technical Specification	Dimension	Quantity					
				unit			WG	Total	
24	Insulated door	Arch tree or better wooden material made, foam plastic inside with $K \leq 0.04$ W/(mK) and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	900 (W) X 1900 (H)	pc			2	2	Design Door 9-19.pdf
28	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1100 (W) X 1100 (H)	pc			2	2	Design Window 11-11.pdf
			600 (W) X 300 (H)	pc			1	1	Design Window 6-3.pdf
			1000 (W) X 1200 (H)	pc			2	2	Design Window 10-12.pdf

*Note:* RA: Ryongam Ri, Yangdok County, South Pyongan Province; SG: Sagi Ri, Yangdok County, South Pyongan Province; SO: Singye Oup, Singye County, North Hwanghae Province; WG: Wongyo RI, , Singye County, North Hwanghae Province

2) in Section 2 of Form E: Format of Technical Bid, the technical specification of item 14: Insulated door and item 15: Window in Lot 1 and item 24: Insulated door and item 28: Window in Lot 2, are changed to the following:

Lot 1			
No	Materials	Technical Specification	Dimension
14	Insulated door	Better wooden material made, foam plastic inside with $K \leq 0.04$ W/(mk) and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	1500 (W) X 2100 (H)
			900 (W) X 1900 (H)
15	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1210 (W) X 1210 (H)
			910 (W) X 1210 (H)

Lot 2			
No	Materials	Technical Specification	Dimension
24	Insulated door	Arch tree or better wooden material made, foam plastic inside with $K \leq 0.04 \text{ W/(mK)}$ and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	900 (W) X 1900 (H)
28	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1100 (W) X 1100 (H)
			600 (W) X 300 (H)
			1000 (W) X 1200 (H)

3) In A) Breakdown cost of items per Lot of FORM F: Price Schedule Form, the quantity required and unit for item 14: Insulated door and item 15: Window in Lot 1 and item 24: Insulated door and item 28: Window in Lot 2 are changed to the following:

Lot 1							
№	Materials	Technical Specification	Dimension	Unit	Qty	Price	
						Unit	Total
14	Insulated door	Better wooden material made, foam plastic inside with $K \leq 0.04 \text{ W/(mK)}$ and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	1500 (W) X 2100 (H)	pc	4		
			900 (W) X 1900 (H)	pc	5		
15	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1210 (W) X 1210 (H)	pc	10		
			910 (W) X 1210 (H)	pc	4		

Lot 2							
№	Materials	Technical Specification	Dimension	Unit	Qty	Price	
						Unit	Total
24	Insulated door	Better wooden material made, foam plastic inside with $K \leq 0.04W/(mk)$ and 40mm thickness, air leakage prevented with sealing, enamel painting with red orange or dark brown color	900 (W) X 1900 (H)	pc	2		
28	Window	Plastic, double glazed, white color, air leakage prevented with sealing, sliding window in two leaves	1100 (W) X 1100 (H)	pc	2		
			600 (W) X 300 (H)	pc	1		
			1000 (W) X 1200 (H)	pc	2		

4) The **Deadline of Bid Submission** has been extended to 12PM, 8 October 2018, Beijing time.

5) The **Opening of Bid** is rescheduled at 1PM, 8 October 2018, Beijing time.

This amendment notice will also be posted on the website where UNDP has advertised the ITB.

Except the changes mentioned above, all other contents of the ITB remain unchanged.

Enclosed please find the design for door and window for your reference.