



REQUEST FOR QUOTATION (RFQ) (Goods)

NAME & ADDRESS OF FIRM	DATE: September 25, 2018
	REFERENCE: UNDP-SYR-RFQ-092-18

Dear Sir / Madam:

We kindly request you to submit your quotation for **providing Accessories for the Drinking Water Network Maintenance Project in Old Aleppo** in two lots, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before October 9, 2018 and via ☒ *e-mail*, ☒ *courier mail* to the address below:

United Nations Development Programme
Mezzeh ,West Villas,Gazawi street No. 8
Attn :Shouaib Al Khuder, Procurement Assistant
E-mail: Syria.bids@undp.org

Quotations submitted by email must be limited to a maximum of 5 MB, virus-free and no more than 3 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

Delivery Terms [INCOTERMS 2010]	<input checked="" type="checkbox"/> DAP
Customs clearance, if needed, shall be done by:	<input checked="" type="checkbox"/> Supplier/Offeror
Exact Address/es of Delivery Location/s (identify all, if multiple)	Aleppo City مكان التسليم مستودعات المؤسسة العامة لمياه الشرب في حلب (حلب الجديدة- خزان تشرين)
UNDP Preferred Freight Forwarder, if any	N/A
Distribution of shipping documents	N/A
Latest Expected Delivery Date and Time (<i>if delivery time exceeds this, quote may be rejected by UNDP</i>)	<input checked="" type="checkbox"/> 20 days for lot 1 from the issuance of the Purchase Order (PO). <input checked="" type="checkbox"/> 30 days for lot 2 from the issuance of the Purchase Order (PO).
Delivery Schedule	<input checked="" type="checkbox"/> Not Required
Packing Requirements	N/A
Mode of Transport	<input checked="" type="checkbox"/> LAND
Preferred Currency of Quotation	United States Dollars However, for local supplier's payments will be in Syrian Pounds at the prevailing UN exchange rate at the date of the invoice.
Value Added Tax on Price Quotation	<input checked="" type="checkbox"/> Must be exclusive of VAT and other applicable indirect taxes
Deadline for the Submission of Quotation	Tuesday, October 9, 2018 and at 2.00 pm at Damascus time
All documentations, including catalogs, instructions and operating manuals, shall be in this language	<input checked="" type="checkbox"/> English Or <input checked="" type="checkbox"/> Arabic
Documents to be submitted	<input checked="" type="checkbox"/> Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; <input checked="" type="checkbox"/> Latest Business Registration Certificate; <input checked="" type="checkbox"/> Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List; <input checked="" type="checkbox"/> Confirm from the bidder that (in case of awarding) he will submit the samples for each item before the full receipt.

Period of Validity of Quotes starting the Submission Date	<input checked="" type="checkbox"/> 90 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	<input checked="" type="checkbox"/> Permitted PER LOT
Payment Terms	<input checked="" type="checkbox"/> 100% within thirty (30) days after complete delivery of goods.
Liquidated Damages	<input checked="" type="checkbox"/> Will be imposed under the following conditions: Percentage of contract price per day of delay : 0.5% Max. no. of days of delay : 15 After which UNDP may terminate the contract.
Evaluation Criteria	<input checked="" type="checkbox"/> Technical responsiveness/Full compliance to requirements and lowest price. <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions
UNDP will award to:	<input checked="" type="checkbox"/> One or more Supplier, depending on the following factors: Technically accepted and the Lowest price for each LOT.
Type of Contract to be Signed	<input checked="" type="checkbox"/> Contract Face Sheet (Goods) UNDP.
Contract General Terms and Conditions	<input checked="" type="checkbox"/> General Terms and Conditions for contracts (goods and/or services) Applicable Terms and Conditions are available at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
Special conditions of Contract	<input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 15 Days
Conditions for Release of Payment	<input checked="" type="checkbox"/> Written Acceptance of Goods based on full compliance with RFQ requirements

Annexes to this RFQ	<input checked="" type="checkbox"/> Specifications of the Goods Required (Annex 1) <input checked="" type="checkbox"/> Form for Submission of Quotation (Annex 2) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions: http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html <input checked="" type="checkbox"/> Others Vendor form Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
Contact Person for Inquiries (Written inquiries only)	<i>Shouaib Al Khuder</i> <i>Procurement Assistant</i> <i>Shouaib.alkhuder@undp.org</i> Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.


Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.


Sincerely yours,
Hanan Al Ali
Head of procurement a.i
September 26, 2018

Technical Specifications

المواصفات الفنية المطلوبة لتوريد اكسسوارات خاصة بمشروع صيانة شبكة مياه الشرب في منطقة حلب القديمة

Technical Specifications

قطع غيار واكسسوارات مصنوعة من البولي اتيلين والبولي بروبيلين والحديد: Lot 1

Items to be Supplied*	Qty.	Pic.	Unit	Description/Specifications of Goods	Latest Delivery Date
اكسسوارات وقطع غيار مصنوعة من مواد بولي اتيلين PE100 والبولي بروبيلين PPR					
قساطل بولي اتيلين 20 مم	2		ربطة (100 م.ط)	قساطل بولي اتيلين عالي الكثافة صالحة لمياه الشرب {PE100} قطر 20 مم / تتحمل ضغط تشغيلي 10 بار، على ان تكون الكمية المقدمة بربطات كاملة (100 م.ط لكل ربطة)	20 يوم من تاريخ توقيع العقد
قساطل بولي اتيلين 25 مم	2		ربطة (100 م.ط)	قساطل بولي اتيلين عالي الكثافة صالحة لمياه الشرب {PE100} قطر 25 مم / تتحمل ضغط تشغيلي 10 بار، على ان تكون الكمية المقدمة بربطات كاملة (100 م.ط لكل ربطة)	
بداية 20 مم PPR	200		EA	بداية 20 مم PPR ضغط /10/ بار	
بداية 25 مم PPR	200		EA	بداية 25 مم PPR ضغط /10/ بار	
بداية 32 مم PPR	200		EA	بداية 32 مم PPR ضغط /10/ بار	
بداية 40 مم PPR	200		EA	بداية 40 مم PPR ضغط /10/ بار	
بداية 50 مم PPR	200		EA	بداية 50 مم PPR ضغط /10/ بار	
نهاية 20 مم PPR	200		EA	نهاية 20 مم PPR ضغط /10/ بار	
نهاية 25 مم PPR	200		EA	نهاية 25 مم PPR ضغط /10/ بار	
نهاية 32 مم PPR	200		EA	نهاية 32 مم PPR ضغط /10/ بار	
نهاية 40 مم PPR	200		EA	نهاية 40 مم PPR ضغط /10/ بار	
نهاية 50 مم PPR	200		EA	نهاية 50 مم PPR ضغط /10/ بار	
ماشون 20 مم PPR	200		EA	ماشون 20 مم PPR ضغط /10/ بار	
ماشون 25 مم PPR	200		EA	ماشون 25 مم PPR ضغط /10/ بار	
ماشون 32 مم PPR	200		EA	ماشون 32 مم PPR ضغط /10/ بار	
ماشون 40 مم PPR	200		EA	ماشون 40 مم PPR ضغط /10/ بار	
ماشون 50 مم PPR	200		EA	ماشون 50 مم PPR ضغط /10/ بار	
ماشون 63 مم PPR	200		EA	ماشون 63 مم PPR ضغط /10/ بار	
ماشون 75 مم PPR	50		EA	ماشون 75 مم PPR ضغط /10/ بار	
ماشون 90 مم PPR	50		EA	ماشون 90 مم PPR ضغط /10/ بار	

ماشون 110 مم PPR ضغط 10/ بار	EA		20	ماشون 110 مم PPR
سدات نهاية 20 مم PPR ضغط 10/ بار	EA		100	سدات نهاية 20 مم PPR
سدات نهاية 25 مم PPR ضغط 10/ بار	EA		100	سدات نهاية 25 مم PPR
سدات نهاية 32 مم PPR ضغط 10/ بار	EA		50	سدات نهاية 32 مم PPR
سدات نهاية 40 مم PPR ضغط 10/ بار	EA		50	سدات نهاية 40 مم PPR
اكسسوارات وقطع غيار مصنعة من الحديد				
صليب 1.25 إنش حديد مغلف	EA		1000	صليب 1.25 إنش حديد
صليب 1.5 إنش حديد مغلف	EA		500	صليب 1.5 إنش حديد
شرار مسدس 0.5 إنش حديد مغلف	EA		200	شرار مسدس 0.5 إنش حديد
شرار مسدس 1.25 إنش حديد مغلف	EA		1,500	شرار مسدس 1.25 إنش حديد
شرار مسدس 1.5 إنش حديد مغلف	EA		500	شرار مسدس 1.5 إنش حديد
سدات ذكر 0.5 إنش حديد مغلف	EA		500	سدات ذكر 0.5 إنش حديد
سدات أنثى 0.5 إنش حديد مغلف	EA		500	سدات أنثى 0.5 إنش حديد
سدة ذكر 1.25 إنش حديد مغلف	EA		2000	سدة ذكر 1.25 إنش حديد
سدة ذكر 1.5 إنش حديد مغلف	EA		1500	سدة ذكر 1.5 إنش حديد
سكر جارور 1.25 إنش حديد بقلب نحاس	EA		200	سكر جارور 1.25 إنش حديد بقلب نحاس
سكر جارور 1.5 إنش حديد بقلب نحاس	EA		200	سكر جارور 1.5 إنش حديد بقلب نحاس


20 يوم من
تاريخ توقيع
العقد



يشترط على العارض الالتزام بما يلي:

- 1- ان يمتلك العارض سجل تجاري يجيز له مزاوله المهنة موضوع العرض.
- 2- مكان التسليم مستودعات المؤسسة العامة لمياه الشرب في حلب (حلب الجديدة- خزان تشرين)
- 3- يتعهد العارض الرايح بتقديم نماذج عن المواد لتتم مطابقتها مع المواصفات المطلوبة قبل توريد كامل الكمية.
- 4- يتم تسليم كامل المواد دفعة واحدة ولا يقبل الاستلام الجزئي.
- 5- يتم صرف قيمة العقد دفعة واحدة بعد الاستلام من اللجنة الفنية المعتمدة.
- 6- جميع المواد المقدمة يجب ان تكون صالحة للاستخدام لمياه الشرب ومرخصة وفق المواصفات القياسية السورية، وحاصلة على جميع الوثائق والشهادات التي تثبت ذلك.
- 7- جميع القطع والاكسسوارات يكون مكتوب عليها اسم الشركة الصانعة، والضغط التشغيلي لها، ولا تقبل مواد غير معروف مصدرها.
- 8- بالنسبة لقساطل البولي إيثيلين PE100 فيجب أن تتطبق عليها المواصفات الخاصة بها الواردة في الجزء الخاص بذلك من دفتر الشروط المرفق المعتمد من قبل المؤسسة العامة لمياه الشرب والصرف الصحي بحلب، ويحق للجان الاستلام عند اللزوم طلب

إجراء التجارب اللازمة الممكن القيام بها في مدينة حلب للتحقق من مواصفات هذه القساطل، وتتم تلك التجارب على نفقة المتعهد الخاصة ولا يحق له المطالبة بأي تعويض جراء ذلك.

Lot 1: Spare parts & accessories made from polyethylene, polypropylene and iron

Items to be Supplied*	Qty.	Pic.	Unit	Description/Specifications of Goods	Latest Delivery Date
Accessories and spare parts made from PE100 and PPR					
20mm PE pipes	2		Pack (100m)	HDPE pipes suitable for drinking water {PE100} 20mm diameter, tolerating an operational pressure of 10 bar. The quantities provided shall come in full packs, 100m each.	20 days from the date of signing the contract
25mm PE pipes	2		Pack (100m)	HDPE pipes suitable for drinking water {PE100} 25mm diameter, tolerating an operational pressure of 10 bar. The quantities provided shall come in full packs, 100m each.	
20mm PPR head union	200		EA	20mm, 10bar PPR head union	
25mm head union	200		EA	25mm, 10bar PPR head union	
32mm PPR head union	200		EA	32mm, 10bar PPR head union	
40mm PPR head union	200		EA	40mm, 10bar PPR head union	
50mm PPR head union	200		EA	50mm, 10bar PPR head union	
20mm PPR end union	200		EA	20mm, 10bar PPR end union	
25mm end union	200		EA	25mm, 10bar PPR end union	
32mm PPR end union	200		EA	32mm, 10bar PPR end union	
40mm PPR end union	200		EA	40mm, 10bar PPR end union	
50mm PPR end union	200		EA	50mm, 10bar PPR end union	
20mm PPR sleeve	200		EA	20mm, 10bar PPR sleeve	
25mm PPR sleeve	200		EA	25mm, 10bar PPR sleeve	
32mm PPR sleeve	200		EA	32mm, 10bar PPR sleeve	
40mm PPR sleeve	200		EA	40mm, 10bar PPR sleeve	
50mm PPR sleeve	200		EA	50mm, 10bar PPR sleeve	
63mm PPR sleeve	200		EA	63mm, 10bar PPR sleeve	
75mm PPR sleeve	50		EA	75mm, 10bar PPR sleeve	
90mm PPR sleeve	50		EA	90mm, 10bar PPR sleeve	
110mm PPR sleeve	20		EA	110mm, 10bar PPR sleeve	
20mm PPR end caps	100		EA	20mm, 10bar PPR end cap	
25mm PPR end caps	100		EA	25mm, 10bar PPR end cap	
32mm PPR end caps	50		EA	32mm, 10bar PPR end cap	
40mm PPR end caps	50		EA	40mm, 10bar PPR end cap	
			EA		

Accessories and parts made from iron					
1.25" iron cross	1000		EA	1.25-inch galvanized iron cross	20 days from the date of signing the contract
1.5" iron cross	500		EA	1.5-inch galvanized iron cross	
0.5-inch iron hex coupler	200		EA	0.5-inch galvanized iron hex coupler	
1.25-inch iron hex coupler	1,500		EA	1.25-inch galvanized iron hex coupler	
1.5 inch iron hex coupler	500		EA	1.5-inch galvanized iron hex coupler	
0.5-inch iron male end cap	500		EA	0.5-inch galvanized male end cap	
0.5-inch iron female end cap	500		EA	0.5-inch galvanized female end cap	
1.25-inch iron male end cap	2000		EA	1.25-inch galvanized male end cap	
1.5-inch iron male end cap	1500		EA	1.5-inch galvanized male end cap	
1.25-inch iron union ball valve (brass interior)	200		EA	1.25-inch iron union ball valve (brass interior)	
1.5-inch iron union ball valve (brass interior)	200		EA	1.5-inch iron union ball valve (brass interior)	


The bidder is required to comply with the following:

- 1- The bidder shall have a commercial record that allows him to practice the profession of the offer.
- 2- Place of delivery: The warehouses of the General Organization for Drinking Water in Aleppo (Aleppo Al-Jadeeda - Khazzan Tishreen)
- 3- The winning bidder shall undertake to submit samples of the materials to conform to the required specifications before supplying the full quantity.
- 4- All materials shall be delivered at once; partial receipt is not accepted.
- 5- The value of the contract shall be paid in one lump sum after receiving it from the approved technical committee.
- 6- All materials supplied must be valid for drinking water and licensed in accordance with the Syrian standard specifications, and the bidder shall obtain all documents and certificates that prove this.
- 7- All parts and accessories shall have the name of the manufacturer, and operational pressure on them. Materials of unknown origin shall not be accepted.
- 8- For the PE100 pipes, they shall comply with the specifications specified in the relevant part of the attached book of conditions approved by the General Organization for Drinking Water and Sewage in Aleppo. The receiving committees shall be entitled, if necessary, to conduct the necessary tests in the city of Aleppo for verification of the specifications of these pipes, and the tests are conducted at the contractor's expense who is not entitled to claim any compensation therefore.

قطع غيار واكسسوارات مصنوعة من الفونت المرن أو الفونت العادي: Lot 2

Items to be Supplied*	Qty.	Pic.	Unit	Description/Specifications of Goods	Latest Delivery Date
اكسسوارات وقطع غيار مصنوعة من مواد الفونت المرن					
بوشكالية	250		EA	بوشكالية، وهي عبارة عن قطعتين، الأولى بوري مصنوع من مادة الفونت الخالي من الشوائب بطول 60 سم بقطر 4 انش مفتوح من الطرفين مع حلق على محيط البوري ويبعد عن المقدمة 10 سم وذلك لتثبيت الغطاء فوق البوري. غطاء البوشكالية وهو بوري مصنوع من الفونت الخالي من الشوائب طرفيه عبارة عن حلق احدهما مزود بغطاء فوهة البوشكالية والآخر عبارة عن حلق يرتكز فوق حلق جسم البوشكالية. اجمالي وزن البوشكالية لا يقل عن 12 كغ.	30 يوم
حنفيات تفريعية 20 مم فونت	100		EA	حنفيات تفريعية 20 مم فونت ضغط 10/ بار، قلب نحاس	
حنفيات تفريعية 25 مم فونت	100		EA	حنفيات تفريعية 25 مم فونت ضغط 10/ بار، قلب نحاس	
حنفيات تفريعية 32 مم فونت	100		EA	حنفيات تفريعية 32 مم فونت ضغط 10/ بار، قلب نحاس	
حنفيات تفريعية 40 مم فونت	100		EA	حنفيات تفريعية 40 مم فونت ضغط 10/ بار، قلب نحاس	
حنفيات تفريعية 50 مم فونت	100		EA	حنفيات تفريعية 50 مم فونت ضغط 10/ بار، قلب نحاس	
تبسيط 80 مم فونت مرن	10		EA	تبسيط 80 مم فونت مرن مع ثمانية براغي للتثبيت	
تبسيط 100 مم فونت مرن	10		EA	تبسيط 100 مم فونت مرن مع ثمانية براغي للتثبيت	
تداخل ميكانيك 80 مم	6		EA	تداخل ميكانيك 80 مم فونت مرن ضغط 10/ بار	
تداخل ميكانيك 100 مم	6		EA	تداخل ميكانيك 100 مم فونت مرن ضغط 10/ بار	
تداخل ميكانيك 150 مم	6		EA	تداخل ميكانيك 150 مم فونت مرن ضغط 10/ بار	
تيه 100-100 مم	4		EA	تيه 100-100 مم فونت مرن	
تيه 100-150 مم	4		EA	تيه 100-150 مم فونت مرن	
تيه 80-100 مم	4		EA	تيه 80-100 مم فونت مرن	







تية 80-150 مم فونت مرن	EA		4	تية 80-150 مم
سكر (وان) 80 مم فونت مرن ضغط /10/ بار	EA		10	سكر (وان) 80 مم
سكر (وان) 100 مم فونت مرن ضغط /10/ بار	EA		10	سكر (وان) 100 مم
سكر (وان) 150 مم فونت مرن ضغط /10/ بار	EA		10	سكر (وان) 150 مم
سكر (وان) 200 مم فونت مرن ضغط /10/ بار	EA		4	سكر (وان) 200 مم
سكر (وان) 250 مم فونت مرن ضغط /10/ بار	EA		4	سكر (وان) 250 مم
ماشون 60 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 60 مم
ماشون 80 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 80 مم
ماشون 100 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 100 مم
ماشون 125 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 125 مم
ماشون 150 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 150 مم
ماشون 200 مم فونت مرن ضغط /10/ بار	EA		4	ماشون 200 مم
طوق 80 مم، مع فتحة 1.5 انش بشرار داخلي (مؤنث) الطوق مصنوع من مادة الحديد (أو الفونط الخالي من الشوائب) طرفي الطوق عبارة صفيحتين متشابهتين بعرض لا يقل عن 4.5 سم وسماكة لا تقل عن 1 سم، مع برغيين للثبيت قياس البراغي 18 ، ولا يقبل الطوق اذا كان احد طرفيه عبارة عن سيخ وليس صفيحة ، الحد الأدنى للوزن 2.5 كغ.	EA		100	طوق 80 مم
طوق 100 مم، مصنوع من مادة الحديد (أو الفونط الخالي من الشوائب) طرفي الطوق عبارة صفيحتين متشابهتين بعرض لا يقل عن 4.5 سم وسماكة لا تقل عن 1 سم، مع برغيين للثبيت قياس البراغي 18 ، ولا يقبل الطوق اذا كان احد طرفيه عبارة عن سيخ وليس صفيحة الحد الأدنى للوزن 3 كغ	EA		100	طوق 100 مم
طوق 150 مم، مصنوع من مادة الحديد (أو الفونط الخالي من الشوائب) طرفي الطوق عبارة صفيحتين متشابهتين بعرض لا يقل عن 4.5 سم وسماكة لا تقل عن 1 سم، مع برغيين للثبيت قياس البراغي 20 ، ولا يقبل الطوق اذا كان احد طرفيه عبارة عن سيخ وليس صفيحة الحد الأدنى للوزن 5 كغ	EA		100	طوق 150 مم




طوق 200 مم	100		EA	طوق 200 مم، مصنوع من مادة الحديد (أو الفونط الخالي من الشوائب) طرفي الطوق عبارة صفيحتين متشابهتين بعرض لا يقل عن 4.5 سم وسماكة لا تقل عن 1 سم، مع برغيين للتثبيت قياس البراغي 18 ، ولا يقبل الطوق اذا كان احد طرفيه عبارة عن سيخ وليس صفيحة ، الحد الأدنى للوزن 5.5 كغ
سدة 80 فونت مرن	25		EA	سدة 80 فونت مرن
سدة 100 فونت مرن	25		EA	سدة 100 فونت مرن
سدة 150 فونت مرن	10		EA	سدة 150 فونت مرن
تربيعات الفتحة الداخلية 1سم	50		EA	تربيعات فونت عادي الفتحة الداخلية 1سم
تربيعات الفتحة الداخلية 2سم	50		EA	تربيعات فونت عادي الفتحة الداخلية 2سم
تربيعات الفتحة الداخلية 3سم	50		EA	تربيعات فونت عادي الفتحة الداخلية 3سم
تربيعات الفتحة الداخلية 4سم	50		EA	تربيعات فونت عادي الفتحة الداخلية 4سم


يشترط على المعارض الالتزام بما يلي:

- 1- ان يمتلك المعارض سجل تجاري يجيز له مزاولة المهنة موضوع العرض.
- 2- مكان التسليم مستودعات المؤسسة العامة لمياه الشرب في حلب (حلب الجديدة- خزان تشرين)
- 3- يتعهد المعارض الرايح بتقديم نماذج عن المواد لتتم مطابقتها مع المواصفات المطلوبة قبل توريد كامل الكمية.
- 4- جميع القطع تكون مطابقة لقطع الغيار المستخدمة في شبكة مياه الشرب في مدينة حلب، ويحق للمعارض الراغب بالتقدم طلب الاطلاع على نماذج عن القطع قبل تقديم عرضه.
- 5- يتم تسليم كامل المواد دفعة واحدة ولا يقبل الاستلام الجزئي.
- 6- يتم صرف قيمة العقد دفعة واحدة بعد الاستلام من اللجنة الفنية المعتمدة.
- 7- جميع المواد المقدمة يجب ان تكون صالحة للاستخدام لمياه الشرب ومرخصة وفق المواصفات القياسية السورية، وحاصلة على جميع الوثائق والشهادات التي تثبت ذلك.

Lot 2: Spare parts and accessories made from elastic or regular cast iron

Items to be Supplied*	Qty.	Pic.	Unit	Description/Specifications of Goods	Latest Delivery Date
Adapter	250		EA	<p>The adapter is made up of two parts, the first of which is a 60cm pure cast iron pipe of a 4 inches diameter open at both ends with a ring around the pipe circumference 10cm wide to fix the cap on it.</p> <p>The cap is a pure cast iron pipe with ring ends, one of which has a cap and the other is a ring to be fixed on the adapter ring. The adapter overall weight is 12kg.</p>	30 days from date of issuance purchase order
20mm cast iron barrel faucet	100		EA	20mm, 10bar cast iron branch valve- inner part brass	
25mm cast iron barrel faucet	100		EA	25mm, 10bar cast iron branch valve- inner part brass	
32mm cast iron barrel faucet	100		EA	32mm, 10bar cast iron branch valve- inner part brass	
40mm cast iron barrel faucet	100		EA	40mm, 10bar cast iron branch valve- inner part brass	
50mm cast iron barrel faucet	100		EA	50mm, 10bar cast iron branch valve- inner part brass	
80mm elastic cast iron flange	10		EA	80mm elastic cast iron flange with 8 screws	
100mm elastic cast iron flange	10		EA	100mm elastic cast iron flange with 8 screws	
80mm mechanical coupling	6		EA	80mm, 10bar elastic cast iron mechanical coupling	
100mm mechanical coupling	6		EA	100mm, 10bar elastic cast iron mechanical coupling	
150mm mechanical coupling	6		EA	150mm, 10bar elastic cast iron mechanical coupling	
100-100mm T Shape	4		EA	100-100mm elastic cast iron T Shape	
100-150mm T Shape	4		EA	100-150mm elastic cast iron T Shape	
80-100mm T Shape	4		EA	80-100mm elastic cast iron T Shape	
80-150mm T Shape	4		EA	80-150mm elastic cast iron T Shape	

80mm valve	10		EA	80mm, 10bar elastic cast iron valve	
100mm valve	10		EA	100mm, 10bar elastic cast iron valve	
150mm valve	10		EA	150mm, 10bar elastic cast iron valve	
200mm valve	4		EA	200mm, 10bar elastic cast iron valve	
250mm valve	4		EA	250mm, 10bar elastic cast iron valve	
60mm sleeve	4		EA	60mm, 10bar elastic cast iron sleeve	
80mm sleeve	4		EA	80mm, 10bar elastic cast iron sleeve	
100mm sleeve	4		EA	100mm, 10bar elastic cast iron sleeve	
125mm sleeve	4		EA	125mm, 10bar elastic cast iron sleeve	
150mm sleeve	4		EA	150mm, 10bar elastic cast iron sleeve	
200mm sleeve	4		EA	200mm, 10bar elastic cast iron sleeve	
80mm split-ring hanger	100		EA	An 80mm split-ring hanger with 1.5inch hole made from iron or pure cast iron. The ends are two identical plates not less than 4.5cm wide and 1cm thick with two 18mm screws. The hanger shall not be accepted if one part is not a plate. Minimum weight is 2.5kg	
100mm split-ring hanger	100		EA	A 100mm split-ring hanger with 1.5inch hole made from iron or pure cast iron. The ends are two identical plates not less than 4.5cm wide and 1cm thick with two 18mm screws. The hanger shall not be accepted if one part is not a plate. Minimum weight is 3kg	
150mm split-ring hanger	100		EA	A 150mm split-ring hanger with 1.5inch hole made from iron or pure cast iron. The ends are two identical plates not less than 4.5cm wide and 1cm thick with two 20mm screws. The hanger shall not be accepted if one part is not a plate. Minimum weight is 5kg	

200mm split-ring hanger	100		EA	A 200mm split-ring hanger with 1.5inch hole made from iron or pure cast iron. The ends are two identical plates not less than 4.5cm wide and 1cm thick with two 18mm screws. The hanger shall not be accepted if one part is not a plate. Minimum weight is 5.5kg
80 elastic cast iron cap	25		EA	80 elastic cast iron cap
100 elastic cast iron cap	25		EA	100 elastic cast iron cap
150 elastic cast iron cap	10		EA	150 elastic cast iron cap
Rods, 1cm interior opening	50		EA	Regular cast iron rods, 1cm interior opening
Rods, 2cm interior opening	50		EA	Regular cast iron rods, 2cm interior opening
Rods, 3cm interior opening	50		EA	Regular cast iron rods, 3cm interior opening
Rods, 4cm interior opening	50		EA	Regular cast iron rods, 4cm interior opening

The bidder is required to comply with the following:

- 1- The bidder shall have a commercial record that allows him to practice the profession of the offer.
- 2- Place of delivery: The warehouses of the General Organization for Drinking Water in Aleppo (Aleppo Al-Jadeeda - Khazzan Tishreen)
- 3- The winning bidder shall undertake to submit samples of the materials to conform to the required specifications before supplying the full quantity.
- 4- All materials supplied must be valid for drinking water and licensed in accordance with the Syrian standard specifications, and the bidder shall obtain all documents and certificates that prove this.
- 5- All materials shall be delivered at once; partial receipt is not accepted.
- 6- The value of the contract shall be paid in one lump sum after receiving it from the approved technical committee.
- 7- All parts and accessories shall have the name of the manufacturer, and operational pressure on them. Materials of unknown origin shall not be accepted.

Annex 2

FORM FOR SUBMITTING SUPPLIER'S QUOTATION

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. _____:

TABLE 1 : LOT 1 Offer to Supply Goods Compliant with Technical Specifications and Requirements

Item No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price	Total Price
	قساٹل بولي اٹيلين 20 مم	2	20 Days from the PO issuance date		
	قساٹل بولي اٹيلين 25 مم	2			
	بداية 20 مم PPR	200			
	بداية 25 مم	200			
	بداية 32 مم PPR	200			
	بداية 40 مم PPR	200			
	بداية 50 مم PPR	200			
	نهاية 20 مم PPR	200			
	نهاية 25 مم PPR	200			
	نهاية 32 مم PPR	200			
	نهاية 40 مم PPR	200			
	نهاية 50 مم PPR	200			
	ماشون 20 مم PPR	200			
	ماشون 25 مم PPR	200			
	ماشون 32 مم PPR	200			
	ماشون 40 مم PPR	200			
	ماشون 50 مم PPR	200			
	ماشون 63 مم PPR	200			
	ماشون 75 مم PPR	50			
	ماشون 90 مم PPR	50			

	ماتشون 110 مم PPR	20		
	سدات نهائية 20 مم PPR	100		
	سدات نهائية 25 مم PPR	100		
	سدات نهائية 32 مم PPR	50		
	سدات نهائية 40 مم PPR	50		
	صليب 1.25 إنش حديد	1000		
	صليب 1.5 إنش حديد	500		
	شرار مسدس 0.5 إنش حديد	200		
	شرار مسدس 1.25 إنش حديد	1,500		
	شرار مسدس 1.5 إنش حديد	500		
	سدات ذكر 0.5 إنش حديد	500		
	سدات أنثى 0.5 إنش حديد	500		
	سدة ذكر 1.25 إنش حديد	2000		
	سدة ذكر 1.5 إنش حديد	1500		
	سكر جارور 1.25 إنش حديد بقلب نحاس	200		
	سكر جارور 1.5 إنش حديد بقلب نحاس	200		
	Total Prices of Goods			
	Add: Cost of Transportation			
	Add: Cost of Insurance			
	Add: Other Charges (pls. specify)			

TABLE 2 : Offer to Comply with Other Conditions and Related Requirements

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
الالتزام بموعد التسليم المحدد			
الالتزام بجميع فقرات الشروط العامة لبرنامج الأمم المتحدة الإنمائي All Provisions of the UNDP General Terms and Conditions			
مدة صلاحية العرض Validity of Quotation			
الالتزام بالمواصفات الفنية و بتقديم نماذج عن القطع لمطابقتها قبل توريد كامل الكمية			
Other requirements <i>[pls. specify]</i>			

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]

TABLE 1 : LOT 2 Offer to Supply Goods Compliant with Technical Specifications and Requirements

Item No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price	Total Price
Lot 2 مواد مصنعة من الفونت	بوشكالية	250	30 Days from the PO issuance date		
	حنفيات تفریعة 20 مم فونت	100			
	حنفيات تفریعة 25 مم فونت	100			
	حنفيات تفریعة 32 مم فونت	100			
	حنفيات تفریعة 40 مم فونت	100			
	حنفيات تفریعة 50 مم فونت	100			
	تبسیط 80 مم فونت مرن	10			
	تبسیط 100 مم فونت مرن	10			
	تداخل میکانیک 80 مم	6			
	تداخل میکانیک 100 مم	6			
	تداخل میکانیک 150 مم	6			
	تیہ 100-100 مم	4			
	تیہ 100-150 مم	4			
	تیہ 80-100 مم	4			
	تیہ 80-150 مم	4			
	سکر (وان) 80 مم	10			
	سکر (وان) 100 مم	10			
	سکر (وان) 150 مم	10			
	سکر (وان) 200 مم	4			
	سکر (وان) 250 مم	4			
	ماشون 60 مم	4			
	ماشون 80 مم	4			
	ماشون 100 مم	4			
	ماشون 125 مم	4			
	ماشون 150 مم	4			
	ماشون 200 مم	4			
	طوق 80 مم	100			
	طوق 100 مم	100			
	طوق 150 مم	100			
	طوق 200 مم	100			
	سدة 80 فونت مرن	25			
	سدة 100 فونت مرن	25			
	سدة 150 فونت مرن	10			
	تربيعات الفتحة الداخلية 1سم	50			
	تربيعات الفتحة الداخلية 2سم	50			
	تربيعات الفتحة الداخلية 3سم	50			
	تربيعات الفتحة الداخلية 4سم	50			
Total Prices of Goods					

	Add: Cost of Transportation		
	Add: Cost of Insurance		
	Add: Other Charges (pls. specify)		
	Total Final and All-inclusive Price Quotation		

TABLE 2 : Offer to Comply with Other Conditions and Related Requirements

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
الالتزام بموعد التسليم المحدد			
الالتزام بجميع فقرات الشروط العامة لبرنامج الأمم المتحدة الإنمائي All Provisions of the UNDP General Terms and Conditions			
مدة صلاحية العرض Validity of Quotation			
الالتزام بالموصفات الفنية و بتقديم نماذج عن القطع لمطابقتها قبل توريد كامل الكمية			
Other requirements [pls. specify]			

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]