

INVITATION TO BID

Construction of Public Park in Sebha, Libya

ITB No.: ITB/LBY/SLCRR/2018/099

Project: Strengthening Local Capacities for Resilience and Recovery

Country: Libya

Issued on: 5 October 2018

CONTENTS

Section	1. L	ette	er of Invitation	4
Section	2. Ir	nstr	uction to Bidders	5
	GE	NER	RAL PROVISIONS	5
		1.	Introduction	5
		2.	Fraud & Corruption, Gifts and Hospitality	5
		3.	Eligibility	5
		4.	Conflict of Interests	5
	В.	P	PREPARATION OF BIDS	6
		5.	General Considerations	6
		6.	Cost of Preparation of Bid	6
		7.	Language	6
		8.	Documents Comprising the Bid	6
		9.	Documents Establishing the Eligibility and Qualifications of the Bidder	7
		10.	Technical Bid Format and Content	7
		11.	Price Schedule	7
		12.	Bid Security	7
		13.	Currencies	7
		14.	Joint Venture, Consortium or Association	8
		15.	Only One Bid	8
		16.	Bid Validity Period	9
		17.	Extension of Bid Validity Period	9
		18.	Clarification of Bid (from the Bidders)	9
		19.	Amendment of Bids	9
		20.	Alternative Bids	9
		21.	Pre-Bid Conference	10
	C.	S	SUBMISSION AND OPENING OF BIDS	10
		22.	Submission	10
		Har	rd copy (manual) submission	10
		Em	ail and eTendering submissions	10
		23.	Deadline for Submission of Bids and Late Bids	11
		24.	Withdrawal, Substitution, and Modification of Bids	11
		25.	Bid Opening	11
	D.	E	VALUATION OF BIDS	11
		26.	Confidentiality	11

27. Evaluation of Bids	11
28. Preliminary Examination	12
29. Evaluation of Eligibility and Qualification	12
30. Evaluation of Technical Bid and prices	12
31. Due diligence	12
32. Clarification of Bids	13
33. Responsiveness of Bid	13
34. Nonconformities, Reparable Errors and Omissions	13
E. AWARD OF CONTRACT	13
35. Right to Accept, Reject, Any or All Bids	13
36. Award Criteria	14
37. Debriefing	14
38. Right to Vary Requirements at the Time of Award	14
39. Contract Signature	14
40. Contract Type and General Terms and Conditions	14
41. Performance Security	14
42. Bank Guarantee for Advanced Payment	14
43. Liquidated Damages	14
44. Payment Provisions	14
45. Vendor Protest	14
46. Other Provisions	15
Section 3. Bid Data Sheet	16
Section 4. Evaluation Criteria	20
Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities/ SOW	22
Section 6: Returnable Bidding Forms / Checklist	24
Form A: Bid Submission Form	25
Form B: Bidder Information Form	26
Form C: Joint Venture/Consortium/Association Information Form	28
Form D: Eligibility and Qualification Form	
Form E: Format of Technical Bid	
FORM F: Price Schedule Form	
FUNIVI F: PTICE SCHEUUIE FUTITI	

The United Nations Development Programme (UNDP) Libya Country Office hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

Section 1: This Letter of Invitation

Section 2: Instruction to Bidders

Section 3: Bid Data Sheet (BDS)

Section 4: Evaluation Criteria

Section 5: Schedule of Requirements and Technical Specifications

Section 6: Returnable Bidding Forms

- o Form A: Bid Submission Form
- o Form B: Bidder Information Form
- o Form C: Joint Venture/Consortium/Association Information Form
- o Form D: Qualification Form
- Form E: Format of Technical Bid
- o Form F: Price Schedule
- o UNDP General Terms and Conditions

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet.

Please acknowledge receipt of this ITB by sending an email to <u>procurement.ly@undp.org</u>, indicating whether you intend to submit a Bid or otherwise. You may also utilize the "Accept Invitation" function in eTendering system, where applicable. This will enable you to receive amendments or updates to the ITB. Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Issued by

Name: Sagib Aziz

Title: Procurement Analyst

Date: October 5, 2018

Approved by:

Name: Ermira Basha

Title: Operations Manager

Date: October 5, 2018

GE	GENERAL PROVISIONS				
1.	Introduction	1.1	Bidders shall adhere to all the requirements of this ITB, including any amendments made in writing by UNDP. This ITB is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement which can be accessed at https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-476a-8ef8-e81f93a2b38d		
		1.2	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.		
		1.3	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.		
		1.4	As part of the bid, it is desired that the Bidder registers at the United Nations Global Marketplace (UNGM) website (www.ungm.org). The Bidder may still submit a bid even if not registered with the UNGM. However, if the Bidder is selected for contract award, the Bidder must register on the UNGM prior to contract signature.		
2.	Fraud & Corruption, Gifts and Hospitality	2.1	UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office-of-audit andinvestigation.html#anti		
		2.2	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches or dinners.		
		2.3	In pursuance of this policy, UNDP:		
			(a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.		
		2.4	All Bidders must adhere to the UN Supplier Code of Conduct, which may be found at http://www.un.org/depts/ptd/pdf/conduct_english.pdf		
3.	Eligibility	3.1	A vendor should not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations.		
		3.2	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.		
4.	Conflict of Interests	4.1	Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest		

shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:

- a) Are or have been associated in the past, with a firm or any of its affiliates which have been engaged by UNDP to provide services for the preparation of the design, specifications, Terms of Reference, cost analysis/estimation, and other documents to be used for the procurement of the goods and services in this selection process;
- b) Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or
- c) Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP.
- 4.2 In the event of any uncertainty in the interpretation of a potential conflict of interest, Bidders must disclose to UNDP, and seek UNDP's confirmation on whether or not such conflict exists.
- 4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following:
 - a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and
 - b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure.

4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.

B. PREPARATION OF BIDS

5. General 5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material Considerations deficiencies in providing the information requested in the ITB may result in rejection of 5.2 The Bidder will not be permitted to take advantage of any errors or omissions in the ITB.

- Should such errors or omissions be discovered, the Bidder must notify the UNDP accordingly.
- 6. Cost of 6.1 The Bidder shall bear all costs related to the preparation and/or submission of the Bid, **Preparation of** regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable Bid for those costs, regardless of the conduct or outcome of the procurement process.
- 7. Language The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS.
- Documents 8.1 The Bid shall comprise of the following documents and related forms which details are Comprising the provided in the BDS: Bid
 - a) Documents Establishing the Eligibility and Qualifications of the Bidder;
 - b) Technical Bid;
 - c) Price Schedule;

			d) Bid Security, if required by BDS;e) Any attachments and/or appendices to the Bid.
			e) Any attachments and/or appendices to the Bid.
 	Documents Establishing the Eligibility and Qualifications of the Bidder	9.1	The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the Forms provided under Section 6 and providing documents required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction.
1	Technical Bid Format and	10.1	The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB.
	Content	10.2	Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified.
		10.3	When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS.
		10.4	When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB.
11.	Price Schedule	11.1	The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB.
		11.2	Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.
12.	Bid Security	12.1	A Bid Security, if required by BDS, shall be provided in the amount and form indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid.
		12.2	The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected.
		12.3	If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid.
		12.4	In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS.
		12.5	The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions:
			a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the
			BDS, or; b) In the event the successful Bidder fails: i. to sign the Contract after UNDP has issued an award; or ii. to furnish the Performance Security, insurances, or other documents that
			UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder.
13.	Currencies	13.1	All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids

are quoted in different currencies, for the purposes of comparison of all Bids:

- UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and
- b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.

14. Joint Venture, Consortium or Association

- 14.1 If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture.
- 14.2 After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of UNDP.
- 14.3 The lead entity and the member entities of the JV, Consortium or Association shall abide by the provisions of Clause 9 herein in respect of submitting only one Bid.
- 14.4 The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP.
- 14.5 A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between:
 - a) Those that were undertaken together by the JV, Consortium or Association; and
 - Those that were undertaken by the individual entities of the JV, Consortium or Association.
- 14.6 Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials
- 14.7 JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be available within one firm.

15. Only One Bid

- 15.1 The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture.
- 15.2 Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:
 - a) they have at least one controlling partner, director or shareholder in common; or
 - b) any one of them receive or have received any direct or indirect subsidy from the other/s; or

they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid. 16. Bid Validity 16.1 Bids shall remain valid for the period specified in the BDS, commencing on the Deadline Period for Submission of Bids. A Bid valid for a shorter period may be rejected by UNDP and rendered non-responsive. 16.2 During the Bid validity period, the Bidder shall maintain its original Bid without any change, including the availability of the Key Personnel, the proposed rates and the total price. 17. Extension of Bid 17.1 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP **Validity Period** may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing and shall be considered integral to the Bid. 17.2 If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid. 17.3 The Bidder has the right to refuse to extend the validity of its Bid, in which case, the Bid shall not be further evaluated. 18. Clarification of Bidders may request clarifications on any of the ITB documents no later than the date Bid (from the indicated in the BDS. Any request for clarification must be sent in writing in the manner **Bidders**) indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to respond or confirm that the query was officially received. 18.2 UNDP will provide the responses to clarifications through the method specified in the UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary. 19. Amendment of 19.1 At any time prior to the deadline of Bid submission, UNDP may for any reason, such as Bids in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders. 19.2 If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids. 20. Alternative Bids 20.1 Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid. 20.2 If multiple/alternative bids are being submitted, they must be clearly marked as "Main Bid" and "Alternative Bid"

21. Pre-Bid Conference

21.1 When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be disseminated on the procurement website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder's Conference or issued/posted as an amendment to ITB.

C. SUBMISSION AND OPENING OF BIDS

22. Submission

- 22.1 The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS.
- 22.2 The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid.
- 22.3 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and Conditions.

Hard copy (manual) submission

- 22.4 Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows:
 - a) The signed Bid shall be marked "Original", and its copies marked "Copy" as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail.
 - (b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which shall:
 - i. Bear the name of the Bidder;
 - ii. Be addressed to UNDP as specified in the BDS; and
 - iii. Bear a warning not to open before the time and date for Bid opening as specified in the BDS.

If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.

Email and eTendering submissions

- 22.5 Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows:
 - a) Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS;
 - b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS.
- 22.6 Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link:

http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources/

23. Deadline for 23.1 Complete Bids must be received by UNDP in the manner, and no later than the date and Submission of time, specified in the BDS. UNDP shall only recognise the actual date and time that the **Bids and Late** bid was received by UNDP Bids 23.2 UNDP shall not consider any Bid that is received after the deadline for the submission of 24. Withdrawal. 24.1 A Bidder may withdraw, substitute or modify its Bid after it has been submitted at any Substitution, time prior to the deadline for submission. and Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid by 24.2 Modification of sending a written notice to UNDP, duly signed by an authorized representative, and shall Bids include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as "WITHDRAWAL" "SUBSTITUTION," or "MODIFICATION" 24.3 eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling, Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos. Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened. UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at 25.1 25. Bid Opening least two (2) members. 25.2 The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders. 25.3 In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened. **D.** EVALUATION OF BIDS 26. Confidentiality Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award. 26.2 Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP's decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP's vendor sanctions procedures. 27. Evaluation of 27.1 UNDP will conduct the evaluation solely on the basis of the Bids received. Bids 27.2 Evaluation of Bids shall be undertaken in the following steps: a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done) a) Evaluation of Technical Bids

	b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary
28. Preliminary Examination	28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.
29. Evaluation of Eligibility and Qualification	 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria). In general terms, vendors that meet the following criteria may be considered qualified: a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.
31. Due diligence	 31.1 UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following: a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the performance on ongoing or completed contracts, including physical inspections of previous works, as deemed necessary; e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; f) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.

32. Clarification of Bids

- 32.1 To assist in the examination, evaluation and comparison of Bids, UNDP may, at its discretion, request any Bidder for a clarification of its Bid.
- 32.2 UNDP's request for clarification and the response shall be in writing and no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bids, in accordance with the ITB.
- 32.3 Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bids.

33. Responsiveness of Bid

- 33.1 UNDP's determination of a Bid's responsiveness will be based on the contents of the bid itself. A substantially responsive Bid is one that conforms to all the terms, conditions, specifications and other requirements of the ITB without material deviation, reservation, or omission.
- 33.2 If a bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.

34. Nonconformities , Reparable Errors and Omissions

- 34.1 Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
- 34.2 UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 34.3 For the bids that have passed the preliminary examination, UNDP shall check and correct arithmetical errors as follows:
 - a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which case, the line item total as quoted shall govern and the unit price shall be corrected;
 - b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail.
- 34.4 If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.

E. AWARD OF CONTRACT

35. Right to Accept, Reject, Any or All Bids

35.1 UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced offer.

36. Award Criteria 36. 1 Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the chedule of Requirements and Technical Specification and has offered the lowest price. 37. Debriefing 37. In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed. 38. Right to Vary Requirements at the Time of award of Contract, UNDP reserves the right to vary the quantity of goods and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions. 39. Contract Signature 39. Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids. 40. Contract Type and General Terms and Conditions 41. Performance 52. The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions 42. Payment and Conditions as a specified in BDS, can be accessed at https://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html 42. Bank Guarantee for Advanced Payment 42. Bank Guarantee for Advanced Payment is Bidder shall signature by both partles. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract signature by both partles. Where a performance security is required, the receipt of the perform		1	
UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed. 38. Right to Vary Requirements at the Time of Award 39. Contract Signature 39. Contract Signature 39.1 Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids. 40. Contract Type and General Terms and Conditions. 40.1 The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions. 41. Performance Security 41.1 A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at https://www.undp.org/content/undp/en/home/procurement/business/how-webury.html 41. A performance security with a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective. 42. Bank Guarantee for Advanced Payment 43. Liquidated Damages 43. Liquidated Damages 44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment is lidlowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee	36. Award Criteria	36.1	qualified and eligible Bidder that is found to be responsive to the requirements of the
and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions. 39. Contract Signature 39.1 Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids. 40. Contract Type and General Terms and Conditions. 41. Performance Security 41.1 A performance security, if required in the BDS, can be accessed at https://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html 41. Performance Security 41.1 A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at https://popp.undp.org/. layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCU_MENT_LIBRARYP/bublic/PSU_Solicitation_Performance%20Guarantee%20Form.docx&action=default_within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective. 42. Bank Guarantee for Advanced Payment 42.1 Except when the interests of UNDP so require, it is UNDP's standard practice to not make advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in Hull amount of the advance payment in the form available at https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPC_DOCU_MENT_UBRARYPublic/PSU_Contractv22DAmanagement%20Payment%20and%20Taxes_Advanced%20Payment%20guarantee%20Form.docx&action=default 43. Liquidated Damages 43.1 If specified in the BDS, UNDP shall apply Liq	37. Debriefing	37.1	UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the
shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids. 40. Contract Type and General Terms and Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html 41. Performance Security 41. A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at https://popp.undp.org/ layouts/15/WopiFrame.aspx?sourcedoc=/UNDP POPP DOCU MENT LIBRARY/Public/PSU Solicitation Performance%20Guarantee%20Form.docx&a ction-default within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective. 42. Bank Guarantee for Advanced Payment is allowed as per the BDS, and exceeds 20% of the tolarotact price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at https://popp.undp.org/.layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCU MENT LIBRARY/Public/PSU Contract%20Management%20Payment%20and%20Taxes_Advanced%20Payment%20Guarantee%20Form.docx&action-edefault 43. Liquidated Damages 43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract. 44. Payment Provisions 44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.	Requirements at the Time of	38.1	and/or services, by up to a maximum twenty-five per cent (25%) of the total offer,
Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html		39.1	shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or
in BDS and form available at https://popp.undp.org/ layouts/15/WopiFrame.aspx?sourcedoc=/UNDP POPP DOCU MENT LIBRARY/Public/PSU Solicitation Performance%20Guarantee%20Form.docx&action=default within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective. 42. Bank Guarantee for Advanced Payment 42.1 Except when the interests of UNDP so require, it is UNDP's standard practice to not make advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at https://popp.undp.org/_layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCU_MENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes_Advanced%20Payment%20Guarantee%20Form.docx&action=default 43. Liquidated Damages 43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract. 44.1 Payment Provisions 44.2 Payment Will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.	and General Terms and	40.1	Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-
advanced payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at https://popp.undp.org/ layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCU MENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes_Advanced%20Payment%20Guarantee%20Form.docx&action=default 43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract. 44.1 Payment Provisions 44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.		41.1	in BDS and form available at <a 15="" href="https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP POPP DOCU MENT LIBRARY/Public/PSU Solicitation Performance%20Guarantee%20Form.docx&action=default within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance</th></tr><tr><th>Payment Provisions 44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.</th><th>for Advanced</th><th>42.1</th><th>advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCUMENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes
Provisions performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.	•	43.1	risks caused to UNDP resulting from the Contractor's delays or breach of its obligations
45. Vendor Protest 45.1 UNDP's vendor protest procedure provides an opportunity for appeal to those persons	_	44.1	performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank
	45. Vendor Protest	45.1	UNDP's vendor protest procedure provides an opportunity for appeal to those persons

		or firms not awarded a contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html
46. Other Provisions	46.1	In the event that the Bidder offers a lower price to the host Government (e.g. General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the same lower price. The UNDP General Terms and Conditions shall have precedence.
	46.2	UNDP is entitled to receive the same pricing offered by the same Contractor in contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence.
	46.3	The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15 http://www.un.org/en/ga/search/view_doc.asp?symbol=ST/SGB/2006/15&referer

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid In the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English
2		Submitting Bids for Parts or sub- parts of the Schedule of Requirements (partial bids)	Not Allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid Site Visit	Will be Conducted The bidders are encouraged to conduct the physical site visit for complete understanding of the Scope of Works. An organized site visit is arranged on 10 th October 2018 - 11:00 hrs (Libya Time). Focal Person: Ibrahim Abunowarah, Regional/local Project Coordinator Sebha Phone number: (+218) 919990630
5	16	Bid Validity Period	120 days
6	13	Bid Security	Not Required
7	41	Advanced Payment upon signing of contract	Not Allowed
8	42	Liquidated Damages	Will be imposed as follows: Percentage of contract price per day of delay: 0.5% Max. number of days of delay 30, after which UNDP may terminate the contract.

9	40	Performance Security	Required: In lieu of Performance security, contract will be subject to a deduction of 10 % (TEN) percent of the amount accepted for the payment as security deposit from all progressive payments. This amount will be kept as Retention to cover the Defect Liability period* of 12 months after Contract completion date. Retention amount could be replaced with the Bank Guarantee issued by reputable International Bank. a. Upon successful completion of Defect Liability Period of 12 months and upon issuance of completion certificate, UNDP will release retention money to the Bidder. * Retention Defect Liability is instrument to cover any defects that are discovered or raised in the normal course of usage within 12 months after the works/goods have been put into the service
10	12	Currency of Bid	United States Dollar
11	31	Deadline for submitting requests for clarifications/ questions	05 days before the submission deadline
12	31	Contact Details for submitting clarifications/questions	Focal Person in UNDP: Procurement Unit Address: UNDP Libya, Palm City Residences, Unit 228, Janzour Area, Tripoli, Libya E-mail address: procurement.ly@undp.org
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	Direct communication to prospective Proposers by email and Posting on the websites: 1. www.ly.undp.org 2. http://procurement-notices.undp.org/ 3. https://www.ungm.org/Public/Notice 4. https://www.libyaninvestment.com/libya-tenders/
14	23	Deadline for Submission	Date and Time: 28 th October 2018, 14:00 hrs. (Tripoli, Libya time)
14	22	Allowable Manner of Submitting Bids	☑ Courier/Hand Delivery☑ Submission by email☐ e-Tendering
15	22	Bid Submission Address	UNDP Libya, Palm City Residences, Unit 228, Janzour Area, Tripoli, Libya Attention: Procurement Unit Tender Reference: ITB/LBY/SLCRR/2018/099 or via electronic submission as per BDS No 16

16	22	Electronic submission (email or eTendering) requirements	Format: PDF files only Max. File Size per transmission: [5 MB] Max. No. of transmission: [No Limit] No. of copies to be transmitted: [Only 1 copy] Mandatory subject of email: ITB reference Number (ITB/LBY/SLCRR /2018/099) + Company Name Time Zone to be Recognized: (UTC/GMT+1) Other conditions: Bidders may send as many e-mails as needed, considering that every file must not exceed 5MB As an e-mail can take some time to arrive after it is sent, we advise all Bidders to send e-mail submissions well before the deadline. Please be aware that bids emailed to UNDP will be rejected if they are received after the deadline for bid submission. Bidders are solely responsible for ensuring that any and all files sent to UNDP are readable, that is, uncorrupted, in the indicated electronic format, and free from viruses and malware. Bids sent to the private or individual office email addresses of any procurement staff, will not be considered
17	25	Date, time and venue for the opening of bid	Bids will be opened in the presence of bidders' representatives who choose to attend: 28 th October 2018, 14:30 hrs. (Tripoli, Libya time) Venue: United Nations Development Programme, Libya Country Office, Unit 228, Palm City Residence, Sidi Abduljaleel, Janzour Area, Tripoli, Libya Bidders interested to attend the bid opening exercise must send the following information to the above-mentioned email address on or before 12.00 pm on 25 th October 2018: Participant's Name, Company Name. Please note: Only 01 (one) person from each company will be allowed to participate. Bidders submitting emails indicating their interest after the deadline will not be allowed to attend the bid opening.
18	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid.

19		Expected date for commencement of Contract	November 15, 2018
20		Maximum expected duration of contract	The successful bidder (s) will be expected to complete the works within 3 (three) months from the award of contract/site handover.
21	35	UNDP will award the contract to:	One Proposer Only
22	39	Type of Contract	Contract for Civil Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
23	39	UNDP Contract Terms and Conditions that will apply	UNDP General Terms and Conditions for Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
24		Other Information Related to the ITB	N/A

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Bid Submission Form duly signed and stamped
- Valid business license in Construction
- Power of Attorney, where applicable
- Minimum Bid documents provided (1. Documents Establishing the Eligibility and Qualifications of the Bidder, 2. Technical Bid Form, 3. Priced BOQ. 4. Statement of Satisfactory Performance from the Top 3 Clients, 5. Company's proposed team details)

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.

If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject	Criteria	Document Submission requirement
ELIGIBILITY		
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form
Certificates and Licenses	Valid business license In General Construction. Interested bidders must have appropriate permission/registration from relevant Government body to operate in Libya (copy must be provided with the bid).	Form B: Bidder Information Form
QUALIFICATION		
History of Non- Performing Contracts ¹	Non-performance of a contract did not occur as a result of contractor default for the last 3 years.	Form D: Qualification Form
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Form D: Qualification Form

¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

-

Previous Experience	Minimum 03 years of relevant experience.	Form D: Qualification Form
	Minimum 02 contracts of similar value, nature and complexity implemented over the last 10 years, with the value not less than USD 150,000.00 per each contract.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
Financial Standing	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document and which is as under:	Form E: Technical Bid Form
	Minimum of 3 years of experience in construction (horizontal structure).	
	 Implementation Timeline (to match the period stated in the ITB - 90 days). 	
	3. Capacity to undertake civil works including previous experience with similar type of works:	
	 a) A minimum number of 2 contracts with the value not less than USD 150,000.00 per each contract. 	
	 Qualifications and suitability of the key personnel proposed for the contract including their previous experience with 	
	same type of assignment: <u>Civil Engineer/Project Manager</u> - shall have a University	
	Degree in Civil engineering and minimum of 5 years of experience of work of an equivalent nature.	
	<u>Irrigation/landscaping technician</u> – shall have 3 years of relevant work experience.	
	(CVs to be provided for the personnel proposed for the	
	contract).4. Acceptance to the General Terms and Conditions of UNDP's Standard Contract for Works	
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 and quoted for by the bidders in Form F.	Form F: Price Schedule Form
	Financial Evaluation shall be based on following factor:	
	Lowest priced technically responsive, eligible and qualified bid.	

Scope of Work

DEVELOPMENT OF AL SHABBI CORNICHE BENGHAZI- LIBYA

Introduction/Background

UNDP's project 'Strengthening Local capacities for Resilience and Recovery' is a three-year initiative aiming at supporting local authorities in Libya to respond to the many conflict and human mobility induced challenges - by strengthening the local resilience and recovery mechanisms - that impact negatively people access to essential services, sources of jobs and livelihoods, the social cohesion and security of communities.

The project is built around 3 outputs, including the first Output: Better provision of basic services at local level and increase access for most vulnerable groups from host communities. The project supports selected rehabilitation/reconstruction needs on critical health, education and public facilities (i.e. hospitals, primary medical clinics and schools, as well as public facilities for the benefit of the general public including streets, roads, sidewalks, street and road lighting systems, parks and recreational facilities and other public buildings, among others) in the six targeted municipalities, including provision of equipment for essential service delivery.

The current priority included in consultations run in partnership with local peace partnerships with the support of Peaceful Change Initiative and endorse by all participants. The priority was further included in the project regular progress reports and endorsed by the Board. It is required work to develop a public park (ALRRIFQ), in the proposed location by the municipality of Sebha-Libya. The park will serve as an opened public green space that provide visitors and Sebha residents an access to a green space for recreation and comfort, being the first facility of the type in Sebha, which is the so-called capital city of the southern region.

Project Location: -

The Green park (ALRRIFQ) will be developed on land lot located in the city center of Sebha of an area about 9,680 square meters.



Development and Landscaping Works include:

- -Site preparation;
- -Construction of underground water reservoir;
- Construction of water fountain;

- Plantation and Turf grass establishment;
- -Irrigation system;
- Connection water from main water source to fill the water tank;
- -Electrical works.
- -Supply and installation of children playground equipment.

The work shall be completed in accordance with drawings, specifications and relevant applicable Standards.

Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to format of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have	you duly completed all the Returnable Bidding Forms?	
	Form A: Bid Submission Form	
-	Form B: Bidder Information Form	
-	Form C: Joint Venture/Consortium/ Association Information Form	
-	Form D: Qualification Form	
	Form E: Format of Technical Bid/Bill of Quantities	
•	Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value (work handover certificate/substantial completion certificate and etc.).	
-	Company's proposed team details (CVs).	
	Implementation Timeline.	
	you provided the required documents to establish compliance with the ation criteria in Section 4?	

Price Schedule:

Form F: Price Schedule Form	
---	--

Form A: Bid Submission Form

Name of Bidder:	der: [Insert Name of Bidder]		Select date
ITB reference:	ITB/LBY/SLCRR/2018/099		

We, the undersigned, offer to supply the goods and related services required for **Construction of Public Park in Sebha, Libya** in accordance with your Invitation to Bid No. **ITB/LBY/SLCRR/2018/099** and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name: Title: Date:	
Signature:	
	[Stamp with official stamp of the Bidder]

Form B: Bidder Information Form

Legal name of Bidder	[Complete]
-	
Legal address	[Complete]
Year of registration	[Complete]
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you a UNGM registered vendor?	☐ Yes ☐ No If yes, [insert UGNM vendor number]
Are you a UNDP vendor?	☐ Yes ☐ No If yes, [insert UNDP vendor number]
Countries of operation	[Complete]
No. of full-time employees	[Complete]
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]
Is your company a member of the UN Global Compact	[Complete]
Contact person that UNDP may contact for requests for clarifications during Bid evaluation	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Please attach the following documents:	1. Company Profile, which should not exceed fifteen (15) pages

- 2. Valid business license in construction works (horizontal structure). Interested bidders must have appropriate permission/registration from relevant Government body to operate in Libya (copy must be provided with the bid).
- 3. Bid Submission Form duly signed and stamped (Section 6, Form A).
- 4. Documents Establishing the Eligibility and Qualifications of the Bidder. Experience as a prime contractor in at least two (2) similar contracts (horizontal Structure) with the contract value not less than USD \$ 150,000.00 each contract (Copy of contracts and certification of completion to be provided together with the bid) (Section 6, Form D).
- 5. Technical Bid Form (Section 6 Form E).
- 6. Priced BOQ with value for each component filled, signed, stamped and provided (Section 6, Form F).
- 7. Implementation Timeline
- 8. Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value (work handover certificate/substantial completion certificate and etc.).
- 9. List and value of completed and on-going projects with contact details of clients and current percentage completion of each on-going project.
- 10. Company's proposed team details (CVs to be provided).

Form C: Joint Venture/Consortium/Association Information Form

Name	e of Bidder:	[Insert Name of Bidder]		Date:	Select date	
ITB re	B reference: ITB/LBY/SLCRR/2018/099					
To be c	To be completed and returned with your Bid if the Bid is submitted as a Joint Venture/Consortium/Association.					
No	No Name of Partner and contact information (address, telephone numbers, fax numbers, e-mail address) Proposed proportion of responsibilities (in %) and type of goods and/or services to be performed					
1	1 [Complete]			[Complete]		
2	2 [Complete]			[Complete]		
3	[Complete]			[Complete]		
Name of leading partner (with authority to bind the JV, Consortium, Association during the ITB process and, in the event a Contract is awarded, during contract execution)			[Comple	ete]		
We ha	ve attached a co	uring contract execution) py of the below referenced docu firmation of joint and severable li	_			

☐ Letter of intent to form a joint venture **OR** ☐ JV/Consortium/Association agreement

We hereby confirm that if the contract is awarded, all parties of the Joint Venture/Consortium/Association shall be jointly and severally liable to UNDP for the fulfillment of the provisions of the Contract.

Name of partner:	Name of partner:
Signature:	Signature:
Date:	Date:
Name of partner:	Name of partner:
Signature:	Signature:
Date:	Date:

Form D: Eligibility and Qualification Form

Name of Bidder:	of Bidder: [Insert Name of Bidder]		Select date
ITB reference:	:: ITB/LBY/SLCRR/2018/099		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

□Non-perf	□Non-performing contracts did not occur during the last 3 years				
☐ Contract	(s) not performed in th	e last 3 years			
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value in US\$)		
		Name of Client: Address of Client: Reason(s) for non-performance:			

Litigation History (including pending litigation)

☐ No litigat	☐ No litigation history for the last 3 years				
☐ Litigation	History as indicated b	elow			
Year of dispute	Amount in dispute (in US\$)	Contract Identification	Total Contract Amount (current value in US\$)		
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:			

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 3 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of the Bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken

Bidders may also attach their own Project Data Sheets with more details for assignments above.

☐ Attached are the Statements of Satisfactory Performance from the Top 3 (three) Clients or more.

Financial Standing

Annual Turnover for the last 3 years	Year Year Year	USD USD USD
Latest Credit Rating (if any), indicate the source		

Financial information (in US\$ equivalent)	Historic information for the last 3 years						
	Year 1	Year 2	Year 3				
		Information from Balance Sheet					
Total Assets (TA)							
Total Liabilities (TL)							
Current Assets (CA)							
Current Liabilities (CL)							
	Inj	formation from Income Staten	nent				
Total / Gross Revenue (TR)							
Profits Before Taxes (PBT)							
Net Profit							
Current Ratio							

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/LBY/SLCRR/2018/099		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.

SECTION 3: Management Structure and Key Personnel

- 3.1 Describe the overall management approach toward planning and implementing the project. Include an organization chart for the management of the project describing the relationship of key positions and designations. Provide a spreadsheet to show the activities of each personnel and the time allocated for his/her involvement.
- 3.2 Provide CVs for key personnel that will be provided to support the implementation of this project using the format below. CVs should demonstrate qualifications in areas relevant to the scope of goods and/or services.

Format for CV of Proposed Key Personnel

Name of Personnel	[Insert]
Position for this assignment	[Insert]

Nationality	[Insert]
Language proficiency	[Insert]
Education/ Qualifications	[Summarize college/university and other specialized education of personnel member, giving names of schools, dates attended, and degrees/qualifications obtained.] [Insert]
Professional certifications	[Provide details of professional certifications relevant to the scope of goods and/or services] Name of institution: [Insert] Date of certification: [Insert]
Employment Record/ Experience	[List all positions held by personnel (starting with present position, list in reverse order), giving dates, names of employing organization, title of position held and location of employment. For experience in last five years, detail the type of activities performed, degree of responsibilities, location of assignments and any other information or professional experience considered pertinent for this assignment.]
	[Insert]
References	[Provide names, addresses, phone and email contact information for two (2) references] Reference 1: [Insert] Reference 2: [Insert]

I, the undersigned, certify that to the best of my qualifications, my experiences, and other relevan	knowledge and belief, the data provided above correctly describes my at information about myself.
	Date (Day/Month/Year)

FORM F: Price Schedule Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/LBY/SLCRR/2018/099		

Construction of Public Park in Sebha, Libya

Item	Description	Unit	Qty	Unit Rate USD	Amount USD
	Clearing and Grubbing:				
	Removing of trees, shrubs, stumps, and rubbish from the site				
1	and striping topsoil to a depth 30 cm, including disposing of all	SO M	9000		
2	resulting materials to authorized dumping sites. Construction of Underground Water Tank	SQ.M	9000		
_	Supply and construct concrete underground water tank of dimensions 5 m * 6 m* and 3 m deep, complete as per the attached drawing. The work shall include supply all needed materials and works for construction and finishing of safe and watertight underground water tank; all in accordance with the drawings, specifications and the Engineer's instructions. The work shall include, but not limited, of the following works:				
	Earthworks including, excavation, leveling, backfilling and compaction. Supply and cast C20 lean concrete 10 cm thick for water tank base slab. Supply and cast C30 reinforced concrete for 30 cm thick base slab, the walls and the ceiling slab including steel reinforcement. Supply and apply 2 coats of bitumen protection coating on the external walls; Supply and apply 2 coats of cement-based sealant of approved product similar to Sitka or equally approved, on the internal walls and flooring of the water tank. Stainless steel steps:				
	Galvanized steel inspection cover with frame, 60 X 60 cm. floating valve. 1" PPR inlet pipe with 1" cupper gate valve. 1" PPR outlet pipe with 1" cupper non-return valve. 1" PPR vent pipe with 180-degree elbow. 1" PPR overflow and discharge pipes. Testing of the water tank for water tightness:				
	All associated works including mechanical fittings and accessories according to the specifications, and Engineer	Lump Sum	1		

	instructions.			
	Supply and casting of 15 cm thick C20 concrete slab on grade at			
	children playground area. The work shall include steel			
3	reinforcement mesh 8 mm @ 20/20 cm.	SQ.M	365	
	Construction of Concrete Water Fountain			
	Supply, construct and commissioning of a circular concrete			
	interactive water fountain 5 m diameter and 1 m high, complete			
	as per the attached drawing. The contractor shall provide			
	design and shop drawings for fountain architectural, plumping			
	and mechanical details. The work shall include supply all			
	needed materials and works for construction and finishing of a			
	complete safe and watertight water fountain; all in accordance			
	with the drawings, specifications and the Engineer's			
	instructions. The work shall include, but not limited, of the			
	following works:			
	Earth works including, excavation, leveling, backfilling and			
	compaction.			
	Supply and cast C20 lean concrete 10 cm thick concrete base			
	slab.			
	Supply and cast C30 reinforced concrete for 20 cm thick base			
	slab and walls, including steel reinforcement.			
	Supply and apply 2 coats of cement-based sealant of approved			
	product similar to Sitka or equally approved, on the internal			
	walls and flooring of the fountain.			
	High quality glazed tiles for flooring, lading of the internal and			
	external walls of the fountain.			
	All surfaces shall be sealed, joints grouted or caulked, and			
	reservoirs equipped with liners. Color and pattern of the tiles			
	shall be in accordance with the Engineer's choice.			
	30mm thick Carrara marble for the coping of the fountain.			
	Unless otherwise separately stated in the BoQ items, the price			
	shall include Supplying and installation of all associated			
	mechanical and plumping material and installation including			
	water circulation and drainage systems for the fountain. The			
	fountain wetted surface should be gravity-drained with the	Luman		
4	drains in close proximity to the display jets where applicable and near the perimeters of the wetted surface.	Lump Sum	1	
4	Supply and install high quality 8 cm thick interlocking concrete	Juill	1	
	paver units. The paver units shall be laid on 5cm sand bed and			
	compacted. Color and pattern of the paver hall be in according			
	to the Engineer's choice. The price includes surface preparation			
	of the sub grade including leveling and compaction. Concrete			
	pavers shall have high strength and durability. Concrete mix			
	shall contain at least 16% cement the nominal maximum			
	aggregate size is 3 /8 inch, with aggregate ratio 60% sand with			
	the remainder being gravel. Water-repelling admixtures such as			
	calcium separate may be added to reduce water absorption by			
	the paver; all in accordance with ASTM C936, the relevant			
5	Standards and the Engineer's instructions.	SQ.M	1400	

Supply and installation of 15°35 cm concrete kerbstone with compressive strength 30 MPa for the walkway. The work shall include surface preparation and 15 cm thick concrete bed and backing, grouting and all needed works in accordance with Specifications and the Engineer's instructions. Plantation Works Plantating of saplings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes		6		1	I	
include surface preparation and 15 cm thick concrete bed and backing, grouting and all needed works in accordance with Specifications and the Engineer's instructions. Plantation Works Plantation Go saplings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handower, all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have the value in of 6 to 8.5; all in accordance with the specifications. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer to shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s) Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary		Supply and installation of 15*35 cm concrete kerbstone with				
backing, grouting and all needed works in accordance with Specifications and the Engineer's instructions. Plantation Works Plantation Works Plantation Grapilings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have the value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall be are the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be destremined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m. adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 Supply, plantation and m		•				
Feathard Specifications and the Engineer's instructions. Planting of saplings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shiple, stone, brickbast, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications of the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizer shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes size clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparatio						
Plantation Works Planting of saplings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sood directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. N						
Planting of saplings and grass at designated locations. The work shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance wit	6	·	L.M	600		
shall include site preparation for planting areas, warrantee, maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary ir						
maintenance and handover; all in accordance with the drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications 7. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 Ditto, but type LATANEYA No. 20 Ditto, but type LATANEYA No. 20						
drawings, specification and the Engineer's instructions. Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(sfertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irriga						
Supply, filling and spreading of good earth for plantation and green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s) Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engi		·				
green areas shown on drawings. The earth shall be good agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type			Note			
agricultural topsoil of sandy-loam texture, free from kankar, moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. 7 the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 Ditto, but type LATANEYA No. 20						
moorum, shingle, stone, brickbats, building rubbish and any other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of vicus Tress of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of vicus Tress of length not less than 1.5 m. The price includes soil preparation, grading, sup		green areas shown on drawings. The earth shall be good				
other foreign matter. The earth shall be free from clods or lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 80 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 Ditto, but type LATANEYA No. 20		=				
lumps of sizes bigger than 75mm in any direction. It shall have Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20						
Ph value in of 6 to 8.5; all in accordance with the specifications the Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s) Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20						
The Engineer's instructions. Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of vicus Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of vicus Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20						
Supply, apply, and an organic fertilizer to the agricultural soil. The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20		·				
The fertilizers shall be uniform in composition, free flowing and suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20	7		CU.M	2200		
suitable for application with approved equipment. Fertilizers shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20						
shall be delivered to the site fully labeled, according to applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20		•				
applicable fertilizer laws and shall bear the name, trade name or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
or trademark, and warranty of the producer or manufacturer. Fertilizers shall be distributed and incorporated uniformly over the entire area(s) Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 Ditto, but type LATANEYA No. 20 Ditto, but type LATANEYA No. 20						
Fertilizers shall be distributed and incorporated uniformly over the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20 Ditto, but type AKLYL No. 20						
the entire area(s)Fertilizer applications shall be determined by soil tests, all in accordance with the relevant specifications. Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 Ditto, but type LATANEYA NO. 20 Ditto, but type LATANEYA NO. 20						
Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. No. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. No. 20 14 Ditto, but type LATANEYA No. 20 Ditto, but type AKLYL No. 20						
Supplying, plantation and maintenance of Lawn Zoysia Sods. The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
The work includes laying of blocks or rolls of sod directly over a prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20	9	soil tests, all in accordance with the relevant specifications.	CU.M	300		
prepared seedbed to provide an instant lawn. The price includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		Supplying, plantation and maintenance of Lawn Zoysia Sods.				
includes site clearing, soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		The work includes laying of blocks or rolls of sod directly over a				
irrigation; all in accordance with the specifications and the Engineer's instructions. Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		prepared seedbed to provide an instant lawn. The price				
Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		includes site clearing, soil preparation, grading, supplementary				
Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		irrigation; all in accordance with the specifications and the				
Supplying, plantation and maintenance of Vicus Tress of length not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20	10	Engineer's instructions.	SO M	8000		
not less than 1.5 m adjacent to the garden boundary. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20		Supplying plantation and maintenance of Vicus Tress of length	34	0000		
includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
in accordance with the specifications and the Engineer's instructions. NO. 80 Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
instructions. Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 10 Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
Supply, plantation and maintenance of Palm Trees of length not less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20		7				
less than 1.5 m. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20	11		NO.	80		
supplementary irrigation; all in accordance with the specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20						
specifications the Engineer's instructions. Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20		, , , , ,				
Supply, plantation and maintenance of various types CATAFA flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 15 Ditto, but type AKLYL NO. 20		• • • •				
flowers. The price includes soil preparation, grading, supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 Ditto, but type LATANEYA NO. 20 Ditto, but type AKLYL NO. 20	12		NO.	10		
supplementary irrigation; all in accordance with the specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 15 Ditto, but type AKLYL NO. 20						
specifications the Engineer's instructions. NO. 20 14 Ditto, but type LATANEYA NO. 20 15 Ditto, but type AKLYL NO. 20						
14 Ditto, but type LATANEYA NO. 20 15 Ditto, but type AKLYL NO. 20						
14 Ditto, but type LATANEYA NO. 20 15 Ditto, but type AKLYL NO. 20	13	specifications the Engineer's instructions.	NO.	20		
15 Ditto, but type AKLYL NO. 20						
	14	Ditto, but type LATANEYA	NO.	20		
	15	Ditto but type AKLYI	NO	20		
16 Ditto, but type JASMIN flower NO. 20	1.0	Ditto, but type ANLIL	IVO.	20		
· · · · · · · · · · · · · · · · · · ·	16	Ditto, but type JASMIN flower	NO.	20		

			l		
17	Ditto, but type generic flower tress	NO.	15		
18	Ditto, but type flower caught the night	NO.	20		
	Playground Equipment				
	Note: The work shall include supplying, installation and				
	maintenance of high quality children playground equipment as				
	= ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '				
	per drawings and comply with ASTM F1487-07 specifications.				
	The price include shall include all preparatory and associated				
	works, complete.	Note			
	Supply and installation of merax 3.65 m round trampoline with				
	safety enclosure, basketball hoop and ladder with total 6-w				
19	shaped legs.	NO.	2		
	Supply and installation of movement God Kids outdoor-frame				
20	swing set with maximum user weight 50 kg.	NO.	4		
		110.			
	Supply and installation of playground slides theme roof, silde				
	plastic tube with transparent part, net tube, theme panel,				
	square steel desk, steel post, climbing, stair, color bridge with				
21	all necessary work.	NO.	2		
	Supply and installation of seesaw play equipment with all				
	necessary work.				
22	·	NO.	4		
	Supply, fabricate and installation of heavy duty garden metalic				
	seats, 180 cm length 50cm high and 50cm including painting as				
	shown on drawings. The contractor shall provide design and				
	shop drawings for seats and architectural details. The work shall				
	include supply of all needed materials and works for				
23	construction and finishing of the seats.	NO.	32		
2.5	construction and ministing of the seats.	NO.	32		
24	Supply and installation metallic waste baskets of suitable size.	NO.	10		
24	Supply and installation metallic waste baskets of saltable size.	140.	10		
	Irrigation Works				
	General:				
	Irrigations work shall include supplying, installation,				
	commissioning and maintenance of Drip Irrigation System for				
	watering trees and Sprinkler System for watering grass areas,				
	complete in accordance with drawings, specifications and the				
	Engineer's instruction. The Irrigation material and equipment				
	shall be of high quality in accordance with the Relevant				
	Standers. Unless otherwise separately stated in the BoQ, the				
	irrigation works shall include the supply and installation of all				
	required material and works including irrigation kits, water				
	timer, irrigation fittings and adapter, drip line accessories,				
	solenoids, manifolds, filters, valve box etc. The contractor shall				
	submit to the Engineer shop drawing and design details for the				
	irrigation systems prior to the commencement of the irrigation				
	works.	Note			
	supply and install 63 mm diameter (HDPE) pipe (10bar)				
	between existing water well to the underground water tank.				
	The price includes all required fittings, accessories, valves and				
	all associated works in accordance with the relevant				
	specifications and the Engineer's instructions.				
25		L.M	440		
				1	

				1
	Ditto, but 50mm diameter (HDPE) pipe (10bar) from the water			
	tank for trees irrigation. The price includes all required fittings,			
	accessories, valves and all associated works in accordance with			
26	the relevant specifications and the Engineer's instructions.	L.M	400	
20		L.IVI	400	
	Ditto, but 32mm diameter pipe (HDPE) (10bar) for trees			
	irrigation. The price shall include all associated works, fitting,			
	valves, and accessories, complete in accordance with the			
	relevant specifications and the Engineer's instructions.			
27		L.M	800	
	Ditto, but 25 mm diameter (HDPE) pipe (10bar) for trees			
	irrigation. The price shall include all associated works, fitting,			
	valves, and accessories, complete in accordance with the			
20	relevant specifications and the Engineer's instructions.	1.54	200	
28		L.M	300	
	supply and install 16mm diameter (PE) pipe for drip irrigation.			
	The price shall include all associated works, fittings, valves, and			
	all required accessories, complete in accordance with the			
20	relevant specifications and the Engineer's instructions.	1 84	C00	
29		L.M	600	
	supply, install and commission high quality Pop-Up Spray			
	Sprinkler as made by <i>Rain Bird</i> or equally approved for irrigating			
	of grass areas. The price includes all needed fittings &			
	accessories such as pop up heads and nozels, timer, controllers,			
	rain sensors, valvesetc; all in accordance with the drawings,			
	= 1			
30	specifications and the Engineer's instructions.	NO.	55	
50	Supply and install concrete manhole 60 cm internal diameter.	110.	- 55	
	• • •			
	The price shall include excavation &backfilling, cast iron cover			
	etc; all in accordance with the drawings, specifications and the			
31	Engineer's instructions.	NO.	30	
	Supply and install high quality one inch and 3 HP horizontal			
	- ' '			
	centrifugal pump similar to ASTRA <i>or</i> equally approved. The			
	pump capacity Q max158 l/min, h: max 66 m. The pump shall			
	have one flange and 50 HZ motor. The price includes the			
	required electrical connection valve, check valves and all			
32	related work.	NO.	1	
	Supply and install high quality 1 inch and 3 HP centrifugal pump		-	
	similar to ASTRA or equally approved. The pump capacity140 l/			
	, head 39-135m and shall have one flange and 50-60 HZ motor.			
	The price includes the required electrical connection valves,			
33	check valves and all related work.	NO	۱ ,	
33		NO.	2	
	Total Civil Works carried to summary		1	
	Electrical Works			
	Supply, install and commission 7 Feet Solar Lamp Post Light			
	including electrical connections. The Lamp Post Light shall be			
	durable Aluminum and poly eosin powder Coated Finish3			
	lantern heads with glass shade; 6 super-bright white LEDs and			
	3 amber LED per head; 3 pHs AA 1.2V/2500m, Ni-MH			
	rechargeable batteries; three-way switch: off, amber, super-			
	white; and all associated required works, complete			
34	Times, and an associated required works, complete	NO.	24	
1 .				

	Supply, install and commission heavy-duty armed mounted			
	Aluminum led parking lot lighting 150W. The lights shall meet			
	the following requirement: 450W HID/Hps, 5000K, 18000			
	Lumen, 100-277V, Street LED Shoebox pole light, dusk to dawn			
	Photocell with slip fitter mount, IP65, ETL & DLC by Kadision.			
	Price shall include the electrical cord and all the associated			
35	works, complete.	NO.	16	
	Supply, install and commissioning main distribution electrical			
	panel (MDP) powdered coated with switch breaker			
	63AM,32AM, including cable with all necessary required			
36		NO.	1	
	Total Electrical Works carried to summary			

Summary				
Description	Amount in USD			
Total Civil works				
Total Electrical Works				
Grand total in words USD				
Company Name				
Authorized Person				
Position				
Email				
Mobile Number				
Address				