

INVITATION TO BID

Rehabilitation of Tripoli Central Hospital, Tripoli, LIBYA

ITB No.: ITB/LBY/SFL/2018/087

Project: Stabilization Facility for Libya

Country: Libya

Issued on: 11 October 2018

CONTENTS

Section 1	. Lette	er of Invitation	4
Section 2	. Instr	ruction to Bidders	5
(GENER	RAL PROVISIONS	5
	1.	Introduction	5
	2.	Fraud & Corruption, Gifts and Hospitality	5
	3.	Eligibility	5
	4.	Conflict of Interests	5
1	B. P	PREPARATION OF BIDS	6
	5.	General Considerations	6
	6.	Cost of Preparation of Bid	6
	7.	Language	6
	8.	Documents Comprising the Bid	6
	9.	Documents Establishing the Eligibility and Qualifications of the Bidder	7
	10.	Technical Bid Format and Content	7
	11.	Price Schedule	7
	12.	Bid Security	7
	13.	. Currencies	8
	14.	Joint Venture, Consortium or Association	8
	15.	Only One Bid	8
	16.	Bid Validity Period	9
	17.	Extension of Bid Validity Period	9
	18.	. Clarification of Bid (from the Bidders)	9
	19.	Amendment of Bids	9
	20.	Alternative Bids	9
	21.	Pre-Bid Conference	10
(c. s	SUBMISSION AND OPENING OF BIDS	10
	22.	Submission	10
	Hai	rd copy (manual) submission	10
	Em	ail and eTendering submissions	10
	23.	Deadline for Submission of Bids and Late Bids	11
	24.	Withdrawal, Substitution, and Modification of Bids	11
	25.	Bid Opening	11
1	D. E	EVALUATION OF BIDS	11
	26.	Confidentiality	11

	27.	Evaluation of Bids	11
	28.	Preliminary Examination	12
	29.	Evaluation of Eligibility and Qualification	12
	30.	Evaluation of Technical Bid and prices	12
	31.	Due diligence	12
	32.	Clarification of Bids	13
	33.	Responsiveness of Bid	13
	34.	Nonconformities, Reparable Errors and Omissions	13
	E. A	WARD OF CONTRACT	13
	35.	Right to Accept, Reject, Any or All Bids	13
	36.	Award Criteria	14
	37.	Debriefing	14
	38.	Right to Vary Requirements at the Time of Award	14
	39.	Contract Signature	14
	40.	Contract Type and General Terms and Conditions	14
	41.	Performance Security	14
	42.	Bank Guarantee for Advanced Payment	14
	43.	Liquidated Damages	14
	44.	Payment Provisions	14
	45.	Vendor Protest	15
	46.	Other Provisions	15
Section	3. Bid D	ata Sheet	16
Section	4. Evalu	ation Criteria	20
Section !	5a: Sch	edule of Requirements and Technical Specifications/Bill of Quantities/ SOW	22
Section	6: Retu	rnable Bidding Forms / Checklist	22
	Form A	A: Bid Submission Form	25
	Form E	B: Bidder Information Form	26
	Form C	: Joint Venture/Consortium/Association Information Form	28
	Form D	2: Eligibility and Qualification Form	29
	Form E	: Format of Technical Bid	31
	FORM	F: Price Schedule Form	33
		G: Form of Bid Security	
		•	

The United Nations Development Programme (UNDP) Libya Country Office hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

Section 1: This Letter of Invitation Section 2: Instruction to Bidders Section 3: Bid Data Sheet (BDS) Section 4: Evaluation Criteria

Section 5: Schedule of Requirements and Technical Specifications

Section 6: Returnable Bidding Forms

- o Form A: Bid Submission Form
- o Form B: Bidder Information Form
- o Form C: Joint Venture/Consortium/Association Information Form
- o Form D: Qualification Form
- Form E: Format of Technical Bid
- o Form F: Price Schedule
- UNDP General Terms and Conditions

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet.

Please acknowledge receipt of this ITB by sending an email to <u>procurement.ly@undp.org</u>, indicating whether you intend to submit a Bid or otherwise. You may also utilize the "Accept Invitation" function in eTendering system, where applicable. This will enable you to receive amendments or updates to the ITB. Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Issued by:

Name: Predrag Perunovic

Title: Procurement Specialist

Date: October 11, 2018

Approved by:

Name: Ermira Basha

Title: Operations Manager

Date: October 11, 2018

GE	GENERAL PROVISIONS				
1.	Introduction	1.1	Bidders shall adhere to all the requirements of this ITB, including any amendments made in writing by UNDP. This ITB is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement which can be accessed at https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-476a-8ef8-e81f93a2b38d		
		1.2	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.		
		1.3	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.		
		1.4	As part of the bid, it is desired that the Bidder registers at the United Nations Global Marketplace (UNGM) website (www.ungm.org). The Bidder may still submit a bid even if not registered with the UNGM. However, if the Bidder is selected for contract award, the Bidder must register on the UNGM prior to contract signature.		
2.	Fraud & Corruption, Gifts and Hospitality	2.1	UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office-of-audit-andinvestigation.html#anti		
		2.2	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches or dinners.		
		2.3	In pursuance of this policy, UNDP:		
			(a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.		
		2.4	All Bidders must adhere to the UN Supplier Code of Conduct, which may be found at http://www.un.org/depts/ptd/pdf/conduct_english.pdf		
3.	Eligibility	3.1	A vendor should not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations.		
		3.2	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.		
4.	Conflict of Interests	4.1	Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest		

shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:

- a) Are or have been associated in the past, with a firm or any of its affiliates which have been engaged by UNDP to provide services for the preparation of the design, specifications, Terms of Reference, cost analysis/estimation, and other documents to be used for the procurement of the goods and services in this selection process;
- b) Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or
- Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP.
- 4.2 In the event of any uncertainty in the interpretation of a potential conflict of interest, Bidders must disclose to UNDP, and seek UNDP's confirmation on whether or not such conflict exists.
- 4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following:
 - a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and
 - b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure.

4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.

B. PREPARATION OF BIDS

5. General Considerations 5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material deficiencies in providing the information requested in the ITB may result in rejection of the Bid. 5.2 The Bidder will not be permitted to take advantage of any errors or omissions in the ITB.

- Should such errors or omissions be discovered, the Bidder must notify the UNDP accordingly.
- 6. Cost of Preparation of Bid
 Bid
 6.1 The Bidder shall bear all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.
- 7. Language 7.1 The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS.
- 8. Documents
 Comprising the
 Bid

 8.1 The Bid shall comprise of the following documents and related forms which details are provided in the BDS:
 - a) Documents Establishing the Eligibility and Qualifications of the Bidder;
 - b) Technical Bid;

		c) Price Schedule;	
		d) Bid Security, if required by BDS;	
		e) Any attachments and/or appendices to the Bid.	
9. Documents Establishing t Eligibility and Qualifications the Bidder		The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the Forms provided under Section 6 and providing documents required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction.	
10. Technical Bid Format and	10.1	The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB.	
Content	10.2	Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified.	
	10.3	When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS.	
	10.4	When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB.	
11. Price Schedul	e 11.1	The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB.	
	11.2	Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.	
12. Bid Security	12.1	A Bid Security, if required by BDS, shall be provided in the amount and form indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid.	
	12.2	The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected.	
	12.3	If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid.	
	12.4	In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS.	
	12.5	The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions:	
		 a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the BDS, or; b) In the event the successful Bidder fails: to sign the Contract after UNDP has issued an award; or to furnish the Performance Security, insurances, or other documents that UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder. 	

13. Currencies 13.1 All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids are quoted in different currencies, for the purposes of comparison of all Bids: a) UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above. 14. Joint Venture. If the Bidder is a group of legal entities that will form or have formed a Joint Venture **Consortium or** (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they Association have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture. 14.2 After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of UNDP. 14.3 The lead entity and the member entities of the JV, Consortium or Association shall abide by the provisions of Clause 9 herein in respect of submitting only one Bid. The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP. 14.5 A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between: a) Those that were undertaken together by the JV, Consortium or Association; and b) Those that were undertaken by the individual entities of the JV, Consortium or Association. 14.6 Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials 14.7 JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be available within one firm. 15. Only One Bid 15.1 The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture. 15.2 Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or

b) any one of them receive or have received any direct or indirect subsidy from the other/s; or c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid. 16. Bid Validity Bids shall remain valid for the period specified in the BDS, commencing on the Deadline **Period** for Submission of Bids. A Bid valid for a shorter period may be rejected by UNDP and rendered non-responsive. 16.2 During the Bid validity period, the Bidder shall maintain its original Bid without any change, including the availability of the Key Personnel, the proposed rates and the total price. 17. Extension of Bid 17.1 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP **Validity Period** may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing and shall be considered integral to the Bid. If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid. 17.3 The Bidder has the right to refuse to extend the validity of its Bid, in which case, the Bid shall not be further evaluated. 18. Clarification of Bidders may request clarifications on any of the ITB documents no later than the date Bid (from the indicated in the BDS. Any request for clarification must be sent in writing in the manner **Bidders**) indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to respond or confirm that the guery was officially received. 18.2 UNDP will provide the responses to clarifications through the method specified in the 18.3 UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary. 19. Amendment of 19.1 At any time prior to the deadline of Bid submission, UNDP may for any reason, such as Bids in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders. 19.2 If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids. 20. Alternative Bids 20.1 Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid. 20.2 If multiple/alternative bids are being submitted, they must be clearly marked as "Main

		Bid" and "Alternative Bid"	
		Bid did Attendative bid	
21. Pre-Bid Conference	21.1	When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be disseminated on the procurement website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder's Conference or issued/posted as an amendment to ITB.	
C. SUBMISSION	N AND O	PENING OF BIDS	
22. Submission	22.1	The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS.	
	22.2	The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid.	
	22.3	Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and Conditions.	
Hard copy (manual)	22.4	Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows:	
submission		a) The signed Bid shall be marked "Original", and its copies marked "Copy" as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail.	
		 (b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which_shall: Bear the name of the Bidder; Be addressed to UNDP as specified in the BDS; and Bear a warning not to open before the time and date for Bid opening as specified in the BDS. 	
		If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.	
Email and eTendering	22.5	Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows:	
submissions		 Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS; 	
		b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS.	
	22.6	Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/pro	

			curement-notices/resources/
			<u>curement-notices/resources/</u>
23.	Deadline for Submission of Bids and Late	23.1	Complete Bids must be received by UNDP in the manner, and no later than the date and time, specified in the BDS. UNDP shall only recognise the actual date and time that the bid was received by UNDP
	Bids	23.2	UNDP shall not consider any Bid that is received after the deadline for the submission of Bids.
24.	Withdrawal, Substitution,	24.1	A Bidder may withdraw, substitute or modify its Bid after it has been submitted at any time prior to the deadline for submission.
	and Modification of Bids	24.2	Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid by sending a written notice to UNDP, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as "WITHDRAWAL" "SUBSTITUTION," or "MODIFICATION"
		24.3	eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling, Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos.
		24.4	Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened.
25.	Bid Opening	25.1	UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders.
		25.3	In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened.
	D. EVALUATION	OF BID	S
26.	Confidentiality	26.1	Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.
		26.2	Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP's decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP's vendor sanctions procedures.
27.	Evaluation of	27.1	UNDP will conduct the evaluation solely on the basis of the Bids received.
	Bids	27.2	Evaluation of Bids shall be undertaken in the following steps:
		-/.4	Transaction of Diagrams of Grade taken in the following steps.

28. Preliminary Examination	 a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done) a) Evaluation of Technical Bids b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary 28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.
29. Evaluation of Eligibility and Qualification	 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria). In general terms, vendors that meet the following criteria may be considered qualified: a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.
31. Due diligence	 31.1 UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following: a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the performance on ongoing or completed contracts, including physical inspections of previous works, as deemed necessary; e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; f) Other means that UNDP may deem appropriate, at any stage within the selection

		process, prior to awarding the contract.
22 Classification of	22.4	
32. Clarification of Bids	32.1	To assist in the examination, evaluation and comparison of Bids, UNDP may, at its discretion, request any Bidder for a clarification of its Bid.
	32.2	UNDP's request for clarification and the response shall be in writing and no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bids, in accordance with the ITB.
	32.3	Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bids.
33. Responsiveness of Bid	33.1	UNDP's determination of a Bid's responsiveness will be based on the contents of the bid itself. A substantially responsive Bid is one that conforms to all the terms, conditions, specifications and other requirements of the ITB without material deviation, reservation, or omission.
	33.2	If a bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.
34. Nonconformities , Reparable Errors and	34.1	Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
Omissions	34.2	UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
	34.3	For the bids that have passed the preliminary examination, UNDP shall check and correct arithmetical errors as follows:
		a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which case, the line item total as quoted shall govern and the unit price shall be corrected;
		b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
		c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail.
	34.4	If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.
E. AWARD OF C	ONTRA	ст
35. Right to Accept, Reject, Any or	35.1	UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without

incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced

All Bids

		offer.
36. Award Criteria	36.1	Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification and has offered the lowest price.
37. Debriefing	37.1	In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed.
38. Right to Vary Requirements at the Time of Award	38.1	At the time of award of Contract, UNDP reserves the right to vary the quantity of goods and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
39. Contract Signature	39.1	Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids.
40. Contract Type and General Terms and Conditions	40.1	The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
41. Performance Security	41.1	A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at <a 15="" href="https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCU_MENT_LIBRARY/Public/PSU_Solicitation_Performance%20Guarantee%20Form.docx&action=default_within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective.</th></tr><tr><th>42. Bank Guarantee
for Advanced
Payment</th><th>42.1</th><th>Except when the interests of UNDP so require, it is UNDP's standard practice to not make advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at <a href=" https:="" layouts="" popp.undp.org="" wopiframe.aspx?sourcedoc="/UNDP_POPP_DOCUMENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes_Advanced%20Payment%20Guarantee%20Form.docx&action=default</th">
43. Liquidated Damages	43.1	If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract.
44. Payment Provisions	44.1	Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.

45. Vendor Protest	45.1	UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html
Services Administration (GSA) of the feder America) for similar goods and/or services, U		In the event that the Bidder offers a lower price to the host Government (e.g. General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the same lower price. The UNDP General Terms and Conditions shall have precedence.
	46.2	UNDP is entitled to receive the same pricing offered by the same Contractor in contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence.
	46.3	The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15 http://www.un.org/en/ga/search/view doc.asp?symbol=ST/SGB/2006/15&referer

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid In the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English
2		Submitting Bids for Parts or sub- parts of the Schedule of Requirements (partial bids)	Not Allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid Site Visit	Will be Conducted The bidders are encouraged to conduct the physical site visit for complete understanding of the Scope of Works prior sending the formal bid to UNDP, for better understanding of the required work and to raise the queries for consideration/clarification during the site visit, and/or pre-bid meeting. An organized site visit is arranged for 17th October 2018 at the below timings: Tripoli Central Hospital - 10:00 hrs (Libya Time). Focal Person(s): Mr. Ala Dhiem, Project Coordinator, Dr. Mohamed Ewaze, Field Engineer Phone number: +218 91795 6527; + 218 919683397
5	16	Bid Validity Period	120 days
6	13	Bid Security	Not Required
7	41	Advanced Payment upon signing of contract	Not Allowed
8	42	Liquidated Damages	Will be imposed as follows: Percentage of contract price per day of delay: 0.5% Max. number of days of delay 30, after which UNDP may terminate the contract.

9	40	Performance Security	Required: In lieu of Performance security, contract will be subject to a deduction of 10 % (ten) percent of the amount accepted for the payment as security deposit from all progressive payments. This amount will be kept as Retention to cover the Defect Liability period* of 06 months after Contract completion date. Retention amount could be replaced with the Bank Guarantee issued by reputable International Bank. a. The proceeds of the Performance Security shall be payable to
			UNDP as a compensation for any loss resulting from the Contractor's failure to complete its obligations under the contract. b. Upon successful completion of Defect Liability Period of 06 months and upon issuance of completion certificate, UNDP will release retention money to the Bidder.
			* Retention Defect Liability is instrument to cover any defects that are discovered or raised in the normal course of usage within 06 months after the works/goods have been put into the service
10	12	Currency of Bid	United States Dollar
11	31	Deadline for submitting requests for clarifications/ questions	05 days before the submission deadline
12	31	Contact Details for submitting clarifications/questions	Focal Person in UNDP: Procurement Unit Address: UNDP Libya, Rue du Lac Windermere, Les Berges du Lac, 1053 Tunis, Tunisia E-mail address: procurement.ly@undp.org
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	Direct communication to prospective Proposers by email and Posting on the websites: 1. www.ly.undp.org 2. http://procurement-notices.undp.org/ 3. https://www.ungm.org/Public/Notice 4. https://www.libyaninvestment.com/libya-tenders/
14	23	Deadline for Submission	Date and Time: 01st November 2018, 14:00 hrs. (Tripoli, Libya time)
14	22	Allowable Manner of Submitting Bids	☑ Courier/Hand Delivery☑ Submission by email☐ e-Tendering

15	22	Bid Submission Address	UNDP Libya, Rue du Lac Windermere, Les Berges du Lac, 1053 Tunis, Tunisia Attention: Procurement Unit Tender Reference: ITB/LBY/SFL/2018/087 or via electronic submission as per BDS No 16
16	22	Electronic submission (email or eTendering) requirements	Official Address for e-submission: tenders.ly@undp.org Format: PDF files only Max. File Size per transmission: [5 MB] Max. No. of transmission: [No Limit] No. of copies to be transmitted: [Only 1 copy] Mandatory subject of email: ITB reference Number (ITB/LBY/SFL/2018/087) + Company Name Time Zone to be Recognized: (UTC/GMT+1) Other conditions: Scanned and signed technical and financial bids should be sent in two different files. Bidders may send as many e-mails as needed, considering that every file must not exceed 5MB As an e-mail can take some time to arrive after it is sent, we advise all Bidders to send e-mail submissions well before the deadline. Please be aware that bids emailed to UNDP will be rejected if they are received after the deadline for bid submission. Bidders are solely responsible for ensuring that any and all files sent to UNDP are readable, that is, uncorrupted, in the indicated electronic format, and free from viruses and malware. Bids sent to the private or individual office email addresses of any procurement staff, will not be considered
17	25	Date, time and venue for the opening of bid	Bids will be opened in the presence of bidders' representatives who choose to attend: O1 st November 2018, 16:00 hrs. (Tripoli, Libya time) Venue: UNDP Libya, Rue du Lac Windermere, Les Berges du Lac, 1053 Tunis, Tunisia Bidders interested to attend the bid opening exercise must send the following information to the above-mentioned email address on or before 12.00 pm on 30 th October 2018: Participant's Name, Company Name.

			Only 01 (one) person from each company will be allowed to participate. Bidders submitting emails indicating their interest after the deadline will not be allowed to attend the bid opening.
18	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid.
19		Expected date for commencement of Contract	November 19, 2018
20		Maximum expected duration of contract	The successful bidder (s) will be expected to complete the works within 5 (five) months from the award of contract/site handover.
21	35	UNDP will award the contract to:	One Proposer Only
22	39	Type of Contract	Contract for Civil Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
23	39	UNDP Contract Terms and Conditions that will apply	UNDP General Terms and Conditions for Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
24		Other Information Related to the ITB	N/A

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Bid Submission Form duly signed and stamped
- Valid business license in Construction
- Power of Attorney, where applicable
- Minimum Bid documents provided (1. Documents Establishing the Eligibility and Qualifications of the Bidder, 2.
 Technical Bid Form, 3. Priced BOQ. 4. Statement of Satisfactory Performance from the Top 3 Clients, 5. Company's proposed team details)

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.

If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject	Criteria	Document Submission requirement
ELIGIBILITY		
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form
Certificates and Licenses	Valid business license In General Construction. Interested bidders must have appropriate permission/registration from relevant Government body to operate in Libya (copy must be provided with the bid).	Form B: Bidder Information Form
QUALIFICATION		
History of Non- Performing Contracts ¹	Non-performance of a contract did not occur as a result of contractor fault for the last 3 years.	Form D: Qualification Form
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Form D: Qualification Form

¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

_

Previous Experience	Minimum 03 years of relevant experience.	Form D: Qualification Form
	Minimum 02 contracts of similar value, nature and complexity implemented over the last 10 years, with the value not less than USD 250,000.00 per each contract.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
Financial Standing	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document and which is as under: 1. Minimum of 3 years of experience in construction (civil works). 2. Capacity to undertake civil works including previous experience with similar type of works: a) A minimum number of 2 contracts with the value not less than USD 250,000.00 per each contract.	Form E: Technical Bid Form
	b) Qualifications and suitability of the key personnel proposed for the contract including their previous experience with same type of assignment: Civil Engineer/Project Manager - shall have a University Degree in Civil engineering and minimum of 5 years of experience of work of an equivalent nature. Electrician – certified and minimum of 5 years of experience of work of an equivalent nature. Mechanical Engineer - with a minimum of 5 years of experience of work of an equivalent nature (CVs to be provided for the personnel proposed for the contract).	
	 3. Implementation Timeline (to match the period stated in the ITB - 150 days). 4. Acceptance to the General Terms and Conditions of UNDP's Standard Contract for Works 	
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 and quoted for by the bidders in Form F. Financial Evaluation shall be based on following factor: Lowest priced technically responsive, eligible and qualified bid.	Form F: Price Schedule Form

Scope of Work

Name of Project: Rehabilitation of Tripoli Central Hospital

Location of hospital: Tripoli Center Municipality

Objective Services:

Tripoli Central Hospital is an old governmental hospital located in Tripoli center municipality one of the Great Tripoli municipalities. The required rehabilitation works targets the accident department which is accommodated in three floors, each floor is about 1000 m2.

The hospital is currently under full operation, the contractor should coordinate with the hospital management during the rehabilitation works, specifically; for the working hours and the sequences of the rehabilitation works. Throughout the execution of the repair works, the contractor shall take all necessary measures to avoid disruption of the hospital daily activities and should use manual equipment in performing the demolishing works to minimize the noise level. Provide all materials and transport to site, construct/erect all structures as per attached Drawings, Bill of Quantities and Specifications. Structures are described briefly below:

Required Works:

The required rehabilitation works mainly include the following:

- A Demolishing, dismantling & preparation works,
- B Tiling works for walls and floors
- C Painting & coating works,
- D Doors, windows& metal works,
- E Electrical & Air conditioners works
- F Plumbing &sanitary repair works.
- G Medical Gazes supply



Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to format of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have	you duly completed all the Returnable Bidding Forms?	
	Form A: Bid Submission Form	
-	Form B: Bidder Information Form	
-	Form C: Joint Venture/Consortium/ Association Information Form	
-	Form D: Qualification Form	
-	Form E: Format of Technical Bid/Bill of Quantities	
•	Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value (work handover certificate/substantial completion certificate and etc.).	
	Company's proposed team details (CVs).	
-	Implementation Timeline.	
	you provided the required documents to establish compliance with the ation criteria in Section 4?	

Price Schedule:

Form F: Price Schedule Form	
-----------------------------	--

Form A: Bid Submission Form

Name of Bidder:	[Insert Name of Bidder]		Select date
ITB reference:	ITB/LBY/SFL/2018/087		

We, the undersigned, offer to supply the goods and related services required for **Rehabilitation of Tripoli Central Hospital**, **LIBYA** in accordance with your Invitation to Bid No. **ITB/LBY/SFL/2018/087** and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name:	
Title:	
Date:	
Signature:	
	[Stamp with official stamp of the Bidder]

Form B: Bidder Information Form

Legal name of Bidder	[Complete]
Legal address	[Complete]
Year of registration	[Complete]
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you a UNGM registered vendor?	☐ Yes ☐ No If yes, [insert UGNM vendor number]
Are you a UNDP vendor?	☐ Yes ☐ No If yes, [insert UNDP vendor number]
Countries of operation	[Complete]
No. of full-time employees	[Complete]
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]
Is your company a member of the UN Global Compact	[Complete]
Contact person that UNDP may contact for requests for clarifications during Bid evaluation	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Please attach the following documents:	1. Company Profile, which should not exceed fifteen (15) pages

- 2. Valid business license in construction works. Interested bidders must have appropriate permission/registration from relevant Government body to operate in Libya (copy must be provided with the bid).
- 3. Bid Submission Form duly signed and stamped (Section 6, Form A).
- 4. Documents Establishing the Eligibility and Qualifications of the Bidder. Experience as a prime contractor in at least two (2) similar contracts construction/ renovation/ rehabilitation projects with the contract value not less than USD \$ 250,000.00 each contract (Copy of contracts and certification of completion to be provided together with the bid) (Section 6, Form D).
- 5. Technical Bid Form (Section 6 Form E).
- 6. Priced BOQ with value for each component filled, signed, stamped and provided (Section 6, Form F).
- 7. Implementation Timeline
- 8. Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value (work handover certificate/substantial completion certificate and etc.).
- 9. List and value of completed and on-going projects with contact details of clients and current percentage completion of each on-going project.
- 10. Company's proposed team details (CVs to be provided).

Form C: Joint Venture/Consortium/Association Information Form

Name of Bidder: [Ins		[Insert Name of Bidder]		Date:	Select date	
ITB reference: ITB/LBY/SFL/2018/087						
To be o	ompleted and ret	urned with your Bid if the Bid is su	bmitted a	as a Joint Vent	ure/Con:	sortium/Association.
No	Name of Partner and contact information (address, telephone numbers, fax numbers, e-mail address)			Proposed proportion of responsibilities (in %) and type of goods and/or services to be performed		ods and/or services to be
1	[Complete]			[Complete]		
2	[Complete]			[Complete]		
3	[Complete]			[Complete]		
We ha	act is awarded, do	ITB process and, in the event a uring contract execution) py of the below referenced documents of joint and severable limits a joint venture or IV	ability of	gned by every	of the s	aid joint venture:
and sev	verally liable to UI	if the contract is awarded, all parti NDP for the fulfillment of the prov	visions of	the Contract.		tium/Association shall be jointly
Name	e of partner:		Name ———	of partner:		
Signa	Signature:		Signature:			
Date:			Date: _			
Name	of partner:		Name	of partner:		

Signature:

Date: _____

Signature:

Date: _____

Form D: Eligibility and Qualification Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/LBY/SFL/2018/087		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

•	· ·						
□Non-performing contracts did not occur during the last 3 years							
☐ Contract(s) not performed in the last 3 years							
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value in US\$)				
		Name of Client: Address of Client: Reason(s) for non-performance:					

Litigation History (including pending litigation)

☐ No litigation history for the last 3 years								
☐ Litigation	History as indicated b	elow						
Year of	Amount in dispute	Contract Identification	Total Contract Amount					
dispute	(in US\$)		(current value in US\$)					
		Name of Client:						
		Address of Client:						
		Matter in dispute:						
		Party who initiated the dispute:						
		Status of dispute:						
		Party awarded if resolved:						

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 3 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of the Bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken

Bidders may also attach their own Project Data Sheets with more details for assignments above.

☐ Attached are the Statements of Satisfactory Performance from the Top 3 (three) Clients or more.

Financial Standing

Annual Turnover for the last 3 years	Year Year Year	USD USD USD
Latest Credit Rating (if any), indicate the source		

Financial information (in US\$ equivalent)	Historic information for the last 3 years			
	Year 1	Year 2	Year 3	
	I.	nformation from Balance She	et	
Total Assets (TA)				
Total Liabilities (TL)				
Current Assets (CA)				
Current Liabilities (CL)				
	Info	ormation from Income Staten	nent	
Total / Gross Revenue (TR)				
Profits Before Taxes (PBT)				
Net Profit				
Current Ratio				

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/LBY/SFL/2018/087		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.

SECTION 3: Management Structure and Key Personnel

- 3.1 Describe the overall management approach toward planning and implementing the project. Include an organization chart for the management of the project describing the relationship of key positions and designations. Provide a spreadsheet to show the activities of each personnel and the time allocated for his/her involvement.
- 3.2 Provide CVs for key personnel that will be provided to support the implementation of this project using the format below. CVs should demonstrate qualifications in areas relevant to the scope of goods and/or services.

Format for CV of Proposed Key Personnel

Name of Personnel	[Insert]
Position for this assignment	[Insert]

Nationality	[Insert]
Language proficiency	[Insert]
Education/ Qualifications	[Summarize college/university and other specialized education of personnel member, giving names of schools, dates attended, and degrees/qualifications obtained.]
	[Insert]
	[Provide details of professional certifications relevant to the scope of goods and/or services]
Professional certifications	Name of institution: [Insert]
	Date of certification: [Insert]
Employment Record/ Experience	[List all positions held by personnel (starting with present position, list in reverse order), giving dates, names of employing organization, title of position held and location of employment. For experience in last five years, detail the type of activities performed, degree of responsibilities, location of assignments and any other information or professional experience considered pertinent for this assignment.]
	[Insert]
	[Provide names, addresses, phone and email contact information for two (2) references]
References	Reference 1: [Insert]
	Reference 2: [Insert]

I, the undersigned, certify that to the best of my know qualifications, my experiences, and other relevant info	ledge and belief, the data provided above correctly describes m rmation about myself.
Signature of Personnel	Date (Day/Month/Year)

FORM F: Price Schedule Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/LBY/SFL/2018/087		

Rehabilitation of Tripoli Central Hospital in Tripoli, LIBYA

Item	Description	Unit	Qty	Unit Rate	Amount in USD
	Civil Works:				
	A - Demolishing, dismantling and preparatory works:				
	Demolishing and preparing works include the following: a. Removing the demolished material off site to authorized dumping sites. b. The dismantled materials are the sole property of the client. The contractor shall collect and hand over such material incase required by the Client. c. The contractor shall coordinate implementation of his daily work activities, working hours, throughout the construction period with the client and the supervising engineer for smooth implementation of the work and to avoid interruption of the functioning building. d. The contractor shall protect and safe guard the existing facilities and building finishes. e. The contractor shall make the necessary temporary water, electrical power connections. etc to prevent interruption of the power and water supply for the existing functioning building. f. The contractor shall take all necessary measures to ensure safety of his labor and the existing structures, finishes, utilities, servicesetc. and to minimize environmental hazards including pollution, noise and dust.	Note			
A1	Clearing the site and the working areas form any surplus, debris, utilities, fixtures, pipes, and all other unwanted material rendered in the existing building, and preparing the surfaces ready to start the required rehabilitation works, complete; all in accordance with the Engineer's instructions.	Lump Sum	1		
	B-Block works				
	Block work shall include supplying all required material and workmanship to build new walls or repair the damaged block work and restore the wall safe to the original aesthetic status. The work shall include removing of loose damaged block work, filling holes, stitching cracked walls, retrofitting masonry reinforcement, reconnecting parting walls with straps, ties, filling and sealing cracks in the walls, repainting of defective mortar joints. The works shall be carried out in accordance with specifications and the Engineer's instructions.	Note			
B1	Supply & build Grade 35 hollow concrete blocks, size 40x20x20cm built with cement sand mortar (1:4) mix according to technical specification and instruction of	SQ.M	50		

	Engineer.			
	C-Plastering and patching plastering			
	Plastering and patching plaster work shall include supplying all required material and workmanship for plastering works to restore the damaged plastered surfaces sound to the original aesthetic status and match the existing textures. The work shall include removing of loose damaged plastering, filling holes, stitching cracked plaster, filling and sealing cracks in the plastered walls, repainting of defective mortar joints, filling around embedded utilities and pipes,etc. The works shall be carried out in accordance with specifications and the Engineer's instructions. Cement mortar mix shall be in accordance with ASTM C926.	Note		
C1	Supply and make internal plastering 25 mm thick for walls and ceiling with cement sand mortar (1:3) mix made of 440 Kg cement + 1 M3 sand. The work includes rough 15 mm primer rendering, finishing coat 10 mm and metal mesh at concrete block work joints, edges and openings.	SQ.M	150	
	D - Painting and patch painting:	<i>ii</i> Q		
	The work shall include and comply with the following: -Painting material should be of high quality approved productSurface preparation including repairing and peeling off of the damaged or flaked paints, scraping a way any loose paint, applying spackling compound, priming, sanding and all necessary preparatory works to start the new paintingPainting pattern, finishing and color shall match the existing textures and in accordance with the Engineer's instructions.	Note		
D1	Supply & apply minimum 2 coats of colored emulsion paint (Supercryle) of high quality approved product, on the existing internal walls and ceilings. The work shall also include removing the damaged of flocking paint, cleaning, surface preparation, applying putty as needed, primer, under coats, and all required works and as directed and approved by the Engineer.	SQ.M	2,700	
D2	Painting of existing doors and windows with one under coat, primer and minimum 2 coats of high quality wood oil paint. The work shall also include removing the damaged of flocking paint, cleaning, surface preparation, applying putty as needed, primer, under coats, and all required works and as directed and approved by the Engineer.	SQ.M	500	
	Supply & apply minimum 2 coats of anti bacteria emulsion paint, of high quality approved product, on the existing internal walls. The work shall also include removing the damaged of flocking paint, cleaning, surface preparation, applying putty as needed, primer, under coats, and all required works and as			
D3	directed and approved by the Engineer. E- Tiling and Marble Works	SQ.M	700	
E	12- Timing and Islandic At Olys			

	Tiling works shall include supplying all required material and workmanship for tiling works to restore the damaged tiles the original aesthetic status and match the existing tiling work. The work shall include removing of loose damaged tiles, filling below tiles, repainting of defective mortar joints, grouting and polishing. The works shall be carried out in accordance with specifications and the Engineer's instructions.	Note		
E1	Supply and install none slipping ceramic (grade A) size 330mm x 330mm x 8mm thick for toilet floors, similar to the existing, laid on 30mm mortar bed, including all required works according to specifications and Engineer instructions.	SQ.M	150	
E2	Supply and install white marble (grade A), 30mm thick and 300 mm width for windows and doors sills laid on 20mm thick mortar bed, including all required works.	SQ.M	100	
	Supply and install 1 mm thick hygiene anti-static vinyl sheets for wall covering, similar to <i>gerflor</i> or equally approved, for the existing operation rooms. The work price shall also include supply and installation of gypsum boards for the walls which will be be cladded by the vinyl wall sheets. The vinyl sheets shall comply ISO 22196 and product specification EN 15 102			
E3	or with any relevant applicable Standards. Supply and install 2 mm thick hygiene anti-static vinyl rolls	SQ.M	600	
	for flooring with PVC cove formers, similar to <i>gerflor</i> or equally approved, for the existing operation rooms and intensive care unit and clean areas. The Static Electrical Propensity < 2 000; all in accordance with the relevant			
E4	applicable Standards.	SQ.M	700	
E.	Supply and install 60*60cm suspended ceiling for operating room, similar to ECOPHONE HYGIENE Type Protect "A" (non perforated) or equally approved. The price should include galvanized suspension system with anchors to the structure, bacterial resistant, moisture resistant, with standing relative humidity up to 95% at 30c fire resistant tiles, including access panels, fittings, fixing, installation of a closed cell gasket between the grid, retention clips to insure good seal, complete;	SOM	200	
E5	all as specifications and the Engineer's instructions. Supply and install suspended ceiling for bathroom, utilities and	SQ.M	800	
E6	wet areas made from 30cm non perforated formed galvanized metal trays of 0.6mm thick and 45mm high in accordance with specifications and the related Standards.	SQ.M	100	
E7	Supply, install and test one layer of high quality waterproofing membrane SBS 4 mm thick on the existing roof. The price shall include removing the existing damaged water proofing layer, repair of damages and surface preparation. The water proofing membrane shall extend on the roof parapets at 50cm above roof surface.	SQ.M	150	
	F - Carpentry and metal works:			
F1	Supply and install high quality hygienic hinged two leaves steel doors of dimensions 150*210 cm for the process room. The door shall have a fully-integrated system of door leaf, frame, hardware, automations and widow; all in accordance with the relevant applicable Standards. The contractor shall submit shop drawings for the door for the Engineer's approval	No	4	

	Supply and install high quality hygienic hinged two leaves PS doors of dimensions 160*210 cm for the operation theater. The door shall have a fully-integrated system of door leaf, frame, hardware, automations; all in accordance with the			
F2	relevant applicable Standards. The contractor shall submit shop drawings for the door for the Engineer's approval	No	3	
	Supply and install Pass Through Operating room Cabinet of high quality approved similar to CMP constructed from stainless steel, glass doors on operating room side and stainless steel doors on the Sterile Core side with approximate size 200*100*50 cm, adjustable shelves, electronic interlock system that prevents either door from moving when the opposing door is open to manitain the air quality in the			
F3	operation room and prevent contamination General: Maintenance, repair and adjusting the existing doors	No	2	
F4	works shall include replacing the damaged/missed parts of the doors and windows, damaged/missed hardware and accessories such as hinges, cylinders, locks, handles, glass, caulking, watertight seals,etc. and adjusting the doors/windows to operate smoothly to the satisfaction of the Engineer. Unless otherwise stated all surface of wood doors & windows and shall be painted by two coats of wood preservative, two coats of primer, two coats of finishing paint, including surface preparation before the application of paint, removing the defective peeled paint, high quality of hardware and accessories, complete. The contractor shall submit shop drawings for the approval of the Engineer, prior to fabrication; all in accordance with specifications and the Engineer's instructions.	Note		
	Conduct maintenance, repair and adjusting the existing wooden doors, overall size 1000 X 2100 X 45 mm thick and			
F5	with frame.	No	25	
F6	Conduct maintenance, repair and adjusting the existing wooden doors, size 2300 X 4000mm.	No	2	
F7	Conduct maintenance, repair and adjusting the existing wooden doors, size 1250 X 2100mm.	No	8	
Г/	Conduct maintenance, repair and adjusting the existing PS	NO	8	
F8	doors, size 2700 X 3000mm.	No	3	
F7	Conduct maintenance, repair and adjusting the existing UPVC doors, size 900 X 1850 mm with frame.	No	12	
F8	Conduct maintenance, repair and adjusting the existing UPVC doors, size 900 X 1850 mm.	No	8	
F9	Conduct maintenance, repair and adjusting the existing windows, size 1700 X 2000 mm.	No	5	
F10	Ditto, but of size 1200 X 2000 mm .	No	6	
F11	Ditto, but of size 1500 X 1700 mm.	No	15	
F12	Ditto, but of size 1200 X 2000 mm .	No	20	
1	Total for Civil workscarried to summary			
2	Plumbing & Sanitary Works			

Ì	Supply and install Poly Propylene (PPR) pipes 1/2", for	ĺ		I I
G1	potable water network.	L.M	100	
- 01	Supply and install Poly Propylene (PPR) pipes 3/4", for	12.171	100	
G2	potable water network.	L.M	150	
	Supply and install Poly Propylene (PPR) pipes 1", for potable	231712	100	
G3	water supply.	L.M	200	
- 03	Supply and fix white glazed fireclay European W.C. suite	2.111	200	
	made of vitreous china to BS 3402 (grade A), complete with			
	10 liter double action flushing ceramic cistern, and fixed			
	chromium plated tap 1/2", including all water supply pipes			
	16mm, angle valves, UPVC drainage pipe connecting to the			
	nearest manhole or sewage header and all related work			
G4	accessories and fittings.	No	12	
	Supply and fix white glazed fire clay standing hand wash			
	basin with overflow and single hole faucet, size 480 x 580			
	mm, made of vitreous china to BS 3402 (grade A), complete			
	with all water supply pipes 16mm, chromium plated mixer			
	and waste trap. The work include all related work accessories			
G5	and fittings.	No	12	
	Supply and install top quality sanitary fixtures, such as Roca			
	or equally approved, ceramic shower tray 120X120 cm, best			
	quality water tap and water mixer, flushing hose, chrome			
	plated stop valves, brass collectors and all other needed			
06	accessories to complete the work, all in accordance with the	NT.	4	
G6	specification and Engineer approval.	No	4	
07	Supply and install floor waste trap, size 150 X 150 mm,	N.T	10	
G7	including chromium plated cover and all required works.	No	12	
G8	Supply and fix PPR valves of 1/2, 3/4 and 1" diameter and	No	15	
Go	remove old ones, including all required works. Supply and install UPVC pipes 1 1/2", for waste water	No	13	
	network. The work include all tees, bends, and all related			
G9	work accessories and fittings.	L.M	80	
07	Supply and install UPVC pipes 3", for waste water network.	12.171	00	
	The work include all tees, bends, and all related work			
G10	accessories and fittings.	L.M	70	
310	Supply and install UPVC pipes 4", for waste water network.	23.171	70	
	The work include all tees, bends, and all related work			
G11	accessories and fittings.	L.M	45	
	Supply and install UPVC pipes 5", for waste water network.			
	The work include all tees, bends, and all related work			
G12	accessories and fittings.	L.M	65	
	Supply and fix electrical water heater, 80 liters capacity, 0.8			
	Map pressure, provided with temperature gauges, including			
	water supply pipes 16mm, chromium plated control valve,			
G13	non-return valve and all required works.	No	6	
	Supply and fix 1' and 2 HP horizontal centrifugal pump, one			
	flange and 50 HZ motor, installed on potable water main to			
	supply the water tank. The work include all related work		_	
G14	accessories and fittings.	No	3	
	Supply and install 2000 liters PVC tank for potable water,			
	including the electrical floating valve and all related work			
G15	accessories and fittings according to the specifications and the	No	3	
G15	Engineer instructions.	No		

G16	Conduct general maintenance and repairing, connecting, testing, flushing and commissioning of the plumbing and sanitary systems rendered in the targeted department of the hospital. Bidders should visit the site to inspect the extend of damages in the exiting systems and consider such costs and expenses for the repair in their offers. Unless otherwise separately stated in the BoQ items, the repair shall include supplying of all required materials and workmanship, such as pipes, fittings, floor drain, clean out, water mixers, water taps, valves, excavation, breaching and digging in the walls and ceilings, connections to existing systemsetc, and all required repair works to restore the existing plumbing and sanitary and plumbing systems including hot and cold water systems and drainage system, fully functional as accepted by the Engineer and the relevant local authorities. Prior to the commencement of the rehabilitation works, the contractor shall collect all relevant information on the existing systems and submit shop drawings for the repair and obtain the Engineer's approvals. Rehabilitation works shall be carried out in coordination with beneficiaries and Engineer's instructions. All material used such as pipes, fittings and accessories shall confirm to BS 4514 and the relevant applicable Total for Plumbing & Sanitary workscarried to	Lump Sum	1	
2	summary			
3	H-Electrical Works			
	General -The Contractor shall coordinate with the hospital administration and the maintenance team and the Engineer during the execution of the work to acquire all necessary basic information on the existing electrical system. - Prior to the commencement of the work, the contractor shall investigate the status of the existing electrical installations and provide the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil such as making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems. - Electrical works shall be compatible and integrated with the existing electrical system in accordance with the relevant applicable Standards Engineer's instructions. -The contractor shall take all necessary measures to protect his works, ensure safety of the hospital occupancy and prevent interruption of the ongoing operation of the hospital through out the implementation of the rehabilitation works.			

1	Supply, install, test, commissioning a complete 16A single			
	phase single socket outlet for power, socket outlets GEWISS,			
	Bticino or equally approved. The work includes removal of			
	the old ones and all the necessary to complete the work as per			
H1	the Engineer's instructions.	No	45	
	Ditto, but single phase for light switch.			
H2		No	45	
	Supply and installation of copper wire PVC insulated,			
	600/1000V, similar to Prysmian, BALDASSARI or equally			
	approved type. and the work includes all the necessary to			
Н3	complete the work as per the Engineer's instructions.			
	wire size 1.5 (mm²)			
H3.1		LM	500	
	wire size 2.5 (mm²)			
H3.2		LM	500	
113.2	wire size 4 (mm²)	LAVI	300	
112.2	wife size 4 (fillif-)	734	400	
H3.3		LM	400	
	wire size 6 (mm²)			
H3.4		LM	200	
	Supply and installation16A 2P CB circuit breaker type			
	GEWISS, Bticino or equally approved, and the work includes			
	all the necessary to complete the work as per the Engineer's			
H4	instructions.	No	50	
Н5	Ditto, but 25A 2P CB	No	50	
113	Ditto, but 63A 2P CB	110	30	
Н6	Ditto, but 03A 21 CB	No	30	
	Supply,install,test,and commissioning 60×60 cm, 4×18 Watt			
	T8 fluorescent recessed modular fitting carrier with plastic			
	cover, including light lamps, wires, conduits, chock coils,			
	starters, capacitors, clamps, bolts, Input Voltage AC 220V,			
	50HZ, Philips or equally approved type, and the work includes			
	all the necessary to complete the work as per the Engineer's			
H7	instructions.	No	270	
	Ditto, But wall mounted size 2×120 cm 2×32 Watt.			
Н8		No	20	
110	Supply,install,test,and commissioning 200 mm recessed	110	20	
	waterproof round LED 20w, IP65, Luminous flux 1500 lm.			
	of body Aluminum, Input Voltage AC 220V, 50HZ, <i>Philip</i>			
	white croft lighting or equally approved type. The work			
	includes all the necessary to complete the work as per the			
	Engineer instructions.			
Н9	Note:- This light for toilets	No	70	
117	Supply, install, test, and commissioning clean room hygiene	140	70	
	LED, recessed luminaries with easy to clean surfaces,IP54,33			
	watt, Input voltage AC 220V, 50 Hz, screw connector, steel			
	body and frame, overall dimension (595 x 595 mm), similar to			
	Philips White croft Lighting or equally approved type. The			
	work includes all the necessary to complete the work as per			
	the Engineer's instructions.			
H10	Note:- This light for operating theatres rooms	No	40	
1110	1100. This light for operating theatres rooms	110	+∪	

H11	Supply and install high quality exhaust line fans for toilets. The work includes dismantling of old fans, new duct work, exhaust valves Φ15,out site grils,control panel, ,similar to VORTICE or equally approved and all the necessary to complete the work as per the Engineer's instructions Note:- Contractor shall design the new exhaust system and submit to them, to be approved by the Engineer before executing the work. Conduct general repair, connecting, testing and commissioning of the whole damaged electrical installation rendered in the targeted department of the hospital. Bidders shall visit the site to inspect the extend of damages in the exiting systems and consider such cost and expenses for the repair of the system in their offers. Unless otherwise separately stated in the BoQ items, repair works shall include supplying of all required materials and workmanship such as cables, conduits, repair of the main service panel, wiring, circuit breakers, grounding system, connections to existing systems and all required repair works to restore the electrical installation fully functional as	No	8	
H12 3	accepted by the Engineer and the relevant local authorities. Total for Electrical works, corried to supports	LS	1	
I	Total for Electrical workscarried to summary Mechanical Works			
	General: -The Contractor shall coordinate with the hospital administration and the maintenance team and the Engineer during the execution of the work to acquire all necessary basic information on the existing mechanical system. - Prior to the commencement of the work, the contractor shall investigate the status of the existing mechanical installations and provide the Engineer summary reports describing list of the repair works, detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil works such as making openings for the mechanical installation, performing any necessary alteration in the existing walls or ceiling and connections to the existing systems -Mechanical installation shall be compatible and integrated with the existing mechanical system and in accordance with the relevant applicable Standards Engineer's instructions. -The contractor shall take all necessary measures to protect his works, ensure safety of his worker and the hospital patince and visitors, and prevent interruption of the ongoing operation of the hospital during the implementation of the rehabilitation works. -The contractor shall provide project closing documents such as-built drawings, catalogues, manuals and free training to the hospital maintenance team on the maintenance and operation of the systems rendered in the building.	Note		
4	I-HVAC system			

	Supply, install, test and commission split air conditioners unit- stand type, similar to YORK, Carrier brand or equally			
	approved .The AC units shall be according to the below			
	specifications:			
	Capacity: 42000 BTU, pre charged with R22, washable screen anti-bacterial filtration, ambient temp range (-10 to			
	+45), power supply source 380V /3PH /50HZ, digital, multi-			
	function LCD remote.			
	The price shall include one year warranty period and all			
	associated electrical and AC material and workmanship, such			
	as waterproof outdoor unit, insulated copper pipes, drain			
	pipes, galvanized steel holdersetc, complete; in accordance			
	with the manufacturer's instructions and the Engineer's. The			
	contractor should submit shop drawings for the Engineer's			
T.1	approval.	NT	2	
I1	Note:- This units will be install in the air compressor room.	No	2	
10	Ditto, but wall type split unit capacity 18000 BTU, power supply source 220V /1PH /50HZ.	NT.	1.5	
<u>I2</u>	Ditto, but wall type split unit capacity 12000 BTU, power	No	15	
12	supply source 220V /1PH /50HZ	NT	20	
I3	11 7	No	20	
	Ditto, but duct type split unit capacity 24000 BTU, power supply source 220V /1PH / 50HZ and 15% fresh air. The			
	price shall include all required fittings and accessories,			
	galvanized hangers, bolts, flexible connector, 1 inch thermal			
	insulation, insulated distributor box with 3 outlet Ø20, duct			
	works, air supply and return, ceiling diffusers (aluminum			
	construction, white color, and quantity 5 for each one, face			
I4	size 595×595 mm), with internally insulated plenum boxes.	No	12	
	Ditto, but duct type split unit ,capacity 18000 BTU, power			
	supply source 220V /1PH /50HZ,include 15% fresh air,			
	insulated distributor box with 2 outlet Ø15, duct works, air			
	supply and return, ceiling diffusers (aluminum construction,			
15	white color, and quantity 4 for each one, face size 350×350	No	5	
I5	mm), with internally insulated plenum boxes.	No	5	

		•		,
	DX Type Air Handling Units with air-cooled condensing unit			
	(Outdoor Unit)			
	Supply, install, test and commission waterproof DX type air			
	handling system consisting of air-cooled condensing unit			
	(Outdoor Unit),FAST,Carrier,Daikin,York brands or equally			
	approved for the operating theatre rooms.			
	I- DX AHU: Double skin construction with sandwiched			
	insulation between the outer and inner skins, Precise control			
	of all AHU components such as mixing dampers, water			
	valves, pressure switches for filters and fans, suitable			
	inspection doors for filter, room thermostats with display &			
	remote sensor, dust filters, carbon filters, humidity controlling			
	,aluminum foils, fan motors shall be high-efficiency, 415+/-			
	10% volts, 50 Hz, three phases, totally enclosed fan-cooled,			
	IP-55 protection.			
	And work include ducting work, grills,99.999% bacteria			
	filters (hepa filter), with laminar flow diffuser, including 0.7			
	mm thick insulated galvanized sheet ducts, cladding with 0.5			
	mm thick galvanized sheet, and all necessary supports,			
	hangers, and electrical panel with cabling work with all			
	required accessories. The AHU capacity 15 ton (2750 cfm),			
	100% fresh air, static pressure 400 Pascal.			
	II- AIR COOLED CONDENSING UNITS (OUT DOOR			
	UNITS):- The Condensing unit shall be factory assembled,			
	weather proof casing ,constructed from heavy gauge mild			
	steel panels and coated with baked enamel finish ,heat			
	pump,R410 refrigerant, with Scroll/Rotary compressor of			
	reputed make complete with copper piping, HP and LP cut-			
	outs, microprocessor based control panel, temperature			
	controller, Thermostatic expansion valves, suitable insulation			
	of the suction line, suitable size of fan etc.with control			
	interface (DX Kit). The unit should be completely factory			
	wired tested with all necessary controls. Electrical			
	characteristics of unit shall be 415+/-10% volts,50 Hz, three			
	phase AC,capacity 15 ton.			
	All in accordance with the manufacturer's instructions and the			
	relevant applicable Standards, and the Engineer's approvals.			
	The contractor should submit shop drawings for the			
	Engineer's approval.			
	Note:-The work include connection the new (DX AHU)with			
I6	the existing ducts.	No	2	
	Conduct maintenance, repair and commissioning the entire]		
	split unit air conditioner in the clinic building and provide all			
	missing parts such as electrical boards, fan motor, gas filling,			
	and fix all the system defects to ensure safe efficient			
	operation; all in accordance with the relevant applicable	Lump		
I7	specifications and the Engineer's instructions.	Sum	1	
	·	-		•

	Extractor Fan				İ
	Supply, install, test and commission high quality outdoor				
	centrifugal extractor fan for the operation theater, similar to				
	VORTICE or equally approved. The fan should be installed				
	and integrated with the AHU including all required works				
	such as supports, sleeves, dampers, duct works, electrical				
	connections, electrical panels, cables, fittings and accessories.				
	The fan shall comply with the following:				
	Air flow: 1200 cfm, static pressure 400 Pascal.				
	All in accordance with the manufacturer's instructions and the				
	relevant applicable Standards, and the Engineer's approvals.				
	The contractor should submit shop drawings for the				
	Engineer's approval.				
	Note:-The work include connect the new extractor fan with				
18	the existing ducts.	No	4		
	Ditto, but air flow 2200 cfm, static pressure 500 pascal.	- 10	-		
	Note:- This fan will install in the operation theater corridor.				
I 9	2 2 continue in the operation theater continue.	No	1		
	Water treatment system	-	-		
J	•				
	Supply, install, test and commission Complete water				
	treatment Skid for the operating theatres rooms (4000 liter /				
	day) AQUA PRO or equally approved ,with (2) plastic tank				
	size (2000 liter) with all accessories to be need, water pipe				
	,feeder pump Lower ,Pedrollo or equally approved (1 hp),the				
	contractor full responsibility to check and inspect the site and				
	to quote for all works, repairs, installations, and its associates				
	with all material requirements, to carry out the job in				
	accordance with relevant clauses of standards and code of				
	practices.				
	Note:-				
	- This system will only feed the operating room area and the				
J1	sterilization area.	No	1		
	Total for HVAC Air- Conditioner workscarried to				
	summary	_	_	_	
5	Medical Gazes Works				
	General:				
	-The Contractor shall coordinate with the hospital				
	administration and the maintenance team and the Engineer				
	during the execution of the work to acquire all necessary basic				
	information on the existing system.				
	- Prior to the commencement of the work, the contractor shall				
	investigate the status of the existing installations and provide				
1					
	the Engineer summary reports describing list of the repair				
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the				
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems.	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems the works shall be compatible and integrated with the	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems. - the works shall be compatible and integrated with the existing system and in accordance with the relevant	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems the works shall be compatible and integrated with the existing system and in accordance with the relevant applicable Standards Engineer's instructions.	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems. - the works shall be compatible and integrated with the existing system and in accordance with the relevant applicable Standards Engineer's instructions. -The contractor shall take all necessary measures to protect	Note			
	the Engineer summary reports describing list of the repair works, and detailed implementation schedule and obtain the Engineer's prior approvals to commence the work activities -Price shall cover all associated civil and electrical works such as electrical connections of the equipment making openings, performing necessary alteration in the existing walls or ceiling and connections to the existing systems the works shall be compatible and integrated with the existing system and in accordance with the relevant applicable Standards Engineer's instructions.	Note			

	through out the implementation of the rehabilitation works. -The contractor shall provide project closing documents such as-built drawings, catalogues, manuals and free training to the hospital maintenance team on maintenance and operation of the systems rendered in the building.			
K1	Air Compressor System & Dryer			
K1.1	Conduct maintenance, repair and commissioning of the existing compressed air system. The price shall include supply and installation of all required material for replacement of the damaged/missed parts, and restore the compressor system fully efficient and functional to the satisfaction of the Engineer. The work include all the needed electrical works, leak test, control panel, oil filter. The work shall also include supply and install exhaust duct for the two compressor air, to transfer the hot air outside the existing room; all according to specifications and Engineer's instructions. Commissioning and testing shall be executed in accordance with ISO 9170-1 / EN 13348 Supply, install and commission of a new high quality floor mounted air compressor SCREW type heavy duty, oil free, similar to KAESER or equally approved. The compressor shall comply with the following requirement: capacity 1000 L/min, working pressure Max 10 Ba, 2 non return valves, safety valve, secretion device, control panel. The work shall include all required material and accessories. Price shall also	No	1	
W1.0	include dismantling and removal of the existing air compressor; all in accordance with the manufacturers's	N	4	
K1.2	instructions, specifications and Engineer's instructions. Supply, installation, commissioning, and testing adsorption dryer unit, 2300 L/min,with all the necessary to complete the work with good performs. Note:- This air dryer unit shall be connect with the two air compressors together (existing and new).	No No	1	
K2	Medical Vacuum System			
K2.1	Maintenance, rehabilitation, supply of original spare part, test, and commissioning of the existing vacuum systems the work includes, leak test, finishing works, oil change, and all that needs to work with high efficiency, all according to specifications and supervisor engineer instructions.	No	1	

	Supply, installation, commissioning, and testing new medical vacuum system ,similar to <i>MIL'S</i> or equally approved including all the necessary fittings and accessories.			
	Note:- this new vacuum shall be connects with the existing vacuum pipes network; all according to specifications and the			
K2.2	Engineer's instructions.	No	1	
К3	Oxygen System Supply			
K3.1	Conduct maintenance, repair, testing and commissioning on the existing Oxygen System Supply (Oxygen liquid tank, and Oxygen cylinder manifold). The work shall supply of all needed/missing parts & finishing works, testing and commissioning. The price shall also include, supply of original spare parts; all according to specifications and Engineer's instructions.	No	1	
K4	Gas Outlets			
	Note: medical gas outlets shall be tested by applying 10 bar pressure for 24 hours and in accordance with the relevant specifications.	Note		
	Supply medical valve insert for Oxygen terminal unit similar to Taema or equally approved and in accordance with			
K4.1	relevant French NF standard.	No	20	
K4.2	Ditto, but for oxygen regulator 10 bar	No	5	
	Ditto, but for air regulator 8 bar			
K4.3		No	4	
K4.4	Ditto, but for air regulator 4 bar	No	4	
	Supply a single stage medical Oxygen Regulator(cylinder			
K4.5	connection), similar to Taema or equally approved	No	10	
K4.6	Ditto, but for Nitrous Regulator (cylinder connection)	No	10	
114.0	Supply new Oxygen Flow meter with humidifier, similar to	110	10	
	Taema or equally approved, dual action reusable bubble or			
	aerosol humidifier .Provide high output unheated aerosol to increase relative humidity for respiratory therapy; all in			
	accordance with relevant specification and the Engineer's			
K4.7	instructions. Madical Starilization System	No	130	
K5	Medical Sterilization System			
	Conduct maintenance, repair test and commissioning of existing Sterilization System WLBECO series model EC280 and 580 liters from <i>Matachana group</i> . The work include mobile supplying of mobile platform, suply of original spare parts, replace all damaged /missed parts and all needed repair works to restore the sterilization system fully functional in accordance with relevant specification and the Engineer's instructions.		_	
K5.1	Ditto as above, but for Brand (BMM WESTON), model (V	No	2	
K5.2	9932), serial No (DH 15510).	No	1	

5	Total for Medical Gazes workscarried to summary				
K5.3	The new boiler must be compatible and integrated in the existing sterilization system BMM WESTON; all according to specifications and the Engineer's instructions.	No	1		
	Supplying, installation, testing and commissioning of a new steam generator (Boiler), 72kw, 3.5 safety pressure, 4 heater.				

Summary

Bill	Description	Amount USD
1	Total for Civil Works	
2	Total for Plumbing and Sanitary Works	
3	Total for Electrical Works	
4	Total for Air-Conditioner Works HVAC	
5	Total for Medical Gazes Works	
	Grand Total USD	

FORM G: Form of Bid Security

Bid Security must be issued using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made on this template.

To: UNDP

[Insert contact information as provided in Data Sheet]

WHEREAS [Name and address of Bidder] (hereinafter called "the Bidder") has submitted a Bid to UNDP dated Click here to enter a date. to execute goods and/or services [Insert Title of Goods and/or Services] (hereinafter called "the Bid"):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security if the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bids;
- c) Fails to comply with UNDP's variation of requirement, as per ITB instructions; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid up to 30 days after the final date of validity of bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

_

[Stamp with official stamp of the Bank]