



## REQUEST FOR QUOTATION (RFQ) (Goods)

To All Bidders	DATE: October 22, 2018
	REFERENCE: <b>UNDP/SOM/RFQ/033/2018/ Supply and Delivery of Medical equipment for UN Clinics in Bossaso/Galkayo/Dollow in Somalia</b>

Dear Sir / Madam:

We kindly request you to submit your quotation **for Supply and Delivery of Medical equipment for UN Clinics in Bossaso/Galkayo/Dollow in Somalia** as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **8<sup>th</sup> November 2018 at 15:00H East Africa Time (GMT+3)** via **email to the mandatory designated submission email address below;**

**United Nations Development Programme (UNDP), Somalia**  
[bids.so@undp.org](mailto:bids.so@undp.org)

Quotations submitted by email must be limited to a maximum of **5 MB**, virus-free and no more than five (5) email transmissions **in PDF format**. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected. The subject line of each email must be clearly indicated as follows: **UNDP/SOM/RFQ/033/2018/Supply and Delivery of Medical equipment for UN Clinics in Bossaso/Galkayo/Dollow in Somalia**

It shall remain your responsibility to ensure that your quotation will reach the email address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. Kindly ensure that your quotations are signed and in the **.pdf format**, and free from any virus or corrupted files. Please note: **Quotations sent to or copied to personal email addresses of UNDP staff or any other UNDP email address other than the mandatory designated submission email address will be disqualified.**

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned goods:

Delivery Terms [INCOTERMS 2010]	<input checked="" type="checkbox"/> DAP	
Customs clearance if needed, shall be done by:	<input checked="" type="checkbox"/> Supplier/Offeror	
Exact Address/es of Delivery Location/s (identify all, if multiple)	<b>LOT A:</b> UN Clinic, IOM Compound in Bossaso, Puntland State of Somalia <b>LOT B:</b> UN Clinic, UNHCR compound in Galkayo, Puntland State of Somalia <b>LOT C:</b> UN Clinic, WFP Compound in Dollow, South Somalia	
Distribution of shipping documents	To be Advised at the time of order	
Latest Expected Delivery Date and Time ( <i>if delivery time exceeds this, quote may be rejected by UNDP</i> )	<input checked="" type="checkbox"/> Within 60 calendar days from date of issuance of Purchase order	
Delivery Schedule	<input checked="" type="checkbox"/> Required	
Packing Requirements	<input checked="" type="checkbox"/> The Equipment must be supplied in manufacturer's undamaged packaging and the terms of storage, packaging and transportation should meet the manufacturer's requirements and must be properly sealed to protect the items from damage/breaking until delivery to the stipulated location	
Mode of Transport	<input checked="" type="checkbox"/> AIR	<input checked="" type="checkbox"/> LAND
Preferred Currency of Quotation	<input checked="" type="checkbox"/> United States Dollars	
Value Added Tax on Price Quotation	<input checked="" type="checkbox"/> Must be exclusive of VAT and other applicable indirect taxes	
After-sales services required	<input checked="" type="checkbox"/> Warranty on Parts and Labor for minimum period of 1 year <input checked="" type="checkbox"/> All items will be replaced with brand new equipment without any additional cost to UNDP if any manufacturing defect is observed during the warranty period.	
Deadline for the Submission of Quotation	<b>8<sup>th</sup> November 2018 at 15:00H, East Africa time (GMT+3)</b>	
All documentations, including catalogs, instructions and operating manuals, shall be in this language	<input checked="" type="checkbox"/> English	
Documents to be submitted	<input checked="" type="checkbox"/> Duly Accomplished Form as provided in Annex 2 and in accordance with the list of requirements in Annex 1; <input checked="" type="checkbox"/> A statement whether any import or export licences are required in respect of the goods to be purchased including any restrictions on the country of origin, use/dual nature of goods or services including and disposition to end-users <input checked="" type="checkbox"/> Confirmation that licenses of this nature have been obtained in the past and an expectation of obtaining all the necessary licenses should the quotation be selected <input checked="" type="checkbox"/> Quality Certificates (ISO, EC, etc.); if any <input checked="" type="checkbox"/> Company profile, brief description/background of the company <input checked="" type="checkbox"/> Latest/valid Certificate of business Registration	

	<input checked="" type="checkbox"/> Latest/valid internal Revenue Certificate/Tax Clearance <input checked="" type="checkbox"/> Manufacturer's Authorization of the Company as a Sales Agent (if supplier is not the manufacturer); <input checked="" type="checkbox"/> Detailed technical description of the offered goods or product catalogue/leaflet with detailed technical specifications and instruction for use as per attached Annex 1 (Technical Specifications table) <input checked="" type="checkbox"/> Client listing and contract value for past supply of similar goods pertaining to the RFQ to national and/or international organisations in the last three years. This must include company name, contact person's name; email address and telephone number <input checked="" type="checkbox"/> Statement of satisfactory performance from at least 3 past clients <input checked="" type="checkbox"/> Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;
Period of Validity of Quotes starting the Submission Date	<input checked="" type="checkbox"/> 120 days  In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	<input checked="" type="checkbox"/> <b>Permitted by COMPLETE LOT</b> <ul style="list-style-type: none"> <li>For the Quotation to be considered, Bidder must quote for all items in each LOT.</li> <li>Bidders are allowed to quote for more than one <b>COMPLETE LOT</b></li> <li>Bidders must specify the complete LOT(s) bid for</li> <li>All components of Bid LOTs must be coordinated to be delivered at the same time. Staggered deliveries will not be accepted.</li> </ul>
Payment Terms	<input checked="" type="checkbox"/> 100% upon complete delivery of goods
Liquidated Damages	<input checked="" type="checkbox"/> will be imposed under the following conditions: 0.5% of contract price for every day of delay up to a maximum of 10% of contract price. Thereafter the contract may be terminated.

Evaluation Criteria	<input checked="" type="checkbox"/> Non-discretionary “pass” or “fail” rating on Technical responsiveness/Full compliance to requirements and lowest price <b>BY LOT</b> <sup>1</sup> <input checked="" type="checkbox"/> Full acceptance of UNDP General Terms & Conditions of PO/contract <input checked="" type="checkbox"/> Acceptance of Bid validity period (120 days) <input checked="" type="checkbox"/> compliance with the delivery terms and conditions stipulated by UNDP in the RFQ ( <b>Maximum delivery period shall not exceed 30 calendar days upon signature of PO</b> ) <input checked="" type="checkbox"/> Comprehensiveness of after-sales services <input checked="" type="checkbox"/> A minimum of three (3) years of experience in supply and delivery of medical equipment/devices <input checked="" type="checkbox"/> A minimum of three (3) similar projects (supply and delivery of medical equipment/devices) to hospitals or organizations. <input checked="" type="checkbox"/> Availability of certificates of origin for the offered goods <input checked="" type="checkbox"/> Manufacturer’s authorisation to act on behalf of the Manufacturer of Power of Attorney in case the Offeror is not a Manufacturer <input checked="" type="checkbox"/> Positive performance based on submitted Statements of Satisfactory Performance and reference checks <input checked="" type="checkbox"/> Warranty coverage on goods for a minimum period of one (1) year. <input checked="" type="checkbox"/> Vendor is not included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;
UNDP will award to:	<input checked="" type="checkbox"/> One or more Supplier, depending on the following factors: • Lowest-priced technically responsive offer <b>BY COMPLETE LOT</b>  <b>UNDP may request the recommended supplier to submit a sample of the proposed items at no additional cost to UNDP. In case the offered item is not in line with the required specifications, UNDP may recommend award to the 2<sup>nd</sup> technically qualified bidder(s).</b>
Type of Contract to be Signed	<input checked="" type="checkbox"/> Purchase Order
Contract General Terms and Conditions	<input checked="" type="checkbox"/> General Terms and Conditions for contracts (goods and/or services)  Applicable Terms and Conditions are available at <a href="http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html">http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</a>
Special conditions of Contract	<input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 days.
Conditions for Release of Payment	<input checked="" type="checkbox"/> Within 30 days of complete delivery of goods and receipt of invoice <input checked="" type="checkbox"/> Passing post-delivery inspection by UNDP (compliance with technical specifications and that items are in good working order) <input checked="" type="checkbox"/> Written acceptance of goods based on full compliance with RFQ requirements

<sup>1</sup> UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term “more superior” as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

Annexes to this RFQ	<input checked="" type="checkbox"/> Specifications of the Goods required under each LOT separately (Annex 1) <input checked="" type="checkbox"/> Form for Submission of Quotation (Annex 2) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions: <a href="http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html">http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</a> Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
Contact Person for Inquiries (Written inquiries only) <sup>2</sup>	<b>Procurement Unit</b> <a href="mailto:procurement.so@undp.org">procurement.so@undp.org</a> Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

<sup>2</sup> This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: [http://www.un.org/depts/ptd/pdf/conduct\\_english.pdf](http://www.un.org/depts/ptd/pdf/conduct_english.pdf)

Thank you and we look forward to receiving your quotation.


Sincerely yours,



Iryna Malykh  
Procurement Specialist  
Somalia Country Office

## Technical Specifications

- NOTE:**
1. All equipment shall be of European Standard or Equivalent
  2. Where indicated, please specify country of origin, Model No, Warranty and comprehensives of after sales service


### LOT A - BOSSASO


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
1	<b>AIR MATTRESS/ VACUUM SPLINT/ EVACUATION MATTRESS</b>  	1 piece			



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
2	<p><b>ECG MACHINE 6-12 CHANNEL</b></p>  <ul style="list-style-type: none"> <li>• <b>Instrument Type:</b> 12-lead electrocardiograph</li> <li>• <b>Standard Leads Acquired:</b> I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, V6</li> <li>• <b>Paper:</b> Perforated Z-fold thermal paper, A4 or 8.5 x 11" wide, 250 sheets</li> <li>• <b>ECG Storage:</b> Internal storage up to 40 ECGs; optional expanded up to 200 ECGs</li> <li>• <b>Power Requirements:</b> Universal AC power supply (100-240 VAC at 50/60 Hz) 110 VA; internal rechargeable battery</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>	1 piece			
3	<p><b>EMERGENCY VEST</b></p> 	2 pieces			



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
4	<b>FACE MASK SURGICAL</b> 	4 boxes of 100 pieces in a box			
5	<b>ELECTRONIC HEIGHT AND WEIGHT SCALES</b> 	1 piece			
6	<b>DRY HEMATOLOGY ANALYSER</b> 	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<p><b>Parameter Range:</b></p> <ul style="list-style-type: none"> <li>• Hematocrit (Hct) 15-65%</li> <li>• Hemoglobin (Hgb) 5-20g/dL</li> <li>• Mean Corpuscular Hemoglobin Concentration (MCHC) 25-37.3 g/dL</li> <li>• White Blood Cell Count (WBC) 1.6-99.9 x 10<sup>9</sup>/L</li> <li>• Granulocyte Count (Gran #) 0.8-70 x 10<sup>9</sup>/L</li> <li>• Granulocyte % (Gran %) 1-99%</li> <li>• Lymphocyte and Monocyte Count (Lymph/Mono #) 0.8-99.9 x 10<sup>9</sup>/L</li> <li>• Lymphocyte and Monocyte % (Lymph/Mono %) 1-99%</li> <li>• Platelet Count (Pelt) 20-999 x 10<sup>9</sup>/L</li> <li>• No Liquid Reagents</li> <li>• Display: LCD Display</li> <li>• Operating Temperature 16 °C - 32 °C unrestricted</li> <li>• Humidity 10%-95% non-condensing</li> </ul> <p><b>Other Requirements</b></p> <p>Country :(please specify Country of Origin)</p> <p>Model No.: (please specify model No)</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
7	<p><b>VOLUMETRIC INFUSION PUMP: CONTINUOUS MODE OF OPERATION, PORTABLE EQUIPMENT.</b></p> 	1 piece			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<ul style="list-style-type: none"> <li>AC Power Supply - 220 to 240V AC; 50/60 Hz; 0.07A; 3-wire grounded system.</li> <li>Environmental Specifications</li> <li>Condition Operating Transport and Storage</li> <li>Temperature: +10°C to +40°C; -40°C to +70°C</li> <li>Humidity: 30% to 75% non-condensing; 0% to 100%</li> <li>Atmospheric Pressure: 700hPa - 1060 hPa; 500hPa - 1060hPa</li> <li>Infusion Parameter Range, Infusion Rate: 1 - 999ml/h in steps of 1ml/h</li> <li>VTBI: (0 - OFF), 1 - 9999ml in 1ml increments</li> <li>VI (Total): 0 - 9999ml</li> <li>KVO rate: 5 ml/h or current set rate if less than 5 ml/h in primary operation</li> <li>Battery Specifications: Rechargeable Sealed Lead Acid.</li> <li>Automatically charges when the pump is connected to AC power.</li> <li>Battery Life - 6 hours @ 125ml/h. Battery Charging - 24 hours.</li> <li>Alarm Conditions: Alarm conditions cause the pump to display specific alarm messages, sound an audible alarm, and except for the low battery and KVO mode alerts, cease operation. Alarm and display messages include: FLO, door, hold, bat., batt., OCCL, RELOAD, Air and Err.</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
8	<p><b>INTRAVENOUS PERFUSION STANDS</b></p>  <p>Chromed steel structure</p> <ul style="list-style-type: none"> <li>Tube diameter 25 mm</li> <li>Rod diameter 10 mm</li> <li>Four hooks. Capacity: 2kg bottle / hook</li> </ul>	2 pieces			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<ul style="list-style-type: none"> <li>Adjustable in height manually by screw safety. Regulating range: 1250-2100mm</li> <li>PVC base of 540 mm</li> <li>Five rolling wheels of 50 mm</li> </ul>				
9	<p><b>MULTILINE VITAL SIGNS MONITOR</b></p>  <ul style="list-style-type: none"> <li><b>Screen:</b> 8.4" (20.3 cm) SVGA TFT-AM LCD</li> <li><b>NBP:</b> Oscillometric using stepwise deflation pressure Adult/pediatric measurement range</li> <li><b>Systolic:</b> 30 - 255 mmHg, Diastolic: 15 - 220 mmHg, Mean: 20 - 235 mmHg Neonatal measurement range</li> <li><b>Systolic:</b> 30 - 135 mmHg, Diastolic: 15 - 110 mmHg, Mean: 20 - 125 mmHg</li> <li><b>Blood pressure accuracy:</b> <math>\pm 5</math> mmHg, Pulse rate accuracy: <math>\pm 2</math> bpm or <math>\pm 2\%</math> (whichever is greater)</li> <li><b>SpO2:</b> Meets EN ISO 9919 standard, Measurement range: 0- 100%</li> <li><b>ECG:</b> 3-lead; heart rate range: 15 - 300 bpm</li> <li><b>Temperature Mode:</b> predictive or monitored, Method: oral, rectal, or axillary, Range: 26.7 - 43.3C (80 – 110F)</li> <li><b>Battery:</b> Lithium ion, 11.1 V, Operating time: 4 hours with continuous monitoring and NBPs every 15 minutes</li> <li><b>Data output:</b> HL7 format, via Ethernet port</li> <li><b>Patients:</b> Adult, pediatric, neonatal</li> </ul> <p><b>Other Requirements</b></p>	1 piece			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				
10	<b>NEBULIZER</b>  <ul style="list-style-type: none"> <li>• Similar to Maximum Compressor Pressure <math>\geq 30</math> psi</li> <li>• Operation Flow Rate <math>\geq 5.0</math> lpm</li> <li>• Nebulization Rate 0.2 ~ 0.3 ml/min</li> <li>• Particle size 0.5 ~ 5.0 microns</li> </ul>	1 piece			
11	<b>OXYGEN CONCENTRATOR</b>  <ul style="list-style-type: none"> <li>• Sound level 31 dB (A)</li> <li>• Atmospheric pressure range 700 mbar to 1060 mbar</li> <li>• Manufacturer's warranty 30.000 operating hours (min. 1 years)</li> <li>• O2-concentration 1 to 4 l/min. 95 % - 3 %, 4 to 5 l/min. 85% +/- 3 %</li> <li>• Volume flow (at 0 or 7 kPa) 1 - 5 l/min acc. to pre-setting</li> </ul> <b>Other Requirements</b>	1 piece			



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				
12	<b>SPINAL BOARD</b> 	1 piece			
13	<b>PORTABLE URINE ANALYZER</b>  <ul style="list-style-type: none"> <li>Parameters: pH, Nitrite, Specific Gravity, Ascorbic Acid, Blood, Glucose, Bilirubin, Urobilinogen, Ketone, Leucocytes, Protein</li> <li>Measurement Principle: dual wavelength reflectance method</li> <li>Measuring Wavelength: 3 LED Wavelength (550, 620, 720nm)</li> <li>Reaction time: 60 seconds</li> <li>Standard mode: 60 samples/hour, Fast mode: 120 samples/hour</li> <li>Display: LCD screen</li> <li>Memory capacity: 4000 results</li> <li>Strip: URIT 10G/11G urine reagent strips (14G optional)</li> <li>Interface: Serial port(RS232), parallel port (For external printer), PS/2(For barcode reader, optional)</li> <li>Work condition: Environmental Temperature: 15-30°C, RH: 20%-80%</li> <li>Powersupply: 100-240VAC, 50/60Hz</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<b>Other Requirements</b>				
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				
14	<b>WHEELCHAIR (ADULT)</b>  <ul style="list-style-type: none"> <li>• Seat Widths 16" or 18"</li> <li>• Seat Depths 16"</li> <li>• Overall Chair Width 23.75" or 25.75"</li> <li>• Back Height Adjustable 16" to 18"</li> <li>• Seat-To-Floor Height 17" to 20"</li> <li>• Frame Material aluminum</li> <li>• Frame Style Folding</li> </ul>	1 piece			
15	<b>WHEELCHAIR (CHILDREN)</b>  <ul style="list-style-type: none"> <li>• Seat Widths 16" or 18"</li> <li>• Seat Depths 16"</li> <li>• Overall Chair Width 23.75" or 25.75"</li> <li>• Back Height Adjustable 16" to 18"</li> <li>• Seat-To-Floor Height 17" to 20"</li> <li>• Frame Material aluminum</li> <li>• Frame Style Folding</li> </ul>	1 piece			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
16	<b>X-RAY VIEW BOX</b>  LED x-ray viewer 	1 piece			


### LOT B - GALKAYO


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
1	<b>ECG MACHINE 6-12 CHANNEL</b>   <ul style="list-style-type: none"> <li>• <b>Instrument Type:</b> 12-lead electrocardiograph</li> <li>• <b>Standard Leads Acquired:</b> I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, V6</li> <li>• <b>Paper:</b> Perforated Z-fold thermal paper, A4 or 8.5 x 11" wide, 250 sheets</li> <li>• <b>ECG Storage:</b> Internal storage up to 40 ECGs; optional expanded up to 200 ECGs</li> <li>• <b>Power Requirements:</b> Universal AC power supply (100-240 VAC at 50/60 Hz) 110 VA; internal rechargeable battery</li> </ul> <b>Other Requirements</b>	1 piece			
	Country of Origin:				
	Model No.:				



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calender Days)
	Warranty:				
	Comprehensiveness of after-sales services				
2	<b>EMERGENCY VEST</b> 	2 pieces			
3	<b>FACE MASK SURGICAL</b> 	4 boxes of 100 pieces in a box			



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
4	<b>GLUCOMETER ELECTRONIC USING THE DRY CHEMISTRY TECHNIQUE</b> 	1 piece			
5	<b>ELECTRONIC HEIGHT AND WEIGHT SCALES</b> 	1 piece			
6	<b>DRY HEMATOLOGY ANALYSER</b>  <p>Parameter Range:</p> <ul style="list-style-type: none"> <li>• Hematocrit (Hct) 15-65%</li> <li>• Hemoglobin (Hgb) 5-20g/dL</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
	<ul style="list-style-type: none"> <li>• Mean Corpuscular Hemoglobin Concentration (MCHC) 25-37.3 g/dL</li> <li>• White Blood Cell Count (WBC) 1.6-99.9 x 10<sup>9</sup>/L</li> <li>• Granulocyte Count (Gran #) 0.8-70 x 10<sup>9</sup>/L</li> <li>• Granulocyte % (Gran %) 1-99%</li> <li>• Lymphocyte and Monocyte Count (Lymph/Mono #) 0.8-99.9 x 10<sup>9</sup>/L</li> <li>• Lymphocyte and Monocyte % (Lymph/Mono %) 1-99%</li> <li>• Platelet Count (Plt) 20-999 x 10<sup>9</sup>/L</li> <li>• No Liquid Reagents</li> <li>• Display: LCD Display</li> <li>• Operating Temperature 16°C – 32 °C unrestricted</li> <li>• Humidity 10%-95% non-condensing</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
7	<p><b>VOLUMETRIC INFUSION PUMP:</b></p>  <ul style="list-style-type: none"> <li>• Continuous mode of operation, Portable Equipment.</li> <li>• AC Power Supply - 220 to 240V AC; 50/60 Hz; 0.07A; 3-wire grounded system.</li> <li>• Environmental Specifications</li> <li>• Condition Operating Transport and Storage</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
	<ul style="list-style-type: none"> <li>• Temperature: +10°C to +40°C; -40°C to +70°C</li> <li>• Humidity: 30% to 75% non-condensing; 0% to 100%</li> <li>• Atmospheric Pressure: 700hPa - 1060 hPa; 500hPa - 1060hPa</li> <li>• Infusion Parameter Range, Infusion Rate: 1 - 999ml/h in steps of 1ml/h</li> <li>• <b>VTBI:</b> (0 - OFF), 1 - 9999ml in 1ml increments</li> <li>• <b>VI (Total):</b> 0 - 9999ml</li> <li>• <b>KVO rate:</b> 5 ml/h or current set rate if less than 5 ml/h in primary operation</li> <li>• <b>Battery Specifications:</b> Rechargeable Sealed Lead Acid. Automatically charges when the pump is connected to AC power. Battery Life - 6 hours @ 125ml/h. Battery Charging - 24 hours.</li> <li>• <b>Alarm Conditions:</b> Alarm conditions cause the pump to display specific alarm messages, sound an audible alarm, and except for the low battery and KVO mode alerts, cease operation. Alarm and display messages include: FLO, door, hold, bat., batt., OCCL, RELOAD, Air and Err.</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
8	<p><b>INTRAVENOUS PERFUSION STANDS</b></p>  <ul style="list-style-type: none"> <li>• Chromed steel structure</li> <li>• Tube diameter 25 mm</li> <li>• Rod diameter 10 mm</li> <li>• Four hooks. Capacity: 2kg bottle/hook</li> <li>• Adjustable in height manually by screw safety. Regulating range: 1250-2100mm</li> <li>• PVC base of 540 mm</li> <li>• Five rolling wheels of 50 mm</li> </ul>	2 pieces			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
9	<p><b>MULTILINE VITAL SIGNS MONITOR</b></p>  <ul style="list-style-type: none"> <li>• Screen: 8.4" (20.3 cm) SVGA TFT-AM LCD</li> <li>• NBP: Oscillometric using stepwise deflation pressure Adult/pediatric measurement range</li> <li>• Systolic: 30 – 255 mmHg, Diastolic: 15 - 220 mmHg, Mean: 20 - 235 mmHg Neonatal measurement range</li> <li>• Systolic: 30 – 135 mmHg, Diastolic: 15 - 110 mmHg, Mean: 20 - 125 mmHg</li> <li>• Blood pressure accuracy: <math>\pm 5</math> mmHg, Pulse rate accuracy: <math>\pm 2</math> bpm or <math>\pm 2\%</math> (whichever is greater)</li> <li>• SpO2: Meets EN ISO 9919 standard, Measurement range: 0 - 100%</li> <li>• ECG: 3-lead; heart rate range: 15 - 300 bpm</li> <li>• Temperature: Mode: predictive or monitored, Method: oral, rectal, or axillary, Range: 26.7 - 43.3C (80 - 110F)</li> <li>• Battery: Lithium ion, 11.1 V, Operating time: 4 hours with continuous monitoring and NBPs every 15 minutes</li> <li>• Data output: HL7 format, via Ethernet port</li> <li>• Patients: Adult, pediatric, neonatal</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>	1 piece			
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
10	<b>NEBULIZER</b>  <ul style="list-style-type: none"> <li>• Similar to Maximum Compressor Pressure <math>\geq 30</math> psi</li> <li>• Operation Flow Rate <math>\geq 5.0</math> lpm</li> <li>• Nebulization Rate 0.2 ~ 0.3 ml/min</li> <li>• Particle size 0.5 ~ 5.0 microns</li> </ul>	1 piece			
11	<b>OXYGEN CONCENTRATOR</b>  <ul style="list-style-type: none"> <li>• Sound level 31 dB (A)</li> <li>• Atmospheric pressure range 700 mbar to 1060 mbar</li> <li>• Manufacturer's warranty 30.000 operating hours (min. 1 years)</li> <li>• O2-concentration 1 to 4 l/min. 95 % - 3 %, 4 to 5 l/min. 85 % +/- 3 %</li> <li>• Volume flow (at 0 or 7kPa) 1 - 5 l/min acc. to pre-setting</li> </ul> <b>Other Requirements</b>	1 piece			
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
12	<b>EXTRICATION ADJUSTABLE COLLAR</b>  <ul style="list-style-type: none"> <li>• Effective control and limitations of cervical spine motion;</li> <li>• Flexion/extension, rotation and lateral flexion.</li> <li>• The collar is adjustable in height, within two predetermined ranges, and can be securely and easily adjusted by the orthotist to ensure optimum alignment and patient comfort.</li> </ul>	3 pieces			
13	<b>PORTABLE URINE ANALYZER</b>  <ul style="list-style-type: none"> <li>• Parameters: pH, Nitrite, Specific Gravity, Ascorbic Acid, Blood, Glucose, Bilirubin, Urobilinogen, Ketone, Leucocytes, Protein</li> <li>• Measurement Principle: dual wavelength reflectance method</li> <li>• Measuring Wavelength: 3 LED Wavelength (550, 620, 720nm)</li> <li>• Reaction time: 60 seconds</li> <li>• Standard mode: 60 samples/hour, Fast mode: 120 samples/hour</li> <li>• Display: LCD screen</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
	<ul style="list-style-type: none"> <li>Memory capacity: 4000 results</li> <li>Strip: URIT 10G/11G urine reagent strips (14G optional)</li> <li>Interface: Serial port(RS232), parallel port (For external printer), PS/2(For barcode reader, optional)</li> <li>Work condition: Environmental Temperature: 15-30°C, RH:20%-80%</li> <li>Powersupply:100-240VAC,50/60Hz</li> </ul> <b>Other Requirements</b> Country of Origin: Model No.: Warranty: Comprehensiveness of after-sales services				
14	<b>WHEELCHAIR (ADULT)</b>  <ul style="list-style-type: none"> <li>Seat Widths 16" or 18"</li> <li>Seat Depths 16"</li> <li>Overall Chair Width 23.75" or 25.75"</li> <li>Back Height Adjustable 16" to 18"</li> <li>Seat-To-Floor Height 17" to 20"</li> <li>Frame Material aluminum</li> <li>Frame Style Folding</li> </ul>	1 piece			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar Days)
15	<b>WHEELCHAIR (CHILDREN)</b>  <ul style="list-style-type: none"> <li>• Seat Widths 16" or 18"</li> <li>• Seat Depths 16"</li> <li>• Overall Chair Width 23.75" or 25.75"</li> <li>• Back Height Adjustable 16" to 18"</li> <li>• Seat-To-Floor Height 17" to 20"</li> <li>• Frame Material aluminum</li> <li>• Frame Style Folding</li> </ul>	1 piece			
16	<b>X-RAY VIEW BOX</b>  LED x-ray viewer 	1 piece			


## LOT C - DOLLOW


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
1	<b>AIR MATTRESS/ VACUUM SPLINT/ EVACUATION MATTRESS</b> 	1 piece			
2	<b>ECG MACHINE 6-12 CHANNEL</b>  <ul style="list-style-type: none"> <li>• <b>Instrument Type:</b> 12-lead electrocardiograph</li> <li>• <b>Standard Leads Acquired:</b> I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, V6</li> <li>• <b>Paper:</b> Perforated Z-fold thermal paper, A4 or 8.5 x 11" wide, 250 sheets</li> </ul>	1 piece			



Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<ul style="list-style-type: none"> <li>• <b>ECG Storage:</b> Internal storage up to 40 ECGs; optional expanded up to 200 ECGs</li> <li>• <b>Power Requirements:</b> Universal AC power supply (100-240 VAC at 50/60 Hz) 110 VA; internal rechargeable battery</li> </ul> <b>Other Requirements</b> Country of Origin: Model No.: Warranty: Comprehensiveness of after-sales services				
3	<b>EMERGENCY TRAUMA BAG</b> 	2 pieces			
4	<b>EMERGENCY VEST</b> 	2 pieces			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
5	<b>GLUCOMETER ELECTRONIC USING THE DRY CHEMISTRY TECHNIQUE</b> 	1 piece			
6	<b>ELECTRONIC HEIGHT AND WEIGHT SCALES</b> 	1 piece			
7	<b>DRY HEMATOLOGY ANALYSER</b>  <p><b>Parameter Range:</b></p> <ul style="list-style-type: none"> <li>Hematocrit (Hct) 15-65%</li> </ul>	1 piece			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<ul style="list-style-type: none"> <li>Hemoglobin (Hgb) 5-20 g/dL</li> <li>Mean Corpuscular Hemoglobin Concentration (MCHC) 5-37.3 g/dL</li> <li>White Blood Cell Count (WBC) 1.6-99.9 x 10<sup>9</sup>/L</li> <li>Granulocyte Count (Gran #) 0.8-70 x 10<sup>9</sup>/L</li> <li>Granulocyte % (Gran %) 1-99%</li> <li>Lymphocyte and Monocyte Count (Lymph/Mono #) 0.8-99.9 x 10<sup>9</sup>/L</li> <li>Lymphocyte and Monocyte % (Lymph/Mono %) 1-99%</li> <li>Platelet Count (Plt) 20-999 x 10<sup>9</sup>/L</li> <li>No Liquid Reagents</li> <li>Display: LCD Display</li> <li>Operating Temperature 16 °C – 32 °C unrestricted</li> <li>Humidity 10%-95% non-condensing</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
8	<p><b>VOLUMETRIC INFUSION PUMP: CONTINUOUS MODE OF OPERATION, PORTABLE EQUIPMENT.</b></p>  <ul style="list-style-type: none"> <li>AC Power Supply - 220 to 240V AC; 50/60 Hz; 0.07A; 3-wire grounded system.</li> <li>Environmental Specifications</li> <li><b>Condition Operating Transport and Storage</b></li> <li>Temperature: +10°C to +40°C; -40°C to +70°C</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
	<ul style="list-style-type: none"> <li>Humidity: 30% to 75% non-condensing; 0% to 100%</li> <li>Atmospheric Pressure: 700hPa - 1060 hPa; 500hPa - 1060hPa</li> <li>Infusion Parameter Range, Infusion Rate: 1 - 999ml/h in steps of 1ml/h</li> <li>VTBI: (0 - OFF), 1 - 9999ml in 1ml increments</li> <li>VI (Total): 0 - 9999ml</li> <li>KVO rate: 5 ml/h or current set rate if less than 5 ml/h in primary operation</li> <li>Battery Specifications: Rechargeable Sealed Lead Acid. Automatically charges when the pump is connected to AC power.</li> <li>Battery Life - 6 hours @ 125ml/h. Battery Charging - 24 hours.</li> <li>Alarm Conditions: Alarm conditions cause the pump to display specific alarm messages, sound an audible alarm, and except for the low battery and KVO mode alerts, cease operation. Alarm and display messages include: FLO, door, hold, bat., batt., OCCL, RELOAD, Air and Err.</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>				
9	<p><b>INTRAVENOUS PERFUSION STANDS</b></p>  <ul style="list-style-type: none"> <li>Chromed steel structure</li> <li>Tube diameter 25 mm</li> <li>Rod diameter 10 mm</li> <li>Four hooks. Capacity: 2kg bottle / hook</li> <li>Adjustable in height manually by screw safety. Regulating range: 1250-2100mm</li> <li>PVC base of 540 mm</li> <li>Five rolling wheels of 50 mm</li> </ul>	2 pieces			


Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
10	<p><b>MULTILINE VITAL SIGNS MONITOR</b></p>  <ul style="list-style-type: none"> <li>• Screen: 8.4" (20.3 cm) SVGA TFT-AM LCD</li> <li>• NBP: Oscillometric using stepwise deflation pressure Adult/pediatric measurement range</li> <li>• Systolic: 30 - 255 mmHg, Diastolic: 15 - 220 mmHg, Mean: 20 - 235 mmHg Neonatal measurement range</li> <li>• Systolic: 30 - 135 mmHg, Diastolic: 15- 110 mmHg, Mean: 20 - 125 mmHg</li> <li>• Blood pressure accuracy: <math>\pm 5</math> mmHg, Pulse rate accuracy: <math>\pm 2</math> bpm or <math>\pm 2\%</math> (whichever is greater)</li> <li>• SpO2: Meets EN ISO 9919 standard, Measurement range: 0 - 100%</li> <li>• ECG: 3-lead; heart rate range: 15 - 300 bpm</li> <li>• Temperature: Mode: predictive or monitored, Method: oral, rectal, or axillary, Range: 26.7 - 43.3C (80 - 110F)</li> <li>• Battery: Lithium ion, 11.1 V, Operating time: 4 hours with continuous monitoring and NBPs every 15 minutes</li> <li>• Data output: HL7 format, via Ethernet port</li> <li>• Patients: Adult, pediatric, neonatal</li> </ul> <p><b>Other Requirements</b></p> <p>Country of Origin:</p> <p>Model No.:</p> <p>Warranty:</p> <p>Comprehensiveness of after-sales services</p>	1 piece			
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
11	<b>NEBULIZER</b>  <ul style="list-style-type: none"> <li>• Similar to Maximum Compressor Pressure <math>\geq 30</math> psi</li> <li>• Operation Flow Rate <math>\geq 5.0</math> lpm</li> <li>• Nebulization Rate 0.2 ~ 0.3 ml/min</li> <li>• Particle size 0.5 ~ 5.0 microns</li> </ul>	1 piece			
12	<b>EXTRICATION ADJUSTABLE COLLAR</b>  <ul style="list-style-type: none"> <li>• Effective control and limitations of cervical spine motion;</li> <li>• Flexion/extension, rotation and lateral flexion.</li> <li>• The collar is adjustable in height, within two predetermined ranges, and can be securely and easily adjusted by the orthotist to ensure optimum alignment and patient comfort.</li> </ul>	3 pieces			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
13	<b>OXYGEN CONCENTRATOR</b>  <ul style="list-style-type: none"> <li>• Sound level dB (A)</li> <li>• Atmospheric pressure range 700 mbar to 1060 mbar</li> <li>• Manufacturer's warranty 30.000 operating hours (min. 1 year)</li> <li>• O2-concentration 1 to 4 l/min. 95 % - 3 %, 4 to 5 l/min. 85% +/- 3 %</li> <li>• Volume flow (at 0 or 7 kPa) 1 - 5 l/min acc. to pre-setting</li> </ul> <b>Other Requirements</b>	1 piece			
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				
14	<b>SPINAL BOARD</b> 	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
15	<b>PORTABLE URINE ANALYZER</b>  <ul style="list-style-type: none"> <li>Parameters: pH, Nitrite, Specific Gravity, Ascorbic Acid, Blood, Glucose, Bilirubin, Urobilinogen, Ketone, Leucocytes, Protein</li> <li>Measurement Principle: dual wavelength reflectance method</li> <li>Measuring Wavelength: 3 LED Wavelength (550, 620, 720nm)</li> <li>Reaction time: 60 seconds</li> <li>Standard mode: 60 samples/hour, Fast mode: 120 samples/hour</li> <li>Display: LCD screen</li> <li>Memory capacity: 4000 results</li> <li>Strip: URIT 10G/11G urine reagent strips (14G optional)</li> <li>Interface: Serial port(RS232), parallel port (For external printer), PS/2(For barcode reader, optional)</li> <li>Work condition: Environmental Temperature:15-30°C, RH:20%-80%</li> <li>Powersupply:100-240VAC,50/60Hz</li> </ul> <b>Other Requirements</b>	1 piece			
	Country of Origin:				
	Model No.:				
	Warranty:				
	Comprehensiveness of after-sales services				

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calendar days)
16	<b>WHEELCHAIR (ADULT)</b>  <ul style="list-style-type: none"> <li>• Seat Widths 16" or 18"</li> <li>• Seat Depths 16"</li> <li>• Overall Chair Width 23.75" or 25.75"</li> <li>• Back Height Adjustable 16" to 18"</li> <li>• Seat-To-Floor Height 17" to 20"</li> <li>• Frame Material aluminum</li> <li>• Frame Style Folding</li> </ul>	1 piece			
17	<b>WHEELCHAIR (CHILDREN)</b>  <ul style="list-style-type: none"> <li>• Seat Widths 16" or 18"</li> <li>• Seat Depths 16"</li> <li>• Overall Chair Width 23.75" or 25.75"</li> <li>• Back Height Adjustable 16" to 18"</li> <li>• Seat-To-Floor Height 17" to 20"</li> <li>• Frame Material aluminum</li> <li>• Frame Style Folding</li> </ul>	1 piece			

Item	Description/Specifications of Goods with Sample Images	Quantity	Technical Compliance (Y/N)	Deviation (if any)	Delivery lead time (Calender days)
18	<p><b>X-RAY VIEW BOX</b></p> <p>LED x-ray viewer</p> 	1 piece			

## FORM FOR SUBMITTING SUPPLIER'S QUOTATION<sup>3</sup>

*(This Form must be submitted only using the Supplier's Official Letterhead/Stationery<sup>4</sup>)*

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No **UNDP/SOM/RFQ/033/2018/Supply and Delivery of Medical equipment for UN Clinics in Bossaso/Galkayo/Dollow in Somalia:**

**TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements**

### LOT A – BOSSASO

Item No.	Description/Specification of Goods	Unit of Measure	Quantity	Latest Delivery Date (Days)	Unit Price (USD)	Total Price per item (USD)
1	Air mattress/vacuum splint/evacuation mattress	Each	1			
2	ECG Machine 6-12 channel	Each	1			
3	Emergency Vest	Each	2			
4	Face Mask surgical	Box of 100 pieces	4			
5	Electronic height and weight scales	Each	1			
6	Dry Hematology Analyser	Each	1			
7	Volumetric infusion pump	Each	1			
8	Intravenous perfusion stands	Each	2			
9	Multiline vital signs monitor	Each	1			
10	Nebulizer	Each	1			
11	Oxygen concentrator	Each	1			
12	Spinal board	Each	1			
13	Portable urine analyser	Each	1			
14	Wheelchair (adult)	Each	1			
15	Wheelchair (children)	Each	1			
16	X-ray View Box	Each	1			
	<b>Total Price of Goods</b>					
	<b>Add: cost of transportation</b>					
	<b>Add: Cost of Insurance</b>					
	<b>Add: Other charges (pls specify)</b>					
	<b>TOTAL FINAL AND ALL-INCLUSIVE PRICE QUOTATION (LOT A - BOSSASO)</b>					

<sup>3</sup> This serves as a guide to the Supplier in preparing the quotation and price schedule.

<sup>4</sup> Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

## LOT B – GALKAYO

Item No.	Description/Specification of Goods	Unit of Measure	Quantity	Latest Delivery Date (Days)	Unit Price (USD)	Total Price per item (USD)
1	ECG Machine 6-12 channel	Each	1			
2	Emergency Vest	Each	2			
3	Face Mask surgical	Box of 100 pieces	4			
4	Glucometer electronic using the dry chemistry technique	Each	1			
5	Electronic height and weight scales	Each	1			
6	Dry Hematology Analyser	Each	1			
7	Volumetric infusion pump	Each	1			
8	Intravenous perfusion stands	Each	2			
9	Multiline vital signs monitor	Each	1			
10	Nebulizer	Each	1			
11	Oxygen concentrator	Each	1			
12	Extrication adjustable collar	Each	3			
13	Portable urine analyser	Each	1			
14	Wheelchair (adult)	Each	1			
15	Wheelchair (children)	Each	1			
16	X-ray View Box	Each	1			
<b>Total Price of Goods</b>						
<b>Add: cost of transportation</b>						
<b>Add: Cost of Insurance</b>						
<b>Add: Other charges (pls specify)</b>						
<b>TOTAL FINAL AND ALL-INCLUSIVE PRICE QUOTATION (LOT B - GALKAYO)</b>						

## LOT C – DOLLOW

Item No.	Description/Specification of Goods	Unit of Measure	Quantity	Latest Delivery Date (Days)	Unit Price (USD)	Total Price per item (USD)
1	Air mattress/vacuum splint/evacuation mattress	Each	1			
2	ECG Machine 6-12 channel	Each	1			
3	Emergency trauma Bag	Each	2			
4	Emergency Vest	Each	2			
5	Glucometer electronic using the dry chemistry technique	Each	1			
6	Electronic height and weight scales	Each	1			
7	Dry Hematology Analyser	Each	1			
8	Volumetric infusion pump	Each	1			
9	Intravenous perfusion stands	Each	2			
10	Multiline vital signs monitor	Each	1			
11	Nebulizer	Each	1			
12	Extrication adjustable collar	Each	3			
13	Oxygen concentrator	Each	1			
14	Spinal Board	Each	1			
15	Portable urine analyser	Each	1			
16	Wheelchair (adult)	Each	1			
17	Wheelchair (children)	Each	1			
18	X-ray View Box	Each	1			
	<b>Total Price of Goods</b>					
	<b>Add: cost of transportation</b>					
	<b>Add: Cost of Insurance</b>					
	<b>Add: Other charges (pls specify)</b>					
	<b>TOTAL FINAL AND ALL-INCLUSIVE PRICE QUOTATION (LOT C - DOLLOW)</b>					

**TABLE 2 : Offer to Comply with Other Conditions and Related Requirements**

Other Information pertaining to our Quotation are as follows:	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Delivery Lead Time			
Estimated weight/volume/dimension of the Consignment:			
Country/ies Of Origin <sup>5</sup> :			
Warranty and After-Sales Requirements			
a) Installation			
b) Training on Operations and Maintenance			
c) Minimum one (1) year warranty on both parts and labor			
d) Brand new replacement if Purchased Unit is beyond repair			
Liquidated Damages			
Validity of Quotation (120 days)			
All Provisions of the UNDP General Terms and Conditions			

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

*[Name and Signature of the Supplier's Authorized Person]*  
*[Designation]*  
*[Date]*

<sup>5</sup> If the country of origin requires Export License for the goods being procured, or other relevant documents that the country of destination may require, the supplier must submit them to UNDP if awarded the PO/contract.