

INVITATION TO BID

Renovation and Gravelling of Roads at Maritimepattu DS Division in Mullaitivu District.

LOT 1- Renovation and Gravelling of 2^{nd} , 3^{rd} , 4^{th} , & 5^{th} Lanes (04 Roads) at Keppapilavu in Maritimepattu DS Division in Mullaitivu District.

LOT 2- Renovation and Gravelling of 7^{th} , 8^{th} , & 9^{th} Lanes (03 Roads) at Keppapilavu in Maritimepattu DS Division in Mullaitivu District.

ITB No.: ITB/SSRS/MUL/2018/47

Project: Support for Sustainable Resettlement in Sri Lanka (SSRS)

Country: Sri Lanka

Issued on: 3 December 2018

Contents

Section 1	. Let	ter of Invitation	4
Section 2	. Ins	truction to Bidders	5
Α	. 6	GENERAL PROVISIONS	5
	1.	Introduction	5
	2.	Fraud & Corruption, Gifts and Hospitality	5
	3.	Eligibility	5
	4.	Conflict of Interests	6
В	. Р	PREPARATION OF BIDS	6
	5.	General Considerations	6
	6.	Cost of Preparation of Bid	7
	7.	Language	7
	8.	Documents Comprising the Bid	7
	9.	Documents Establishing the Eligibility and Qualifications of the Bidder	7
	10.	Technical Bid Format and Content	7
	11.	Price Schedule	7
	12.	Bid Security	8
	13.	Currencies	8
	14.	Joint Venture, Consortium or Association	8
	15.	Only One Bid	9
	16.	Bid Validity Period	9
	17.	Extension of Bid Validity Period	10
	18.	Clarification of Bid (from the Bidders)	10
	19.	Amendment of Bids	10
	20.	Alternative Bids	10
	21.	Pre-Bid Conference	10
C	. S	SUBMISSION AND OPENING OF BIDS	11
	22.	Submission	11
	Har	rd copy (manual) submission	11
	Em	ail and eTendering submissions	11
	23.	Deadline for Submission of Bids and Late Bids	12
	24.	Withdrawal, Substitution, and Modification of Bids	12
	25.	Bid Opening	12

D.	EVALUATION OF BIDS	12
;	26. Confidentiality	12
;	27. Evaluation of Bids	13
;	28. Preliminary Examination	13
;	29. Evaluation of Eligibility and Qualification	13
	30. Evaluation of Technical Bid and prices	13
;	31. Due diligence	14
:	32. Clarification of Bids	14
:	33. Responsiveness of Bid	14
;	34. Nonconformities, Reparable Errors and Omissions	14
E.	AWARD OF CONTRACT	15
:	35. Right to Accept, Reject, Any or All Bids	15
:	36. Award Criteria	15
:	37. Debriefing	15
	38. Right to Vary Requirements at the Time of Award	15
;	39. Contract Signature	15
•	40. Contract Type and General Terms and Conditions	16
•	41. Performance Security	16
•	42. Bank Guarantee for Advanced Payment	16
•	43. Liquidated Damages	16
•	44. Payment Provisions	16
•	45. Vendor Protest	16
•	46. Other Provisions	16
Section 3. I	Bid Data Sheet	18
Section 4. I	Evaluation Criteria	21
Section 5a: defined.	Schedule of Requirements and Technical Specifications/Bill of Quantities Error! Bookm	ark not
Section 5b	Other Related Requirements	24
Section 6: I	Returnable Bidding Forms / Checklist	25
For	m A: Bid Submission Form	26
For	m B: Bidder Information Form	28
For	m C: Joint Venture/Consortium/Association Information Form	30
For	m D: Eligibility and Qualification Form	31
	m E: Technical Bid FORMAT	

Section 1. Letter of Invitation

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

Section 1: This Letter of Invitation Section 2: Instruction to Bidders Section 3: Bid Data Sheet (BDS)

Section 4: Evaluation Criteria

Section 5: Schedule of Requirements and Technical Specifications

Section 6: Returnable Bidding Forms

- o Form A: Bid Submission Form
- o Form B: Bidder Information Form
- o Form C: Joint Venture/Consortium/Association Information Form
- o Form D: Qualification Form
- o Form E: Format of Technical Bid
- o Form F: Price Schedule
- Form G: Form of Bid Security

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet.

Please acknowledge receipt of this ITB by sending an email to procurement.lk@undp.org, indicating whether you intend to submit a Bid or otherwise. This will enable you to receive amendments or updates to the ITB. Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Issued by	Approved by:	
Name: Nilmini Jayatilake	Name: Chanaka Liyanage	
Title: Procurement Associate	Title: Head of Procurement and Administration	
Date: December 3. 2018	Date: December 3, 2018	

Section 2. Instruction to Bidders

GENERAL PROVISIONS		
1. Introduction	1.1	Bidders shall adhere to all the requirements of this ITB, including any amendments made in writing by UNDP. This ITB is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement which can be accessed at https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-476a-8ef8-e81f93a2b38d
	1.2	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.
	1.3	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.
	1.4	As part of the bid, it is desired that the Bidder registers at the United Nations Global Marketplace (UNGM) website (www.ungm.org). The Bidder may still submit a bid even if not registered with the UNGM. However, if the Bidder is selected for contract award, the Bidder must register on the UNGM prior to contract signature.
2. Fraud & Corruption, Gifts and Hospitality	2.1	UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_andinvestigation.html#anti
	2.2	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches or dinners.
	2.3	In pursuance of this policy, UNDP:
		(a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
	2.4	All Bidders must adhere to the UN Supplier Code of Conduct, which may be found at http://www.un.org/depts/ptd/pdf/conduct-english.pdf
3. Eligibility	3.1	A vendor should not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other

- international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations.
- 3.2 It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.

4. Conflict of Interests

- 4.1 Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:
 - a) Are or have been associated in the past, with a firm or any of its affiliates which have been engaged by UNDP to provide services for the preparation of the design, specifications, Terms of Reference, cost analysis/estimation, and other documents to be used for the procurement of the goods and services in this selection process;
 - b) Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or
 - c) Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP.
- 4.2 In the event of any uncertainty in the interpretation of a potential conflict of interest, Bidders must disclose to UNDP, and seek UNDP's confirmation on whether or not such conflict exists.
- 4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following:
 - a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and
 - b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure.

4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.

B. PREPARATION OF BIDS

General Considerations 5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material deficiencies in providing the information requested in the ITB may result in

			rejection of the Bid.
		5.2	The Bidder will not be permitted to take advantage of any errors or omissions in the ITB. Should such errors or omissions be discovered, the Bidder must notify the UNDP accordingly.
6.	Cost of Preparation of Bid	6.1	The Bidder shall bear all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.
7.	Language	7.1	The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS.
8.	Documents Comprising the Bid	8.1	The Bid shall comprise of the following documents and related forms which details are provided in the BDS:
			 a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid.
9.	Documents Establishing the Eligibility and Qualifications of the Bidder	9.1	The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the Forms provided under Section 6 and providing documents required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction.
10.	Technical Bid Format and Content	10.1	The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB.
		10.2	Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified.
		10.3	When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS.
		10.4	When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB.
11.	Price Schedule	11.1	The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB.
		11.2	Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or

	items, as well as in the final total price.
12. Bid Security	12.1 A Bid Security, if required by BDS, shall be provided in the amount and form indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid.
	12.2 The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected.
	12.3 If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid.
	12.4 In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS.
	12.5 The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions:
	 a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the BDS, or; b) In the event the successful Bidder fails: to sign the Contract after UNDP has issued an award; or to furnish the Performance Security, insurances, or other documents that UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder.
13. Currencies	13.1 All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids are quoted in different currencies, for the purposes of comparison of all Bids:
	 UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and
	b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.
14. Joint Venture, Consortium or Association	14.1 If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture.
	14.2 After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of UNDP.

16. Bid Validity Period	16.1	Bids shall remain valid for the period specified in the BDS, commencing on the Deadline for Submission of Bids. A Bid valid for a shorter period may be rejected by UNDP and rendered non-responsive.
	15.2	 only one Bid, either in its own name or as part of a Joint Venture. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
15. Only One Bid	14.7	requirements when the spectrum of expertise and resources required may not be available within one firm.
		Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials
		a) Those that were undertaken together by the JV, Consortium or Association; andb) Those that were undertaken by the individual entities of the JV, Consortium or Association.
	14.5	A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between:
	14.4	The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP.
	14.3	The lead entity and the member entities of the JV, Consortium or Association shall abide by the provisions of Clause 15 herein in respect of submitting only one Bid.

	16.2 During the Bid validity period, the Bidder shall maintain its original Bid without any change, including the availability of the Key Personnel, the proposed rates and the total price.
17. Extension of Bid Validity Period	17.1 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing, and shall be considered integral to the Bid.
	17.2 If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid.
	17.3 The Bidder has the right to refuse to extend the validity of its Bid, in which case, the Bid shall not be further evaluated.
18. Clarification of Bid (from the Bidders)	18.1 Bidders may request clarifications on any of the ITB documents no later than the date indicated in the BDS. Any request for clarification must be sent in writing in the manner indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to respond or confirm that the query was officially received.
	18.2 UNDP will provide the responses to clarifications through the method specified in the BDS.
	18.3 UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary.
19. Amendment of Bids	19.1 At any time prior to the deadline of Bid submission, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders.
	19.2 If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids.
20. Alternative Bids	20.1 Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid.
	20.2 If multiple/alternative bids are being submitted, they must be clearly marked as "Main Bid" and "Alternative Bid"
21. Pre-Bid Conference	21.1 When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be disseminated on the procurement

website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder's Conference or issued/posted as an amendment to ITB.

C. SUBMISSION AND OPENING OF BIDS

22. Submission

- 22.1 The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS.
- 22.2 The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid.
- 22.3 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and Conditions.

Hard copy (manual) submission

- 22.4 Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows:
 - a) The signed Bid shall be marked "Original", and its copies marked "Copy" as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail.
 - (b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which_shall:
 - i. Bear the name of the Bidder;
 - ii. Be addressed to UNDP as specified in the BDS; and
 - iii. Bear a warning not to open before the time and date for Bid opening as specified in the BDS.

If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.

Email and eTendering submissions

- 22.5 Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows:
 - a) Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS;
 - b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS.
- 22.6 Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link:

 http://www.undp.org/content/undp/en/home/operations/procurement/busine

	ss/procurement-notices/resources/
23. Deadline for Submission of Bids and Late Bids	c.1 Complete Bids must be received by UNDP in the manner, and no later than the date and time, specified in the BDS. UNDP shall only recognise the actual date and time that the bid was received by UNDP
	UNDP shall not consider any Bid that is received after the deadline for the submission of Bids.
24. Withdrawal, Substitution, and	A Bidder may withdraw, substitute or modify its Bid after it has been submitted at any time prior to the deadline for submission.
Modification of Bids	Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid by sending a written notice to UNDP, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as "WITHDRAWAL" "SUBSTITUTION," or "MODIFICATION"
	eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling, Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos.
	8.4 Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened.
25. Bid Opening	UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders.
	i.3 In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened.
D. EVALUATION OF	os
26. Confidentiality	i.1 Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.

	26.2 Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP's decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP's vendor sanctions procedures.
27. Evaluation of Bids	27.1 UNDP will conduct the evaluation solely on the basis of the Bids received.
	 Evaluation of Bids shall be undertaken in the following steps: a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done) a) Evaluation of Technical Bids b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary
28. Preliminary Examination	28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.
29. Evaluation of Eligibility and Qualification	29.1 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria).
	 In general terms, vendors that meet the following criteria may be considered qualified: a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.

31. Due diligence	UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following:
	 a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the performance on on-going or completed contracts, including physical inspections of previous works, as deemed necessary; e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; f) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.
32. Clarification of Bids	To assist in the examination, evaluation and comparison of Bids, UNDP may, at its discretion, request any Bidder for a clarification of its Bid.
	UNDP's request for clarification and the response shall be in writing and no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bids, in accordance with the ITB.
	32.3 Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bids.
33. Responsiveness of Bid	UNDP's determination of a Bid's responsiveness will be based on the contents of the bid itself. A substantially responsive Bid is one that conforms to all the terms, conditions, specifications and other requirements of the ITB without material deviation, reservation, or omission.
	33.2 If a bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.
34. Nonconformities, Reparable Errors and Omissions	Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
	34.2 UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.

34.3	For the bids that have passed the preliminary examination, UNDP shall check
	and correct arithmetical errors as follows:

- a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which case, the line item total as quoted shall govern and the unit price shall be corrected;
- b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail.
- 34.4 If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.

E. AWARD OF CONTRACT

E. AWARD OF CON	IRACI
35. Right to Accept, Reject, Any or All Bids	35.1 UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced offer.
36. Award Criteria	36.1 Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification, and has offered the lowest price.
37. Debriefing	37.1 In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed.
38. Right to Vary Requirements at the Time of Award	38.1 At the time of award of Contract, UNDP reserves the right to vary the quantity of goods and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
39. Contract Signature	39.1 Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids.

40. Contract Type and General Terms and Conditions	40.1 The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
41. Performance Security	41.1 A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at <a 15="" href="https://popp.undp.org/layouts/15/WopiFrame.aspx?sourcedoc=/UNDP POPP_DOCUMENT_LIBRARY/Public/PSU_Solicitation_Performance%20Guarantee%20_Form.docx&action=default_within a maximum of fifteen (15) days of the contract signature by both parties. Where a performance security is required, the receipt of the performance security by UNDP shall be a condition for rendering the contract effective.</td></tr><tr><td>42. Bank Guarantee for Advanced Payment</td><td>42.1 Except when the interests of UNDP so require, it is UNDP's standard practice to not make advance payment(s) (i.e., payments without having received any outputs). If an advance payment is allowed as per the BDS, and exceeds 20% of the total contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank Guarantee in the full amount of the advance payment in the form available at <a href=" https:="" layouts="" popp.undp.org="" popp_document_library="" psu_contract%20management%20payment%20and%20taxes_advanced%20payment%20guarantee%20form.docx&action="default</a" public="" wopiframe.aspx?sourcedoc="/UNDP">
43. Liquidated Damages	43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract.
44. Payment Provisions	44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.
45. Vendor Protest	45.1 UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html
46. Other Provisions	 46.1 In the event that the Bidder offers a lower price to the host Government (e.g. General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the same lower price. The UNDP General Terms and Conditions shall have precedence. 46.2 UNDP is entitled to receive the same pricing offered by the same Contractor in

- contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence.
- 46.3 The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15

http://www.un.org/en/ga/search/view_doc.asp?symbol=ST/SGB/2006/15&referer

Section 3. Bid Data Sheet

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid In the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English
2		Submitting Bids for Parts or sub- parts of the Schedule of Requirements (partial bids)	Within a LOT Not Allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid conference and Site Inspection	Will be Conducted Site Inspection Time: 9.30 am to 10.30 am Sri Lanka Time Date: December 10, 2018 9:30 AM Pre-Bid conference Time: 2 pm Sri Lanka Time Date: December 10, 2018 2:00 PM Venue: UNDP Project Office, District Secretariat, (Old building), Kandy Road, Kilinochchi
			The UNDP focal point for the arrangement is: Ms. Robinson Prabagini Telephone: 021 2285606
			E-mail: prabagini.robinson@undp.org
5	16	Bid Validity Period	90 days

6	13	Bid Security	Required in the amount of LKR 65,000.00 for Lot 1 LKR 50,000.00 for Lot 2 Acceptable Forms of Bid Security Bank Guarantee (See Section 6 Form G for template)
7	41	Advanced Payment upon signing of contract	Allowed up to a maximum of 20% of contract value Advance bond guarantee from a bank is required for the full advance payment amount.
8	42	Liquidated Damages	Will be imposed as follows: Percentage of contract price per week of delay: 0.5% Max. number of weeks of delay 20 weeks, after which UNDP may terminate the contract.
9	40	Performance Security	Required for 10% of the contract value
10	12	Currency of Bid	Local currency LKR
11	31	Deadline for submitting requests for clarifications/ questions	05 days before the submission deadline
12	31	Contact Details for submitting clarifications/questions	Focal Person in UNDP: Mr. L. Rex Ravel Address: 202-204, Bauddhaloka Mawatha, Colombo 07, Sri Lanka E-mail address: leenus.ravel@undp.org
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	Direct communication to prospective Proposers by email
14	23	Deadline for Submission	2 pm 17th December 2018 Sri Lanka Time zone
14	22	Allowable Manner of Submitting Bids	☑ Courier/Hand Delivery
15	22	Bid Submission Address	Head of Procurement United Nations Development Programme 202-204, Bauddhaloka Mawatha Colombo 07 Sri Lanka

16	22	Electronic submission (email or eTendering) requirements Not Applicable for this procurement	 Format: PDF files only File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted. Max. File Size per transmission: [Specify] Mandatory subject of email: [Specify] Documents which are required in original (e.g. Bid Security) should be sent to the below address with a PDF copy submitted as part of the electronic submission: [Insert Address]
17	25	Date, time and venue for the opening of bid	Date and Time: December 17, 2018 2:30 PM Venue: UN CONFERENCE ROOM
18	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid.
19		Expected date for commencement of Contract	January 1, 2019
20		Maximum expected duration of contract	LOT 1- 2.5 months LOT 2- 2.5 months
21	35	UNDP will award the contract to:	One or more Proposers, depending on the following factors:
22	39	Type of Contract	Contract for Civil Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
23	39	UNDP Contract Terms and Conditions that will apply	UNDP General Terms and Conditions for Works http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
24		Other Information Related to the ITB	[All other instructions and information not yet mentioned so far in this Data Sheet but are relevant to the ITB must be cited here, and any further entries that may be added below this table row]

Section 4. Evaluation Criteria

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Appropriate signatures
- Power of Attorney
- Minimum Bid documents provided
- Bid Validity
- Bid Security submitted as per ITB requirements with compliant validity period

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.

If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject	Criteria	Document Submission requirement		
ELIGIBILITY				
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form		
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form		
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form		
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form		
Certificates and Licenses	 Duly authorized to act as Agent on behalf of the Manufacturer, or Power of Attorney, if bidder is not a manufacturer Official appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder Export/Import Licenses, if applicable 	Form B: Bidder Information Form		
	 Any additional criteria if required 			

QUALIFICATION	Minimum ICTAD Registration and Experience - C7 Highway	
History of Non- Performing Contracts ¹	Non-performance of a contract did not occur as a result of contractor default for the last 3 years.	Form D: Qualification Form
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Form D: Qualification Form
Previous Experience	Minimum 3 years of relevant experience.	Form D: Qualification Form
	Minimum 3 contracts of similar value, nature and complexity implemented over the last 3 years. (For JV/Consortium/Association, all Parties cumulatively should	Form D: Qualification Form
	meet requirement).	
Financial Standing	Minimum average annual turnover of LKR 10million for the last 3 years.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability.	Form D: Qualification Form
	(For JV/Consortium/Association, all Parties cumulatively should meet requirement).	
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document.	Form E: Technical Bid Form
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 and quoted for by the bidders in Form F.	Form F: Price Schedule Form
	Price comparison shall be based on the landed price, including transportation, insurance and the total cost of ownership (including spare parts, consumption, installation, commissioning, training, special packaging, etc., where applicable)	
	Comparison with budget/internal estimates.	
Additional Requirement	1. List and value of on-going projects with contact details of clients and current percentage completion of each ongoing project.	
	2. Total monetary value of construction works performed for each of the last five years. Average should be no less than required ICTAD grade financial limit. per year.	
	3. Independently audited financial accounts for the last two years in English. UNDP will check the financial accounts to compute the	

¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

- quick ratio (QR). Quick ratio tests the company's financial strength and liquidity by calculating a company's liquid assets in proportion to its liabilities.
- 4. If QR is less than 1; UNDP shall verify financial capacity of the bidder and had the authority to seek references from concerned parties & banks on the bidder' financial standing. UNDP had the right to reject any bid if submitted by a contractor whom investigation leads to a result that he is not financially capable and/or had serious financial problems.
- 5. CVs for key personal proposed for this project.
- 6 Company Profile, which should not exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods/services being procured
- 7. Members of the Governing Board and their Designations duly certified by the Corporate Secretary, or its equivalent document if Bidder is not a corporation
- 8. Tax Registration/Payment Certificate issued by the Internal Revenue Authority evidencing that the Bidder is updated with its tax payment obligations, or Certificate of Tax exemption, if any such privilege is enjoyed by the Bidder
- 9. Certificate of Registration of the business, including Articles of Incorporation, or equivalent document if Bidder is not a corporation
- 10. Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any
- 11. Latest Audited Financial Statement (Income Statement and Balance Sheet) including Auditor's Report for the past years; [3 years]
- 12. Evidences to have the adequate bank credit facilities.
- 13. Evidences to have the sufficient manpower competent to perform the project.
- 14. Evidences to have the required machineries to perform the project.
- 15. Statement of Satisfactory Performance from the Top 3 Clients in terms of Contract Value the past 3 years
- 16. List of Bank References (Name of Bank, Location, Contact Person and Contact Details)

Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities

UNDP-Mullaitivu

Scope of work: for Construction of Rural Roads in Keppapilavu GN division, Maritimepattu DS division, Mullaitivu District.

Project Title: Support for Sustainable Resettlement in Sri Lanka (SSRS)

Background information of the project

The Peacebuilding Priority Plan (PPP) serves as the framework for a coordinated Government, United Nations (UN) and development partner response to peacebuilding in Sri Lanka. The Plan focuses on four pillars, including transitional justice, reconciliation, governance, and resettlement and durable solutions. This project will support the pillars of the PPP through sustainable resettlement of recently released lands. It will contribute to promoting accountability for victims of the conflict; sustainable return, resettlement and integration of conflict-displaced persons; peaceful coexistence; and strengthening institutions for equal and transparent access to services. The overall intended impact is to improve the wellbeing of conflict-affected communities for sustainable return and reconciliation.

The key activities:

Construction of seven rural roads - 2.91 km as per prescribed standards in Maritimepattu DS Division in Keppapilavu GN division.

Objective of this project intervention:

The scope of this initiative is to provide an integrated socio-economic assistance for returned and resettled families in the selected GN divisions of Jaffna, Kilinochchi, Mullaithivu and Batticaloa Districts. This project anticipates reaching maximum of 570 families enabling them towards sustainable resettlement.

The objectives of this initiative is to support returned and resettled families with sustainable livelihood assistance and to improve capacity of resettled communities to engage in productive measures including community collective-engagement and re-integration, small business development, value addition for local resources, establishing market linkages, employment generation, enhance access to government services delivery and make returned and resettled communities to be socially accountable for their grievances and to make them take-part in the durable solutions for conflict-affected displacement.

• Involved parties (Govt. CSOs. Etc.)

District Secretariat, Divisional Secretary, Maritimepattu, Predeshiya Sabha, Grass root level Government officers.

• Targeted beneficiaries:

66 return families as direct beneficiaries and indirectly another 250-300 families or passers-by.

• Expected results/achievements

Support to construction of rural road pave way for the resettlers mobility and provide confidence for them to further start cleaning of their land areas or to start the livelihood activities. The road access is vital for marketing of livelihood produces and to get another services reach.

Location

Maritimepattu DS Division – Keppapilavu GN division.

Selection process of the contractors (Competitive)

CWC (National Ad) for Construction of Specified work as given below.

• Technical details of the work -see annex

General Topography of the locality and other information:

Keppapilavu GN division was one of the significant importance village and it was occupied by National Cadet Corps of the Sri Lanka Army. Keppapilavu village is located in the Divisional Secretariat Division of Maritimepattu of the Mullaitivu District, where the final days of the last war were fought. These people living there were displaced by fighting and were held in the Menik Farm IDP camp since end of the war. In September 2012, they were the last to be cleared for release when the camp was officially closed. However, 350 families from Keppapilavu GN division would not be permitted to be return to their original lands. They were to be 'temporarily relocated' to brand 'Welfare village'. Ten months into the land protests, in December 2017, Sri Lanka military was given the land to their original owners. Currently this area is cleared of dense foliage and access and safety is ensured. Access to basic services are in the provided by Government.

	LOT 1 Bill No 1 : F	relim	inaries		
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	<u>PRELIMINARIES</u>				
1.01	Allow Sum for providing a Performance Security	Item	Allow	Sum	
1.02	Pro Sum for Insurance of Works, Machinery & Equipment, Plant, Matrerials, third party persons & property and Employer's personnel & property at site as per contract	Item	Pro. sum	Sum	15,000.00
1.03	Pro Sum for Insurance against accidentsand injury to Contractor's personnel as per the contract	Item	Pro. sum	Sum	10,000.00
1.04	Allow Sum for site office for consultant - staff including necessary furniture, electricity, water & sanitary facilities to the approval of Engineer.	Item	Allow	Sum	
1.05	Allow Sum for providing and maintaining a first aid box and regular supply of medicine, linen etc.	Item	Allow	Sum	
1.06	Allow Sum for all cost in connection with preparing samples for testing, making arrangemnts for testing of mataerials, goods etc., as stipulated in the specification, obtaining test reports and submitting the same to the Engineer.	Item	Allow	Sum	
1.08	Allow Sum for providing all necessary safety measures to workmen at site such as helmets, gloves, safety masks, dusk masks, eye goggles, boots etc. conforming to the latest industrial safety regulations and as derected by the Engineer.	Item	Allow	Sum	
1.09	Supplying and fixing Name board 1.2m x 0.9m in dimension with 2nos 4.5m long 32mm dia G.I pipe to the approval of Engineer.	Item			
	TOTAL FOR PRELIMINARIES CARRIED TO SUMMARY				

	Bill No 2: 2nd Lane (Length -	33011	1		
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	CONSTRUCTION OF GRAVEL SURFACING ROAD				
2.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum	
2.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum	
2.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	1,100.00		
2.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m³	595.00		
2.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	555.00		
2.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	555.00		
2.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	495.00		
	CONSTRUCTION OF OF BOX CULVERT				
2.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed.	m ³	17.00		
2.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00		
2.10	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days.		11.00		
2.11	Supplying , fabricating reinforcement as per the drawing (T20mm & T12mm)	Kg	500.00		
2.12	Dowel bars 20mm Dia(150mm inside the caping beam 150 mm inside the slab wraping with poleytheen) at the 450mm intervals	Nos	8.00		
2.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50		
2.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00		
2.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00		
2.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose	m ³	3.00		
2.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form	Nos	6.00		
2.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00		
2.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00		
	TOTAL FOR LANE 2 CARRIED TO SUMMARY				

Bill No 3: 3rd Lane (Length - 410m)

	Bill No 3: 3rd Lane (Length - 410m)					
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)	
	CONSTRUCTION OF GRAVEL SURFACING ROAD					
3.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum		
3.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum		
3.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road	m	820.00			
	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the	m³	610.00			
3.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	415.00			
3.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete		415.00			
3.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	370.00			
	CONSTRUCTION OF OF BOX CULVERT					
3.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed.	m ³	17.00			
3.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00			
3.10	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days.	m ²	11.00			
3.11	Supplying , fabricating reinforcement as per the drawing (T20mm & T12mm)	Kg	500.00			
	Dowel bars 20mm Dia(150mm inside the caping beam 150 mm inside the slab wraping with poleytheen) at the 450mm intervals	Nos	8.00			
3.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50			
3.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00			


3.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00	
3.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose volume).	m ³	3.00	
3.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form work	Nos	6.00	
3.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00	
3.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00	
	MISCELLANEOUS			
3.20	Cutting branches and trunks and uprooting trees (2 Neem trees & 1 Annicham tree having 1.2m girth approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	ltem	
	TOTAL FOR LANE 3 CARRIED TO SUMMARY			

Bill No 4: 4th Lane (Length: 400m)

	Bill No 4 : 4th Lane (Length : 400m)						
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)		
	CONSTRUCTION OF GRAVEL SURFACING ROAD						
4.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum			
4.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum			
4.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	800.00				
4.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m ³	605.00				
4.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m ³	405.00				
4.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	405.00				
4.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	360.00				
4.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as	m³	17.00				
4.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00				
	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days. Supplying, fabricating reinforcement as per the drawing	m ²	500.00				
	(T20mm & T12mm) Dowel bars 20mm Dia(150mm inside the caping beam 150	Nos	8.00				
	mm inside the slab wraping with poleytheen) at the 450mm intervals						

4.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50		
4.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00		1
4.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00		
4.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose volume).	m ³	3.00		
4.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form work	Nos	6.00		
4.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00		1
4.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00		7
	MISCELLANEOUS				7
4.20	Cutting branches and trunks and uprooting trees (1 palmyrah tree having girth 1.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	Item		
	TOTAL FOR LANE 4 CARRIED TO SUMMARY]

	Bill No 5 : 5th Lane (Length : 400m)							
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)			
	CONSTRUCTION OF GRAVEL SURFACING ROAD							
5.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum				
5.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum				
5.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	800.00					
5.04	Cutting and forming deep drain using excavator to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform. Machine hours shalle be measured and paid	Hrs	10.00					
5.05	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid according to the pile	m³	585.00					
5.06	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	405.00					
5.07	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	405.00					
5.08	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	360.00					
	MISCELLANEOUS							
5.09	Cutting branches and trunks and uprooting trees (1 palmyrah trees having girth 2.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	Item					
	TOTAL FOR LANE 5 CARRIED TO SUMMARY							





Renovation and Graveling of 2nd, 3rd, 4th & 5th Lanes at Keppapilavu, Maritimepatru DS Division under Support To Sustainable Resettlement in Sri Lanka' Project in the Mullaitivu

DRAWING TITLE	DETAIL OF BOX CULVERT	
DRAWN	S.M.	
CHECKED	A.T.	
DATE	20.11.2018	
SCALE	NTS	
DRAWING NO	UNDP/MT/KP/BXC/001 REV. NO	


LOT 2 Bill No - 1 : Preliminaries					
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	<u>PRELIMINARIES</u>				
1.01	Allow Sum for providing a Performance Security	Item	Allow	Sum	
1.02	Pro Sum for Insurance of Works, Machinery & Equipment, Plant, Matrerials, third party persons & property and Employer's personnel & property at site as per contract	Item	Pro sum	Sum	13,000.00
1.03	Pro Sum for Insurance against accidentsand injury to Contractor's personnel as per the contract	Item	Pro sum	Sum	8,000.00
1.04	Allow Sum for site office for consultant - staff including necessary furniture, electricity, water & sanitary facilities to the approval of Engineer.	Item	Allow	Sum	
1.05	Allow Sum for providing and maintaining a first aid box and regular supply of medicine, linen etc.	Item	Allow	Sum	
1.06	Allow Sum for all cost in connection with preparing samples for testing, making arrangemnts for testing of mataerials, goods etc., as stipulated in the specification, obtaining test reports and submitting the same to the Engineer.	Item	Allow	Sum	
1.08	Allow Sum for providing all necessary safety measures to workmen at site such as helmets, gloves, safety masks, dusk masks, eye goggles, boots etc. conforming to the latest industrial safety regulations and as derected by the Engineer.	Item	Allow	Sum	
1.09	Supplying and fixing Name board 1.2m x 0.9m in dimension with 2nos 4.5m long 32mm dia G.I pipe to the approval of Engineer.	Item	Allow	Sum	
	TOTAL FOR PRELIMINARIES CARRIED TO SUMMARY				


Bill No - 2: 7th Lane - Pillayar Kovil Lane (Length - 500m) TEM # **DESCRIPTION** OTY UNIT Rate Amount (Rs.) CONSTRUCTION OF GRAVEL SURFACING ROAD Allow for testing CBR, Compaction test for Gravel as direct by 2.01 Item Allow Sum Engineer. Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Item Allow Sum cutting side drains to proper side & gradient. All excavated earth 2.03 1,000.00 m form the drain to be used for levelling & raising road platform Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas m^3 800.00 loose volume will be measured and paid accoring to the pile Supplying and transporting type I soil (Gravel) to the site m^3 (Compacted Volume). Measurement will be done according to 504.00 the pile measurement. Placing and spreading of type I soil (Gravel) (Compacted **Volume)** on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. m^3 504.00 (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete Turfing for Shoulder slop portion as per directed (Rate $m^2 \\$ 450.00 including watering & Maintaining Ture For Three Months) CONSTRUCTION OF OF RETAINING WALL (20m) 2.08 Excavation in ordinary soil for column and wall foundation 42.00 footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed. Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 79.00 Mix as per drawing Mixing & laying cement base concrete1:3:6 (25mm) 7.00 2.10 m^3 2.11 Rendering 20 mm thick with 1:3 cement sand mortor exposed m2 123.00 surface. Casting standard type guard stone in concrete [1:2:4(19 mm)] Nos 13.00 rate shall include for reinfocement as shown and necessary form 2.13 Dewatering using 3" Kerosine pump or sludge pump. 40.00 Hrs CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME PIPE CULVERT 2.14 Excavation for foundation including back filling and well rammed m3 2.40 as directed 2.15 | 150mm Lean Concrete 1:3:6(25mm) for foundation base and m3 1.00 Collar base. Rate shall include form work 1:2:4(19mm) concrete for Collar Joint. Rate shall include form 0.20 m3 2.17 150mm - 225 mm RR masanory in 1:5 cement motor in m3 4.00 foundation and super structure including transport 2.18 Supplying and laying 600mm Dia Hump pipe rate including Lm 4.88 transporting and Collar 16mm thick 1:3 cement motor rough plastering to wall 12.00 m2 2.20 White washing to wall Two coats m2 12.00 Approved hard earth (Gravel) fill spread watered and well 5.00 m3 rammed in 3" layers and consolidated **TOTAL FOR LANE 7 CARRIED TO SUMMARY**

Bill No - 3:8th Lane (Length - 350m) ITEM # DESCRIPTION QTY UNIT Rate Amount (Rs.) CONSTRUCTION OF GRAVEL SURFACING ROAD Allow for testing CBR, Compaction test for Gravel as direct by 3.01 Item Allow Sum Allow for site clearing, including removal of roots and growth & 3.02 burning and trimming to make even surface to satisfaction of the Item Allow Sum Engineer cutting side drains to proper side & gradient. All excavated earth 3.03 700.00 m form the drain to be used for levelling & raising road platform Supplying and spreading approved earth to base of road rate 3.04 including transport, piling and necessary filling to low level areas m^3 520.00 loose volume will be measured and paid accoring to the pile Supplying and transporting type I soil (Gravel) to the site m^3 3.05 (Compacted Volume). Measurement will be done according to 355.00 the pile measurement. Placing and spreading of type I soil (Gravel) (Compacted **Volume)** on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. $m^3 \\$ 355.00 (8-10 tons) Measurement will be done according to the pile measurement, compaction test to be done and results to be produced before placing the concrete Turfing for Shoulder slop portion as per directed (Rate m^2 315.00 including watering & Maintaining Ture For Three Months) CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME PIPE CULVERT 3.08 Excavation for foundation including back filling and well rammed 2.40 as directed 3.09 150mm Lean Concrete 1:3:6(25mm) for foundation base and 1.00 m3 Collar base. Rate shall include form work 3.10 1:2:4(19mm) concrete for Collar Joint. Rate shall include form m3 0.20 3.11 150mm - 225 mm RR masanory in 1:5 cement motor in m3 4.00 foundation and super structure including transport 3.12 Supplying and laying 600mm Dia Hump pipe rate including Lm 4.88 transporting and Collar 3.13 16mm thick 1:3 cement motor rough plastering to wall 12.00 m2 12.00 3.14 White washing to wall Two coats m2 3.15 Approved hard earth (Gravel) fill spread watered and well m3 5.00 rammed in 3" layers and consolidated MISCELLANEOUS 3.16 Cutting branches and trunks and uprooting trees (2 palmyrah Item Item trees having girth 2.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the TOTAL FOR LANE 8 CARRIED TO SUMMARY


Bill No - 4:9th Lane (Length: 300m)


<u> </u>	Bill NO - 4 . 5til Lalle (Length . 500m)						
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)		
	CONSTRUCTION OF GRAVEL SURFACING ROAD						
4.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum			
4.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum			
4.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	600.00				
4.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m ³	450.00				
4.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m ³	305.00				
4.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m ³	305.00				
4.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m ²	270.00				
	CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME						
	PIPE CULVERT						
	Excavation for foundation including back filling and well rammed as directed	m3	2.40				
4.09	150mm Lean Concrete 1:3:6(25mm) for foundation base and Collar base. Rate shall include form work	m3	1.00				
4.10	1:2:4(19mm) concrete for Collar Joint. Rate shall include form	m3	0.20				
4.11	150mm - 225 mm RR masanory in 1:5 cement motor in foundation and super structure including transport	m3	4.00				
4.12	Supplying and laying 600mm Dia Hump pipe rate including transporting and Collar	Lm	4.88				
4.13	16mm thick 1:3 cement motor rough plastering to wall	m2	12.00				
4.14	White washing to wall Two coats	m2	12.00				
4.15	Approved hard earth (Gravel) fill spread watered and well rammed in 3" layers and consolidated	m3	5.00				
	MISCELLANEOUS						
4.16	Cutting branches and trunks and uprooting trees (4 palmyrah trees having girth 1.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the	Item	ltem				
	TOTAL FOR REPAIRS OF BOX CULVERT AT CARRIED TO SUMMARY						






DETAIL OF PIPE JOINTS






Renovation and Graveling of 7th, 8th & 9th Lanes at Keppapilavu, Maritimepatru DS Division under Support To Sustainable Resettlement in Sri Lanka' Project in the Mullaitivu

DRAWING TITLE	DETAIL OF 600mm DIA CULVERT			
DRAWN	S.M.			
CHECKED	A.T.			
DATE	20.11.2018			
SCALE	NTS			
DRAWING NO	UNDP/MT/KP/HPC/001 REV. NO			



RETAINING WALL
TYPE - RW1
Height :- 2.0m - 2.6m



|---350---| -WEEP HOLE INLET FILTER 90mm PVC DRAIN PIPE -110mm RUBBLE 3.0m SPACING STAGGERED-12mm - 25mm AGGREGATE (SLOPE 1:50)-(MIN. 75mm THICK LAYER) -RIVER SAND -RANDOM RUBBLE MASONRY WITH 1:5 MORTAR -1:3:6(25) CONCRETE

RETAINING WALL
TYPE - RW2
Height :- 1.2m - 1.9m



Renovation and Graveling of 7th, 8th & 9th Lanes at Keppapilavu, Maritimepatru DS Division under Support To Sustainable Resettlement in Sri Lanka' Project in the Mullaitivu

DRAWING TITLE	DETAIL OF RETAINING WALL			
DRAWN	S.M.			
CHECKED	A.T.			
DATE	20.11.2018			
SCALE	NTS			
DRAWING NO	UNDP/MT/KP/RW/001	REV. NO		

Section 5b: Other Related Requirements

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfillment of the requirements:

Payment Terms (max. advanced payment is 20% as per UNDP policy)	Payments shall be made on measure and pay basis for the activities upon submission of invoices for progress payments of the activities. Such invoices for progress payments shall not be less than 20% of the total contract value or the following activities upon completion of the activities.
Conditions for Release of Payment	☐ Written Acceptance of service based on full compliance
	with ITB requirements .

Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to forms of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have you duly completed all the Returnable Bidding Forms?	
Form A: Bid Submission Form	
 Form B: Bidder Information Form 	
 Form C: Joint Venture/Consortium/ Association Information Form 	
 Form D: Qualification Form 	
 Form E: Format of Technical Bid/Bill of Quantities 	
From G: Form of Bid Security	
[Add other forms as necessary]	
Have you provided the required documents to establish compliance with the evaluation criteria in Section 4?	

Price Schedule:

-	Form F: Price Schedule Form	
---	-----------------------------	--

Form A: Bid Submission Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	[Insert ITB Reference Number]		

We, the undersigned, offer to supply the goods and related services required for [Insert Title of goods and services] in accordance with your Invitation to Bid No. [Insert ITB Reference Number] and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name:		
Title:	 	
Date:		

Signature:	

[Stamp with official stamp of the Bidder]

Form B: Bidder Information Form

Legal name of Bidder	[Complete]			
Legal address	[Complete]			
Year of registration	[Complete]			
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]			
Are you a UNGM registered vendor?	\square Yes \square No If yes, [insert UGNM vendor number]			
Are you a UNDP vendor?	☐ Yes ☐ No If yes, [insert UNDP vendor number]			
Countries of operation	[Complete]			
No. of full-time employees	[Complete]			
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]			
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]			
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]			
Does your organization demonstrates significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]			
Is your company a member of the UN Global Compact	[Complete]			

Contact person that UNDP may contact for requests for clarifications during Bid evaluation

Please attach the following documents:

Name and Title: [Complete]

Telephone numbers: [Complete]

Email: [Complete]

- Company Profile, which should <u>not</u> exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods and/or services being procured
- Certificate of Incorporation/ Business Registration
- Tax Registration/Payment Certificate issued by the Internal Revenue Authority evidencing that the Bidder is updated with its tax payment obligations, or Certificate of Tax exemption, if any such privilege is enjoyed by the Bidder
- Trade name registration papers, if applicable
- Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any
- Environmental Compliance Certificates, Accreditations, Markings/Labels, and other evidences of the Bidder's practices which contributes to the ecological sustainability and reduction of adverse environmental impact (e.g., use of non-toxic substances, recycled raw materials, energy-efficient equipment, reduced carbon emission, etc.), either in its business practices or in the goods it manufactures
- Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder
- Certification or authorization to act as Agent on behalf of the Manufacturer, or Power of Attorney.
- Export Licenses, if applicable
- Local Government permit to locate and operate in assignment location, if applicable
- Official Letter of Appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country

Form C: Joint Venture/Consortium/Association Information Form

Name	e of Bidder:	[Insert Name of Bio	dder]			Date:	Select date	
ITB reference: [Insert ITB Reference Number]								
To be	To be completed and returned with your Bid if the Bid is submitted as a Joint Venture/Consortium/Association.							
No	No Name of Partner and contact information (address telephone numbers, fax numbers, e-mail address)			address,		pe of go	tion of respor oods and/or s performed	
1	[Complete]				[Complete]			
2	[Complete]				[Complete]			
3	[Complete]				[Complete]			
Association the evaluation contraction.	iation during the levent a Contract is act execution) ve attached a co	the JV, Consortium, TB process and, in awarded, during opy of the below resche confirmation of j		cument				
We he	reby confirm tha	orm a joint venture It if the contract is a I liable to UNDP for		oarties c	of the Joint V	enture/		
Name	e of partner:			Name	of partner: _			
Signature:			Signat	ure:				
Date:				Date: _				
Name of partner:				Name	of partner: _			
Signature:			Signat	ure:				

Form D: Eligibility and Qualification Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	[Insert ITB Reference Number]		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

□Non-performing contracts did not occur during the last 3 years			
☐ Contract	(s) not performed in	the last 3 years	
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value in US\$)
		Name of Client: Address of Client: Reason(s) for non-performance:	

Litigation History (including pending litigation)

□ No litigation history for the last 3 years				
☐ Litigation	n History as indicated	d below		
Year of dispute	Amount in dispute (in US\$)	Contract Identification	Total Contract Amount (current value in US\$)	
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:		

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 3 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of

the Bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken

Bidders may also attach their own Project Data Sheets with more details for assignments above.

☐ Attached are the Statements of Satisfactory Performance from the Top 3 (three) Clients or more.

Financial Standing

Annual Turnover for the last 3 years	Year Year Year	LKR LKR LKR
Latest Credit Rating (if any), indicate the source		

Financial information (in US\$ equivalent)	Historio	information for the last	: 3 years
	Year 1	Year 2	Year 3
	Information from Balance Sheet		
Total Assets (TA)			
Total Liabilities (TL)			
Current Assets (CA)			
Current Liabilities (CL)			
	Info	rmation from Income State	ment
Total / Gross Revenue (TR)			
Profits Before Taxes (PBT)			
Net Profit			
Current Ratio			

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	[Insert ITB Reference Number]		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- 2.5 Demonstrate how you plan to integrate sustainability measures in the execution of the contract.

SECTION 3: Management Structure and Key Personnel

- 3.1 Describe the overall management approach toward planning and implementing the project. Include an organization chart for the management of the project describing the relationship of key positions and designations. Provide a spreadsheet to show the activities of each personnel and the time allocated for his/her involvement.
- 3.2 Provide CVs for key personnel that will be provided to support the implementation of this project using the format below. CVs should demonstrate qualifications in areas relevant to the scope of goods and/or services.

Format for CV of Proposed Key Personnel

Name of Personnel	[Insert]
Position for this assignment	[Insert]
Nationality	[Insert]
Language proficiency	[Insert]
Education/	[Summarize college/university and other specialized education of personnel member, giving names of schools, dates attended, and degrees/qualifications obtained.]
Qualifications	[Insert]
Professional Professional certifications relevant to the scope of goods and certifications Name of institution: [Insert]	
Employment Record/ Experience	[List all positions held by personnel (starting with present position, list in reverse order), giving dates, names of employing organization, title of position held and location of employment. For experience in last five years, detail the type of activities performed, degree of responsibilities, location of assignments and any other information or professional experience considered pertinent for this assignment.]
	[Insert]
	[Provide names, addresses, phone and email contact information for two (2) references]
References	Reference 1: [Insert]
	Reference 2: [Insert]

I, the undersigned, certify that to the best of describes my qualifications, my experiences, ar	f my knowledge and belief, the data provided above correctly nd other relevant information about myself.
Signature of Personnel	 Date (Day/Month/Year)

Governance for Local Economic Development Programme

BOQ-SUMMARY SHEET	
-------------------	--

	Renovation and Gravelling of 2nd, 3rd, 4th & 5th Lanes at Keppapilavu, Maritimepatru DS Division under Support to Sustainable Resettlement in Sri Lanka' Project in the Mullaitivu
PROJECT LOCATION	Kepapilavu GN, Maritime Patru DS division
DISTRICT	Mullaitivu

BILL NO	DESCRIPTION	SUB TOTAL (SLRS)
1	PRELIMINARIES	
2	2ND LANE	
3	3RD LANE	
4	4TH LANE	
5	5TH LANE	
Sub Total 1 (Total of 2+3+4+5) (without add pro sum)		
Ddt - Discount% (if any) for Sub Total 1		
	Sub Total 2 (Pro sum + 2+3+4+5-Discount)	
	10% of Physical Contingencies of Sub Total 2	
Esti	mated Amount (Sub Toatal 2+10% Contingencies)	
	Estimated Amount (without VAT)	

Total Bid Price (Amount in words):
Contractor's Name:
Signature:
Address:
Date:

	LOT 1 Bill No 1: Preliminaries					
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)	
	<u>PRELIMINARIES</u>					
1.01	Allow Sum for providing a Performance Security	Item	Allow	Sum		
1.02	Pro Sum for Insurance of Works, Machinery & Equipment, Plant, Matrerials, third party persons & property and Employer's personnel & property at site as per contract	Item	Pro. sum	Sum	15,000.00	
1.03	Pro Sum for Insurance against accidentsand injury to Contractor's personnel as per the contract	Item	Pro. sum	Sum	10,000.00	
1.04	Allow Sum for site office for consultant - staff including necessary furniture, electricity, water & sanitary facilities to the approval of Engineer.	Item	Allow	Sum		
1.05	Allow Sum for providing and maintaining a first aid box and regular supply of medicine, linen etc.	Item	Allow	Sum		
1.06	Allow Sum for all cost in connection with preparing samples for testing, making arrangemnts for testing of mataerials, goods etc., as stipulated in the specification, obtaining test reports and submitting the same to the Engineer.	Item	Allow	Sum		
1.08	Allow Sum for providing all necessary safety measures to workmen at site such as helmets, gloves, safety masks, dusk masks, eye goggles, boots etc. conforming to the latest industrial safety regulations and as derected by the Engineer.	Item	Allow	Sum		
1.09	Supplying and fixing Name board 1.2m x 0.9m in dimension with 2nos 4.5m long 32mm dia G.I pipe to the approval of Engineer.	Item				
	TOTAL FOR PRELIMINARIES CARRIED TO SUMMARY					

	Bill No 2: 2nd Lane (Length -	33011	1		
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	CONSTRUCTION OF GRAVEL SURFACING ROAD				
2.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum	
2.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum	
2.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	1,100.00		
2.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m³	595.00		
2.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	555.00		
2.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	555.00		
2.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	495.00		
	CONSTRUCTION OF OF BOX CULVERT				
2.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed.	m ³	17.00		
2.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00		
2.10	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days.		11.00		
2.11	Supplying , fabricating reinforcement as per the drawing (T20mm & T12mm)	Kg	500.00		
2.12	Dowel bars 20mm Dia(150mm inside the caping beam 150 mm inside the slab wraping with poleytheen) at the 450mm intervals	Nos	8.00		
2.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50		
2.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00		
2.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00		
2.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose	m ³	3.00		
2.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form	Nos	6.00		
2.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00		
2.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00		
	TOTAL FOR LANE 2 CARRIED TO SUMMARY				

Bill No 3: 3rd Lane (Length - 410m)

	Bill No 3: 3rd Lane (Length - 410m)							
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)			
	CONSTRUCTION OF GRAVEL SURFACING ROAD							
3.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum				
3.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum				
3.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road	m	820.00					
	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the	m³	610.00					
3.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	415.00					
3.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete		415.00					
3.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	370.00					
	CONSTRUCTION OF OF BOX CULVERT							
3.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed.	m ³	17.00					
3.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00					
3.10	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days.	m ²	11.00					
3.11	Supplying , fabricating reinforcement as per the drawing (T20mm & T12mm)	Kg	500.00					
	Dowel bars 20mm Dia(150mm inside the caping beam 150 mm inside the slab wraping with poleytheen) at the 450mm intervals	Nos	8.00					
3.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50					
3.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00					

3.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00	
3.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose volume).	m ³	3.00	
3.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form work	Nos	6.00	
3.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00	
3.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00	
	MISCELLANEOUS			
3.20	Cutting branches and trunks and uprooting trees (2 Neem trees & 1 Annicham tree having 1.2m girth approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	ltem	
	TOTAL FOR LANE 3 CARRIED TO SUMMARY			

Bill No 4: 4th Lane (Length: 400m)

	Bill No 4 : 4th Lane (Length : 400m)								
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)				
	CONSTRUCTION OF GRAVEL SURFACING ROAD								
4.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum					
4.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum					
4.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	800.00						
4.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m ³	605.00						
4.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m ³	405.00						
4.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	405.00						
4.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	360.00						
4.08	Excavation in ordinary soil for column and wall foundation footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as	m ³	17.00						
4.09	Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 Mix as per drawing	m ³	15.00						
	Timber shuttering to the culvert slab in 25mm thick timber planks or 15mm thick plywood sheet and 50 * 100 timber joist (500mm), bearers and minimum 50mm dia timber or steel probs (500mm intervals both ways) to hold in position props to be braced properly. All timber shall be class 11 or greater. Rate shall include for fixing, nailing, proping and strinking after the engineer's instruction minimum 21 days. Supplying, fabricating reinforcement as per the drawing	m ²	500.00						
	(T20mm & T12mm) Dowel bars 20mm Dia(150mm inside the caping beam 150	Nos	8.00						
	mm inside the slab wraping with poleytheen) at the 450mm intervals								

4.13	Mixing & laying cement base concrete1:3:6 (25mm)	m^2	1.50		
4.14	Mixing & laying cement concrete1:2:4 (19mm)	m^3	4.00		1
4.15	Rendering 20 mm thick with 1:3 cement sand mortor exposed surface.	m2	3.00		
4.16	Approvel soil (Type I) Excavation using machinery for bases & shoulder construction including loading and piling (Loose volume).	m ³	3.00		
4.17	Casting standard type guard stone in concrete [1:2:4(19 mm) rate shall include for reinfocement as shown and necessary form work	Nos	6.00		
4.18	White washing: two coats to , Guide/Guard Stone.	Nos	6.00		1
4.19	Dewatering using 3" Kerosine pump or sludge pump.	Hrs	20.00		7
	MISCELLANEOUS				7
4.20	Cutting branches and trunks and uprooting trees (1 palmyrah tree having girth 1.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	Item		
	TOTAL FOR LANE 4 CARRIED TO SUMMARY]

	Bill No 5 : 5th Lane (Lengt	h : 40	0m)		
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	CONSTRUCTION OF GRAVEL SURFACING ROAD				
5.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum	
5.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum	
5.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	800.00		
5.04	Cutting and forming deep drain using excavator to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform. Machine hours shalle be measured and paid	Hrs	10.00		
5.05	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid according to the pile	m³	585.00		
5.06	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m³	405.00		
5.07	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m³	405.00		
5.08	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m^2	360.00		
	MISCELLANEOUS				
5.09	Cutting branches and trunks and uprooting trees (1 palmyrah trees having girth 2.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the RDS Office	Item	Item		
	TOTAL FOR LANE 5 CARRIED TO SUMMARY				

Governance for Local Economic Development Programme

BOQ-SUMMARY SHEET

PROJECT TITLE	Renovation and Gravelling of 7th, 8th & 9th Lanes at Keppapilavu, Maritimepatru DS Division under Support to Sustainable Resettlement in Sri Lanka' Project in the Mullaitivu
PROJECT LOCATION	Kepapilavu GN, Maritime Patru DS division
DISTRICT	Mullaitivu

BILL NO	DESCRIPTION	SUB TOTAL (SLRS)
1	PRELIMINARIES	
2	7TH LANE	
3	8TH LANE	
4	9TH LANE	
S	ub Total 1 (Total of 2+3+4) (without add pro sum)	
	Ddt - Discount% (if any) for Sub Total 1	
	Sub Total 2 (Pro sum + 2+3+4-Discount)	
	10% of Physical Contingencies of Sub Total 2	
Esti	mated Amount (Sub Toatal 2+10% Contingencies)	
	Estimated Amount (without VAT)	

Total bid Price (Amount in words):
Contractor's Name:
Signature:
Address:
Date:

	LOT 2 Bill N	lo - 1 :	: Prelimina	ries	
ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	<u>PRELIMINARIES</u>				
1.01	Allow Sum for providing a Performance Security	Item	Allow	Sum	
1.02	Pro Sum for Insurance of Works, Machinery & Equipment, Plant, Matrerials, third party persons & property and Employer's personnel & property at site as per contract	Item	Pro sum	Sum	13,000.00
1.03	Pro Sum for Insurance against accidentsand injury to Contractor's personnel as per the contract	Item	Pro sum	Sum	8,000.00
1.04	Allow Sum for site office for consultant - staff including necessary furniture, electricity, water & sanitary facilities to the approval of Engineer.	Item	Allow	Sum	
1.05	Allow Sum for providing and maintaining a first aid box and regular supply of medicine, linen etc.	Item	Allow	Sum	
1.06	Allow Sum for all cost in connection with preparing samples for testing, making arrangemnts for testing of mataerials, goods etc., as stipulated in the specification, obtaining test reports and submitting the same to the Engineer.	Item	Allow	Sum	
1.08	Allow Sum for providing all necessary safety measures to workmen at site such as helmets, gloves, safety masks, dusk masks, eye goggles, boots etc. conforming to the latest industrial safety regulations and as derected by the Engineer.	Item	Allow	Sum	
1.09	Supplying and fixing Name board 1.2m x 0.9m in dimension with 2nos 4.5m long 32mm dia G.I pipe to the approval of Engineer.	Item	Allow	Sum	
	TOTAL FOR PRELIMINARIES CARRIED TO SUMMARY				

Bill No - 2: 7th Lane - Pillayar Kovil Lane (Length - 500m) TEM # **DESCRIPTION** OTY UNIT Rate Amount (Rs.) CONSTRUCTION OF GRAVEL SURFACING ROAD Allow for testing CBR, Compaction test for Gravel as direct by 2.01 Item Allow Sum Engineer. Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Item Allow Sum cutting side drains to proper side & gradient. All excavated earth 2.03 1,000.00 m form the drain to be used for levelling & raising road platform Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas m^3 800.00 loose volume will be measured and paid accoring to the pile Supplying and transporting type I soil (Gravel) to the site m^3 (Compacted Volume). Measurement will be done according to 504.00 the pile measurement. Placing and spreading of type I soil (Gravel) (Compacted **Volume)** on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. m^3 504.00 (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete Turfing for Shoulder slop portion as per directed (Rate $m^2 \\$ 450.00 including watering & Maintaining Ture For Three Months) CONSTRUCTION OF OF RETAINING WALL (20m) 2.08 Excavation in ordinary soil for column and wall foundation 42.00 footing not exceeding 1500mm deep from existing ground level except rock requiring blasting. Rate shall include for compacting the bottom of excavation, part return fill to excavation and rammed, surplus disposed off site as directed. Randam rubble masonry 150-225 mm rubble in sand mortor 1:6 79.00 Mix as per drawing Mixing & laying cement base concrete1:3:6 (25mm) 7.00 2.10 m^3 2.11 Rendering 20 mm thick with 1:3 cement sand mortor exposed m2 123.00 surface. Casting standard type guard stone in concrete [1:2:4(19 mm)] Nos 13.00 rate shall include for reinfocement as shown and necessary form 2.13 Dewatering using 3" Kerosine pump or sludge pump. 40.00 Hrs CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME PIPE CULVERT 2.14 Excavation for foundation including back filling and well rammed m3 2.40 as directed 2.15 | 150mm Lean Concrete 1:3:6(25mm) for foundation base and m3 1.00 Collar base. Rate shall include form work 1:2:4(19mm) concrete for Collar Joint. Rate shall include form 0.20 m3 2.17 150mm - 225 mm RR masanory in 1:5 cement motor in m3 4.00 foundation and super structure including transport 2.18 Supplying and laying 600mm Dia Hump pipe rate including Lm 4.88 transporting and Collar 16mm thick 1:3 cement motor rough plastering to wall 12.00 m2 2.20 White washing to wall Two coats m2 12.00 Approved hard earth (Gravel) fill spread watered and well 5.00 m3 rammed in 3" layers and consolidated **TOTAL FOR LANE 7 CARRIED TO SUMMARY**

Bill No - 3:8th Lane (Length - 350m) ITEM # DESCRIPTION QTY UNIT Rate Amount (Rs.) CONSTRUCTION OF GRAVEL SURFACING ROAD Allow for testing CBR, Compaction test for Gravel as direct by 3.01 Item Allow Sum Allow for site clearing, including removal of roots and growth & 3.02 burning and trimming to make even surface to satisfaction of the Item Allow Sum Engineer cutting side drains to proper side & gradient. All excavated earth 3.03 700.00 m form the drain to be used for levelling & raising road platform Supplying and spreading approved earth to base of road rate 3.04 including transport, piling and necessary filling to low level areas m^3 520.00 loose volume will be measured and paid accoring to the pile Supplying and transporting type I soil (Gravel) to the site m^3 3.05 (Compacted Volume). Measurement will be done according to 355.00 the pile measurement. Placing and spreading of type I soil (Gravel) (Compacted **Volume)** on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. $m^3 \\$ 355.00 (8-10 tons) Measurement will be done according to the pile measurement, compaction test to be done and results to be produced before placing the concrete Turfing for Shoulder slop portion as per directed (Rate m^2 315.00 including watering & Maintaining Ture For Three Months) CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME PIPE CULVERT 3.08 Excavation for foundation including back filling and well rammed 2.40 as directed 3.09 150mm Lean Concrete 1:3:6(25mm) for foundation base and 1.00 m3 Collar base. Rate shall include form work 3.10 1:2:4(19mm) concrete for Collar Joint. Rate shall include form m3 0.20 3.11 150mm - 225 mm RR masanory in 1:5 cement motor in m3 4.00 foundation and super structure including transport 3.12 Supplying and laying 600mm Dia Hump pipe rate including Lm 4.88 transporting and Collar 3.13 16mm thick 1:3 cement motor rough plastering to wall 12.00 m2 12.00 3.14 White washing to wall Two coats m2 3.15 Approved hard earth (Gravel) fill spread watered and well m3 5.00 rammed in 3" layers and consolidated MISCELLANEOUS 3.16 Cutting branches and trunks and uprooting trees (2 palmyrah Item Item trees having girth 2.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the TOTAL FOR LANE 8 CARRIED TO SUMMARY

Bill No - 4:9th Lane (Length: 300m)

ITEM #	DESCRIPTION	QTY	UNIT	Rate	Amount (Rs.)
	CONSTRUCTION OF GRAVEL SURFACING ROAD				
4.01	Allow for testing CBR, Compaction test for Gravel as direct by Engineer.	Item	Allow	Sum	
4.02	Allow for site clearing, including removal of roots and growth & burning and trimming to make even surface to satisfaction of the Engineer	Item	Allow	Sum	
4.03	cutting side drains to proper side & gradient. All excavated earth form the drain to be used for levelling & raising road platform	m	600.00		
4.04	Supplying and spreading approved earth to base of road rate including transport, piling and necessary filling to low level areas loose volume will be measured and paid accoring to the pile	m ³	450.00		
4.05	Supplying and transporting type I soil (Gravel) to the site (Compacted Volume). Measurement will be done according to the pile measurement.	m ³	305.00		
4.06	Placing and spreading of type I soil (Gravel) (Compacted Volume) on the road including watering and compaction by mechinary using motor grader (120-140 HP) and vibrater roller. (8-10 tons) Measurement will be done according to the pile measurement. compaction test to be done and results to be produced before placing the concrete	m ³	305.00		
4.07	Turfing for Shoulder slop portion as per directed (Rate including watering & Maintaining Ture For Three Months)	m ²	270.00		
	CONSTRUCTION OF A 600mm DIA 4.88m LONG SINGLE ROW HUME				
4.00	PIPE CULVERT	0	2.40		
4.08	Excavation for foundation including back filling and well rammed as directed	m3	2.40		
4.09	150mm Lean Concrete 1:3:6(25mm) for foundation base and Collar base. Rate shall include form work	m3	1.00		
4.10	1:2:4(19mm) concrete for Collar Joint. Rate shall include form	m3	0.20		
4.11	150mm - 225 mm RR masanory in 1:5 cement motor in foundation and super structure including transport	m3	4.00		
4.12	Supplying and laying 600mm Dia Hump pipe rate including transporting and Collar	Lm	4.88		
4.13	16mm thick 1:3 cement motor rough plastering to wall	m2	12.00		
4.14	White washing to wall Two coats	m2	12.00		
4.15	Approved hard earth (Gravel) fill spread watered and well rammed in 3" layers and consolidated	m3	5.00		
	MISCELLANEOUS				
4.16	Cutting branches and trunks and uprooting trees (4 palmyrah trees having girth 1.0m approximately) the remains cleared away as per directed and usable logs to be handed over to the	Item	ltem		
	TOTAL FOR REPAIRS OF BOX CULVERT AT CARRIED TO SUMMARY				

FORM G: Form of Bid Security

Bid Security must be issued using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made on this template.

To: Resident Representative UNDP 202-204, Bauddhaloka Mawatha, Colombo 7

WHEREAS [Name and address of Bidder] (hereinafter called "the Bidder") has submitted a Bid to UNDP dated Click here to enter a date. to execute goods and/or services [Insert Title of Goods and/or Services] (hereinafter called "the Bid"):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security if the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bids;
- c) Fails to comply with UNDP's variation of requirement, as per ITB instructions; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid up to 30 days after the final date of validity of bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Signature:	 	
Name:	 	
Title:	 	
Date:	 	
Name of Bank _	 	
Address	 	

[Stamp with official stamp of the Bank]