

# NOTES

## KEY [POWER ACCESSORIES]

SYMBOL	DESCRIPTION
	13A SINGLE OR TWIN RECTANGULAR PIN SWITCHED SOCKET OUTLET TO BS1363 AS MEM 3127, 3128 OR EQUAL AND APPROVED
	15A ROUND PIN SWITCHED SOCKET OUTLET COMPLETE WITH PLASTIC MATCHING ROUND PIN TOP PLUG AS MEM 4037 OR EQUAL AND APPROVED
	20A DP FLUSH FUSED SWITCH WITH NEON LABELED "WATER HEATER", "AIR CONDITIONER", "HAND DRIER", ETC AS APPROPRIATE AS MEM2270 OR EQUAL AND APPROVED
	FLUSH MOUNTED FLOOR BOX WITH PVC CARPET FRAME, UNDER FLOOR CONDUITS COMPLETE WITH POWER, TELEPHONE, AND DATA OUTLETS AS LEGRAND-BATIR, CABSTRUT-GES4 OR MK.
	AUTOMATIC HAND DRIER WITH INFRA-RED SENSING TO HANDS PLACED AT AIR OUTLET, FINISHED IN ROBUST AND DURABLE SLIMLINE MOULDED CASE AS WANDSWORTH HD3 OR EQUAL AND APPROVED.
	DATA UNIVERSAL OUTLET TO IBM - AS LEGRAND
	ELECTRICAL DISTRIBUTION BOARD AS MEMGIARD RANGE [SEE ALSO DB SCHEDULES].
	200x50 3COMPARTMENT SKIRT LEVEL TRUNKING

## KEY [FIRE ALARM ACCESSORIES]

SYMBOL	DESCRIPTION
	FIRE ALARM CONTROL INDICATOR PANEL AS GENT, MENVIER OR EQUAL AND APPROVED [SEE SCHEMATIC DRAWINGS].
	300x300x150 DEEP FIRE ALARM FLUSH MOUNTED METAL DRAW BOX WITH REMOVABLE COVER
	MANUAL BREAK GLASS CALL POINT UNIT AS MENVIER, GENT OR EQUAL AND APPROVED.
	24VDC MIN 65dB(A) FIRE ALARM BELL SOUNDER RED CIRCUIT TYPE 850dBA AT 1M [MIN] AS MENVIER, GENT OR EQUAL AND APPROVED.
	PHOTOELECTRIC TYPE SMOKE DETECTOR OR SENSOR AS MENVIER, GENT OR EQUAL AND APPROVED.

## KEY [TELEPHONE ACCESSORIES]

SYMBOL	DESCRIPTION
	TELEPHONE DISTRIBUTION RECESSED STEEL BOX 300x300x150 DEEP WITH BACKING AND 25MM DIAMETER CONDUIT ENTRIES.
	TELEPHONE LINE JACK OUTLET AS MK422 WHITE RANGE.

REVISIONS		
NO:	DESCRIPTION	DATE

ARCHITECTS:



CHARTERED ARCHITECTS  
P.O. Box 32341  
Chichiri, Blantyre 3, MALAWI  
Tel: (+265) 993 911 027 Cell: 0 993 911 027  
email: archartlab@gmail.com

PROJECT TITLE:  
PROPOSED REFURBISHMENT TO EXISTING  
OFFICE BLOCK ON PLOT No.....ALONG  
INDEPENDENCE DRIVE - BLANTYRE

CLIENT  
NATIONAL REGISTRATION BUREAU

DRAWING TITLE:  
FLOOR PLAN POWER SERVICES  
LAYOUT

DRAWING NO:

NRB-BT/ E02

DRAWN BY: A. MATEWERE	CHECKED BY: A. MATEWERE	DATE: OCT.2018	SCALE: NTS
--------------------------	----------------------------	-------------------	---------------