UN-CITY auditoriums AV user-interface

This document outlines the principles of user interface for the remote control system.

The system is operated by the in-house technicians only and will be supplemented by direct control of the video matrix system, video processing system, the audio system and individual apparatus.

The final functionality and layout is subject to the approval of the user representative and project management

Main menu

Main menu
Select room set-up menu
Menu shows selected room configuration and allows access to the control menu for the selected room
Room set-up
Aud. 1
Aud. 2
Aud. 3
Aud. 1+2
Aud. 2+3
Aud. 1+2+3
Aud. 1+2+3 RC
i
Overflow
Light
Set-up
Select overflow menu
Select light menu
Touch panel set-up

Room set-up menu

Returns to main

Push graphic layout for preferred room configuration. Activates all related pre-sets when confirm is pushed



Presentation overflow menu

Returns to main

Routes selected room presentations to Press Room: Mirrors current presentations on Press Room flat screens and routes floor PA to Press Room PA when confirm is pushed



Lighting menu

Returns to main

Sets the default light preset which is called when the room is activated.



The following pages show the room control menus for Aud. 1 and Aud. 2+3 as an illustrative example.

Any room combination are to follow the same principles.

Presentation menu for selected room

Returns to main

Side-by-side selects dual PiP presentations, showing selected source.

S.I.: selects the video source for the monitors in the translation booths.

Audio: select which audio channel is routed to the PA. Last selected video source is default

Preview selects the video source to be shown on the comfort monitor

Switches to presentation menu for other rooms.
and labeling of of buttons in accordance with room set-up

The AV systems in the selected room is activated and de-activated here

Presentation menu for selected room

Returns to main

Single screen presentation shown.



Presentation menu for selected room

Returns to main

Dual selects individual presentations on left and right screens, showing selected source.

S.I.: selects the video source for the monitors in the translation booths.

Audio: select which audio channel is routed to the PA. Last selected video source is default

Preview selects the video source to be shown on the comfort monitor



Presentation menu for selected room

Returns to main

Single screen presentation shown.



Press Room menus



Returns to main



Self explanatory