

## Invitation To Bid (ITB)

Subject:	DATE: January 10, 2019
Supply, delivery and installation of automatic sprinkler system for the Central Medical Warehouse	REFERENCE: ITB UNDP HIST 41-2018
in Lusaka (MSL)	11 <b>D</b> UNDI 11151 41-2016

## **CLARIFICATIONS TO BIDDERS. Nr. 1**

Important: All bidders are kindly requested to take note of the following clarifications in response to enquiries

- 1. Is this tender local bidding or International Competitive bidding? Please clarify.
  - International Competition
- 2. Is Manufacturer authorization required? Please clarify.
  - Yes, it is required
- 3. Is it only online submission or hard copy also to be submitted? Please clarify.
  - We encourage bidders to submit their bids online to <u>pso.bidtender@undp.org</u>. Nevertheless, we accept hard copies within the stipulated time to the following address;

United Nations Development Programme UNDP, 4th floor Att. Procurement Support Office. Bid / Tender Unit Marmorvej 51, 2100. Copenhagen, Denmark

- 4. How many files should be sent at a time through this email. Please clarify and mention capacity of file for a single slot.
  - Please do not exceeded Max. File Size 4.5 Mb per transmission
- 5. Is JV allowed for this tender? Please clarify.
  - As per ITB;

<ol> <li>After the Deadline for Submission of Bid, the lead entity identified to represe the JV, Consortium or Association shall not be altered without the prior write consent of UNDP.</li> <li>The lead entity and the member entities of the JV, Consortium or Associati shall abide by the provisions of Clause 9 herein in respect of submitting only of Bid.</li> <li>The description of the organization of the JV, Consortium or Association m clearly define the expected role of each of the entities in the joint venture delivering the requirements of the ITB, both in the Bid and the JV, Consortium Association Agreement. All entities that comprise the JV, Consortium Association shall be subject to the eligibility and qualification assessment UNDP.</li> <li>A JV, Consortium or Association in presenting its track record and experier</li> </ol>	their ested ation ment rded 1 the mber
<ul> <li>shall abide by the provisions of Clause 9 herein in respect of submitting only of Bid.</li> <li>1.4 The description of the organization of the JV, Consortium or Association miclearly define the expected role of each of the entities in the joint venture delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium Association shall be subject to the eligibility and qualification assessment UNDP.</li> </ul>	
clearly define the expected role of each of the entities in the joint venture delivering the requirements of the ITB, both in the Bid and the JV, Consortiu or Association Agreement. All entities that comprise the JV, Consortium Association shall be subject to the eligibility and qualification assessment UNDP.	
1.5 A JV, Consortium or Association in presenting its track record and experier	re in tium n or
should clearly differentiate between:	ence
a) Those that were undertaken together by the JV, Consortium or Association and	tion;
b) Those that were undertaken by the individual entities of the JV, Consorting or Association.	tium
<ol> <li>Previous contracts completed by individual experts working privately but w are permanently or were temporarily associated with any of the member fir cannot be claimed as the experience of the JV, Consortium or Association those of its members, but should only be claimed by the individual exper themselves in their presentation of their individual credentials</li> <li>JV, Consortium or Associations are encouraged for high value, multi-secto requirements when the spectrum of expertise and resources required may not available within one firm.</li> </ol>	irms on or perts toral

6. Is this an existing racking structure to which you need to add in rack sprinklers?

This is a new rack installation for the in-rack sprinklers.

Yours sincerely, Procurement team, GF-HIST.