


TECHNICAL SPECIFICATION FOR  
THE FURNITURE OF THE  
MULTIFUNCTIONAL CENTER FOR  
ROMA AND EGYPTIANS IN  
PERMET

## Bed nr.01

**Dimensions :** 2000 mm × 900 mm × 850 mm

pieces 4



Bed consisting of:

- a) heads
- b) bottom
- c) sides
- d) base
- e) stairs

Bed is made of wooden material.

Bed specifications are given as follows.

. Union of elements such as bed side, heads and skirts made with soldering tip knitting for more security and well placed reinforcement metal or plastic angles. The contact of the bed with floor is made with plastic stoppers and upholstered furniture in case of relocation.


The color of of elements is cream will be shiny and additional element to the head of the bed will record it with gray.

Before you start production colors and accessories will be determined by the responsible person designated by investor. Output, Supply and Installation.

## Sidebed nr.02

**Dimensions :** 450 mm × 450 mm × 466 mm

pieces 4



Bedside is composed of:

- a) 1 box
- c) 2 Drawer

This type of bedside is suitable for the post of environment where it is placed and its dimensions and forms did not adhere to predetermined standards and norms.

Specifications are as follows:

Caps and drawer cupboard is with acrylic material. The internal structure of the material is melamine cupboard and will have the same color with the lid. Union of elements made with plastic or metal angles and screws. The structure carrying the cupboard is based on plastic corks for not damage the floor and upholstered furniture in case of relocation.

The color of the drawer will be shiny cream, the other parts will be colored with caps approximate. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.

### Table nr.03

**Dimensions :** 900 mm x 900mm × 720 mm

pieces 2



The desk is composed by:

- a) rectangle top
- b) Metallic skeleton

The top will be in laminated MDF with 32 mm width. The skeleton will be in metallic elements 30x30 mm. the metallic basement has a diameter of 500 mm. The perimeter of the top will be chamfered.

The connection of elements will be done with invisible accessories. The desk contact with the floor will be done with plastic tapes to avoid damages from humidity and strokes.


The color will be laminate cream. The skeleton will be in grey color. The colors and accessories will be chosen by the client authority person.

Manufacturing, Supply and Installation.

## Kitchen nr.04

**Dimensions :** 2530mm x 600mm x 2180mm

pieces 2



Kitchen is composed of:

- a) The lower part
- b) The top

Kitchen consisting of the lower and upper part, where their specifications are given as follows.

Covers and drawers are from acrylic material, where their borders are covered with P.V.C. The internal structure of the kitchen is melamine material and shall have the same color with the lidcovers. Union of elements is made with plastic or metal angles and screws. The structure carrying the lower part of the cuisine is based on 100 mm plastic legs and covered in the front. The structure of the upper part will be fixed in the walls. The other element is the kitchen bench with 40 mm thickness will be dark, to approximate the color of the tiles and make a rupture contrasts with the color of the covers.


The color of the drawer and covers will be shiny cream, the other parts will be colored as the covers. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.

## Wardrobe nr.05

**Dimensions :** 1600 mm × 500 mm × 2100 mm

pieces 2



Wardrobe is composed of:

- a) 2 box
- b) 4 covers
- c) 2 Drawer

Closet type of hanger closet, a shelf and a drawer switch. This type of closet is suitable for the post of environment where it is placed and its dimensions and forms did not adhere to predetermined standards and norms. Specifications are as follows: Caps and drawer cupboard is with acrylic material. The internal structure of the material is melamine cupboard and will have the same color with the lid. Union of elements made with plastic or metal angles and screws. The structure carrying the cupboard is based on plastic corks for not damage the floor and upholstered furniture in case of relocation.


The color of the drawer cap will be shiny cream, the other parts will be colored with caps approximate. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.

## Isle nr.06

**Dimensions :**

pieces 1



Isle is composed of:

a) The lower part

Isle consisting of the lower and upper part, where their specifications are given as follows.

Covers and drawers are from acrylic material, where their borders are covered with P.V.C. The internal structure of the Isle is melamine material and shall have the same color with the lidcovers. Union of elements is made with plastic or metal angles and screws. The structure carrying the lower part of the isle is based on 100 mm plastic legs and covered in the front. The other element is the isle bench with 40 mm thickness will be dark, to approximate the color of the tiles and make a rupture contrasts with the color of the covers.


The color of the drawer and covers will be shiny cream, the other parts will be colored as the covers. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.

## Kitchen nr.07

**Dimensions :**

pieces 1



Kitchen is composed of:

- a) The lower part
- b) The top

Kitchen consisting of the lower and upper part, where their specifications are given as follows.

Covers and drawers are from acrylic material, where their borders are covered with P.V.C. The internal structure of the kitchen is melamine material and shall have the same color with the lidcovers. Union of elements is made with plastic or metal angles and screws. The structure carrying the lower part of the cuisine is based on 100 mm plastic legs and covered in the front. The structure of the upper part will be fixed in the walls. The other element is the kitchen bench with 40 mm thickness will be dark, to approximate the color of the tiles and make a rupture contrasts with the color of the covers.


The color of the drawer and covers will be shiny cream, the other parts will be colored as the covers. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.

## Desk nr.08

**Dimensions :** 1000 mm × 720 mm

pieces 9



The desk is composed by:

- a) Circle top
- b) Metallic skeleton

The top will be in laminated MDF with 32 mm width. The skeleton will be in metallic elements 30x30 mm. the metallic basement has a diameter of 500 mm. The perimeter of the top will be chamfered.

The connection of elements will be done with invisible accessories. The desk contact with the floor will be done with plastic tapes to avoid damages from humidity and strokes.


The color will be laminate cream. The skeleton will be in grey color. The colors and accessories will be chosen by the client authority person.

Manufacturing, Supply and Installation.

### Podium nr.09

**Dimensions :** 800mm 400 mm × 1155 mm

pieces 1



The podium consists of:

- a) Rectangular structure open the chairs
- b) MDF structure of another color to shine as a counter


The podium is a conference podium type for conference room. This type of podium is placed in the training room / library space and dimensions and its shape is in keeping with the standards and pre-defined norms. The podium specifications are given below.

The cover of the podium is composed of M.D.F. painted with a thickness of 32 mm. The table holder structure is with M.D.F of the same color as the suprint. The supranas and the other parts must be zigzagged on all visible sides. The joining of the elements is made of plastic or metal edges and of the dimensions of the required parts. The color of all the elements will be brilliant. Before the production starts, the colors and accessories will be determined by the investor's responsible person. Manufacturing, Supply and Placement.

**Table nr.10**

**Dimensions :** 2400 mm 800 mm × 750 mm

pieces 1



The table consists of:

- a) Rectangular structure open the chairs with semicircular ends
- b) MDF structure of another color to shine as a counter

The desk is a conference table type conference room. This type of table is placed in the training room / library space and dimensions and its shape is in keeping with the standards and pre-defined norms. The table specifications are given below.

The cover of the table is composed of M.D.F. painted with a thickness of 32 mm. The table holder structure is with M.D.F of the same color as the suprint. The supranas and the other parts must be zigzagged on all visible sides. The joining of the elements is made of plastic or metal edges and of the dimensions of the required parts. The structure or legs of the table support over the plastic casing for damage to the floor or furniture in case of displacement.

The color of all the elements will be brilliant. Before the production starts, the colors and accessories will be determined by the investor's responsible person.

Manufacturing, Supply and Placement.

Technical drawing of a kitchen cabinet unit, showing a perspective view. The unit consists of 12 doors, each 45.0cm wide. The total width is 540.0cm. The height is 210.0cm. The depth is 65.0cm. The unit is divided into sections: 4 doors on the left, 4 doors in the middle, and 4 doors on the right. The doors are white with black handles. The unit is shown against a green background.

pieces 1

a) 7 box  
b) 2 covers

Specifications are as follows:


Caps is with acrylic material. The internal structure of the material is melamine cupboard and will have the same color with the lid. Union of elements made with plastic or metal angles and screws. The structure carrying the cupboard is based on plastic corks for not damage the floor and upholstered furniture in case of relocation. The color of the caps will be shiny cream, the other parts will be colored with caps approximate. Before you start production colors and accessories will be determined by the responsible person designated by the investor.

**Manufacturing, Supply and Installation.**

### Desk nr.12

**Dimensions :** 1400 × 940 × 750mm

pieces 8



The desk is composed from:

- a) Rectangular top
- b) Metallic skeleton

The top will be in laminated MDF with 32 mm width. The skeleton will be in metallic elements 30x30 mm. The perimeter of the top will be chamfered.

The connection of elements will be done with invisible accessories. The desk contact with the floor will be done with plastic tapes to avoid damages from humidity and strokes.


The color will be laminate beech-maple. The skeleton will be in grey color. The colors and accessories will be chosen by the client authority person.

Manufacturing, Supply and Installation.

### Shelf nr.13

**Dimension :** Bottom part.- 4980× 450 ×516 mm

Upper part . - 4980× 300 ×1582 mm      pieces 1



The shelf is composed by these elements:

-Bottom part:

- a) One box with upper and bottom and internal divisions
- b) 8 shutters with dimensions 447 mm+ 2 shutter with dimension 347mm +2 shutter with dimensions 337mm

-Upper part:

- c) 1 shelter without shutters hanged on bottom part and on vertical wall

The shelf is designed in laminated M.D.F. in 16 mm width. The back is composed by 4mm width fiber with the same color as the shelf.

The connection of elements will be done with “L” profiles. The mounting of shutters will be done in sliding rails. The contact of shelf with the floor will be done with plastic tapes in order to protect the shelf from the humidity and damages.

The hangs will be hole type.


The color will be laminate cream. The colors will be chosen by the client authority person.

Manufacturing, Supply and Installation.

### Shelf nr.14

**Dimension :** Bottom part.- 1800× 450 ×516 mm

Upper part . - 1800× 300 ×1582 mm      pieces 1



The shelf is composed by these elements:

-Bottom part:

- a) One box with upper and bottom and internal divisions
- b) 4 shutters with dimensions 447 mm

-Upper part:

- c) 1 shelter without shutters hanged on bottom part and on vertical wall

The shelf is designed in laminated M.D.F. in 16 mm width. The back is composed by 4mm width fiber with the same color as the shelf.

The connection of elements will be done with “L” profiles. The mounting of shutters will be done in sliding rails. The contact of shelf with the floor will be done with plastic tapes in order to protect the shelf from the humidity and damages.

The hangs will be hole type.


The color will be laminate cream. The colors will be chosen by the client authority person.

Manufacturing, Supply and Installation.

## Desk nr.15

**Dimensions :** 600 mm 1400 mm × 720 mm

pieces 3



The desk is composed from:

- a) The top in rectangular shape
- b) Four drawers
- c) Shelf

The top will be in 32 mm width. The front of the top will be chamfered.

The connection of elements will be done with invisible accessories. The desk contact with the floor will be done with plastic tapes to avoid damages from humidity and strokes.


The color will be laminate cream. The colors and accessories will be chosen by the client authority person.

Manufacturing, Supply and Installation.

### Shelf nr.16

**Dimension :** Bottom part.- 1200× 450 ×516 mm

Upper part . - 1200× 300 ×1582 mm      pieces 2



The shelf is composed by these elements:

-Bottom part:

- a) One box with upper and bottom and internal divisions
- b) 3 shutters with dimensions 447 mm

-Upper part:

- c) 1 shelter without shutters hanged on bottom part and on vertical wall

The shelf is designed in laminated M.D.F. in 16 mm width. The back is composed by 4mm width fiber with the same color as the shelf.

The connection of elements will be done with “L” profiles. The mounting of shutters will be done in sliding rails. The contact of shelf with the floor will be done with plastic tapes in order to protect the shelf from the humidity and damages.

The hangs will be hole type.


The color will be laminate cream. The colors will be chosen by the client authority person.

Manufacturing, Supply and Installation.

### Shelf nr.17

**Dimension :** Bottom part.- 4500× 450 ×516 mm

Upper part . - 4500× 300 ×1582 mm      pieces 1



The shelf is composed by these elements:

-Bottom part:

- a) One box with upper and bottom and internal divisions
- b) 10 shutters with dimensions 447 mm

-Upper part:

- c) 1 shelter without shutters hanged on bottom part and on vertical wall

The shelf is designed in laminated M.D.F. in 16 mm width. The back is composed by 4mm width fiber with the same color as the shelf.

The connection of elements will be done with “L” profiles. The mounting of shutters will be done in sliding rails. The contact of shelf with the floor will be done with plastic tapes in order to protect the shelf from the humidity and damages.

The hangs will be hole type.

The color will be laminate cream. The colors will be chosen by the client authority person.

Manufacturing, Supply and Installation.

## Chairs

**Types : 4**



Chairs in 3 types :

- |  |           |
|--|-----------|
| a) Office chairs                         | pieces 3  |
| b) Classroom chairs with upholstery      | pieces 33 |
| c) Classroom chairs without upholstery   | pieces 26 |
| d) Classroom chairs with blue upholstery | pieces 57 |

Office chairs are on wheels and with beige upholstery

Public chairs are simple with beige upholstery.

Classroom chairs are simple, in wood and colored with dark gray.

Classroom chairs with blue upholstery are for the grand collection class

Before you start production colors and accessories will be determined by the responsible person designated by the investor.

Manufacturing, Supply and Installation.