





FLOOR PLAN




FRONT ELEVATION




SIDE ELEVATION




SECTION A-A9




BACK ELEVATION



SIDE ELEVATION



STRUCTURAL LAYOUT



ELECTRICAL LAYOUT

LEGEND

	Full spectrum fluorescent light
	Weatherproof light
	LED Flood light
	Double Socket 13AMP
	Double Socket 15AMP

DOOR SCHEDULE

ELEVATION	QUANTITY	MATERIAL	ACCESSORIES
850 × 2,100 DO1	3	75mm thick polystrene panel with .58mm gauge Chromadek faced to specs	3 LEVER LOCK AND HANDLES
800 × 2,100 DO2	2	75mm thick polystrene panel with .58mm gauge Chromadek faced to specs	2 LEVER LOCK WITH INDICATOR BOLT AND HANDLES COMPLETE WITH SIGNAGE

WINDOW SCHEDULE

ELEVATION	QUANTITY	MATERIAL	GLASS
1,500 × 950 W01	3	Anodised 'bronze' aluminium frame sliding with permanents by specialist	6mm clear glass
1,500 × 1,200 W02	3	Anodised 'bronze' aluminium frame sliding with permanents by specialist	6mm clear glass
800 × 950 W03	2	Anodised 'bronze' aluminium frame top hung with permanents by specialist	6mm obsure glass

GENERAL NOTES

DRAINAGE & PLUMBING NOTES:

I. E 'S TO ALL BENDS AND JUNCTION IN DRAINS WITH MARKED COVERS AT GROUND LEVEL.

DRAINS UNDER BUILDINGS TO BE 110mm c.i. ENCASED IN CONCRETE.

INVERT LEVEL AT HEAD OF DRAIN TO BE A MINIMUM 450mm BELOW REDUCED GROUND LEVEL.

ALL WASTE FITTINGS TO HAVE RESEAL TRAPS.

ALL WASTE PIPES TO BE FULLY ACCESIBLE FOR MAINTENANCE AND REPAIRS.

RAIN WATER DOWNPIPES TO BE MINIMUM 2.45m FROM GULLY.

PROVIDE STORMWATER OUTLETS TO BOUNDARY WALLS ON LOWER COMMON BOUNDARY.

ALL GULLYS TO BE EXPOSESD

NO WASTE PIPES TO BE ENCASED IN WALLS OR SLABS UNLESS OTHERWISE SHOWN.

HEAD OF DRAINS TO HAVE A DIA. 100mm C.I.S.V..P

GENERAL SPECIFICATIONS:

75mm thick polystrene panel roof with .58mm gauge Chromadek faced to specs

75mm thick polystrene panel wall with .58mm gauge Chromadek faced to specs

150mm thick reinforced oversite concrete slab over 150mm well compacted hardcore to engineer's specs

50mm galvanized profiled columns enchored in concrete with suitable hold down bolts

75mm thick polystrene panel doors with .58mm gauge Chromadek faced to specs

client
NATIONAL AIDS COUNCIL

project
Proposed Porta Cabin Details

description
construction drawings; sections

MINISTRY OF LOCAL GOVERNMENT, PUBLIC WORKS & NATIONAL HOUSING

Designed	C.BWERINOFA
Drawn	C.B
Checked	C.B
Date	Dec. 2018
Scale	1:100, 1:50
Approved	G.C
project number	12/2018/P/CABIN