



REQUEST FOR QUOTATION (RFQ) (Goods)

| | |
|------------------------|-------------------------------|
| NAME & ADDRESS OF FIRM | DATE: March 14, 2019 |
| | REFERENCE: UNDP-SYR-RFQ-21-19 |

Dear Sir / Madam:

We kindly request you to submit your quotation for Vehicles Maintenance in Moaadamiyet Al-Shaam as LOT 1 , Herjalleh as LOT 2 , and Daraa as LOT 3 , as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before March 31, 2019 at 2.00 pm and via ☒e-mail, ☒courier mail or ☐facsimile to the address below:

United Nations Development Programme
Mezzeh , West Villas, Gazawi street No. 8
Attn : Shouaib Al Khuder, Procurement Associate
E-mail: Syria.bids@undp.org

Quotations submitted by email must be limited to a maximum of 10 MB, virus-free and no more than 3 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

| | |
|---|---|
| Delivery Terms [INCOTERMS 2010] (Pls. link this to price schedule) | <input checked="" type="checkbox"/> DAP |
| Customs clearance, if needed, shall be done by: | <input checked="" type="checkbox"/> UNDP <input checked="" type="checkbox"/> Supplier/Offeror |
| Exact Address/es of Delivery Location/s (identify all, if multiple) | "Cities councils of Moadamiyet Al-Shaam/ Herjalleh / Dara'a |
| UNDP Preferred Freight Forwarder, if any | N/A |
| Distribution of shipping documents (if using freight forwarder) | N/A |
| Latest Expected Delivery Date and Time (if delivery time exceeds this, quote may be rejected by UNDP) | <input checked="" type="checkbox"/> 60 days from the issuance of the Purchase Order (PO) |
| Delivery Schedule | <input checked="" type="checkbox"/> Not Required |
| Packing Requirements | N/A |
| Mode of Transport | <input checked="" type="checkbox"/> LAND |
| Preferred Currency of Quotation | <input checked="" type="checkbox"/> United States Dollars However, for local supplier's payments will be in Syrian Pounds at the prevailing UN exchange rate at the date of the invoice |
| Value Added Tax on Price Quotation | <input checked="" type="checkbox"/> Must be exclusive of VAT and other applicable indirect taxes |
| Mandatory Site Visit | <p><u>For Lot 1+2</u> Time: 10.00 AM Date : March 21, 2019 11:00 AM Venue : (Herjalleh, Moadamieh & Herjalleh) The UNDP focal point for the arrangement is: Eng. Sahel Jabri Telephone: 0958880154 E-mail: s.jabri1970@gmail.com</p> <p><u>For Lot 3</u> Time: 10.00 AM</p> |

| | |
|---|---|
| | <p>Date : March 20, 2019 11:00 AM</p> <p>Venue : (Dara'a)</p> <p>The UNDP focal point for the arrangement is:</p> <p>Mr. Mosaab Abazid</p> <p>Telephone: 0947722116</p> <p>E-mail: msabazeed@gmail.com</p> <p>In case not attending the site visit the offer will not be considered.</p> <p>The purpose of site survey is to give the supplier the opportunity to assess the status of the requirements and to understand the required services.</p> <p>Any non-technical clarification shall be sent by email to: Shouaib.alkhuder@undp.org.</p> |
| After-sales services required | <p><input checked="" type="checkbox"/> Warranty on Parts and Labor for minimum period of One Year after delivering the required work</p> <p><input checked="" type="checkbox"/> Technical Support .</p> |
| Performance security | Required equal to 10% of the contract value to cover the required warranty |
| Deadline for the Submission of Quotation | <i>Sunday, March 31, 2019 and at 2.00 pm at Damascus time</i> |
| All documentations, including catalogs, instructions and operating manuals, shall be in this language | <p><input checked="" type="checkbox"/> English</p> <p>Or</p> <p><input checked="" type="checkbox"/> Arabic</p> |
| Documents to be submitted | <p><input checked="" type="checkbox"/> Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1;</p> <p><input checked="" type="checkbox"/> Latest Business Registration Certificate;</p> <p><input checked="" type="checkbox"/> The applicant must be a member of one of the syndicate or have a commercial, industrial or professional register or have a contract with a professional in case of having a commercial register and have a bank account. He must submit a document proving this from the concerned authorities and departments.</p> <p><input checked="" type="checkbox"/> Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;</p> <p><input checked="" type="checkbox"/> List of all executed similar projects.</p> |
| Period of Validity of Quotes starting the Submission Date | <p><input checked="" type="checkbox"/> 90 days</p> <p>In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.</p> |
| Partial Quotes | <input checked="" type="checkbox"/> Permitted per lots. |

| | |
|---------------------------------------|---|
| Payment Terms | <input checked="" type="checkbox"/> 100% upon complete delivery of works and goods. Payment should be made in one installment for the maintenance of the vehicles, after execution and finalizing the requested works in complete. |
| Liquidated Damages | <input checked="" type="checkbox"/> Will be imposed under the following conditions: Percentage of contract price per day of delay : 0.05% Max. no. of days of delay : 15 days After which UNDP may terminate the contract. |
| Evaluation Criteria | <input checked="" type="checkbox"/> Technical responsiveness/Full compliance to requirements and lowest price. <input checked="" type="checkbox"/> Comprehensiveness of after-sales services. <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions. <input checked="" type="checkbox"/> Attending the site visit. <input checked="" type="checkbox"/> The applicant should have at least three years of experience and at least one project similar in nature of the required works. |
| UNDP will award to: | <input checked="" type="checkbox"/> One or more Supplier based on LOT basis. |
| Type of Contract to be Signed | <input checked="" type="checkbox"/> Contract Face Sheet (Goods and-or Services) . |
| Contract General Terms and Conditions | <input checked="" type="checkbox"/> General Terms and Conditions for contracts (goods and/or services) <input checked="" type="checkbox"/> General Terms and Conditions for de minimi contracts (services only, less than \$50,000) Applicable Terms and Conditions are available at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html |
| Special conditions of Contract | <input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 15 days. |
| Conditions for Release of Payment | <input checked="" type="checkbox"/> Complete Installation <input checked="" type="checkbox"/> Written Acceptance of Goods based on full compliance with RFQ requirements. |

| | |
|--|---|
| Annexes to this RFQ | <input checked="" type="checkbox"/> Specifications of the Goods Required (Annex 1) <input checked="" type="checkbox"/> Form for Submission of Quotation (Annex 2) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions: http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html <input checked="" type="checkbox"/> Others Vendor Form (Annex 3) Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process. |
| Contact Person for Inquiries (Written inquiries only) | <i>Shouaib Al Khuder</i> <i>Procurement Associate</i> <i>Shouaib.alkhuder@undp.org</i> Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers. |

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,
Hanan Al Ali
Head Of Procurement Unit
March 14, 2019

Technical Specifications

| Lot 1 Maintenance of Moaadamiyet Al-Shaam Waste Vehicles | | | |
|---|---|-----|--|
| No | Vehicle Model | Srl | Required Works |
| 1 | Mercedes garbage compactor truck X4 chassis No. 222486:385398146 10782 | 1 | Repairing and restoring the engine with providing and installing all that is required in addition to replacing the worn parts |
| | | 2 | Repairing and maintaining the entire fuel circuit with providing and installing the missing parts and replacing the worn ones |
| | | 3 | Repairing and maintaining the brakes circuit with providing missing parts and replacing the worn ones |
| | | 4 | Repairing and maintaining the entire air circuit with providing and installing the missing parts and replacing the worn ones |
| | | 5 | Repairing and maintaining the entire vehicle electric system with its accessories including all the gauges and dashboard with providing and installing the missing parts and replacing the worn ones |
| | | 6 | Repairing and maintaining the water cooling and oil cooling systems with providing and installing the missing parts and replacing the worn ones |
| | | 7 | Repairing and maintaining the suspension and steering systems with providing and installing the missing parts and replacing the worn ones |
| | | 8 | Repairing and maintaining the gearbox, differential, and full gearing system with providing and installing the missing parts and replacing the worn ones with all oils refills |
| | | 9 | Repairing and maintaining the entire hydraulic circuit, plugs, and hydraulic filters and cabin lifter with providing and installing the missing parts and replacing the worn ones |
| | | 10 | Installing a container drawing engine (hydraulic 4 Hp capacity, Miller brand or equivalent + metal chain to roll the steel cable) with a 25m long 12,5mm steel cable |
| | | 11 | Providing and installing 9 new 1100-20 Hancock tires or equivalent |
| | | 12 | Repairing, maintaining and checking all the wheel bearings with providing and installing the missing parts and replacing the worn ones |
| | | 13 | Providing two 150Amp 12 V galvanized dry Korean batteries |
| | | 14 | Repairing and maintaining the doors locks and handles with providing and installing the missing parts and replacing the worn ones. |

| | | 15 | Providing and installing wing mirrors (real distance) |
|----|---|-----|--|
| | | 16 | Conducting full tinsmith for the cabin and garbage container with plating the damaged areas |
| | | 17 | Applying an entire thermal spraying to the cabin and garbage container (paint identical with the vehicle's original color) |
| | | 18 | Replacing the cabin room |
| No | Vehicle Model | Srl | Required Works |
| 2 | Volvo garbage compactor truck FL7.25V Chassis No. YVZF5A3CONA372 419 | 1 | Repairing and restoring the engine with providing and installing all that is required in addition to replacing the worn parts |
| | | 2 | Repairing and maintaining the entire fuel circuit with providing and installing the missing parts and replacing the worn ones |
| | | 3 | Repairing and maintaining the brakes circuit with providing missing parts and replacing the worn ones |
| | | 4 | Repairing and maintaining the entire air circuit with providing and installing the missing parts and replacing the worn ones |
| | | 5 | Repairing and maintaining the entire vehicle electric system with its accessories including all the gauges and dashboard with providing and installing the missing parts and replacing the worn ones |
| | | 6 | Repairing and maintaining the water cooling and oil cooling systems with providing and installing the missing parts and replacing the worn ones |
| | | 7 | Providing and installing all the hoses (oil, water, brakes, fuel) |
| | | 8 | Repairing and maintaining the suspension and steering systems with providing and installing the missing parts and replacing the worn ones |
| | | 9 | Repairing and maintaining the gearbox, differential, and full gearing system with providing and installing the missing parts and replacing the worn ones with all oils refills |
| | | 10 | Repairing and maintaining the entire hydraulic circuit, plugs, and hydraulic filters and cabin lifter with providing and installing the missing parts and replacing the worn ones |
| | | 11 | Providing and installing a windscreen, rear screen and windows in addition to maintaining the lifting, door opening and replacing the worn parts. The windscreen shall be of two galvanized layers |
| | | 12 | Providing and installing nine 20/1100 Hancock tires or equivalent |
| | | 13 | Repairing and maintaining all the wheels with providing and installing the missing parts and replacing the worn ones |
| | | 14 | Providing and installing two 150Amp 12 v, galvanized dry batteries. |
| | | 15 | Providing and installing wing mirrors |

| | | 16 | Conducting full tinsmith for the cabin and boot with plating the damaged areas |
|----|---|-----|---|
| | | 17 | Applying an entire thermal spraying to the cabin |
| | | 18 | Conducting full upholstery (artificial leather) for the cabin |
| No | Vehicle Model | Srl | Required Works |
| 3 | Mercedes Actros Water Tanker Plate No. 531402 Chassis No. WDB9502031K415 025 | 1 | Checking the entire engine with repairing all that is required and providing and installing all that is required in addition to replacing the worn parts |
| | | 2 | Repairing and maintaining the entire fuel circuit with providing and installing the missing parts and replacing the worn ones |
| | | 3 | Repairing and maintaining the brakes circuit with providing missing parts and replacing the worn ones |
| | | 4 | Repairing and maintaining the entire air circuit with providing and installing the missing parts and replacing the worn ones |
| | | 5 | Repairing and maintaining the entire vehicle electric system with its accessories including all the gauges, dashboard, electric valves and platinum with providing and installing the missing parts and replacing the worn ones |
| | | 6 | Repairing and maintaining the entire AC/heating system with providing and installing the missing parts |
| | | 7 | Repairing and maintaining the water cooling and oil cooling systems with providing and installing the missing parts and replacing the worn ones |
| | | 8 | Providing and installing all the hoses (oil, water, brakes) |
| | | 9 | Repairing and maintaining the suspension and steering systems with providing and installing the missing parts and replacing the worn ones |
| | | 10 | Checking the front and rear wheels bearings with maintaining and replacing the worn ones and refilling the differentials oil |
| | | 11 | Providing and installing a cabin lifter (a modern electric cabin lifter filter) with hydalike manual small pump + jack for lifting the cabinet of the room + 3 hydalike hoses to lift the room |
| | | 12 | Providing and installing nine 22.5/80/295 Hancock tires or equivalent. |
| | | 13 | Checking all the wheels and their screws with providing and installing the missing parts and replacing the worn ones |
| | | 14 | Conducting full tinsmith and plating the water tank damaged areas with the same material as the original in addition to tinsmith the cabin and plating the worn areas. |
| | | 15 | Providing and installing two 200Amp 12 V galvanized dry batteries. |

| | | | |
|--|--|----|--|
| | | 16 | Repairing and maintaining the entire water compression circuit with installing a 7hp water pumper operating on diesel or petrol and replacing the worn parts |
| | | 17 | Replacing the cabin room |

| Lot 2 Maintenance of a Sewage Suction Truck in Herjalleh | | | |
|---|-----------------------------------|-----|--|
| No | Vehicle Model | Srl | Required Works |
| 1 | A sewage suction truck No. 531754 | 1 | Suction pump (full repair and restoration for the pump including maintenance of the colitas' along with set of barriers |
| | | 2 | A 100m long hose + 7 hose heads - 3 layers, 3/4 inches brand Manolla or equivalent + 7 heads for hoses |
| | | 3 | A 75m long hose for house suction - 2 layers 1/2 inches manolla brand or equivalent |
| | | 4 | Two 150Amp 12 V batteries with lids |
| | | 5 | 5 tires with wheels size 315/22.5 Hankook or equivalent. |
| | | 6 | An electronic panel with electric control sensors including (breaker for hose motion, and the hose base motion + interlock the speed box |
| | | 7 | A mechanical panel includes (water pressure device, sensor for water quantities in the tank, device to for monitoring the engine movement and the capacity |
| | | 8 | A 35m long 4" wide suction hose, plastic with inner layer . |
| | | 9 | full inspection for the truck dashboard and replacing the damaged ones |
| | | 10 | Breaking the bonnet and boot |
| | | 11 | Water pump (spiral, 3 inches, 7 Hp. |
| | | 12 | 5 hydraulic plugs |
| | | 13 | Five 4" valves |
| | | 14 | 2 wing mirrors (real distance) |
| | | 15 | An air pump with hoses |
| | | 16 | A full tools set with a jack |
| | | 17 | providing & installing the Oil hoses new and foreign brand |
| | | 18 | An engine (electrical 2 Hp) for pulling the manhole covers with a cable |
| | | 19 | The control panel of the manhole pulling engine including two switch on/off keys |
| | | 20 | Maintaining the entire fuel circuit and the pump (full maintenance for the oil pump) |
| | | 21 | Maintaining the cabistal of pulling the hose of the drain, 3m metal chain, along with installing the engine (hydrolytic with 4 Hp capacity) |

| | | | |
|--|--|----|--|
| | | 22 | Providing all necessary oils for the vehicle |
| | | 23 | Providing stainless steel cover for the cabin |
| | | 24 | Providing water tank for the wipers |
| | | 25 | Repairing the paints of the vehicle and the rust with plating the damaged areas with thermal paint suitable for the tank color |

Lot 3
Maintenance of a Vehicles in Dara's

| No | Vehicle Model | Srl | Required Works |
|----|--|-----|--|
| 1 | Freight Liner Garbage Compactor Vehicle No. 976656 | 1 | Tinsmith the worn areas in the rear boot, fixing a fiber bonnet with tinsmith and painting the cabin with thermal paint suitable for the cabin color and installing a windscreen with all that is required |
| | | 2 | Repairing the gearbox and providing and installing all that is required after checkup |
| | | 3 | Repairing the front brakes and providing and installing all that is required |
| | | 4 | Repairing the suspension (axes, rods, etc.) with all that is required |
| | | 5 | Repairing the hydraulic circuit (hoses, plug set) and replacing one plug with all that is required to fix oil leakage |
| | | 6 | Providing and installing an entire clutch system |
| | | 7 | Providing and installing a super turbine |
| | | 8 | Replacing the vehicle's entire oils (gearbox, hydraulic, engine) |
| No | Vehicle Model | Srl | Required Works |
| 2 | Freight Liner Garbage Compactor Vehicle No.998824 | 1 | Repairing the air circuit and replacing the air filter with all that is required |
| | | 2 | Repairing the suspension (axes, rods, etc.) with providing all that is required |
| | | 3 | Providing installing four tires size 20/1200 |
| | | 4 | Conducting a general maintenance for the vehicle's electric system and providing and installing lights with all that is required |
| | | 5 | Fixing the bonnet with general tinsmith, painting and all that is required |
| | | 6 | Providing and installing super turbine |
| | | 7 | Providing and installing front glass |

| No | Vehicle Model | Srl | Required Works |
|----|--|-----|--|
| 3 | Freight Liner Garbage Compactor Vehicle No. 976656 | 1 | Providing and installing a hose pulley suitable for the hose length |
| | | 2 | Providing and installing a 0.5" high-pressure hose 3 layers, Italian brand or equivalent, 50m long, with pressing the ends |
| | | 3 | Providing and installing the suction pump lever |
| | | 4 | Repairing the front and rear brakes with all that is required |

| | | | |
|--|--|----|---|
| | | 5 | Providing and installing water valves Italian or equivalent 1 inch pressure, and 5 linking hoses high pressure (2 m for each) 1 inch and all that is required |
| | | 6 | Providing and installing a control panel with fixing the entire electric system and installing light and all that is required |
| | | 7 | Providing and installing two 150Amp 12 V liquid batteries |
| | | 8 | Providing and installing a complete mirrors set (read distance) |
| | | 9 | Providing and installing a complete transmission system |
| | | 10 | Upholstering the interior of the cabin with thermal paint match the vehicle color |
| | | 11 | Providing and installing a complete exhaust system |
| | | 12 | Providing and installing a complete clutch system |

NB: All parts must be brand new & not restored for All Lots

The bidder is required to comply with the following:

| | |
|----|--|
| 1 | The applicant must be a member of one of the syndicate or have a commercial, industrial or professional register or have a contract with a professional in case of having a commercial register and have a bank account. He must submit a document proving this from the concerned authorities and departments. |
| 2 | The applicant should have at least three years of experience |
| 3 | The period of execution is two months for the maintenance of the vehicles starting from the date of signing the contract with the bidder. |
| 4 | The bidder may bid for one or more lots. |
| 5 | The bidder shall submit a detailed table of the prices of the items mentioned above. |
| 6 | Five per thousand of the contract value shall be deducted for each day of delay, provided that the delay shall not exceed 15 days. |
| 7 | The supervising authority for the implementation of the activities of the project is a technical committee of the beneficiary "Cities councils of Moadamiyet Al-Shaam/ Herjalleh / Dara'a" and is responsible for monitoring the work and quality of implementation according to the required works mentioned above. |
| 8 | The bidder shall check the vehicles required to be maintained in the City Council of Moadamiyet Al-Shaam/Herjalleh/ Dara'a and match the works to be carried out according to the above table and <u>must submit his offer accordingly. Bids whose owners did not participate in the field visit shall not be accepted.</u> |
| 9 | The project supervising authority shall have the right to amend any item of the works within the specified amounts and in accordance with the work requirements and with the approval of the program. |
| 10 | The bidder shall deliver all parts dismantled of the vehicles to the concerned authorities in the concerned city council / garage. |

| | |
|----|--|
| 11 | The Contractor shall take all necessary measures and precautions in accordance with the opinion of the supervising authority of the project for the protection and public and private safety of the project workers, where the contractor bears full responsibility in the event of any personal or public damage to the lives, property, vehicles and utilities during work. The United Nations Development Program (UNDP) has nothing to do with the damage caused by these acts. The contractor has to pay for all damages, if any, to worthwhile recipients. |
| 12 | All expenses related to the maintenance of the vehicles, including transport and provision of supplies, and all that is necessary to prepare them for work according to the above-mentioned items, shall be the responsibility of the contractor. |
| 13 | The contractor must appoint at least 8 workers to maintain the vehicles of Moadamiyet Al-Shaam, 5 workers for maintaining the vehicle of Herjalleh and 10 workers for maintaining the vehicles of Dara'a during the project period according to the criteria of selection of workers in the United Nations Development Program and the Syrian Labor Law in terms of experience, age and their need for work. |
| 14 | The value of the contract shall be paid in one lump sum which shall be paid on completion of the required works. |
| 15 | The minutes of execution and completion of work shall be organized in accordance with the completed works. The project manager, project supervisors and technicians and shall be registered and approved by City Councils of targeted areas. |
| 16 | Direct supervision of the maintenance of the vehicles shall be conducted by a technician commissioned by the city council of Moadamiyet Al-Shaam Herjalleh and Dara'a under the supervision of the technicians of the project cadre. |
| 17 | On completion of work, the vehicles shall be received in accordance with the minutes of work done by technicians and certified by the municipalities after receiving the vehicles and testing them for one week. |
| 18 | The period of guaranteeing the work and efficiency of all the parts supplied and maintained by the bidder and installed into the vehicles covered by the maintenance in the contents of this contract shall not be less than one year from the year beginning after delivery of the vehicles to the beneficiary. The bidder shall be obliged to carry out maintenance for any emergency malfunctions, except for those caused by misuse or theft of parts. |
| 19 | The value of each item shall not be paid in the event of any violation its content. |
| 20 | All contracting procedures shall be in accordance with regulations of the United Nations Development Program (UNDP) in Syria. |

| Lot 1 صيانة آلات نظافة معضمية الشام | | | |
|--|---|-----|---|
| تس لس ل | نوع الآلية | رقم | بيان الأعمال |
| 1 | ضاغطة قمامة مرسيدس X4 222486، رقم الهيكل 3853981461 0782 | 1 | إصلاح وإجراء عمرة محرك كاملة مع تقديم وتركيب النواقص وإبدال التالفة. |
| | | 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 3 | إصلاح وصيانة دائرة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 5 | إصلاح وصيانة شبكة الكهرباء كاملة مع كامل ملحقاتها +(تابلو الساعات وتابلو الكبين) مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 6 | إصلاح وصيانة مبرد الماء مع مبرد الزيت مع تقديم وتركيب النواقص وإبدال القطع التالفة . |
| | | 7 | إصلاح وصيانة الدوزان مع المقود كاملة كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 8 | إصلاح وصيانة علبة السرعة + الدفرنس + ترسمسيون كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة مع ابدال كامل الزيوت. |
| | | 9 | إصلاح وصيانة دائرة الهيدروليك كاملة مع الجكات الضاغطة مع طرنبات الهيدروليك مع رافعة الكبين مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 10 | تركيب محرك سحب الحاويات هيدروليكي استطاعة 4 حصان ألماني نوع ميلر أو ما يعادله + جنزير لللف الكبل الفولاذي + بكرة لف الكبل مع كبل فولاذي قياس 12,5 مم بطول 25 م. |
| | | 11 | تقديم وتركيب إطارات كتان قياس 20/1100 عدد 9 هانكوك أو ما يعادله . |
| | | 12 | إصلاح وصيانة والكشف على رومانات الدواليب كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 13 | تقديم بطارية جافة 12 فولت استطاعة 150 أمبير عدد 2. |
| | | 14 | إصلاح وصيانة أقفال الأبواب والغالات كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| | | 15 | تقديم وتركيب مراية جانبية بعد حقيقي |
| | | 16 | إجراء تصويج وحدادة كاملة للكبين وصندوق القمامة مع تصفيح أماكن الاهتراء. |
| | | 17 | بخ حراري كامل للكبين وصندوق القمامة ملاحظة : الدهان نوع اول - حسب اللون الأساسي للسيارة . |
| | | 18 | استبدال غرفة كابين كاملة |
| تس لس ل | نوع الآلية | رقم | بيان الأعمال |

| | | | |
|---------------|--|--|--|
| 1 | إصلاح وإجراء عمرة محرك كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | ضاغطة قمامة فولفو رقمها FL7.25V الهيكل YVZF5A3CO NA372419 | 2 |
| 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | | |
| 3 | إصلاح وصيانة دائرة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | | |
| 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | | |
| 5 | إصلاح وصيانة شبكة الكهرباء كاملة مع كامل ملحقاتها +(تابلو الساعات وتابلو الكبين (مع تقديم وتركيب النواقص وأبدال القطع التالفة. | | |
| 6 | إصلاح وصيانة مبرد الماء مع مبرد الزيت مع تقديم وتركيب النواقص وأبدال القطع التالفة . | | |
| 7 | تقديم وتركيب كامل الخراطيم (الزيت+ المازوت +الماء +الفرام) . | | |
| 8 | إصلاح وصيانة الدوزان مع المقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | | |
| 9 | إصلاح وصيانة علبة السرعة + الدفرنس + ترسمسيون كاملة مع تقديم وتركيب النواقص وأبدال القطع التالفة مع أبدال كامل الزيوت. | | |
| 10 | إصلاح وصيانة دائرة الهيدروليك كاملة مع الجكات الضاغطة مع طرنبات الهيدروليك مع رافعة الكبين مع تقديم وتركيب النواقص وإبدال القطع التالفة مع أبدال الزيت الهيدروليك. | | |
| 11 | تقديم وتركيب بللور الكبين الأمامي +الخليفي +بللور الجانبي(للأبواب)مع صيانة حركات روافع البللور وللأبواب وإبدال التالف. ملحوظة :البللور الأمامي طبقتين مجلتن. | | |
| 12 | تقديم وتركيب إطارات كتان قياس 20/1100 عدد 9 (هانكوك أو ما يعادله) . | | |
| 13 | إصلاح وصيانة جنوطة الدواليب كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | | |
| 14 | تقديم بطارية 12 فولت استطاعة 150 أمبير جافة مغلقة . عدد2. | | |
| 15 | تقديم وتركيب مراية جانبية بعد حقيقي | | |
| 16 | إجراء حدادة كاملة تصويج وتصفيح الإهترء بالكامل. | | |
| 17 | بخ حراري مجلتن للكبين بشكل كامل. | | |
| 18 | تنجيد /جلد صناعي / كامل للكبين | | |
| | | | |
| تس لس ل | نوع الآلية | رقم | بيان الأعمال |
| 3 | صهريج ماء مرسيدس أكتروس رقم اللوحة 531402 رقم الهيكل WDB950203 1K415025 | 1 | الكشف على المحرك كامل مع اصلاح كل مايلزم وتقديم وتركيب النواقص وإبدال التالف |
| | | 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة |
| | | 3 | إصلاح وصيانة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة |
| | | 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة |
| | | 5 | إصلاح وصيانة شبكة الكهرباء مع كل (ملحقاتها +تابلو ساعات +تابلو الكبين +حساسات +صباوبات كهربائية +بلاطينات) كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة |

| | |
|----|--|
| 6 | إصلاح وصيانة دارة التكيف والشوفاج (حامي - بارد) كاملة مع تقديم وتركيب والنواقص وإبدال القطع التالفة |
| 7 | إصلاح وصيانة مبرد الماء + زيت كاملة مع تقديم وتركيب والنواقص وإبدال القطع التالفة |
| 8 | تقديم وتركيب كامل الخراطيم (الماء + الزيت + فرامل) |
| 9 | إصلاح وصيانة الدوزان كامل مع المقود مع تقديم وتركيب والنواقص وإبدال التالف |
| 10 | الكشف على رولمانات الدواليب الأمامية + الخلفية مع صيانة وإبدال التالف مع إبدال الزيوت الدفرنس |
| 11 | تقديم وتركيب رافعة الكيبن (طرنبة رفع كيبن كهربائية حديثة) مضخة هيدروليك يدوية صغيرة خاصة بالإلكترس + جك لرفع كيبن الغرفة + خراطيم هيدروليك عدد 3 لرفع الغرفة |
| 12 | تقديم وتركيب إطارات كتان قياس 80/295/ 22,5 عدد 9 نوع هانكوك أو ما يعادله |
| 13 | الكشف على جنوطة الدواليب + براغي الجنط وتقديم وتركيب والنواقص وإبدال التالف |
| 14 | حدادة وتصفيح خزان الماء يصفح الجزء المعاب بنفس المادة المصنع منها الخزان مع تصويج الكيبن مع تصفيح الإهترء |
| 15 | تقديم وتركيب بطاريات جافة 12 فولت مغلقة قياس 200 أمبير عدد 2 |
| 16 | إصلاح وصيانة دارة ضغط الماء كاملة مع تركيب مضخة ماء خزان استطاعة 7 حصان تعمل على المازوت أو البنزين وإبدال القطع التالفة. |
| 17 | استبدال غرفة كابين كاملة |

| Lot 2 صيانة آلية شفط وتسليك المجاري في حرجلة | | | |
|---|--|-----|--|
| تس لس ل | نوع الآلية | رقم | بيان الأعمال |
| 1 | آلية شفط وتسليك المجاري (صاروخ ذات الرقم 531754) | 1 | مضخة شفط إجراء عمرة كاملة للمضخة تتضمن (طقم قشور + إصلاح صوبابات الكولاس + طقم الموانع) |
| | | 2 | خرطوم طول 100 م 3 طبقات 4/3 إنش إيطالي مانولا أو ما يعادله + 3 رؤوس للخرطوم + 7 رؤوس للخرطوم |
| | | 3 | خرطوم طول 75 م للتسليك المنزلي 2 طبقة 2/1 إنش إيطالي مانولا أو ما يعادله |
| | | 4 | بطارية جافة 12 فولت عدد 2 قوة 150 أمبير مع غطائين |
| | | 5 | دولاب عدد 5 مع جنط قياس 315/22.5 نوع هانكوك او ما يعادله |
| | | 6 | لوحة إلكترونية مع حساسات التحكم الكهربائي تتضمن (قاطع فصل ووصل حركة الخرطوم وحركة إتجاه منصة الخرطوم + تعشيق لحركة مضخة المازوت + تعشيق علبة السرعة) |
| | | 7 | لوحة ميكانيكية تتضمن (ساعة ضغط الماء + ساعة تبيين كمية الماء بالخزان + ساعة تبيين سرعة دوران المحرك وعزمه) |
| | | 8 | خرطوم شفط عريض قياس 4 إنش طول 35 م بلاستيك راصور مبطن |
| | | 9 | إجراء فحص كامل لتابلو السيارة وإبدال التالف منه |
| | | 10 | كسي الطبون، الأمامي والطبون، الخلفي |
| | | 11 | مضخة ماء حلزونية نوع إيطالي أو ما يعادله 3 إنش استطاعة 7 حصان |

| | | |
|--|----|--|
| جكات هيدروليك عدد 5 | 12 | |
| سكر قياس 4 انش عدد 5 | 13 | |
| مرايا جانبية عدد 2 بعد حقيقي | 14 | |
| إجراء عمرة للمضخة تتضمن (طقم سيكمان + طقم قشور + طقم شفرات | 15 | |
| صندوق عدة كاملة مع كريكو | 16 | |
| تقديم وتركيب خراطيم الزيت جديدة | 17 | |
| محرك لسحب أغطية الريكارات كهربائي 2 حصان مع الحبل | 18 | |
| لوحة التحكم الخاصة بمحرك سحب الريكارات متضمنة مفتاحين لتشغيل وإطفاء المحرك | 19 | |
| صيانة دائرة الوقود مع صيانة المضخة (إجراء صيانة كاملة لمضخة المازوت متضمنة بلانجورات + طقم جوانات وصوبابات وبخاخات) | 20 | |
| اصلاح كابيستال سحب الخرطوم من الريكار مع تركيب محرك يتضمن جنزير طول 3م + فراشات الجنزير ومحرك هيدروليكي كهربائي 4 حصان | 21 | |
| زيوت كاملة للآلية | 22 | |
| غلاف الكابين ستانلس ستيل | 23 | |
| خزان ماء للمساحات | 24 | |
| اصلاح دهان الآلية ومعالجة الصدأ وتصويج الأماكن المهترئة بحيث يكون نوع الدهان حراري بخ مناسب للون الصهريج | 25 | |

| Lot 3 صيانة آلات النظافة في درعا | | | |
|-------------------------------------|--|-----|---|
| تس ل ل | نوع الآلية | رقم | بيان الأعمال |
| 1 | ضاغطة قمامة فرايت لاينر رقم الآلية 976656 | 1 | تصويج الأماكن المهترئة في الصندوق الخلفي مع تركيب غطاء محرك فيير مع تصويج الكابين والدهان دهان حراري بخ موافق للون الكابين مع كل ما يلزم للآلية مع تركيب بلور أمامي |
| | | 2 | الكشف على الصوت في علبة السرعة وإصلاح وإبدال ما يلزم |
| | | 3 | اصلاح الفرامات الأمامية وتقديم وتركيب ما يلزم |
| | | 4 | اصلاح الدوزان (أكوسة - باقات - سيخ الروض ...) مع كل ما يلزم |
| | | 5 | اصلاح دائرة الهيدروليك (خراطيم - طقم اصلاح للجكات + طرنبة هيدروليك) مع تغيير جك واحد مع كل ما يلزم لمعالجة تهريب الزيت |
| | | 6 | ابدال خراطيم الهواء لزوم تعشيق الهيدروليك وتركيب كل ما يلزم |
| | | 7 | إجراء عمرة محرك كاملة |
| | | 8 | تبدال زيوت كامل للآلية (علبة السرعة - هيدروليك - محرك) مع المصافي والفلاتر |
| تس ل ل | نوع الآلية | رقم | بيان الأعمال |
| 2 | ضاغطة قمامة فرايت لاينر | 1 | اصلاح دائرة الهواء مع استبدال طرنبة الهواء مع كل ما يلزم |
| | | 2 | اصلاح الدوزان (أكوسة - باقات -) مع تقديم وتركيب كل ما يلزم |

| | | | |
|----------------------|---|--|--|
| رقم الآلية 998824 | 3 | تقديم وتركيب دولاب عدد 4 قياس 1200/20 | |
| | 4 | صيانة عامة لكهرباء الآلية مع تقديم وتركيب أضوية أساسية وكالة تتوافق مع غطاء المحرك مع كل ما يلزم | |
| | 5 | إبدال غطاء المحرك مع الرفاريف كامل مع دهان وتبديل كل ما يلزم | |
| | 6 | اصلاح الدبرياج وتبديل كل ما يلزم | |
| | 7 | إبدال بلور أمامي مجلتن | |
| | | | |
| تس لس ل | نوع الآلية | رقم | بيان الأعمال |
| 3 | صاروخ صرف صحي ايفيكو رقم الآلية 976732 | 1 | تقديم وتركيب بكرة خرطوم تلاءم طول الخرطوم |
| | | 2 | تقديم وتركيب خرطوم مبطن ضغط عالي 3 طبقات ايطالي أو ما يعادله 0.5 " بطول 50 متر مع كبس الرؤوس |
| | | 3 | تقديم وتركيب تعشيق طرنبة الصاروخ |
| | | 4 | اصلاح الفرامات الأمامية والخلفية مع تركيب كل ما يلزم |
| | | 5 | تقديم وتركيب سكورة مياه مع مواسير مع خراطيم السكر ايطالي أو ما يعادله ضغط عالي قياس 1 انش خرطوم وصل ضغط عالي عدد 5 قطر 1 انش بطول 2م للخرطوم الواحد مع وصل مع كل ما يلزم |
| | | 6 | تقديم وتركيب لوحة تحكم مع اصلاح الكهرباء كاملة مع تركيب أضوية مع كل ما يلزم |
| | | 7 | تقديم وتركيب بطارية سائلة 12فولت مفتوحة عدد 2 / 150 أمبير / |
| | | 8 | تقديم وتركيب مرايا عدد 2 |
| | | 9 | تصويج الكبين مع دهان بخ حراري يتوافق مع لون الآلية وكل ما يلزم |
| | | 10 | تنجيد الكبين من الداخل مع الكراسي كامل تنجيد جلد لكرسي السائق مع كرسي المرافق مع تصويج الكرسي |
| | | 11 | تقديم وتركيب اشتمان كامل |
| | | 12 | تقديم وتركيب مجموعة دبياج كاملة |

ملاحظة : كافة القطع والمواد المطلوبة جديدة وغير مجددة

| يشترط على العارض الالتزام بما يلي | |
|-----------------------------------|--|
| 1 | يشترط على العارض المتقدم أن يكون منتسباً لإحدى النقابات أو لديه سجل تجاري أو صناعي أو مهني أو متعاقد مع مهني في حال السجل التجاري ولديه حساب مصرفي، وعلى العارض تقديم وثيقة تثبت ذلك من الجهات والدوائر المعنية. |
| 2 | يشترط على العارض/ الفني المتعاقد معه ان تكون لديه خبرة لا تقل عن ثلاث سنوات |
| 3 | مدة التنفيذ شهرين لصيانة الآليات تبدأ من تاريخ توقيع العقد مع العارض. |
| 4 | يحق للعارض أن يقدم على مجموعة واحدة أو أكثر |
| 5 | على العارض تقديم جدول تفصيلي بأسعار البنود المذكورة أعلاه |
| 6 | يتم خصم خمسة بالألف من قيمة العقد عن كل يوم تأخير على أن لا تتجاوز مدة التأخير أكثر من 15 يوم. |

| | |
|----|---|
| 7 | الجهة المشرفة على تنفيذ أنشطة المشروع لجنة فنية من الجهة المستفيدة " مجالس مدن معضمية الشام وحرجلة ودرعا " وتعد مسؤولة عن مراقبة العمل وجودة التنفيذ وفق الأعمال المطلوبة والمذكورة أعلاه. |
| 8 | على العارض معاينة الآليات المطلوب صيانتها في مجلس مدينة (معضمية الشام /حرجلة /درعا) ومطابقة الأعمال المراد تنفيذها وفق المذكور في الجدول أعلاه، وعليه أن يقدم عرضه بناءً على ذلك ولن تقبل العروض التي لم تشارك في الزيارة الميدانية . |
| 9 | يحق للجهة المشرفة على المشروع " مجلس المدينة وكادر الأشرف " تعديل أي بند من بنود الأعمال ضمن المبالغ المحددة ووفق مقتضيات العمل وبموافقة البرنامج. |
| 10 | على العارض تسليم كافة القطع والأجزاء المفككة من الآليات المطلوب صيانتها للجهات المعنية في مجلس/مرآب المدينة المعنية أصولاً. |
| 11 | على المتعهد اتخاذ كافة التدابير والاحتياطات اللازمة وفق رأي الجهة المشرفة على المشروع من أجل الحماية والسلامة العامة والخاصة لعاملي المشروع، حيث يتحمل المتعهد كامل المسؤولية في حال حدوث أي أضرار بشرية أو مادية خاصة أو عامة في الأرواح والممتلكات والآليات والمرافق العامة أثناء العمل، وبرنامج الأمم المتحدة الإنمائي بريء الذمة وليس له أي علاقة بالأضرار الناتجة عن هذه الأعمال، حيث تقع على عاتق المتعهد دفع كافة التعويضات والأضرار في حال حصولها لمستحقيها أصولاً. |
| 12 | جميع النفقات المتعلقة في صيانة الآليات بما فيها النقل وتأمين المستلزمات التشغيل وكل ما يلزم لتجهيزها للعمل وفق البنود المذكورة أعلاه هي مسؤولية المتعهد. |
| 13 | يتوجب على المتعهد تعيين لا يقل عن 8 عمال لصيانة آليات معضمية الشام و 5 عمال لصيانة آلية حرجلة و10 عمال لصيانة آليات درعا خلال مدة المشروع وفق معايير اختيار العمال المرعية لدى برنامج الأمم المتحدة الإنمائي قانون العمل السوري من حيث الخبرة والعمر ودرجة الاحتياج للعمل |
| 14 | يتم صرف قيمة العقد على دفعة واحدة يتم رفعها بعد نهاية الأعمال المطلوبة. |
| 15 | يتم تنظيم محضر تنفيذ وإنجاز عمل وفق الأعمال المنجزة ويوقع على الكشف مدير ومشرفي المشروع واللجنة المشرفة والفنيين ويصدق من مجلس مدينة المنطقة المعنية معضمية الشام /حرجلة /درعا، ويتم الصرف وفق ذلك وبالسعر المقدم بالعرض ويعتبر هذا الكشف وثيقة صرف مرفق بالفاتورة. |
| 16 | سيتم الأشرف مباشرة على صيانة الآليات من قبل فني مكلف من قبل مجلس مدينة معضمية الشام /حرجلة /درعا ويأشرف فنيين من كادر المشروع. |
| 17 | بنهاية الأعمال يتم استلام الآليات بموجب محضر إنجاز عمل موقع من الفنيين ومصدق من قبل البلديات بعد استلام الآليات وتجربتها لمدة أسبوع. |
| 18 | مدة ضمان عمل وكفاءة كافة القطع الموردة والمصانة من قبل العارض والمركبة للسيارات المشمولة بالصيانة في مضمون هذا العقد لا تقل عن عام ميلادي كامل تبدأ بعد تسليم السيارات للجهة المستفيدة، ويكون العارض خلال مدة الضمان ملزم بتنفيذ الصيانة لأي عطل طارئ على القطع المركبة أو المنفذ لها صيانة ويستثنى من ذلك الأعطال الناتجة عن سوء الاستخدام أو سرقة القطع |
| 19 | لا يتم صرف قيمة البند في حال مخالفة أي محتوى فيه. |
| 20 | جميع إجراءات التعاقد ستتم وفق أنظمة برنامج الأمم المتحدة الإنمائي في سورية. |

*Pls. attach delivery schedule, if relevant, and cluster by lot, if partial bids will be allowed. Specify delivery locations if goods multiple destinations.

[Enter name of authorized staff]
[Designation]
[Click here to enter a date]

Annex 2

FORM FOR SUBMITTING SUPPLIER'S QUOTATION*(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹)*

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. _____:

TABLE 1 : Offer to Supply Goods Compliant with Technical Specifications and Requirements

| Lot 1 صيانة آليات نظافة معضمية الشام | | | | | |
|---|--|-----|--|----------|--|
| تسل سل | نوع الآلية | رقم | بيان الأعمال | | |
| 1 | ضابطة قمامة مرسيدس X4 222486، رقم الهيكل 38539814 610782 | 1 | إصلاح وإجراء عمرة محرك كاملة مع تقديم وتركيب النواقص وإبدال التالفة. | Lump sum | |
| | | 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 3 | إصلاح وصيانة دائرة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 5 | إصلاح وصيانة شبكة الكهرباء كاملة مع كامل ملحقاتها + (تابلو الساعات وتابلو الكيين) مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 6 | إصلاح وصيانة مبرد الماء مع مبرد الزيت مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 7 | إصلاح وصيانة الدوزان مع المقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |
| | | 8 | إصلاح وصيانة علبة السرعة + الدفرنس + ترسمسيون كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة مع ابدال كامل الزيوت. | Lump sum | |
| | | 9 | إصلاح وصيانة دائرة الهيدروليك كاملة مع الجكات الضابطة مع طرنبات الهيدروليك مع رافعة الكيين مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum | |

¹ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

| | | |
|----|----------|---|
| 10 | Lump sum | تركيب محرك سحب الحاويات هيدروليكي استطاعة 4 حصان ألماني نوع ميلر أو ما يعادله + جنزير لللف الكبل الفولاذي + بكرة لف الكبل مع كبل فولاذي قياس 12,5 مم بطول 25 م. |
| 11 | Lump sum | تقديم وتركيب إطارات كتان قياس 20/1100 عدد 9 هانكوك أو ما يعادله |
| 12 | Lump sum | إصلاح وصيانة والكشف على رومات الدواليب كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| 13 | Lump sum | تقديم بطارية جافة 12 فولت استطاعة 150 أمبير عدد 2. |
| 14 | Lump sum | إصلاح وصيانة أقفال الأبواب والغالات كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. |
| 15 | Lump sum | تقديم وتركيب مرآة جانبية بعد حقيقي |
| 16 | Lump sum | إجراء تصويج وحدادة كاملة للكبين وصندوق القمامة مع تصفيح أماكن الاهتراء. |
| 17 | Lump sum | بخ حراري كامل للكبين وصندوق القمامة ملاحظة : الدهان نوع اول - حسب اللون الأساسي للسيارة . |
| 18 | Lump sum | استبدال غرفة كابين كاملة |

الإجمالي (1)

| تسل سل | نوع الآلية | رقم | بيان الأعمال | |
|--------|--|-----|--|----------|
| 2 | ضاغطة قمامة فولفو رقمها FL7.25V رقم الهيكل YVZF5A3C ONA37241 9 | 1 | إصلاح وإجراء عمرة محرك كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 3 | إصلاح وصيانة دائرة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 5 | إصلاح وصيانة شبكة الكهرباء كاملة مع كامل ملحقاتها + (تابلو الساعات وتابلو الكبين) مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 6 | إصلاح وصيانة مبرد الماء مع مبرد الزيت مع تقديم وتركيب النواقص وإبدال القطع التالفة. | Lump sum |
| | | 7 | تقديم وتركيب كامل الخراطيم (الزيت + المازوت + الماء + الفرامل). | Lump sum |

| | Lump sum | إصلاح وصيانة الدوزان مع المقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة. | 8 | | |
|-------------|--|--|--|----------|--|
| | Lump sum | إصلاح وصيانة علبة السرعة + الدفرنس + ترسمسيون كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة مع أبدال كامل الزيوت. | 9 | | |
| | Lump sum | إصلاح وصيانة دائرة الهيدروليك كاملة مع الجكات الضاغطة مع طرنبات الهيدروليك مع رافعة الكبين مع تقديم وتركيب النواقص وإبدال القطع التالفة مع أبدال الزيت الهيدروليك. | 10 | | |
| | Lump sum | تقديم وتركيب بللور الكبين الأمامي + الخلفي + بللور الجانبي (للأبواب) مع صيانة حركات روافع البللور وللأبواب وإبدال التالف. ملحوظة: البللور الأمامي طبقتين مجلتن. | 11 | | |
| | Lump sum | تقديم وتركيب إطارات كتان قياس 20/1100 عدد 9 (هانكوك كوري أو ما يعادله). | 12 | | |
| | Lump sum | إصلاح وصيانة جنوطة الدواليب كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | 13 | | |
| | Lump sum | تقديم بطارية 12 فولت استطاعة 150 أمبير جافة مغلقة منشأ أوروبي أو ما يعادله عدد 2. | 14 | | |
| | Lump sum | تقديم وتركيب مرآة جانبية بعد حقيقي | 15 | | |
| | Lump sum | إجراء حدادة كاملة تصويج وتصفيح الإهترء بالكامل. | 16 | | |
| | Lump sum | بخ حراري مجلتن للكبين بشكل كامل. | 17 | | |
| | Lump sum | تنجيد / جلد صناعي / كامل للكبين | 18 | | |
| المجموع (2) | | | | | |
| تسل سل | نوع الآلية | رقم | بيان الأعمال | | |
| 3 | صهريج ماء مرسيدس أكتروس رقم اللوحة 531402 رقم الهيكل WDB9502 031K4150 25 | 1 | الكشف على المحرك كامل مع اصلاح كل مايلزم وتقديم وتركيب النواقص وإبدال التالف | Lump sum | |
| | | 2 | إصلاح وصيانة دائرة الوقود كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | Lump sum | |
| | | 3 | إصلاح وصيانة الفرامل كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | Lump sum | |
| | | 4 | إصلاح وصيانة دائرة الهواء كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | Lump sum | |
| | | 5 | إصلاح وصيانة شبكة الكهرباء مع كل (ملحقاتها + تابلو ساعات + تابلو الكبين + حساسات + صبايات كهربائية + بلاتينات) كاملة مع تقديم وتركيب النواقص وإبدال القطع التالفة | Lump sum | |

| | | | |
|--|----------|---|----|
| | Lump sum | إصلاح وصيانة دارة التكييف والشوفاج (حامي - بارد) كاملة مع تقديم وتركيب والنواقص وإبدال القطع التالفة | 6 |
| | Lump sum | إصلاح وصيانة مبرد الماء + زيت كاملة مع تقديم وتركيب والنواقص وإبدال القطع التالفة | 7 |
| | Lump sum | تقديم وتركيب كامل الخراطيم (الماء + الزيت + فرامل) | 8 |
| | Lump sum | إصلاح وصيانة الدوزان كامل مع المقود مع تقديم وتركيب والنواقص وإبدال التالف | 9 |
| | Lump sum | الكشف على رولمانات الدواليب الأمامية + الخلفية مع صيانة وإبدال التالف مع إبدال الزيوت الدفرنس | 10 |
| | Lump sum | تقديم وتركيب رافعة الكبين (طرنبة رفع كبين كهربائية حديثة) مضخة هيدروليك يدوية صغيرة خاصة بالإلكتريس + جك لرفع كبين الغرفة + خراطيم هيدروليك عدد 3 لرفع الغرفة | 11 |
| | Lump sum | تقديم وتركيب إطارات كتان قياس 80/295/ 22,5 عدد 9 نوع هانكوك أو ما يعادله | 12 |
| | Lump sum | الكشف على جنوطة الدواليب + براغي الجنط وتقديم وتركيب والنواقص وإبدال التالف | 13 |
| | Lump sum | حدادة وتصفيح خزان الماء يصفح الجزء المعاب بنفس المادة المصنع منها الخزان مع تصويج الكبين مع تصفيح الإهترء | 14 |
| | Lump sum | تقديم وتركيب بطاريات جافة 12 فولت مغلقة قياس 200 أمبير عدد 2 | 15 |
| | Lump sum | إصلاح وصيانة دارة ضغط الماء كاملة مع تركيب مضخة ماء خزان استطاعة 7 حصان تعمل على المازوت أو البنزين وإبدال القطع التالفة. | 16 |
| | Lump sum | استبدال غرفة كابين كاملة | 17 |

المجموع (3)

اجمالي تكلفة اليات المعضمية

Lot 3

صيانة آلية شفط وتسليك المجاري في حرجلة

| تسل سل | نوع الآلية | رقم | بيان الأعمال | |
|--------|--|-----|--|----------|
| 1 | آلية شفط وتسليك المجاري (صاروخ) ذات الرقم 531754 | 1 | مضخة شفط إجراء عمرة كاملة للمضخة تتضمن (طقم قشور + إصلاح صوبابات الكولاس + طقم الموانع) | Lump sum |
| | | 2 | خرطوم طول 100 م 3 طبقات 4/3 إنش إيطالي مانولا أو ما يعادله + 3 رؤوس للخرطوم + 7 رؤوس للخرطوم | Lump sum |
| | | 3 | خرطوم طول 75 م للتسليك المنزلي 2 طبقة 2/1 إنش مانولا أو ما يعادله | Lump sum |

| | | |
|----|----------|--|
| 4 | Lump sum | بطارية جافة 12 فولت عدد 2 قوة 150 أمبير مع غطائين |
| 5 | Lump sum | دولاب عدد 5 مع جنط قياس 315/22.5 نوع هانكوك أو ما يعادله |
| 6 | Lump sum | لوحة إلكترونية مع حساسات التحكم الكهربائي تتضمن (قاطع فصل ووصل حركة الخرطوم وحركة إتجاه منصة الخرطوم +تعشيق لحركة مضخة المازوت + تعشيق علبة السرعة) |
| 7 | Lump sum | لوحة ميكانيكية تتضمن (ساعة ضغط الماء + ساعة تبين كمية الماء بالخرزان + ساعة تبين سرعة دوران المحرك وعزمه) |
| 8 | Lump sum | خرطوم شفط عريض قياس 4 انش طول 35 م بلاستيك راصور مبطن نوع اجني |
| 9 | Lump sum | اجراء فحص كامل لتابلو السيارة وابدال التالف منه |
| 10 | Lump sum | كسر الطبون الأمامي والطنبون الخلفي |
| 11 | Lump sum | مضخة ماء حلزونية 3 انش استطاعة 7 حصان |
| 12 | Lump sum | جكات هدروليك عدد 5 |
| 13 | Lump sum | سكر قياس 4 انش عدد 5 |
| 14 | Lump sum | مرايا جانبية عدد 2 بعد حقيقي |
| 15 | Lump sum | إجراء عمرة للمضخة تتضمن (طقم سيكمان + طقم قشور + طقم شفرات |
| 16 | Lump sum | صندوق عدة كاملة مع كريكو |
| 17 | Lump sum | تقديم وتركيب خراطيم الزيت جديدة |
| 18 | Lump sum | محرك لسحب أغطية الريكارات كهربائي 2 حصان مع الحبل |
| 19 | Lump sum | لوحة التحكم الخاصة بمحرك سحب الريكارات متضمنة مفتاحين لتشغيل وإطفاء المحرك |
| 20 | Lump sum | صيانة دارة الوقود مع صيانة المضخة (إجراء صيانة كاملة لمضخة المازوت متضمنة بلانجورات + طقم جوانات وصوبابات وبخاخات) |
| 21 | Lump sum | اصلاح كابيستال سحب الخرطوم من الريكار مع تركيب محرك يتضمن جنزير طول 3م + فراشات الجنزير ومحرك هيدروليكي كهربائي 4 حصان |
| 22 | Lump sum | زيوت كاملة للالية |
| 23 | Lump sum | غلاف الكابين ستانلس ستيل |
| 24 | Lump sum | خزان ماء للمساحات |
| 25 | Lump sum | اصلاح دهان الالية ومعالجة الصدأ وتصويج الأماكن المهترئة بحيث يكون نوع الدهان حراري بخ مناسب للون الصهريج |

اجمالي تكلفة الية الحرجلة

Lot 4
صيانة آليات النظافة في درعا

| تسل سل | نوع الآلية | رقم | بيان الأعمال | |
|------------|---|-----|---|-------------|
| 1 | ضاغطة قمامة فرايت لايتر رقم الآلية 976656 | 1 | تصويج الأماكن المهترئة في الصندوق الخلفي مع تركيب غطاء محرك فيبر مع تصويج الكبين والدهان دهان حراري بخ موافق للون الكبين مع كل ما يلزم للآلية مع تركيب بلور أمامي | Lump sum |
| | | 2 | الكشف على الصوت في علبة السرعة وإصلاح وإبدال ما يلزم | Lump sum |
| | | 3 | اصلاح الفرامات الأمامية وتقديم وتركيب ما يلزم | Lump sum |
| | | 4 | اصلاح الدوزان (أكوسة - باقات - سيخ الروض ...) مع كل ما يلزم | Lump sum |
| | | 5 | اصلاح دائرة الهيدروليك (خراطيم - طقم اصلاح للجكات+ طرنبة هيدروليك) مع تغيير جك واحد مع كل ما يلزم لمعالجة تهريب الزيت | Lump sum |
| | | 6 | ابدال خراطيم الهواء لزوم تعشيق الهيدروليك وتركيب كل ما يلزم | Lump sum |
| | | 7 | إجراء عمرة محرك كاملة | Lump sum |
| | | 8 | تبديل زيوت كامل للآلية (علبة السرعة - هيدروليك - محرك) مع المصافي والفلاتر | Lump sum |
| المجموع(1) | | | | |
| تسل سل | نوع الآلية | رقم | بيان الأعمال | |
| 2 | ضاغطة قمامة فرايت لايتر رقم الآلية 998824 | 1 | اصلاح دائرة الهواء مع استبدال طرنبة الهواء مع كل ما يلزم | Lump sum |
| | | 2 | اصلاح الدوزان (أكوسة - باقات -) مع تقديم وتركيب كل ما يلزم | Lump sum |
| | | 3 | تقديم وتركيب دولاب عدد 4 قياس 1200/20 | Lump sum |
| | | 4 | صيانة عامة لكهرباء الآلية مع تقديم وتركيب أضوية أساسية وكالة تتوافق مع غطاء المحرك مع كل ما يلزم | Lump sum |
| | | 5 | ابدال غطاء المحرك مع الرفاريف كامل مع دهان وتبديل كل ما يلزم | Lump sum |

| | | | | | |
|--|----------|---|-----|--|--------|
| | | اصلاح الدبرياج وتبديل كل ما يلزم | 6 | | |
| | Lump sum | اببدال بلور أمامي مجلتن | 7 | | |
| | | المجموع(2) | | | |
| | | بيان الأعمال | رقم | نوع الآلية | تسل سل |
| | Lump sum | تقديم وتركيب بكرة خرطوم تلاءم طول الخرطوم | 1 | صاروخ صرف صحي ايفيكو رقم الآلية 976732 | 3 |
| | Lump sum | تقديم وتركيب خرطوم مبطن ضغط عالي 3 طبقات ايطالي أو ما يعادله 0.5 " بطول 50 متر مع كبس الرؤوس | 2 | | |
| | Lump sum | تقديم وتركيب تعشيق طرنبة الصاروخ | 3 | | |
| | Lump sum | اصلاح الفرامل الأمامية والخلفية مع تركيب كل ما يلزم | 4 | | |
| | Lump sum | تقديم وتركيب سكورة مياه مع مواسير مع خراطيم السكر إيطالي أو ما يعادله ضغط عالي قياس 1 انش خرطوم وصل ضغط عالي عدد5 قطر 1 انش بطول 2م للخرطوم الواحد مع وصل مع كل ما يلزم | 5 | | |
| | Lump sum | تقديم وتركيب لوحة تحكم مع اصلاح الكهرباء كاملة مع تركيب أضوية مع كل ما يلزم | 6 | | |
| | Lump sum | تقديم وتركيب بطارية سائلة 12فولت مفتوحة عدد 2 / 150 أمبير / | 7 | | |
| | Lump sum | تقديم وتركيب مرايا عدد 2 | 8 | | |
| | Lump sum | تصويج الكبين مع دهان بخ حراري يتوافق مع لون الآلية وكل ما يلزم | 9 | | |
| | Lump sum | تنجيد الكبين من الداخل مع الكراسي كامل تنجيد جلد لكرسي السائق مع كرسي المرافق مع تصويج الكرسي | 10 | | |
| | Lump sum | تقديم وتركيب اشتمان كامل | 11 | | |
| | Lump sum | تقديم وتركيب مجموعة دبرياج كاملة | 12 | | |
| | | المجموع(3) | | | |
| | | اجمالي تكلفة آليات درعا | | | |
| | | اجمالي تكلفة الاليات (معضمية - الحرجلة ودرعا) | | | |

TABLE 2 : Offer to Comply with Other Conditions and Related Requirements

| Other Information pertaining to our Quotation are as follows : | Your Responses | | |
|--|----------------------------|-----------------------------|---|
| | <i>Yes, we will comply</i> | <i>No, we cannot comply</i> | <i>If you cannot comply, pls. indicate counter proposal</i> |
| Delivery Lead Time | | | |
| Estimated weight/volume/dimension of the Consignment: | | | |
| Country/ies Of Origin: | | | |
| Warranty and After-Sales Requirements | | | |
| a) Minimum one (1) year warranty on both parts and labor | | | |
| Validity of Quotation | | | |
| All Provisions of the UNDP General Terms and Conditions | | | |
| Performance security | | | |

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]