




No	Notes
01	All dimensions are in MM unless otherwise indicated
02	All dimensions to be checked and confirmed on site, WRITTEN dimension override SCALED dimensions. Any discrepancy must be reported to the Architect promptly before proceeding
03	Foundation depth to be determine on site, but should not be less than 1200mm. Strip Footing to be in concrete class 20
04	All structural works, roof structures, column, slabs and beams are to STRUCTURAL ENGINEER'S DETAILS
05	DPC to be 3ply Bituminus felt or any other approved Materials. Provide heavy duty polythene sheet under ground slab and anti termite Fumigants in the hardcore layer.
06	All windows and doors (except WC doors) to be provided with appropriate permanent ventilation (PV)
07	All walls less than 200mm thick to be provided with Hoop Iron reinforcements at every alternate course
08	All Plumbing works to be in regulations with M.O.H Regulations or relevant Authority. Sanitary fittings to be TWYFORD or as per specifications
09	All inspection chambers with building areas, Driveways and parkings to have covers. H/D double seal airtight. Drainage pipes passing under a buildings, driveways and parking to be encased in 150th concrete surround
10	All waste and soil pipes to be in ducts and bends to have roding eyes with external Access
REVISION	
No	DATE DESCRIPTION
PROPOSED JAPANESE CENTRES TRAINING/COMPUTER CENTER LOCATION: JUBA - SOUTH SUDAN	
SCALE: 1:100 DRAWING :	
CLIENT: UNIVERSITY OF JUBA	
DESIGNED BY: ARCH.AMOS ARIER	
 University of Juba Office of the Resident Engineer <small>©THIS DESIGN IS A PROPERTY OF UoJ IT IS AN OFFENCE TO ALTER,COPY OR SELL WITHOUT THE CONSENT OF THE OWNER</small>	