



REQUEST FOR QUOTATION (RFQ)

Subject: Supply and delivery of Combat Training Materials for LOTFA TSM Project	DATE: 1 st October 2019
	REFERENCE: UNDP/AFG/RFQ/2019/0000004533

Dear Mr./Ms.: Bidder

The United Nations Development Programme (UNDP) Afghanistan Country Office hereby invites you to submit a Quotation to this Request for Quotation (RFQ) for the above-referenced subject.

This RFQ includes the following documents:

- Letter of Invitation
- Annex 1 - RFQ Bid Data Sheet
- Annex 2 - General Terms and Conditions of RFQ
- Annex 3 - Technical Specifications
- Annex 4 – Supplier’s Compliance form.
- Annex 5 - Price Schedule
- E-tendering Instructions Manual for Bidders
- FAQ for Bidders

Your offer, comprising of following documents stated in this RFQ, should be submitted to UNDP Afghanistan in accordance with the Annex 1 (RFQ Data Sheet) through the “**UNDP ATLAS E-tendering system**” (<https://etendering.partneragencies.org>).

The step by step instructions for registration of bidders and proposal submission through the UNDP ATLAS E-tendering system is available in the “**Instructions Manual for the Bidders**”, attached with this RFQ. Should you require any training on the UNDP ATLAS E-tendering system or face with any difficulties when registering your company or submitting your proposal, please send an email to the E-tendering helpdesk at procurement.af@undp.org or call +93728999759 during office hours to request for help. The proposers are advised to use Internet Explorer (Version 10 or above) to avoid any compatibility issues with the e-tendering system.

No hard copy or email submissions will be accepted by UNDP.

Bid submission deadline: Please refer to E-tendering system.

Kindly go through this invitation letter and other documents attached here to this RFQ. Should you have any questions or require any clarification, please feel free to email your questions/clarifications to the procurement officer at procurement.af@undp.org. The subject of the email should be **UNDP/AFG/RFQ/2019/0000004533**

UNDP looks forward to receiving your quotation and thanks you in advance for your interest in UNDP procurement opportunities.

Yours sincerely,

Head of Procurement Unit

Annex (1)**Data Sheet**

Delivery Terms [INCOTERMS 2010] <i>(Pls. link this to price schedule)</i>	DAP – LOTFA-TSM Project, New MOI Compound, Kabul Afghanistan. The Supplier is responsible for Export packing - Marking & Labelling - Export Clearance - Freight Forwarder Documentation Fees - Inland Freight to Main Carrier - Origin Terminal Charges - Vessel Loading Charges - Ocean Freight / Air Freight - Nominate Export Forwarder - Unload Main Carrier Charges - Destination Terminal Charges - Nominate on-Carrier.
Customs clearance ¹ , if needed, shall be done by:	UNDP Afghanistan:
Exact Address/es of Delivery Location/s (identify all, if multiple)	LOTFA-TSM Project, New MOI Compound, Kabul Afghanistan.
UNDP Preferred Freight Forwarder, if any ²	Not Applicable
Distribution of shipping documents <i>(if using freight forwarder)</i>	If custom clearance conducted by UNDP, the below listed documents are required; <ul style="list-style-type: none"> - Bill of Lading/Waybill - Invoice - Packing List Note: all needs to be issued on the name of UNDP Afghanistan. A complete set of original shipping document listed above must be pouched to UNDP Afghanistan for custom clearance purpose.
Latest Expected Delivery Date and Time <i>(if delivery time exceeds this, quote may be rejected by UNDP)</i>	In 3 weeks from issuance of PO/Contract
Delivery Schedule	N/A
Packing Requirements	Not Applicable
Mode of Transport	<input checked="" type="checkbox"/> LAND or AIR

Preferred Currency of Quotation ³	<p>United States Dollar (USD)</p> <p><i>Where Bids are quoted in different currencies, for evaluation purposes bid prices expressed in different currencies shall be converted in: [US Dollars]</i></p> <p><i>UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids</i> For evaluation purposes, the quotation submitted in other currencies will be converted to US\$ using the UN Operational Exchange Rate. <i>The UN Rate of exchange applicable on the last day of bid closure shall apply</i></p>
Tax on Price Quotation ⁴	<input checked="" type="checkbox"/> Must be inclusive of VAT and other applicable taxes
After-sales services required	<input checked="" type="checkbox"/> Standard Manufacture Warranty items coming with warranty.
Deadline for the Submission of Quotation	<p>Deadline for the Submission of Quotation: As specified in the e-Tendering system (note that time zone indicated in the system is New York Time zone).</p> <p>As indicated in the e-Tendering system.</p> <p>Date and Time: As specified in the system (note that the time zone indicated in the system in New York Time zone).</p> <p>PLEASE NOTE:-</p> <p>Date and time visible on the main screen of the event (on the E-Tendering portal) will be final and prevail over any other closing time indicated elsewhere, in case they are different. Please also note that the bid closing time shown in the PDF file generated by the system is not accurate due to a technical glitch that we will resolve soon. The correct bid closing time is as indicated in the E-Tendering portal and system will not accept any bid after that time. It is the responsibility of the bidder to make sure bids are submitted within this deadline. UNDP will not accept any bid that is not submitted directly to the system.</p> <p>Try to submit your bid a day prior or well before the closing time. Do not wait until last minute. If you face any issue submitting your bid at the last minute, UNDP may not be able to assist.</p>
All documentations, including catalogs, instructions and operating manuals, shall be in this language	<input checked="" type="checkbox"/> English
Documents to be submitted ⁵ (Preliminary requirement)	<p><input checked="" type="checkbox"/> Scanned copy of duly filled, signed and company stamped Technical Specification/ Compliance Sheet (<i>Annex-2</i>)</p> <p><input checked="" type="checkbox"/> Scanned copy of duly filled, signed and company stamped (Price schedule) <i>Annex-3</i></p>

	<input checked="" type="checkbox"/> Excel version of duly filled Price Schedule, <i>Annex -3</i> (if available) <input checked="" type="checkbox"/> Form for submitting supplier's quotation. <input checked="" type="checkbox"/> Details of two (2) contracts for similar requirement, each contract with total amount of equal or above USD \$50,000 in the last 3 years , including contract description, contract value, clients name and contact details with national or international organizations <input checked="" type="checkbox"/> Valid Business License <input checked="" type="checkbox"/> Company Profile
Period of Validity of Quotes starting the Submission Date	<input checked="" type="checkbox"/> 60 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	<input checked="" type="checkbox"/> Not permitted
Payment Terms	<input checked="" type="checkbox"/> 100% upon complete delivery and final acceptance by UNDP officials.
Liquidated Damages	<input checked="" type="checkbox"/> Will be imposed under the following conditions: If the Supplier fails to deliver any or all of the goods/Works or perform any of the services within the time period specified in the Contract/Purchase Order, UNDP may, without prejudice to any other rights and remedies deduct from the total price stipulated in this Order an amount of 0.5 % per day of the value of the Contract up to a period of 20 days or 10% of the total contract value, hereafter UNDP AFGHANISTAN has the right to cancel the order.
Evaluation Criteria	<input checked="" type="checkbox"/> Technical responsiveness/Full compliance to technical specification/requirements and lowest price <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions <input checked="" type="checkbox"/> Having two (2) contracts for similar requirement, each contract with total amount of equal or above USD \$50,000 in the last 3 years , including contract description, contract value, clients name and contact details with national or international organizations <input checked="" type="checkbox"/> Supplier's compliance sheet (Annex 5)
UNDP will award to:	<input checked="" type="checkbox"/> One and only one supplier
Type of Contract to be Signed	Purchase Order and Contract for Goods and Services for UNDP
Contract General Terms and Conditions	UNDP General Terms and Conditions for Contracts https://www.undp.org/content/dam/undp/library/corporate/Procurement/english/3.%20UNDP%20GTCs%20for%20Contracts%20(Goods%20and-or%20Services)%20-%20Sept%202017.pdf

Special conditions of Contract	<input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed than agreed delivery time.
Conditions for Release of Payment	<input checked="" type="checkbox"/> Written Acceptance of Goods based on full compliance with RFQ requirements <input checked="" type="checkbox"/> Final certification by End User/ Project Focal Point
Annexes to this RFQ	<input checked="" type="checkbox"/> Data Sheet (Annex 1) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions of RFQ (Annex 2). Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process. http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html <input checked="" type="checkbox"/> Technical Specification (Annex 3) <input checked="" type="checkbox"/> Supplier's compliance sheet (Annex 4) <input checked="" type="checkbox"/> Price Schedule (Annex 5) <input checked="" type="checkbox"/> E-tendering Instructions Manual for Bidders <input checked="" type="checkbox"/> FAQ for Bidders
Contact Person for Inquiries (Written inquiries only) ⁶	Procurement.af@undp.org Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers. The deadline for submission of request for clarification shall be 3 days before to bid closing date Any query and clarification shall be emailed to below email no later than 5 days prior to bid submission deadline: Procurement.af@undp.org The subject of the email should be UNDP/AFG/RFQ/2019/0000004533

Annex (2) General Terms and condition of RFQ:

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

⁶ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail, and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.



Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link: <http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>



UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.



UNDP implements a zero tolerance on fraud and other proscribed practices and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.




Annex (3) Technical Specification and compliance/requirement.



NO	Item Name	Specification	QTY	Item Display	Your response		
					Compliance with technical specifications		Comments
					Yes, we comply	No, we cannot comply (indicate discrepancies)	
1	TACTICAL UNIFORM	<p>V2 Tactical Long Sleeve Shirt, First Tactical Colors:</p> <ul style="list-style-type: none"> • 100% Cotton • Imported • Tough 5.4-oz. cotton canvas; cape-back with moisture-wicking mesh • Triple-stitch construction; 26 bartacks in high stress areas; tough melamine buttons • Hidden button down collar; patented hidden document pockets; reinforced pen pockets • Comfortable, durable and functional; 6 pockets; • Long sleeves; tall sizes adds 2 inches to length <p>Different Color (Black, Khaki, od, blue, Navy) Different Size (S,M,L,XL)</p>	25 Ps				
2		<p>V2 Tactical Pants- First Tactical. Colors: black, Khaki, OD, Blu</p> <ul style="list-style-type: none"> • 65% Polyester/35% Cotton Rip-Stop Fabric • Imported • Zipper closure • Sizing Note - These pants measure at the listed size when the elastic is fully stretched out. • Large cargo Pockets feature LA Police Gear's top pass through for quick access and are slanted for seated access • The articulating knees and gusseted crotch allow for better movement 	25 Ps				

		<ul style="list-style-type: none"> • YKK Zipper Fly, Dual Front D Rings, double knee and seat fabrics, built in (removable) blousing strings • Elastic Waistband for extra comfort or is perfect for CCW <p>Different Color (Black, Khaki, od, blue, Navy) Different Size (S,M,L,XL)</p> <p>Options:</p> <ul style="list-style-type: none"> • Defender Pants- First Tactical <p>Color: Black, Blue, OD</p>					
3	PLATES CARRIERS E BALLISTIC PLATES	<p>plate carrier MKIII – TASMANIAN TIGER, Color: Black, Khaki, OD, Coyote Brown. or equivalent</p> <ul style="list-style-type: none"> • Adjustable padded straps • Ventilated side panels • Length of side wings adjustable • Delivered with two side sections: 1 single 50 mm side wing (80 g), 1 ventilated side wing with MOLLE (170 g) • Size 2 (L/XL) also suitable for smaller Armour plates • Front panel detaches for loading • Front and side areas with MOLLE system for individual extension <p>Different Color (Black, Khaki, od, blue, Navy).</p>	25 Ps				
4	BALLISTIC PLATES	<p>USH G3 "GOST3" SHOOTER'S'S CUT standalone e ICW (In Conjunction). cm. 25.4x305 – kg. 1.7</p> <p>NIJIII++308-M80 / 7.62*39AK Ps+ 7.62*54R Fmj + 5.45Ps+Gp11 et Gp90+angles shot + Dm 111ICw</p>	25 Ps				




5	BALLISTIC HELMET	<p>Ballistic Helmet LBA MACH III: or equivalent Color (Black) Different Size (S, M,L,XL)</p> <p>Features: Vehicle crew design Ultra lightweight helmet Improved harness system Improved comfort Communications compatible NVG compatible STANAG V50 F6 650m/s Protection NIJ IIIA Protection</p>	25 Ps				
6	COMBAT DUTY BELTS WITH POUCHES	<p>– WARRIOR BELT MKIII – or equivalent Color: Black, Khaki, Od, Coyote Brown – 3 Sizes</p> <p>Model: Warrior Belt MKIII Material: Cordura 700D / Nylon Different Size (S, M,L,XL)</p>	25 Ps				
7		<p>– SLG PI MAG POUCH MCL for (Pistol)- TASMAIAN TIGER or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Removable hook-and-loop fastening side stabilizer • Single magazine capacity • MOLLE Reverse System • Requires 1 MOLLE loop • 3.5 x 1 x .75in 9 x 3 x 2cm • WEIGHT 88oz 25g 	25 Ps				

8		<p>– SLG PI MAG POUCH MCL for (rifle)- TASMAIAN TIGER or equivalent</p> <p>Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Removable hook-and-loop fastening side stabilizer • Single magazine capacity • MOLLE Reverse System • Requires 1 MOLLE loop 	25 Ps				
9		<p>– TAC Pouch 2 RADIO, TASMAIAN TIGER, or equivalent</p> <p>Color: Black, Khaki, Od, Coyote Brown</p> <ul style="list-style-type: none"> • Size adjustable strap loops • MOLLE snap button system • Needs one MOLLE loop • Measurement: 15 x 7 x 7 cm • Weight 100 g 	25 Ps				
10		<p>– TOOL POCKET L- TASMAIAN TIGER, or equivalent</p> <p>Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Flap locked with quick-release buckle • Can be carried horizontally or vertically • MOLLE system • Needs one MOLLE loop • Weight 75 g • Measurement: 14 x 6 x 3 cm 	25 Ps				



11		<p>– TAC POUCH 4 TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Extra wide zipped opening • Hook-and-loop strips for name tag • MOLLE snap button system • Needs three MOLLE loops • Weight 100 g • Measurement: 10 x 15 x 4 cm 	25 Ps				
12		<p>– DUMP POUCH MOLLE- TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Packable to small volume • One-hand operation with folding side parts • Size for 2 x G36 double magazines • MOLLE snap button system • Weight 115 g • Measurement: 21 x 20 cm • Fabric 420 HD Nylon 	25 Ps				
13		<p>– IFAK POUCH S(empty)- TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Loops for pulling out in two colors (red and black) • Opens out, with hook-and-loop fastening • Pull out panel for individual loading • Can also be used with 50mm belts • MOLLE System • Requires 2 MOLLE loops - 4 across • Weight 190 g • Measurement: 15 x 15 x 5 cm 	25 Ps				

14	TACTICAL HOLSTER	<p>– OMNIVORE MULTIFIT HOLSTER – BALCKHAWK, equivalent Color: Back Light: (01) SUREFIRE X3000U- A/B (02) TLR ½</p> <ul style="list-style-type: none"> • Multi-fit - omnivore holsters fit more than 150 styles of semi-automatic handguns with an accessory rail (Compatible with stream light tlr 1/2 light bearing) • Active retention mechanism- ergonomic thumb- Activated retention mechanism delivers instant firearm access • Level 2 retention - uses two features to hold handgun securely in place • Free-floating design - holster locks onto rail attachment device, doesn't wear firearm's frame and finish • 3-position adjustable release - height of thumb- Activated retention mechanism adjusts to fit your hand 	25 Ps				
15		<p>- QUICK DISCONNECT SYSTEM KIT- BLACKHAWK, or equivalent Color: Black, ct, od</p> <ul style="list-style-type: none"> • Allows you to move your serpa holster effortlessly between any serpa platforms • Two (2) female holster Adapters and one (1) male holster Adapter • High-density polymer carbon-fiber blend • Secures holsters, rails, and carbon-fiber accessories such as light and magazine cases 	25 Ps				





16		<p>PLATFORM STRIKE – BLACKHAWK, or equivalent Color: Black, ct, od</p> <ul style="list-style-type: none"> • Allows you to move your serpa holster effortlessly between any serpa platforms • Two (2) female holster Adapters and one (1) male holster Adapter • High-density polymer carbon-fiber blend • Secures holsters, rails, and carbon-fiber accessories such as light and magazine cases 	25 Ps				
17		<p>TACTICAL HOLSTER PLATFORM- BLACKHAWK Color: Black, ct, od</p> <ul style="list-style-type: none"> • Convenience and reliability during raids or other special operations • Compatible with BLACKHAWK! Duty Gear belt pouches • Works with SERPA CQC Carbon-Fiber Holster or SERPA Duty Holsters • Unique Y-harness with quick-disconnect articulated belt attachments • Dual leg strap design • Available in Black, Coyote Brown, Foliage Green, and Olive Drab 	25 Ps				
18		<p>- LIGHT TRAIID CR POLYMER- ASP</p> <ul style="list-style-type: none"> • Runs on 2 AA primary (single use) cells, included • 275 Lumens, 1.75 hour run time • Beam distance 90 meters • Beam distance 90 meters 	25 Ps				



		<ul style="list-style-type: none"> 2 ASP high-performance lithium AA batteries and reversible pocket clip included 					
19		<p>- TLC TACTICAL LIGHT CASE- ASP</p> <ul style="list-style-type: none"> Holds any ASP Tungsten flashlight Rotates 360 degrees, with 12 positive click-stops to hold light in selected position 	25 Ps				
20		<p>- TRI- FOLD RESTRAINTS TACTICAL- ASP</p> <p>Color: Black</p>	25 Ps				
21		<p>- TRIFOLD CASE MOLLE- ASP, KIT. 3.PZ. KIT</p> <ul style="list-style-type: none"> Molded polymer with two divided compartments and button drain hole Belt slide with adjustable loop to fit 2¼" to 1¼" MOLLE compatible Holds two Tri-Fold disposable restraints 5¼" x 2½" 	25 Ps				




22		<p>- DIAMONDBACK KNIFE SPEAR- FIRST TACTICAL</p> <p>Size : 1" x 32"</p> <p>Color: black</p>	25 Ps				
23	Tactical Baton	<p>– Baton S21 SENTRY- ASP (Available 16" e 26")</p> <ul style="list-style-type: none"> • Black, chrome plated 4140 steel • Foamed vinyl grips are extremely durable and replaceable • Impact forged tip • Closed: 7-3/4"L • 16.3 oz 	25 Ps				
24		<p>- BATON CASE WITH ROTATES 360</p> <p>Model Number: 360 Degrees Rotation Black Baton Holder</p> <p>Compatible Brand/Model: None</p> <p>Suitable for : Determined for the batons 0.98" to 1.14" (2.5 cm to 2.9 cm)diameter</p> <p>Fit belt width: under 5.5cm</p>	25 Ps				
25		<p>- SLASH&FLASH HARD KNUCKLE GLOVES – FIRST TACTICAL</p> <ul style="list-style-type: none"> • Machine washable goatskin palm for long-term utility • Kevlar lined palm • Kevlar, Synthetic, Goatskin • Nomex jersey • TPR knuckle protection • TouchTac fingertip 	25 Ps				




26	Team Equipment	<p>Ballistic Shields – tactical use and protection. # USHCHAOS BALLISTIC SHIELD MOD. CHAIS II – UNIVERSAL SHIELDS, Individual use, dynamic combat shields</p> <p>USH Skeleton Frame, handle and pad with adjustable, removable and angled capabilities. Clean with soap and water. Same protection on both sides of shield. Level of protection NIJ III++ SP.T(Vpam 7(part.) Thickness 10-29mm Weight 1,5-5kgs Type of use Individual & Support Combat Shield Size 63x29cm</p>	1 Ps																												
27		<p># -BALLISTIC SHIELD MOD. OPPIDIUM- UNIVERSAL SHIELD Use for the front team.</p> <table><tr><td>PN</td><td>2019 Lightweight PE Handheld</td></tr><tr><td>Material</td><td>UHMWPE FIBER</td></tr><tr><td>Size</td><td>Shield:900*520*6.2mm Window:220*70*35mm</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>Unit weight</td><td>5.4KG</td></tr><tr><td>Protective area</td><td>0.45 sqm</td></tr><tr><td>Thickness</td><td>6.2mm</td></tr><tr><td>Ballistic level</td><td>NIJIIIA(.44)</td></tr><tr><td>Service</td><td>ODM & OEM are available</td></tr><tr><td>Packing</td><td>2 PCS/CTN</td></tr><tr><td>Carton Size</td><td>98*59*23cm</td></tr><tr><td>Features</td><td>Light weight performance for</td></tr></table>	PN	2019 Lightweight PE Handheld	Material	UHMWPE FIBER	Size	Shield:900*520*6.2mm Window:220*70*35mm	Color	BLACK	Unit weight	5.4KG	Protective area	0.45 sqm	Thickness	6.2mm	Ballistic level	NIJIIIA(.44)	Service	ODM & OEM are available	Packing	2 PCS/CTN	Carton Size	98*59*23cm	Features	Light weight performance for	1 Ps				
PN	2019 Lightweight PE Handheld																														
Material	UHMWPE FIBER																														
Size	Shield:900*520*6.2mm Window:220*70*35mm																														
Color	BLACK																														
Unit weight	5.4KG																														
Protective area	0.45 sqm																														
Thickness	6.2mm																														
Ballistic level	NIJIIIA(.44)																														
Service	ODM & OEM are available																														
Packing	2 PCS/CTN																														
Carton Size	98*59*23cm																														
Features	Light weight performance for																														



28		#-- BALLISTIC SHIELD MOD. HAMMER- Universal SHIELD Individual use and support Only LIV. III+ +SpT (VPAM7)	1 Ps				
29		DE-UKMOEK DE-MBM DYNAMIC ENTRY – MINI BOLT MASTER	1 PS				
30		DE-TBK-C DYNAMIC ENTRY- TACTICAL BACKPACK- KIT C	1 Ps				
31		DE-SBR DYNAMIC ENTRY- SUPER BEAK-N-RAKE	1 Ps				

32		DE-HT DYNAMIC ENRTY- HALLAGAN TOOL	1 Ps						
33		KIT Entry Tools: DYNAMIC Entry purpose a different kind of tools and kit	1 Ps						
34		MOD. PLATOON. <ul style="list-style-type: none">•• n. 4 vertical side connector• n. 4 horizontal side connector• n. 2 bags	1 Ps						
35		#– MILITRY and TACTICAL CAMERA MOHOC ELITE <table border="1"><tr><td>Weight, including battery:</td><td>7.2oz (202 grams)</td></tr></table>	Weight, including battery:	7.2oz (202 grams)	1 Ps				
Weight, including battery:	7.2oz (202 grams)								

		<table><tr><td>Dimensions:</td><td>52x42x88mm</td></tr><tr><td>Video Settings:</td><td>1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)</td></tr><tr><td>Photos:</td><td>12MP</td></tr><tr><td>Sensor:</td><td>CMOS</td></tr><tr><td>Image Ratio:</td><td>4</td></tr><tr><td>File Format:</td><td>.JPG</td></tr><tr><td>White Balance:</td><td>Auto-adjust</td></tr><tr><td>ISO:</td><td>Auto (100-3200)</td></tr><tr><td>Lens Aperture:</td><td>F/2.8</td></tr><tr><td>Battery Life:</td><td>Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A</td></tr><tr><td>Microphones:</td><td>2 External microphones for stereo audio</td></tr><tr><td>USB:</td><td>Micro 2.0 to recharge battery and download video to computer</td></tr><tr><td>Operating Temperature Range:</td><td>14 to 140F (-10 to 60C)</td></tr></table>	Dimensions:	52x42x88mm	Video Settings:	1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)	Photos:	12MP	Sensor:	CMOS	Image Ratio:	4	File Format:	.JPG	White Balance:	Auto-adjust	ISO:	Auto (100-3200)	Lens Aperture:	F/2.8	Battery Life:	Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A	Microphones:	2 External microphones for stereo audio	USB:	Micro 2.0 to recharge battery and download video to computer	Operating Temperature Range:	14 to 140F (-10 to 60C)	<div></div> <div></div>			
Dimensions:	52x42x88mm																															
Video Settings:	1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)																															
Photos:	12MP																															
Sensor:	CMOS																															
Image Ratio:	4																															
File Format:	.JPG																															
White Balance:	Auto-adjust																															
ISO:	Auto (100-3200)																															
Lens Aperture:	F/2.8																															
Battery Life:	Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A																															
Microphones:	2 External microphones for stereo audio																															
USB:	Micro 2.0 to recharge battery and download video to computer																															
Operating Temperature Range:	14 to 140F (-10 to 60C)																															

36		<p># - FAST ATTACK LITTER- BLACKHAWK or equivalent Color: Black</p> <table><tr><td>Brand Name</td><td>Rescue Essentials</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>Fabric Type</td><td>non-woven material</td></tr><tr><td>Item Shape</td><td>Rectangular</td></tr><tr><td>Item Weight</td><td>13.4 ounces</td></tr><tr><td>Material Composition</td><td>non-woven material</td></tr><tr><td>Measurement System</td><td>English</td></tr></table>	Brand Name	Rescue Essentials	Color	Black	Fabric Type	non-woven material	Item Shape	Rectangular	Item Weight	13.4 ounces	Material Composition	non-woven material	Measurement System	English	1 PS				
Brand Name	Rescue Essentials																				
Color	Black																				
Fabric Type	non-woven material																				
Item Shape	Rectangular																				
Item Weight	13.4 ounces																				
Material Composition	non-woven material																				
Measurement System	English																				
37		<p>#– GUN SLING- TASMANIAN or equivalent Different Color: (Black, Coyote, Brown)</p> <p>Length adjustable Made from 25 mm webbing Quick movement into the rest position Fast and safe movement of the weapon into position</p>	25 Ps																		
38		<p>#– ASSAULT RIFLE GUNS AK47 – ASP – For training Purpose Color: Red</p> <p>• Lightweight</p>	25 Ps																		

		<ul style="list-style-type: none"> • Realistic Replicas • Distinctive Color • Exacting Tolerances • Reinforced Construction 					
39		# -0 RED DOT EOTECH XPS3-0 or equivalent Night Vision Capability: Yes Weight : 9 oz Water Resistance: 33 Ft Mount: 1" Weaver Color: Black	25 Ps				
40		#-- ZHUKOV HANDGUARD FOR AK47 Applicable for Ak47 and Ak74	25 Ps				
41		#-- M-LOK POLYMER RAIL FOR MAG586 FOR AK47	25 Ps				
42	STAZIONE PORTATILE MOTOROLA SERIE DP 400E	1-5 W 136-174 MHZ DMR/ANAL VOX ATTIVO CON Mini-TASTIERA, DISPLAY COLON, SENZA GPS e Bluetooth 1000 channel Programmable, Locating Tracking Integrated Bluetooth Dispatch Consoles Email Gateways Network Monitoring Man-Down Application Telephony	25 Ps				

		Text Messaging Work Order Tickets					
43	Opz. Antenna VHF	Include VHF WHIP Antenna (136-174 MHz) Weight (lb.): 2.46 Dimensions (Inches): 34.0 Antenna Type: Whip Frequency Range (MHz): 136-174 Frequency Band (Mhz): VHF Integrated GPS: No Mounting Style: Through -Hole	25 PS				
44	Opz. Carica Batterie e Batterie	Include Batterie IMPRES LIION 2250 MAH	25 Ps				
45	OB Dedicate	<ul style="list-style-type: none"> • Software for Motorola Radio. • Provide Digital Coordinate • Enables GPS sharing within Motorola 	for 25 Radios				
46	Accessory Audio	Noise Canceling behind-The-Head heavy Duty Headset. <ul style="list-style-type: none"> • PTT: Yes • Receive: Both Ears • Transmit via: Boom mic • Headband: behind the head • VOX Capability: Yes (no VOX switch, but capable to support VOX function when enabled in Radio) • Noise Reduction: 24dB • Intrinsic Safety Standard: No • IP Rating: IP54 	25 Ps				

Annex 4: Supplier's compliance sheet:



FORM FOR SUBMITTING SUPPLIER'S QUOTATION




Goods and services to be Supplied and Technical Specifications	Your response		
	Compliance with technical specifications		Comments
	Yes, we comply	No, we cannot comply <i>(indicate discrepancies)</i>	
Having minimum two (2) contracts for similar requirement, each contract with total amount of equal or above USD \$50,000 in the last 3 years, including contract description, contract value, clients name and contact details with national or international organizations			
The validity of offer is 60 days from bid submission deadline date.			
The delivery will be completed in 3 weeks from signing of contract.			
Acceptance UNDP General Terms and Conditions for Contracts; which is link provided in Bid Data sheet clause No. 23.			
Any item if rejected during receiving and inspection time will be supplied within 2 weeks from inspection date otherwise liquidate damages will be applied in accordance to Bid Data Sheet of this RFQ.			




Confirmation:

No Deviations / Deviations to the technical specification of per item listed above are clearly identified and noted.	Authorised Signature :
--	---------------------------------




Annex (5) Price Schedule:



NO	Item Name	Specification	QTY	Item Display	Unit Price USD	Total Price USD
1	TACTICAL UNIFORM	<p>V2 Tactical Long Sleeve Shirt, First Tactical Colors:</p> <ul style="list-style-type: none"> • 100% Cotton • Imported • Tough 5.4-oz. cotton canvas; cape-back with moisture-wicking mesh • Triple-stitch construction; 26 bartacks in high stress areas; tough melamine buttons • Hidden button down collar; patented hidden document pockets; reinforced pen pockets • Comfortable, durable and functional; 6 pockets; • Long sleeves; tall sizes adds 2 inches to length <p>Different Color (Black, Khaki, od, blue, Navy) Different Size (S,M,L,XL)</p>	25 Ps			
2		<p>V2 Tactical Pants- First Tactical. Colors: black, Khaki, OD, Blu</p> <ul style="list-style-type: none"> • 65% Polyester/35% Cotton Rip-Stop Fabric • Imported • Zipper closure • Sizing Note - These pants measure at the listed size when the elastic is fully stretched out. • Large cargo Pockets feature LA Police Gear's top pass through for quick access and are slanted for seated access • The articulating knees and gusseted crotch allow for better movement • YKK Zipper Fly, Dual Front D Rings, double knee and seat fabrics, built in (removable) blousing strings • Elastic Waistband for extra comfort or is perfect for CCW <p>Different Color (Black, Khaki, od, blue, Navy) Different Size (S,M,L,XL)</p>	25 Ps			

		Options: <ul style="list-style-type: none"> Defender Pants- First Tactical Color: Black, Blue, OD				
3	PLATES CARRIERS E BALLISTIC PLATES	plate carrier MKIII – TASMANIAN TIGER, Color: Black, Khaki, OD, Coyote Brown. or equivalent <ul style="list-style-type: none"> Adjustable padded straps Ventilated side panels Length of side wings adjustable Delivered with two side sections: 1 single 50 mm side wing (80 g), 1 ventilated side wing with MOLLE (170 g) Size 2 (L/XL) also suitable for smaller Armour plates Front panel detaches for loading Front and side areas with MOLLE system for individual extension Different Color (Black, Khaki, od, blue, Navy).	25 Ps			
4	BALLISTIC PLATES	USH G3 "GOST3" SHOOTER'S'S CUT standalone e ICW (In Conjunction). cm. 25.4x305 – kg. 1.7 NIJIII+ +308-M80 / 7.62*39AK Ps+ 7.62*54R Fmj + 5.45Ps+Gp11 et Gp90+angles shot + Dm 111ICw	25 Ps			
5	BALLISTIC HELMET	Ballistic Helmet LBA MACH III: or equivalent Color (Black) Different Size (S, M,L,XL) Features: Vehicle crew design Ultra lightweight helmet Improved harness system Improved comfort Communications compatible NVG compatible	25 Ps			





		STANAG V50 F6 650m/s Protection NIJ IIIA Protection				
6	COMBAT DUTY BELTS WITH POUCHES	<p>– WARRIOR BELT MKIII – or equivalent Color: Black, Khaki, Od, Coyote Brown – 3 Sizes</p> <p>Model: Warrior Belt MKIII Material: Cordura 700D / Nylon Different Size (S, M,L,XL)</p>	25 Ps			
7		<p>– SLG PI MAG POUCH MCL for (Pistol)- TASMAIAN TIGER or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Removable hook-and-loop fastening side stabilizer • Single magazine capacity • MOLLE Reverse System • Requires 1 MOLLE loop • 3.5 x 1 x .75in 9 x 3 x 2cm • WEIGHT 88oz 25g 	25 Ps			
8		<p>– SLG PI MAG POUCH MCL for (rifle)- TASMAIAN TIGER or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Removable hook-and-loop fastening side stabilizer • Single magazine capacity • MOLLE Reverse System • Requires 1 MOLLE loop 	25 Ps			




9		<p>– TAC Pouch 2 RADIO, TASMAIAN TIGER, or equivalent Color: Black, Khaki, Od, Coyote Brown</p> <ul style="list-style-type: none"> • Size adjustable strap loops • MOLLE snap button system • Needs one MOLLE loop • Measurement: 15 x 7 x 7 cm • Weight 100 g 	25 Ps			
10		<p>– TOOL POCKET L- TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Flap locked with quick-release buckle • Can be carried horizontally or vertically • MOLLE system • Needs one MOLLE loop • Weight 75 g • Measurement: 14 x 6 x 3 cm 	25 Ps			
11		<p>– TAC POUCH 4 TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Extra wide zipped opening • Hook-and-loop strips for name tag • MOLLE snap button system • Needs three MOLLE loops • Weight 100 g • Measurement: 10 x 15 x 4 cm 	25 Ps			

12		<p>– DUMP POUCH MOLLE- TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Packable to small volume • One-hand operation with folding side parts • Size for 2 x G36 double magazines • MOLLE snap button system • Weight 115 g • Measurement: 21 x 20 cm • Fabric 420 HD Nylon 	25 Ps			
13		<p>– IFAK POUCH S(empty)- TASMAIAN TIGER, or equivalent Different Color: (Black, Khaki, Od, Coyote Brown)</p> <ul style="list-style-type: none"> • Loops for pulling out in two colors (red and black) • Opens out, with hook-and-loop fastening • Pull out panel for individual loading • Can also be used with 50mm belts • MOLLE System • Requires 2 MOLLE loops - 4 across • Weight 190 g • Measurement: 15 x 15 x 5 cm 	25 Ps			
14	TACTICAL HOLSTER	<p>– OMNIVORE MULTIFIT HOLSTER – BALCKHAWK, equivalent Color: Back Light: (01) SUREFIRE X3000U- A/B (02) TLR ½</p> <ul style="list-style-type: none"> • Multi-fit - omnivore holsters fit more than 150 styles of semi-automatic handguns with an accessory rail (Compatible with stream light tlr 1/2 light bearing) • Active retention mechanism- ergonomic thumb- Activated retention mechanism delivers instant firearm access • Level 2 retention - uses two features to hold handgun securely in place • Free-floating design - holster locks onto rail attachment device, doesn't wear firearm's frame and finish 	25 Ps			





		<ul style="list-style-type: none"> 3-position adjustable release - height of thumb- Activated retention mechanism adjusts to fit your hand 				
15		<p>- QUICK DISCONNECT SYSTEM KIT- BLACKHAWK, or equivalent Color: Black, ct, od</p> <ul style="list-style-type: none"> Allows you to move your serpa holster effortlessly between any serpa platforms Two (2) female holster Adapters and one (1) male holster Adapter High-density polymer carbon-fiber blend Secures holsters, rails, and carbon-fiber accessories such as light and magazine cases 	25 Ps			
16		<p>PLATFORM STRIKE – BLACKHAWK, or equivalent Color: Black, ct, od</p> <ul style="list-style-type: none"> Allows you to move your serpa holster effortlessly between any serpa platforms Two (2) female holster Adapters and one (1) male holster Adapter High-density polymer carbon-fiber blend Secures holsters, rails, and carbon-fiber accessories such as light and magazine cases 	25 Ps			

17		<p>TACTICAL HOLSTER PLATFORM- BLACKHAWK Color: Black, ct, od</p> <ul style="list-style-type: none"> • Convenience and reliability during raids or other special operations • Compatible with BLACKHAWK! Duty Gear belt pouches • Works with SERPA CQC Carbon-Fiber Holster or SERPA Duty Holsters • Unique Y-harness with quick-disconnect articulated belt attachments • Dual leg strap design • Available in Black, Coyote Brown, Foliage Green, and Olive Drab 	25 Ps			
18		<p>- LIGHT TRAIID CR POLYMER- ASP</p> <ul style="list-style-type: none"> • Runs on 2 AA primary (single use) cells, included • 275 Lumens, 1.75 hour run time • Beam distance 90 meters • Beam distance 90 meters • 2 ASP high-performance lithium AA batteries and reversible pocket clip included 	25 Ps			
19		<p>- TLC TACTICAL LIGHT CASE- ASP</p> <ul style="list-style-type: none"> • Holds any ASP Tungsten flashlight • Rotates 360 degrees, with 12 positive click-stops to hold light in selected position 	25 Ps			


20		<p>- TRI- FOLD RESTRAINTS TACTICAL- ASP</p> <p>Color: Black</p>	25 Ps			
21		<p>- TRIFOLD CASE MOLLE- ASP, KIT. 3.PZ. KIT</p> <ul style="list-style-type: none"> • Molded polymer with two divided compartments and button drain hole • Belt slide with adjustable loop to fit 2¼" to 1¼" • MOLLE compatible • Holds two Tri-Fold disposable restraints • 5¼" x 2½" 	25 Ps			
22		<p>- DIAMONDBACK KNIFE SPEAR- FIRST TACTICAL</p> <p>Size : 1" x 32"</p> <p>Color: black</p>	25 Ps			
23	Tactical Baton	<p>- Baton S21 SENTRY- ASP (Available 16" e 26")</p> <ul style="list-style-type: none"> • Black, chrome plated 4140 steel • Foamed vinyl grips are extremely durable and replaceable • Impact forged tip • Closed: 7-3/4"L • 16.3 oz 	25 Ps			






24		<p>- BATON CASE WITH ROTATES 360</p> <p>Model Number: 360 Degrees Rotation Black Baton Holder Compatible Brand/Model: None Suitable for : Determined for the batons 0.98" to 1.14" (2.5 cm to 2.9 cm)diameter Fit belt width: under 5.5cm</p>	25 Ps			
25		<p>- SLASH&FLASH HARD KNUCKLE GLOVES – FIRST TACTICAL</p> <ul style="list-style-type: none"> • Machine washable goatskin palm for long-term utility • Kevlar lined palm • Kevlar, Synthetic, Goatskin • Nomex jersey • TPR knuckle protection • TouchTac fingertip 	25 Ps			
26	Team Equipment	<p>Ballistic Shields – tactical use and protection. # USHCHAOS BALLISTIC SHIELD MOD. CHAIS II – UNIVERSAL SHIELDS, Individual use, dynamic combat shields</p> <p>USH Skeleton Frame, handle and pad with adjustable, removable and angled capabilities. Clean with soap and water. Same protection on both sides of shield. Level of protection NIJ III++ SP.T(Vpam 7(part.) Thickness 10-29mm Weight 1,5-5kgs Type of use Individual & Support Combat Shield Size 63x29cm</p>	1 Ps			




27		<div># -BALLISTIC SHIELD MOD. OPPIDIUM- UNIVERSAL SHIELD Use for the front team.</div> <table><tr><td>PN</td><td>2019 Lightweight PE Handheld Ballistic Shield</td></tr><tr><td>Material</td><td>UHMWPE FIBER</td></tr><tr><td>Size</td><td>Shield:900*520*6.2mm Window:220*70*35mm</td></tr><tr><td>Color</td><td>BLACK</td></tr><tr><td>Unit weight</td><td>5.4KG</td></tr><tr><td>Protective area</td><td>0.45 sqm</td></tr><tr><td>Thickness</td><td>6.2mm</td></tr><tr><td>Ballistic level</td><td>NIJIIIA(.44)</td></tr><tr><td>Service</td><td>ODM & OEM are available</td></tr><tr><td>Packing</td><td>2 PCS/CTN</td></tr><tr><td>Carton Size</td><td>98*59*23cm</td></tr><tr><td>Features</td><td>Light weight performance for</td></tr></table>	PN	2019 Lightweight PE Handheld Ballistic Shield	Material	UHMWPE FIBER	Size	Shield:900*520*6.2mm Window:220*70*35mm	Color	BLACK	Unit weight	5.4KG	Protective area	0.45 sqm	Thickness	6.2mm	Ballistic level	NIJIIIA(.44)	Service	ODM & OEM are available	Packing	2 PCS/CTN	Carton Size	98*59*23cm	Features	Light weight performance for	1 Ps			
PN	2019 Lightweight PE Handheld Ballistic Shield																													
Material	UHMWPE FIBER																													
Size	Shield:900*520*6.2mm Window:220*70*35mm																													
Color	BLACK																													
Unit weight	5.4KG																													
Protective area	0.45 sqm																													
Thickness	6.2mm																													
Ballistic level	NIJIIIA(.44)																													
Service	ODM & OEM are available																													
Packing	2 PCS/CTN																													
Carton Size	98*59*23cm																													
Features	Light weight performance for																													
28		<div>#– BALLISTIC SHIELD MOD. HAMMER- Universal SHIELD Individual use and support Only LIV. III+ +SpT (VPAM7)</div>	1 Ps																											
29		<div>DE-UKMOEK DE-MBM DYNAMIC ENTRY – MINI BOLT MASTER</div>	1 PS																											


30		DE-TBK-C DYNAMIC ENTRY- TACTICAL BACKPACK- KIT C	1 Ps			
31		DE-SBR DYNAMIC ENTRY- SUPER BEAK-N-RAKE	1 Ps			
32		DE-HT DYNAMIC ENRTY- HALLAGAN TOOL	1 Ps			
33		KIT Entry Tools: DYNAMIC Entry purpose a different kind of tools and kit	1 Ps			

34		<div>MOD. PLATOON.</div> <div><ul style="list-style-type: none">•• n. 4 vertical side connector• n. 4 horizontal side connector• n. 2 bags</div>	1 Ps																				
35		<div>#-- MILITRY and TACTICAL CAMERA MOHOC ELITE</div> <table><tr><td>Weight, including battery:</td><td>7.2oz (202 grams)</td></tr><tr><td>Dimensions:</td><td>52x42x88mm</td></tr><tr><td>Video Settings:</td><td>1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)</td></tr><tr><td>Photos:</td><td>12MP</td></tr><tr><td>Sensor:</td><td>CMOS</td></tr><tr><td>Image Ratio:</td><td>4</td></tr><tr><td>File Format:</td><td>.JPG</td></tr><tr><td>White Balance:</td><td>Auto-adjust</td></tr><tr><td>ISO:</td><td>Auto (100-3200)</td></tr></table>	Weight, including battery:	7.2oz (202 grams)	Dimensions:	52x42x88mm	Video Settings:	1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)	Photos:	12MP	Sensor:	CMOS	Image Ratio:	4	File Format:	.JPG	White Balance:	Auto-adjust	ISO:	Auto (100-3200)	1 Ps	<div></div> <div></div> <div></div>	
Weight, including battery:	7.2oz (202 grams)																						
Dimensions:	52x42x88mm																						
Video Settings:	1080p/60FPS, 1080p/30FPS, 720p/120FPS, 720p/60FPS, 720p/30FPS, and time lapse (60 sec, 30 sec, 5 sec, or 3 sec)																						
Photos:	12MP																						
Sensor:	CMOS																						
Image Ratio:	4																						
File Format:	.JPG																						
White Balance:	Auto-adjust																						
ISO:	Auto (100-3200)																						

		<table><tr><td>Lens Aperture:</td><td>F/2.8</td></tr><tr><td>Battery Life:</td><td>Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A</td></tr><tr><td>Microphones:</td><td>2 External microphones for stereo audio</td></tr><tr><td>USB:</td><td>Micro 2.0 to recharge battery and download video to computer</td></tr><tr><td>Operating Temperature Range:</td><td>14 to 140F (-10 to 60C)</td></tr></table>	Lens Aperture:	F/2.8	Battery Life:	Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A	Microphones:	2 External microphones for stereo audio	USB:	Micro 2.0 to recharge battery and download video to computer	Operating Temperature Range:	14 to 140F (-10 to 60C)						
Lens Aperture:	F/2.8																	
Battery Life:	Continuous record time of 2 hours 45 minutes for 1100 mAh rechargeable and 5+ for CR123A																	
Microphones:	2 External microphones for stereo audio																	
USB:	Micro 2.0 to recharge battery and download video to computer																	
Operating Temperature Range:	14 to 140F (-10 to 60C)																	
36		<p># - FAST ATTACK LITTER- BLACKHAWK or equivalent Color: Black</p> <table><tr><td>Brand Name</td><td>Rescue Essentials</td></tr><tr><td>Color</td><td>Black</td></tr><tr><td>Fabric Type</td><td>non-woven material</td></tr><tr><td>Item Shape</td><td>Rectangular</td></tr><tr><td>Item Weight</td><td>13.4 ounces</td></tr><tr><td>Material Composition</td><td>non-woven material</td></tr></table>	Brand Name	Rescue Essentials	Color	Black	Fabric Type	non-woven material	Item Shape	Rectangular	Item Weight	13.4 ounces	Material Composition	non-woven material	1 PS			
Brand Name	Rescue Essentials																	
Color	Black																	
Fabric Type	non-woven material																	
Item Shape	Rectangular																	
Item Weight	13.4 ounces																	
Material Composition	non-woven material																	

		Measurement System	English				
37		#– GUN SLING- TASMANIAN or equivalent Different Color: (Black, Coyote, Brown) Length adjustable Made from 25 mm webbing Quick movement into the rest position Fast and safe movement of the weapon into position		25 Ps			
38		#– ASSAULT RIFLE GUNS AK47 – ASP – For training Purpose Color: Red <ul style="list-style-type: none"> • Lightweight • Realistic Replicas • Distinctive Color • Exacting Tolerances • Reinforced Construction 		25 Ps			
39		# -0 RED DOT EOTECH XPS3-0 or equivalent Night Vision Capability: Yes Weight : 9 oz Water Resistance: 33 Ft Mount: 1" Weaver Color: Black		25 Ps	 		
40		#– ZHUKOV HANDGUARD FOR AK47 Applicable for Ak47 and Ak74		25 Ps			

41		#-- M-LOK POLYMER RAIL FOR MAG586 FOR AK47	25 Ps			
42	STAZIONE PORTATILE MOTOROLA SERIE DP 400E	1-5 W 136-174 MHZ DMR/ANAL VOX ATTIVO CON Mini-TASTIERA, DISPLAY COLON, SENZA GPS e Bluetooth 1000 channel Programmable, Locating Tracking Integrated Bluetooth Dispatch Consoles Email Gateways Network Monitoring Man-Down Application Telephony Text Messaging Work Order Tickets	25 Ps			
43	Opz. Antenna VHF	Include VHF WHIP Antenna (136-174 MHz) Weight (lb.): 2.46 Dimensions (Inches): 34.0 Antenna Type: Whip Frequency Range (MHz): 136-174 Frequency Band (Mhz): VHF Integrated GPS: No Mounting Style: Through -Hole	25 PS			
44	Opz. Carica Batterie e Batterie	Include Batterie IMPRES LIION 2250 MAH	25 Ps			
45	OB Dedicate	<ul style="list-style-type: none"> • Software for Motorola Radio. • Provide Digital Coordinate • Enables GPS sharing within Motorola 	for 25 Radios			

46	Accessory Audio	Noise Canceling behind-The-Head heavy Duty Headset. <ul style="list-style-type: none"> • PTT: Yes • Receive: Both Ears • Transmit via: Boom mic • Headband: behind the head • VOX Capability: Yes (no VOX switch, but capable to support VOX function when enabled in Radio) • Noise Reduction: 24dB • Intrinsic Safety Standard: No • IP Rating: IP54 	25 Ps			
TOTAL PRICE USD including Shipping Costs:						