

INVITATION TO BID

"Purchase and delivery of 3 fire trucks"

ITB No.: 2019-074 UNDP KAZ

Project: #00101043, UNDP/GEF « Conservation and sustainable management of key globally important ecosystems for multiple benefits »

Country: Kazakhstan

Issued on: 29 October 2019

Contents

Sect	ion 1	. Le	tter of Invitation	4
Sect	ion 2	. Ins	struction to Bidders	5
	GE	NER	RAL PROVISIONS	5
		1.	Introduction	5
		2.	Fraud & Corruption, Gifts and Hospitality	5
		3.	Eligibility	6
		4.	Conflict of Interests	6
	В.	ı	PREPARATION OF BIDS	6
		5.	General Considerations	6
		6.	Cost of Preparation of Bid	7
		7.	Language	7
		8.	Documents Comprising the Bid	7
		9.	Documents Establishing the Eligibility and Qualifications of the Bidder	7
		10.	. Technical Bid Format and Content	7
		11.	Price Schedule	7
		12.	. Bid Security	7
		13.	. Currencies	8
		14.	. Joint Venture, Consortium or Association	8
		15.	Only One Bid	9
		16.	. Bid Validity Period	9
		17.	. Extension of Bid Validity Period	9
		18.	. Clarification of Bid (from the Bidders)	10
		19.	. Amendment of Bids	10
		20.	. Alternative Bids	10
		21.	. Pre-Bid Conference	10
	C.	9	SUBMISSION AND OPENING OF BIDS	11
		22.	. Submission	11
		На	rd copy (manual) submission	11
		Em	nail and eTendering submissions	11
		23.	. Deadline for Submission of Bids and Late Bids	11
		24.	. Withdrawal, Substitution, and Modification of Bids	12
		25.	. Bid Opening	12
	D.	ı	EVALUATION OF BIDS	12
		26.	. Confidentiality	12
			. Evaluation of Bids	
		28.	. Preliminary Examination	13

	29.	Evaluation of Eligibility and Qualification	13
	30.	Evaluation of Technical Bid and prices	13
	31.	Due diligence	13
	32.	Clarification of Bids	14
	33.	Responsiveness of Bid	14
	34.	Nonconformities, Reparable Errors and Omissions	14
E	Ē. A	WARD OF CONTRACT	15
	35.	Right to Accept, Reject, Any or All Bids	15
	36.	Award Criteria	15
	37.	Debriefing	15
	38.	Right to Vary Requirements at the Time of Award	15
	39.	Contract Signature	15
	40.	Contract Type and General Terms and Conditions	15
	41.	Performance Security	15
	42.	Bank Guarantee for Advanced Payment	15
	43.	Liquidated Damages	16
	44.	Payment Provisions	16
	45.	Vendor Protest	16
	46.	Other Provisions	16
Section	3. Bid	Data Sheet	17
Section •	4. Eva	lluation Criteria	20
F	orm E:	Format of Technical Bid	21
Section	5a: Sc	hedule of Requirements and Technical Specifications/Bill of Quantities	22
Section	5b: O	ther Related Requirements	27
		turnable Bidding Forms / Checklist	
		Bid Submission Form	
F	orm B	Bidder Information Form	32
F	orm C	Joint Venture/Consortium/Association Information Form	34
		Eligibility and Qualification Form	
		Format of Technical Bid	
		: Price Schedule Form	
		S: Form of Bid Security	
	J. 1141		

Section 1. Letter of Invitation

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

Section 1: This Letter of Invitation

Section 2: Instruction to Bidders

Section 3: Bid Data Sheet (BDS)

Section 4: Evaluation Criteria

Section 5: Schedule of Requirements and Technical Specifications

Section 6: Returnable Bidding Forms

- Form A: Bid Submission Form
- Form B: Bidder Information Form
- Form C: Joint Venture/Consortium/Association Information Form
- o Form D: Qualification Form
- Form E: Format of Technical Bid
- Form F: Price Schedule
- Form G: Form of Bid Security

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet.

Please acknowledge receipt of this ITB by sending an email to meruyert.bolyssayeva@undp.org, indicating whether you intend to submit a Bid or otherwise. You may also utilize the "Accept Invitation" function in eTendering system, where applicable. This will enable you to receive amendments or updates to the ITB. Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Issued by Approved by:

Name: Dinara Savazova
Title: Project expert

Talgat kerteshev

Name: Talgat Kerteshev Title: Project manager Date: October 29, 2019 Victoria Baigazina

Programme Associate

Dana Amanova

Operations Manager

Date: October 29, 2019

Section 2. Instruction to Bidders

GENERAL PROVISIONS				
1. Introduction	1.1	Bidders shall adhere to all the requirements of this ITB, including any amendments made in writing by UNDP. This ITB is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement which can be accessed at https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-476a-8ef8-e81f93a2b38d		
	1.2	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.		
	1.3	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.		
	1.4	As part of the bid, it is desired that the Bidder registers at the United Nations Global Marketplace (UNGM) website (www.ungm.org). The Bidder may still submit a bid even if not registered with the UNGM. However, if the Bidder is selected for contract award, the Bidder must register on the UNGM prior to contract signature.		
2. Fraud & Corruption, Gifts and Hospitality	2.1	UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit andinvestigation.html#anti		
	2.2	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches or dinners.		
	2.3	In pursuance of this policy, UNDP:		
		(a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.		
	2.4	All Bidders must adhere to the UN Supplier Code of Conduct, which may be found at http://www.un.org/depts/ptd/pdf/conduct_english.pdf		

3. Eligibility A vendor should not be suspended, debarred, or otherwise identified as 3.1 ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. 3.2 It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP. 4. Conflict of Interests 4.1 Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they: Are or have been associated in the past, with a firm or any of its affiliates which have been engaged by UNDP to provide services for the preparation of the design, specifications, Terms of Reference, cost analysis/estimation, and other documents to be used for the procurement of the goods and services in this selection process; b) Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or c) Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP. In the event of any uncertainty in the interpretation of a potential conflict of 4.2 interest, Bidders must disclose to UNDP, and seek UNDP's confirmation on whether or not such conflict exists. 4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices. Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure. 4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and

rejection of the Bid.

B. PREPARATION OF BIDS

5. General Considerations

5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material deficiencies in providing the information requested in the ITB may result in

access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual

rejection of the Bid. 5.2 The Bidder will not be permitted to take advantage of any errors or omissions in the ITB. Should such errors or omissions be discovered, the Bidder must notify the UNDP accordingly. 6. Cost of Preparation of Bid 6. The Bidder shall bear all costs related to the preparation and/or submission of the Bid. regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process. 7. Language 7.1 The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS. 8. Documents Comprising the Bid 8.1 The Bid shall comprise of the following documents and related forms which details are provided in the BDS: a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9. Documents Establishing the Eligibility and Qualifications of the Bidder shall furnish documentary evidence of its status as an eligible and qualifications of the Bidder shall furnish documentary evidence of its status as an eligible and qualifications of the Bidder shall documents and/or appendices to the Bid. 9.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualifications must be documented to UNDP's satisfaction. 10.1 The Bidder is required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describle to the UNDP. Unless otherwise specified, such		rejection	of the Rid
the Bid, regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process. 7. Language 7.1 The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS. 8. Documents Comprising the Bid 8.1 The Bid shall comprise of the following documents and related forms which details are provided in the BDS: a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9. Documents Establishing the Eligibility and Qualifications of the Bidder 10. Technical Bid Format and Content 10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's required as well as the cost to the UNDP. Unless otherwise specified, such training programme available for the maintenance and operation of the equipment offered as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as training materials shall be provided in the language of the Bid as specified in the BDS. 11. Price Schedule 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or		5.2 The Bidd the ITB. S	er will not be permitted to take advantage of any errors or omissions in Should such errors or omissions be discovered, the Bidder must notify
8. Documents Comprising the Bid 8.1 The Bid shall comprise of the following documents and related forms which details are provided in the BDS: a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9. Documents Establishing the Eligibility and Qualifications of the Bidder 10. Technical Bid Format and Content 10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11. Price Schedule 11.1 Price Schedule the Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 12. Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.	T	the Bid, responsil	regardless of whether its Bid is selected or not. UNDP shall not be ole or liable for those costs, regardless of the conduct or outcome of
Comprising the Bid details are provided in the BDS: a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9. Documents Establishing the Eligibility and Qualifications of the Bidder 10.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualifications must be documents required in those forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfaction. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11. Price Schedule 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.	7. Language		• • • • • • • • • • • • • • • • • • • •
d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9. Documents Establishing the Eligibility and Qualifications of the Bidder 10. Technical Bid Format and Content 10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11. Price Schedule 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.		details ar a) Doct b) Tech	re provided in the BDS: uments Establishing the Eligibility and Qualifications of the Bidder; nical Bid;
Establishing the Eligibility and Qualifications of the Bidder 10. Technical Bid Format and Content 10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11. Price Schedule 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.		d) Bid S	Security, if required by BDS;
templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11. Price Schedule 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.	Establishing the Eligibility and Qualifications of the	qualified documer	vendor, using the Forms provided under Section 6 and providing ats required in those forms. In order to award a contract to a Bidder, its
time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified. 10.3 When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11.1 Price Schedule 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.			•
necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS. 10.4 When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.		time spec the UND	cified and unless otherwise specified by the Purchaser, at no expense to P. If not destroyed by testing, samples will be returned at Bidder's
availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB. 11.1 The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.		necessary the equi specified	y training programme available for the maintenance and operation of pment offered as well as the cost to the UNDP. Unless otherwise, such training as well as training materials shall be provided in the
the ITB and taking into consideration the requirements in the ITB. 11.2 Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.		availabili	by of spare parts for a period of at least five (5) years from date of
Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.	11. Price Schedule		
12. Bid Security 12.1 A Bid Security, if required by BDS, shall be provided in the amount and form		Schedule	, shall be assumed to be included in the prices of other activities or
	12. Bid Security	2.1 A Bid Se	curity, if required by BDS, shall be provided in the amount and form

indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid. 12.2 The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected. 12.3 If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid. 12.4 In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS. 12.5 The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions: a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the BDS, or; b) In the event the successful Bidder fails: to sign the Contract after UNDP has issued an award; or to furnish the Performance Security, insurances, or other documents that UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder. 13. Currencies 13.1 All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids are quoted in different currencies, for the purposes of comparison of all Bids: a) UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above. 14. Joint Venture. If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Consortium or Bid that: (i) they have designated one party to act as a lead entity, duly vested Association with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture. 14.2 After the Deadline for Submission of Bid, the lead entity identified to represent the JV, Consortium or Association shall not be altered without the prior written consent of UNDP. 14.3 The lead entity and the member entities of the JV, Consortium or Association shall abide by the provisions of Clause 9 herein in respect of submitting only one Bid. 14.4 The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in

		delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP.
	14.5	A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between:
		a) Those that were undertaken together by the JV, Consortium or Association; and
		b) Those that were undertaken by the individual entities of the JV, Consortium or Association.
	14.6	Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials
	14.7	JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be available within one firm.
15. Only One Bid	15.1	The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture.
	15.2	 Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process; e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
16. Bid Validity Period	16.1	Bids shall remain valid for the period specified in the BDS, commencing on the Deadline for Submission of Bids. A Bid valid for a shorter period may be rejected by UNDP and rendered non-responsive.
	16.2	During the Bid validity period, the Bidder shall maintain its original Bid without any change, including the availability of the Key Personnel, the proposed rates and the total price.
17. Extension of Bid Validity Period	17.1	In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing and shall be considered

		integral to the Bid.
	17.2	If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid.
	17.3	The Bidder has the right to refuse to extend the validity of its Bid, in which case, the Bid shall not be further evaluated.
18. Clarification of Bid (from the Bidders)	18.1	Bidders may request clarifications on any of the ITB documents no later than the date indicated in the BDS. Any request for clarification must be sent in writing in the manner indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to respond or confirm that the query was officially received.
	18.2	UNDP will provide the responses to clarifications through the method specified in the BDS.
	18.3	UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary.
19. Amendment of Bids	19.1	At any time prior to the deadline of Bid submission, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders.
	19.2	If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids.
20. Alternative Bids	20.1	Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid.
	20.2	If multiple/alternative bids are being submitted, they must be clearly marked as "Main Bid" and "Alternative Bid"
21. Pre-Bid Conference	21.1	When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be disseminated on the procurement website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder's Conference or issued/posted as an amendment to ITB.

C. SUBMISSION AND OPENING OF BIDS				
22. Submission	22.1	The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS.		
	22.2	The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid.		
	22.3	Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and Conditions.		
Hard copy (manual) submission	22.4	Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows:		
		a) The signed Bid shall be marked "Original", and its copies marked "Copy" as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail.		
		 (b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which_shall: Bear the name of the Bidder; Be addressed to UNDP as specified in the BDS; and Bear a warning not to open before the time and date for Bid opening as specified in the BDS. 		
		If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.		
Email and eTendering	22.5	Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows:		
submissions		a) Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS;		
		b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS.		
	22.6	Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources/		
23. Deadline for Submission of Bids and Late Bids	23.1	Complete Bids must be received by UNDP in the manner, and no later than the date and time, specified in the BDS. UNDP shall only recognise the actual date and time that the bid was received by UNDP		
	23.2	UNDP shall not consider any Bid that is received after the deadline for the		

	submission of Bids.
24. Withdrawal, Substitution, and	24.1 A Bidder may withdraw, substitute or modify its Bid after it has been submitted at any time prior to the deadline for submission.
Modification of Bids	24.2 Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid by sending a written notice to UNDP, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as "WITHDRAWAL" "SUBSTITUTION," or "MODIFICATION"
	24.3 eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling, Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos.
	24.4 Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened.
25. Bid Opening	 UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders.
	25.3 In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened.
D. EVALUATION OF	BIDS
26. Confidentiality	26.1 Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.
	26.2 Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP's decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP's vendor sanctions procedures.
27. Evaluation of Bids	27.1 UNDP will conduct the evaluation solely on the basis of the Bids received.
	 27.2 Evaluation of Bids shall be undertaken in the following steps: a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done)

	 a) Evaluation of Technical Bids b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary
28. Preliminary Examination	28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.
29. Evaluation of Eligibility and Qualification	29.1 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria).
	 In general terms, vendors that meet the following criteria may be considered qualified: a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.
31. Due diligence	 31.1 UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following: a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder; d) Inquiry and reference checking with previous clients on the performance on on-going or completed contracts, including physical inspections of previous

	e) f)	works, as deemed necessary; Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.
32. Clarification of Bids 3		assist in the examination, evaluation and comparison of Bids, UNDP may, at discretion, request any Bidder for a clarification of its Bid.
3	ch pe ari	NDP's request for clarification and the response shall be in writing and no ange in the prices or substance of the Bid shall be sought, offered, or emitted, except to provide clarification, and confirm the correction of any thmetic errors discovered by UNDP in the evaluation of the Bids, in cordance with the ITB.
3	nc	by unsolicited clarification submitted by a Bidder in respect to its Bid, which is of a response to a request by UNDP, shall not be considered during the review d evaluation of the Bids.
33. Responsiveness of Bid	of te	NDP's determination of a Bid's responsiveness will be based on the contents the bid itself. A substantially responsive Bid is one that conforms to all the rms, conditions, specifications and other requirements of the ITB without aterial deviation, reservation, or omission.
3	su	a bid is not substantially responsive, it shall be rejected by UNDP and may not bsequently be made responsive by the Bidder by correction of the material eviation, reservation, or omission.
34. Nonconformities, Reparable Errors and Omissions	со	ovided that a Bid is substantially responsive, UNDP may waive any non-nformities or omissions in the Bid that, in the opinion of UNDP, do not nstitute a material deviation.
3	do no Su	NDP may request the Bidder to submit the necessary information or ocumentation, within a reasonable period, to rectify nonmaterial enconformities or omissions in the Bid related to documentation requirements. In the original content of the price of the Bid. Failure the Bidder to comply with the request may result in the rejection of its Bid.
3		r the bids that have passed the preliminary examination, UNDP shall check d correct arithmetical errors as follows:
	a)	if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which case, the line item total as quoted shall govern and the unit price shall be corrected;
	b)	if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail, and the total shall be corrected; and
	c)	if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail.

	be rejected.
E. AWARD OF CON	TRACT
35. Right to Accept, Reject, Any or All Bids	35.1 UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced offer.
36. Award Criteria	36.1 Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification and has offered the lowest price.
37. Debriefing	37.1 In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed.
38. Right to Vary Requirements at the Time of Award	38.1 At the time of award of Contract, UNDP reserves the right to vary the quantity of goods and/or services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
39. Contract Signature	39.1 Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids.
40. Contract Type and General Terms and Conditions	40.1 The types of Contract to be signed and the applicable UNDP Contract General Terms and Conditions, as specified in BDS, can be accessed at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
41. Performance Security	41.1 A performance security, if required in the BDS, shall be provided in the amount specified in BDS and form available at

	https://popp.undp.org/ layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_DOCUMENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%20Taxes Advanced%20Payment%20Guarantee%20Form.docx&action=default
43. Liquidated Damages	43.1 If specified in the BDS, UNDP shall apply Liquidated Damages for the damages and/or risks caused to UNDP resulting from the Contractor's delays or breach of its obligations as per Contract.
44. Payment Provisions	44.1 Payment will be made only upon UNDP's acceptance of the goods and/or services performed. The terms of payment shall be within thirty (30) days, after receipt of invoice and certification of acceptance of goods and/or services issued by the proper authority in UNDP with direct supervision of the Contractor. Payment will be effected by bank transfer in the currency of the contract.
45. Vendor Protest	45.1 UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html
46. Other Provisions	 In the event that the Bidder offers a lower price to the host Government (e.g. General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the same lower price. The UNDP General Terms and Conditions shall have precedence. UNDP is entitled to receive the same pricing offered by the same Contractor in contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence. The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15 http://www.un.org/en/ga/search/view_doc.asp?symbol=ST/SGB/2006/15&referer

Section 3. Bid Data Sheet

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid In the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English or Russian
2		Submitting Bids for Parts or sub- parts of the Schedule of Requirements (partial bids)	Not allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid conference	Will not be conducted
5	16	Bid Validity Period	90 days
6	13	Bid Security	Required in the amount of USD 6500 Bank Guarantee (See Section 8 for template)
7	41	Advanced Payment upon signing of contract	Allowed up to a maximum of 20% of contract value
8	42	Liquidated Damages	Will be imposed as follows: Percentage of contract price per day of delay: 0.5% Max. number of calendar days of delay 20, after which UNDP may terminate the contract.
9	40	Performance Security	Not Required
10	12	Currency of Bid	United States Dollar
11	31	Deadline for submitting requests for clarifications/ questions	Up to 5 days of bids submission deadline

12	31	Contact Details for submitting clarifications/questions	Focal Person in UNDP: Aizhan Baimukanova, Project Expert Email: aizhan.baimukanova@undp.org
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	Direct communication to prospective Proposers by email and Posting on the websites: www.undp.org and www.ungm.org.
14	23	Deadline for Submission	13 November 2019, 24.00 AM New York time zone
15	22	Allowable Manner of Submitting Bids	⊠ e-Tendering
16	22	Bid Submission Address	https://etendering.partneragencies.org BU: KAZ10, Event ID: KAZ002
17	22	Electronic submission (email or eTendering) requirements	 Format: PDF files only File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted. Max. File Size per transmission: 20 Mb Documents which are required in original (e.g. Bid Security) should be sent to the below address with a PDF copy submitted as part of the electronic submission: 14 Mambetova street, Nur-Sultan, Kazakhstan, 010000 to Nelly Perevertova and Meruyert Bolyssayeva by submission of scan version through e-Tendering system
18	25	Date, time and venue for the opening of bid	November 14, 2019, 01.00 AM New York Time Zone. Bidders will receive an automatic notification once their Bids are opened.
19	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid.
20		Expected date for commencement of Contract	December 2, 2019
21		Maximum expected duration of contract	3 months after effective contract date
22	35	UNDP will award the contract to:	One Proposer Only

23	39	Type of Contract	Contract for Goods and/or Services to UNDP http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
24	39	UNDP Contract Terms and Conditions that will apply	UNDP General Terms and Conditions for Contracts http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
25		Other Information Related to the ITB	Not applicable

Section 4. Evaluation Criteria

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Appropriate signatures
- Power of Attorney
- Minimum Bid documents provided
- Bid Validity
- Bid Security submitted as per ITB requirements with compliant validity period

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.

If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject	Criteria	Document Submission requirement
ELIGIBILITY		
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form
Certificates and Licenses	 Compliance certificate: a) effective state standards to fire and technical equipment (with appropriate marking) and fire security, b) effective regulatory requirements to fire equipment accessories, c) regulatory requirements to the colour of fire trucks Certificate of guarantee obligation and maintenance service Official appointment as local representative, if Bidder is submitting a Bid on behalf of an entity located outside the country 	Form B: Bidder Information Form
QUALIFICATION		
History of Non- Performing	Non-performance of a contract did not occur as a result of contractor default for the last 3 years.	Form D: Qualification Form

Contracts ¹		
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 3 years.	Form D: Qualification Form
Previous Experience	 Experience in supply of similar equipment for at least 2 years; At least 2 contracts for supply of the similar goods provided over the past 2 years; At least 2 or more references from previous customers for similar services; (For JV/Consortium/Association, all Parties cumulatively should meet requirement). 	Form D: Qualification Form
Financial Standing	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability. (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Form D: Qualification Form
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document.	Form E: Technical Bid Form
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 a) and quoted for by the bidders in Form F. Price comparison shall be based on the landed price, including transportation, insurance and the total cost of ownership (including spare parts, consumption, installation, commissioning, training, special packaging, etc., where applicable) Comparison with budget/internal estimates.	Form F: Price Schedule Form
Personnel	 Availability of qualified personnel: expert with higher technical education and at least 3 years' experience in the field of machinery engineering; (For JV/Consortium/Association, all Parties cumulatively should meet requirement). 	Form E: Format of Technical Bid

_

¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities

Technical specification

INTRODUCTION:

Since 2018, the UNDP-GEF Project "Conservation and Sustainable Management of Key Globally Important Ecosystems for Multiple Benefits" (hereinafter referred to as the Project) has been implemented on the territory of the republic. The project strategy is to comprehensively address the issues of conservation and sustainable use of forest ecosystems in Kazakhstan by improving management approaches both within the PA system and in adjacent landscapes with a view to the sustainable use of HCVF.

Among the pilot institutions there are 2 forestry enterprises – the Municipal Public Institution "Bakanas Forestry" (Almaty region, Balkhash district, village of Bakanas) and the Municipal Public Institution "Ridder Forestry" (East Kazakhstan region, city of Ridder), and 1 protected area – the Zhongar-Alatau SNNP.

Municipal Public Institution "Bakanas Forestry" was established in 1959. The total area is 1218920.0 hectares, of which 851451.0 hectares are covered with forest. The institution consists of four forestries: Karoyskoye forestry - saxaul forests, Koktal forestry - tugai, saxaul forests, Akkul forestry - tugai, saxaul forests, Bakanas forestry - tugai, saxaul forests. To date, the entire territory is divided into 44 ranger districts. Most of the territory of the forestry institution has a high class of natural fire hazard rating. Throughout the fire hazard period, the territory of the region is intensively visited by tourists, fishermen, hunters, shepherds. In this regard, there is a constant threat of forest fires. In addition, with a fairly high grass stand and arid autumn, the likelihood of fire outside the state forest fund and its transition to the territory of the forest institution is quite high.

Municipal Public Institution "Ridder Forestry" was established in 1948, and is located in the northern part of the East Kazakhstan region on the territory of the Glubokovsky district (148,751 ha or 48.8%) and in the lands of the city akimat of the city of Ridder (156171 ha or 51.2%). The institution consists of six forestries: Levo-Ubinskoe, Verkh-Ubinskoe, Tsentralnoye, Prigorodnoye, Cherno-Ubinskoe, and Zhuravikhinskoe. The total area of the forestry institution is 304,922 ha; the forest-covered area is 215.5 thousand ha. Forested areas account for 79.8% of the total area of the forestry institution. The predominant species in the forestry institution is fir; it makes up 53.4% of the main forest-forming species. The main causes of forest fires are careless handling of fire, as well as agricultural burnings and lightning discharges.

<u>The Zhongar-Alatau SNNP</u> was created by the Decree of the Government of the Republic of Kazakhstan No. 370 of April 30, 2010 on an area of 356,022 ha. The park is located in Aksu,

Sarkand and Alakol districts of the Almaty region and has 3 branches (Sarkand, Lepsinsky, and Alakol). The purpose of the creation of the park is the conservation the natural mountain landscapes, conservation and restoration of a unique genetic resource - the Asian wild apple (Malus sieversii). There are 2 fire trucks in the SNNP (year of manufacture 1991 - rundown, year of manufacture 2006 –average condition). In 2019, research started on the expansion of the territory of the SNNP with the inclusion of key snow leopard habitats and high conservation value forests. According to the preliminary research results, the expansion area will be more than 200 thousand ha. In order to ensure fire safety, it is necessary to purchase additional units of fire vehicles and equipment.

As part of strengthening the material and technical resources of pilot forest protection institutions, the UNDP-GEF Project provides technical support, in this case, the purchase of the necessary special equipment - a fire tanker in the amount of 3 units. Further maintenance of specialized machinery, provision of fuel and lubricants, technical chekup, purchase of spare parts and corrective maintenance, etc. will be covered by the republican budget through the Forestry and Wildlife Committee of the Ministry of Ecology, Geology and Natural Resources of the Republic of Kazakhstan and Akimats of the Almaty and East Kazakhstan regions.

DESCRIPTION OF THE REQUIRED SPECIALIZED MACHINERY:

A fire tanker is designed to carry out the following:

- Send to the call place the appliance crew, stock of fire extinguishing agents, firefighting equipment and emergency and rescue equipment;
- Extinguish forest fires by supplying water from a tank, open water body or hydrant to the site of the fire through hand control branch pipes and a station monitor;
- Provide mechanical air foam to the site of the fire with takeoff of a foam agent from a standard foam tank or a third-party tank;
- Bring up fire extinguishing agents to the site of the fire from other sources of water supply;
- Conduct emergency-rescue works with the help of the brought out emergency and rescue equipment.

Note: Fire truck should provide high-mobility (rough road and mountainous area, with cracks caused by the movement of mountains and mud avalanches) and capability to climb a gradient of more than 30°.

The fire tanker must comply with the following technical requirements:

1. General characteristics			
Year of manufacture, not earlier than	2019		
Axle configuration	6x6		
Emission standard, no less than	EURO-5		
Driving speed (maximum) at full load on hard-	80		
surface roads, km / h, at least			
Fuel tank capacity, l, not less than	300		
Engine type	Diesel		
Number of cylinders, not less than	6		
Number of places for appliance crew, including	7		
the driver, not less than 7			

2	The appliance crew cabin should be four-seater, two-door and form a single spatial structure with the base chassis cab. The appliance crew cabin must be insulated. The seats in the appliance crew cabin must be individual with mounts for breathing appliances containing compressed air behind the back of the seated. Boxes for firefighting equipment should be placed under the seats. The appliance crew cabin must be equipped with a heater. Seats must be equipped with safety belts.
3	The water tank must have a capacity of at least 5,000 liters. The tank must be made of corrosion-resistant materials or carbon steel with an anti-corrosion coating. Inside the tank, breakwaters must be located, providing damping of fluid oscillations during vehicle movement. The tank must have a hatch for inspection and maintenance with a diameter of at least 0.45 m. The tank should be equipped with a device for monitoring the level of water filling and flow. A tank overfill prevention device should be provided for.
4	The container for the foam generating agent must be of at least 300 liters. It must be made of a material that is corrosion-resistant to the foaming agent. The tank must have a device that prevents foaming of the foam generating agent when refueling. The foam tank should be equipped with a lid or a falling door, allowing inspection and cleaning of its internal cavity.
5	The body structure must be a self-supporting framework or fully welded without the use of frame technologies, made of corrosion-resistant materials or carbon steel with an anti-corrosion coating. Compartments must be made of corrosion-resistant materials (such as fluted aluminium). Compartment doors should be of panel or curtain type. Cases for the hard suction hose must be made of galvanized steel. The pump compartment must be made of structural steel with an anti-corrosion coating.
6	A centrifugal fire pump should be installed in the rear part of the vehicle, designed to supply water and aqueous foam-forming solutions. The placement of the pump should ensure the convenience of working with it, as well as the possibility of its maintenance and ease of disassembly procedure. Rated pumping capacity not less than 40 l / s, nominal pressure not less than 100 m, with an automatic vacuum water filling system.
7	Hydraulic monitor should be installed on the roof of the fire truck. The hydraulic monitor should be removable so that it can be quickly connected to the outlet pipe to deliver water from the fire pump. Capacity is at least 20 l / s.
8	Coloring, color design scheme, markings, inscriptions, bespoke light (pulsing LED lamp) and sound signals (light-signal loudspeaker) of the vehicle must be made in accordance with National Standard of the Republic of Kazakhstan 1863-2008 "Color schemes, markings, inscriptions, bespoke light and sound signals". The controls for the bespoke sound and light signals should be located in an area convenient for their emergency application by the driver or the squad leader.
9	The delivery set for a fire truck should include the following supporting and operational documentation: 1. Documents required to register a fire fighting vehicle at the territorial authorities for traffic safety according to the list demanded by the Public Service Centers of the Republic of Kazakhstan, including the following: 1) Vehicle certificate of ownership, original with a notarized copy or a consignment note;

- 2) Customs entry (customs freight declaration), original (for producer countries that are non-members of the Customs Union);
 - *3)* Valid motor vehicle type approval;
- 4) Document on the completeness of the payment for the organization of the collection, transportation, processing, deactivation, use and (or) disposal of waste.
- 5) Invoice, agreement of sale and purchase and other documents at the request of the internal affairs authorities of the Republic of Kazakhstan.
- 2. Vehicle service instruction, warranty and service book, warranty card, vehicle log book. Accompanying and operational documentation should be done in the state or Russian languages.
- 3. Technical documentation for the fire tanker should include calculations of fuel consumption rates for the fire tanker developed by the manufacturer according to the set procedures.
- The fire tanker should be equipped with new firefighting equipment, special equipment and tools in accordance with the technical conditions for this type of product and in accordance with the attached list (Annex 1). The firefighting equipment and machinery furnishing the fire tanker must comply with the requirements of the Technical regulations "On fire safety requirements".

Supplementary conditions:

- Potential supplier must submit a technical specification to the electronic tender indicating the exact model, chassis, country of origin and manufacturer of the fire truck proposed for delivery.
- The fire tanker must comply with the requirements of the Technical Regulation of the Customs Union 018/2011 "On the Safety of Wheeled Vehicles", as well as the National Standard of the Republic of Kazakhstan 1980-2010 "Fire fighting equipment. Basic fire trucks. General technical specifications"
- Reliability and overall performance in climatic conditions: from 40 degrees up to + 40 degrees Celsius.
- The supplier, upon delivery, must provide confirmation of the guarantee for the proposed fire tanker and hardware for at least 24 months from the date of delivery, including the one issued by the manufacturer for the water fire tender.

ADDITIONAL INFORMATION:

11

- 1) Conducting training for employees of forest protection institutions and protected area on the rules and techniques of operating a fire tanker; It is required to provide CV and qualification confirmation document of the training personal-1 expert;
- 2) The cost of delivery to the destination should be taken into account;
- 3) Delivery time no more than 3 months;
- 4) Payment conditions: 20% advance payment, 80% upon delivery of goods to the destination and training for employees of forest protection institutions;
- 5) The price should include VAT or other indirect taxes, including a disposal fee.

SET OF FIREFIGHTING EQUIPMENT

Name tity (pcs.	No.	SET OF FIREFIGHTING EQUIPMENT	Units	Quan
1. Fire rescue rope, not less than 30 m long, sheathed, not less than pcs 1 2. Collecting head -diameter not less than 125mm, not less than pcs 1 3. Jet elevator – capacity not less than 600 l/m, not less than pcs 2 4. Foam Generator-capacity not less than 600 l/m, not less than pcs 2 5. Fire hose coupling-diameter not less than 70x50mm, not less than pcs 2 6. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 7. Fire hose coupling - diameter not less than 80x70mm, not less than pcs 2 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80x70mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 4 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 75mm, length at least 2 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 75mm, length at least 2 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 2 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 2 m, not less than 2 29. Hose ramp (metal), not less than 25min hore (of polyamide pcs 2 20. Suction strainer - diameter not less than 125 with a rope (of		Name		tity
2. Collecting head -diameter not less than 125mm, not less than pcs 1 3. Jet elevator – capacity not less than 600 l/m, not less than pcs 1 4. Foam Generator-capacity not less than 600 l/m, not less than pcs 2 5. Fire hose coupling-diameter not less than 80x50mm, not less than pcs 2 6. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 7. Fire hose strap, not less than 80x70mm, not less than pcs 2 8. Fire hose strap, not less than 80x70mm, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 125mm, length pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 1 23. Acid alkali resistant hose - diameter not less than 51mm, length at least 4 m, not less than 2 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 29. Hose ramp (metal), not less than 29. Hose ramp (meta	1	Fire receive your most lose than 20 malana abanthad most lose than		(pcs.)
3. Jet elevator – capacity not less than 600 l/m, not less than pcs 1 4. Foam Generator-capacity not less than 600l/m, not less than pcs 2 5. Fire hose coupling-diameter not less than 70x50mm, not less than pcs 2 7. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 125mm, length at least 4 m, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than pcs 1 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than 51mm, length at least 20 m, not less than pcs 1 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 20. Polivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 20. Polivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 77, length at least 5 m to work from a hydrant, not less than 125 with a rope (of polyamide pcs 1 29. Hose ramp (metal), not less than 125 with a rope (of polyamide pcs 1		·	•	1
4. Foam Generator-capacity not less than 600l/m, not less than pcs 2 5. Fire hose coupling - diameter not less than 70x50mm, not less than pcs 2 6. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 7. Fire hose coupling - diameter not less than 80x70mm, not less than pcs 2 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than pcs 1 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than 51mm, length at least 20 m, not less than pcs 1 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than pcs 1 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than pcs 1 29. Hose ramp (metal), not less than pcs 2 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1			•	-
5. Fire hose coupling-diameter not less than 70x50mm, not less than pcs 2 6. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 7. Fire hose coupling - diameter not less than 80x70mm, not less than pcs 2 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 125mm, length at least 4 m, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than pcs 1 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 4 m, not less than pcs 1 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than pcs 1 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than pcs 1 29. Hose ramp (metal), not less than pcs 1 29. Hose ramp (metal), not less than pcs 1		• •	•	•
6. Fire hose coupling - diameter not less than 80x50mm, not less than pcs 2 7. Fire hose coupling - diameter not less than 80x70mm, not less than pcs 4 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 1 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 2 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 2 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 66mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 29. Hose ramp (metal), not less than 25 with a rope (of polyamide pcs 1			•	
7. Fire hose coupling - diameter not less than 80x70mm, not less than pcs 2 8. Fire hose strap, not less than pcs 4 9. Hose clamp - diameter not less than 80mm, not less than pcs 4 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 2 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 25. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 29. Hose ramp (metal), not less than 2 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1			•	
8. Fire hose strap, not less than 9. Hose clamp - diameter not less than 80mm, not less than 10. Hose coupling wrench - diameter not less than 150mm, not less than 11. Hose coupling wrench - diameter not less than 80mm, not less than 12. Hydrant standpipe, not less than 13. Hook for opening hydrant cover, not less than 14. Fire hook, not less than 15. Pompier ladder, not less than 16. Light weight fire fighting breaker, not less than 17. Heavy-weight fire fighting breaker, not less than 18. Round point shovel, not less than 19. Handsaw, not less than 20. 3-way hydrant wye, - diameter not less than 70mm, not less than 21. 3-way hydrant wye, - diameter not less than 125mm, length at least 4 m, not less than 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 29. Hose ramp (metal), not less than 125 with a rope (of polyamide pcs 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs		- 3	•	
9. Hose clamp - diameter not less than 80mm, not less than pcs 2 10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 125mm, length at least 4 m, not less than 2 22. Suction hose (with couplings) - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 51mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 29. Hose ramp (metal), not less than 9cs 2 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1		· •	•	
10. Hose coupling wrench - diameter not less than 150mm, not less than pcs 2 11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 2 12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 2 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 2 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than 2 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 2 29. Hose ramp (metal), not less than 125 with a rope (of polyamide pcs 1 10. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1				
11. Hose coupling wrench - diameter not less than 80mm, not less than pcs 12. Hydrant standpipe, not less than pcs 13. Hook for opening hydrant cover, not less than pcs 14. Fire hook, not less than pcs 15. Pompier ladder, not less than pcs 16. Light weight fire fighting breaker, not less than pcs 17. Heavy-weight fire fighting breaker, not less than pcs 18. Round point shovel, not less than pcs 19. Handsaw, not less than pcs 19. Suction hose (with couplings) - diameter not less than 125 mm, length pcs 19. Acid alkali resistant hose - diameter not less than 125 mm, length at least 4 m, not less than 125. Suction hose (with couplings) - diameter not less than 125 mm, length at least 4 m, not less than 125. Suction hose (with couplings) - diameter not less than 125 mm, length at least 4 m, not less than 125. Delivery hoses (with couplings) - diameter not less than 125 mm, length at least 20 m, not less than 125. Delivery hoses (with couplings) - diameter not less than 125 m, length at least 20 m, not less than 125. Delivery hoses (with couplings) - diameter not less than 125 m, length at least 20 m, not less than 125. Delivery hoses (with couplings) - diameter not less than 125 m, length at least 20 m, not less than 125 m,		-		
12. Hydrant standpipe, not less than pcs 1 13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 125mm, length pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length pcs 2 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 125 with a rope (of polyamide pcs 1 29. Hose ramp (metal), not less than 125 with a rope (of polyamide pcs 1				
13. Hook for opening hydrant cover, not less than pcs 1 14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length pcs 1 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 2 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 2 29. Hose ramp (metal), not less than 25 with a rope (of polyamide pcs 1				
14. Fire hook, not less than pcs 1 15. Pompier ladder, not less than pcs 1 16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length pcs 1 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 2 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 29. Hose ramp (metal), not less than pcs 2 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1			•	
15. Pompier ladder, not less than 16. Light weight fire fighting breaker, not less than 17. Heavy-weight fire fighting breaker, not less than 18. Round point shovel, not less than 19. Handsaw, not less than 20. 3-way hydrant wye, - diameter not less than 70mm, not less than 21. 3-way hydrant wye, - diameter not less than 80mm, not less than 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 20 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide)			•	
16. Light weight fire fighting breaker, not less than pcs 1 17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length pcs at least 4 m, not less than 2 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 2 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 2 29. Hose ramp (metal), not less than 25 with a rope (of polyamide pcs 1		•	•	-
17. Heavy-weight fire fighting breaker, not less than pcs 1 18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than pcs 1 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 1 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than pcs 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than pcs 1 27. Delivery hoses (with couplings) - diameter not less than pcs 1 28. Delivery hoses (with couplings) - diameter not less than pcs 1 29. Hose ramp (metal), not less than pcs 1 20. Suction strainer - diameter not less than pcs 1 21. Suction strainer - diameter not less than pcs 1 22. Suction strainer - diameter not less than pcs 1 23. Suction strainer - diameter not less than pcs 1 24. Suction strainer - diameter not less than pcs 1 25. Suction strainer - diameter not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than pcs 1 27. Delivery hoses (with couplings) - diameter not less than pcs 1 28. Delivery hoses (with couplings) - diameter not less than pcs 1 29. Hose ramp (metal), not less than pcs 1 20. Suction strainer - diameter not less than pcs 1 21. Suction strainer - diameter not less than pcs 1 22. Suction strainer - diameter not less than pcs 1 23. Suction strainer - diameter not less than pcs 1 24. Suction strainer - diameter not less than pcs 1 25. Suction strainer - diameter not less than pcs 1 26. Delivery hoses (with couplings) - diameter not less than pcs 1 27. Delivery hoses (with couplings) - diamete				
18. Round point shovel, not less than pcs 1 19. Handsaw, not less than pcs 1 20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length pcs at least 4 m, not less than 125mm, length pcs at least 4 m, not less than 125mm, length pcs 2 23. Acid alkali resistant hose - diameter not less than 32mm (with pcs couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 125mm, length at least 4 m, not less than 125mm, length at least 20 m, not less than 125mm, not less t			•	
19. Handsaw, not less than 20. 3-way hydrant wye, - diameter not less than 70mm, not less than 21. 3-way hydrant wye, - diameter not less than 80mm, not less than 22. Suction hose (with couplings) - diameter not less than 125mm, length 23. Acid alkali resistant hose - diameter not less than 32mm (with 24. Suction hose (with couplings) - diameter not less than 75mm, length at 25. Suction hose (with couplings) - diameter not less than 51mm, length at 26. Suction hose (with couplings) - diameter not less than 51mm, length at 27. Delivery hoses (with couplings) -diameter not less than 66mm, length 28. Delivery hoses (with couplings) -diameter not less than 77, length at 29. Delivery hoses (with couplings) -diameter not less than 77, length at 29. Hose ramp (metal), not less than 29. Suction strainer -diameter not less than 125 with a rope (of polyamide) 20. Delivariant pcs 21. Delivery hoses (with couplings) -diameter not less than 77, length at 29. Hose ramp (metal), not less than 29. Suction strainer -diameter not less than 125 with a rope (of polyamide) 29. The pcs 20. Suction strainer -diameter not less than 125 with a rope (of polyamide) 29. The pcs 20. The pcs 21. Delivery hose (with couplings) -diameter not less than 125 with a rope (of polyamide) 29. The pcs 20. Delivery hose (with couplings) -diameter not less than 125 with a rope (of polyamide)		, , , , , , , , , , , , , , , , , , , ,		
20. 3-way hydrant wye, - diameter not less than 70mm, not less than pcs 1 21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 1 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than pcs 2 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 2 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 2 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 2 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 2 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 2 29. Hose ramp (metal), not less than pcs 1 30. Suction strainer - diameter not less than 125 with a rope (of polyamide pcs 1		•	pcs	
21. 3-way hydrant wye, - diameter not less than 80mm, not less than pcs 2 22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 223. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 25 with a rope (of polyamide pcs 1			pcs	•
22. Suction hose (with couplings) - diameter not less than 125mm, length at least 4 m, not less than 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer - diameter not less than 125 with a rope (of polyamide pcs)			pcs	1
at least 4 m, not less than 23. Acid alkali resistant hose - diameter not less than 32mm (with couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer - diameter not less than 125 with a rope (of polyamide)			pcs	-
couplings), length 4 m, for foam generating agent takeoff, not less than 24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) - diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) - diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) - diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer - diameter not less than 125 with a rope (of polyamide pcs)	22.		pcs	2
24. Suction hose (with couplings) - diameter not less than 75mm, length at least 4 m, not less than 25. Suction hose (with couplings) - diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)	23.	Acid alkali resistant hose - diameter not less than 32mm (with	pcs	1
least 4 m, not less than 25. Suction hose (with couplings)- diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)		couplings), length 4 m, for foam generating agent takeoff, not less than		
25. Suction hose (with couplings)- diameter not less than 51mm, length at least 4 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide)	24.	. •	pcs	2
least 4 m, not less than 26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)	25			
26. Delivery hoses (with couplings) -diameter not less than 66mm, length at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)	25.	. •	pcs	6
at least 20 m, not less than 27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)	26		ncs	4
27. Delivery hoses (with couplings) -diameter not less than 77, length at least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 20. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs)	_0.		P 63	
least 20 m, not less than 28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1	27.		pcs	5
28. Delivery hoses (with couplings) -diameter not less than 77, length at least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1			P 00	
least 5 m to work from a hydrant, not less than 29. Hose ramp (metal), not less than 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1	28.		pcs	2
29. Hose ramp (metal), not less than pcs 2 30. Suction strainer -diameter not less than 125 with a rope (of polyamide pcs 1				_
	29.		pcs	2
	30.	Suction strainer -diameter not less than 125 with a rope (of polyamide yarn) $\not O$ 10, length not less than 12 m, not less than	pcs	1

31.	Hand-held branch -diameter not less than 70mm, not less than	pcs	2
32.	Hand-held branch -diameter not less than 50mm, not less than	pcs	4
33.	Foam-making branch, not less than	pcs	1
34.	Hacket, not less than	pcs	1
	Other utilities		
35.	Car first aid kit, not less than	pcs	1
36.	Hydraulic hand winch (carrying capacity not less than 10 tons), not less	pcs	1
	than		
37.	Chassis spare wheel, not less than	pcs	1
38.	Warning triangle, not less than	pcs	1
39.	Wheel shock, not less than	pcs	2
40.	Powder fire extinguisher -not less than 2kg, not less than	pcs	1
41.	Powder fire extinguisher -not less than 5 kg, not less than	pcs	2
42.	Vehicle maintenance tools (stocked taking into account the manufacturer's list), not less than	pcs	1

Note: List of firefighting equipment must be certified by the Supplier.

Section 5b: Other Related Requirements

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfillment of the requirements:

Delivery Term [INCOTERMS 2010]	DDP, Kazakhstan
(Pls. link this to price schedule)	Goods will be delivered to the Customer by the destination (delivery address) with custom taxes and risks clearance
Exact Address of Delivery/Installation Location	 For Municipal Public Institution "Bakanas Forestry" (Kazakhstan, Almaty region, Balkhash district, village of Bakanas, 7, Z. Zhabayev Str.) Municipal Public Institution "Ridder Forestry" (Kazakhstan, East Kazakhstan region, city of Ridder, 1 rayon, Leskhoz village) Zhongar-Alatau State National Nature Park (Kazakhstan, Almaty region, Sarkand town, 74, Arychnaya Str.)
Mode of Transport Preferred	Any mode
UNDP Preferred Freight Forwarder, if any ²	N/A
Distribution of shipping documents	N/A
(if using freight forwarder)	Click here to enter text.
Customs, if required, clearing shall be done by:	Supplier
Ex-factory / Pre-shipment inspection	N/A
Inspection upon delivery	N/A
Transportation Requirements	Transportation should be performed in accordance with requirements of regulations and manufacture's specification following all required safety regulations and movement rules, vehicle should be provided with special marks as well.
Testing Requirements	The fire tanker must comply with the requirements of the Technical Regulation of the Customs Union 018/2011 "On the Safety of Wheeled Vehicles", as well as the National Standard of the Republic of Kazakhstan 1980-2010 "Firefighting equipment. Basic fire trucks. General technical specifications ". It must be confirmed by Product Quality Certification in accordance with technical regulations and standards.
Scope of Training on Operation and Maintenance	Conducting training for employees of forest and environmental protection institutions (forest conservation and protection engineers) on the rules and techniques of operating a fire tanker.
Warranty Period	Warranty period - at least 24 months, for all components and assemblies, parts and mechanisms, with the provision of a guarantee from the manufacturing factory. Warranty obligations for the fire tanker should provide for free-of-charge repair and / or replacement of parts, mechanisms, components and assemblies that have failed due to the fault of the manufacturing plant or the Supplier. All spare

_

²A factor of the Incoterms stipulated in the ITB. The use of a UNDP preferred freight forwarder may be considered for purposes of ensuring forwarder's familiarity with procedures and processing of documentary requirements applicable to UNDP when clearing with customs authority of the country of destination.

	parts and accessories installed on the vehicle during the warranty period must be certified for compatibility by the vehicle manufacturer and have a warranty period not shorter than the warranty period for the delivered Goods.
Technical Support Requirements	N/A
After-sale services Requirements	N/A
Payment Terms (max. advanced payment is 20% as per UNDP policy)	20% upon contract signature (or Purchase Order) by both sides and 80%-upon delivery to the destination and conduction of training for forestry entities and protected areas' staff and upon UNDP's acceptance of goods as specified and receipt of invoice
Conditions for Release of Payment	 ☑ Training on Operation and Maintenance ☑ Written Acceptance of Goods based on full compliance with ITB requirements
All documentations, including catalogues, instructions and operating manuals, shall be in this language	Kazakh or Russian languages

Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to forms of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have you duly completed all the Returnable Bidding Forms?	
 Form A: Bid Submission Form 	
Form B: Bidder Information Form	
 Form C: Joint Venture/Consortium/ Association Information Form 	
 Form D: Qualification Form 	
 Form E: Format of Technical Bid/Bill of Quantities 	
From G: Form of Bid Security	
[Add other forms as necessary]	
Have you provided the required documents to establish compliance with the evaluation criteria in Section 4?	

Price Schedule:

■ Form F: Price Schedule Form	
-------------------------------	--

Form A: Bid Submission Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	2019-074 UNDP KAZ		

We, the undersigned, offer to supply the goods and related services required for [Insert Title of goods and services] in accordance with your Invitation to Bid No. [Insert ITB Reference Number] and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name:	 	 	
Title:	 	 	
Date:	 	 	
Signature: _	 	 	

[Stamp with official stamp of the Bidder]

Form B: Bidder Information Form

Legal name of Bidder	[Complete]
Legal address	[Complete]
Year of registration	[Complete]
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you a UNGM registered vendor?	\square Yes \square No \square If yes, [insert UGNM vendor number]
Are you a UNDP vendor?	\square Yes \square No If yes, [insert UNDP vendor number]
Countries of operation	[Complete]
No. of full-time employees	[Complete]
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]
Does your organization demonstrates significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]
Is your company a member of the UN Global Compact	[Complete]
Contact person that UNDP may contact for requests for	Name and Title: [Complete] Telephone numbers: [Complete]

clarifications during Bid evaluation	Email: [Complete]
Please attach the following documents:	 Description of the Supplier's activities and experience in the delivery of similar products (references) for at least 2 years,
	 Certificate of registration / re-registration, constituent documents,
	 Detailed technical specifications of the equipment offered, including logbook, photographs, etc.,
	 Certificates of Conformity with the following: a) the current state standards for firefighting equipment (with the corresponding marking) and fire safety, b) the current normative requirements and regulations for add-on devices and accessories for firefighting equipment, c) the regulatory requirements for the color scheme for main fire trucks,
	 Document describing warranty commitments and after- sales service;
	 Copies of contracts for the supply of similar goods provided over the past 2 years, indicating the Customer, product name, year of delivery and cost (if possible)
	 Work plan for all types of work (schedule of procurement and delivery time, conducting training);
	 Confirmation of conducting training by qualified staff for employees of forest and environmental protection institutions on the rules and techniques of operating firefighting machinery;
	 Availability of an official appointment as a local representative if the Bidder submits a Tender Proposal on behalf of a legal entity located outside of the country; Financial statements for 2018-2017;
	 Document confirming that the fire tanker complies with the requirements of the Technical Regulation of the Customs Union 018/2011 "On the Safety of Wheeled Vehicles", as well as the National Standard of the Republic of Kazakhstan 1980-2010 "Firefighting equipment. Basic
	fire trucks. General technical specifications"; - Product Quality Certificates in accordance with technical
	regulations and standards; – CVs and qualification documents for the personnel who
	will conduct training for employees of forest and environmental protection institutions (forest conservation and protection engineers) on the rules and
	techniques of operating a fire tanker - 1 specialist; – A written self-declaration confirming that the company is not on the UN Security Council 1267/1989 list, the UN procurement department list or other disqualification lists.

Form C: Joint Venture/Consortium/Association Information Form

Name	e of Bidder:	[Insert Name of Bidder]			Date:	Select date		
ITB re	eference:	: 2019-074 UNDP KAZ						
To be	completed and r	eturned with your Bi	d if the Bid is	s submi	tted as a Joir	nt Ventu	re/Consortium/	Association.
No Name of Partner and contact information (and telephone numbers, fax numbers, e-mail address)				n (address, Proposed proportion of responsibilities (%) and type of goods and/or services to performed				
1	[Complete]				[Complete]]		
2	[Complete]				[Complete]]		
3	[Complete]				[Complete]]		
Associated even control We have legal so Let We he	vent a Contract is act execution) ve attached a contract tructure of and the reby confirm the	the JV, Consortium, ITB process and, in awarded, during opy of the below ref the confirmation of j form a joint venture at if the contract is an y liable to UNDP for	oint and sev OR warded, all p	cument verable U JV parties c	liability of the Victorian victor of the Joint Victorian victor of the V	ne memb m/Assoc /enture/	pers of the said justices in the said justices and said justices of the	joint venture:
Namo	e of partner:			Name	of partner: _			
Signature: Signature:								
Date:				Date: _				
Name	e of partner:			Name	of partner: _			
Signature: Signature:			Signat	ure:				

Form D: Eligibility and Qualification Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	2019-074 UNDP KAZ		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

□Non-performing contracts did not occur during the last 3 years						
☐ Contract	(s) not performed in	the last 3 years				
Year Non- performed Contract Identification Total Contract American (current value in U						
		Name of Client: Address of Client: Reason(s) for non-performance:				

Litigation History (including pending litigation)

☐ No litigation history for the last 3 years							
☐ Litigation	n History as indicated	d below					
Year of dispute	Amount in dispute (in US\$)	Contract Identification	Total Contract Amount (current value in US\$)				
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:					

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 2 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of the Bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken

Bidders may also attach their own Project Data Sheets with more details for assignments above.

☐ Attached are the Statements of Satisfactory Performance from the Top 2 (Two) Clients or more.

Financial Standing

Annual Turnover for the last 2 years	Year 2018 Year 2017	USD USD	
Latest Credit Rating (if any), indicate the source			

Financial information (in US\$ equivalent)	Historic information for the last 2 years				
	Year 1	Year 2	Year 3		
	Information from Balance Sheet				
Total Assets (TA)					
Total Liabilities (TL)					
Current Assets (CA)					
Current Liabilities (CL)					
	Information from Income Statement				
Total / Gross Revenue (TR)					
Profits Before Taxes (PBT)					
Net Profit					
Current Ratio					

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	2019-074 UNDP KAZ		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- 2.5 Demonstrate how you plan to integrate sustainability measures in the execution of the contract.

Goods and services that have to be delivered, and Technical Specifications	Your reply						
	Compliance with technical specifications' requirements		Date of delivery (please confirm	Quality Certificate/	Commentary		
recilical Specifications	Yes, we comply	No, we cannot comply (indicate discrepancies)	execution or indicate your option for the delivery date) Export Licenses, etc. (please indicate and attach all	Export Licenses, etc. (please indicate and attach all that apply)			
Procurement and supply of 3 fire tankers							

Other Related services and requirements (based on the information provided in Section 5b)	Compliance with requirements		Details or comments on the related	
	Yes, we comply	No, we cannot comply (indicate discrepancies)	requirements	
Transportation costs to the Republic of Kazakhstan are included into total amount: Kazakhstan, Almaty region, Balkhash district, village of Bakanas, 7, Z. Zhabayev Str; Kazakhstan, Almaty region, Sarkand town, 74, Arychnaya Str.; Kazakhstan, East Kazakhstan region, city of Ridder, 1 rayon, Leskhoz village		илостор и постор		
Terms of delivery: DDP – delivered duty paid, Kazakhstan: The goods are delivered to the Customer to the specified destination (delivery address), cleared of all customs duties and risks				
Customs clearance is carried out by supplier, if necessary Delivery Deadline: no more than 3 months after signing the contract for the purchase of goods or the Purchase Order				
Purchased fire tankers, add-on equipment and accessories must be new, in technically sound and working condition				
Transportation must be carried out in accordance with the requirements of regulatory documents and logbooks, in compliance with all necessary safety standards and traffic rules, and the transport must be equipped with special signs				
Reliability and operational efficiency of the purchased fire tanker is under the following climatic conditions: from minus 40 degrees				

up to 40 degrees Celsius		
The fire tanker is to be furnished with new		
firefighting equipment, special equipment		
and tools in accordance with the technical		
conditions for this type of product and in		
accordance with the attached list (Annex 1).		
The firefighting equipment and machinery		
furnishing the fire tanker must comply with		
the requirements of the Technical		
Regulations "On fire safety requirements".		
The fire tanker must comply with the		
requirements of the Technical Regulation of		
the Customs Union 018/2011 "On the Safety		
of Wheeled Vehicles", as well as the National		
Standard of the Republic of Kazakhstan		
1980-2010 "Firefighting equipment. Basic		
fire trucks. General technical specifications".		
It must be confirmed by Product Quality		
Certification in accordance with technical		
regulations and standards.		
Conducting training for employees of forest		
and environmental protection institutions		
on the rules and techniques of operating a		
fire tanker		
Warranty period - at least 24 months, for all		
components and assemblies, parts and		
mechanisms, with the provision of a		
guarantee from the manufacturing factory.		
Warranty obligations for the fire tanker		
should provide for free-of-charge repair and		
/ or replacement of parts, mechanisms,		
components and assemblies that have failed		
due to the fault of the manufacturing plant		
or the Supplier. All spare parts and		
accessories installed on the vehicle during		
the warranty period must be certified for		
compatibility by the vehicle manufacturer		
and have a warranty period not shorter than		
the warranty period for the delivered Goods.		
Provision of accompanying and operational		
documentation, in Russian		
The offer must include VAT and other		
applicable indirect taxes		
The offer is valid for 90 days.		
20% - advance payment upon signing the		
contract by both parties		
80% - after delivery to the destination,		
commissioning and start-up and conducting		
training for local specialists		
Contractual penalty: 0.5% of the contract		
amount for each day of delay with a		
maximum duration of up to 20 calendar		

days. After this, the contract may be terminated		
Special conditions of the contract: cancellation of the purchase order / contract if the delay in delivery / fulfillment exceeds 20 days		
Confirmation that the company is not on the list of the UN Security Council 1267/1989, the list of the UN procurement department or other disqualification lists		
Acceptance of the UNDP General Terms and Conditions		

SECTION 3: Management Structure and Key Personnel

- 3.1 Describe the overall management approach toward planning and implementing the project. Include an organization chart for the management of the project describing the relationship of key positions and designations. Provide a spreadsheet to show the activities of each personnel and the time allocated for his/her involvement.
- 3.2 Provide CVs for key personnel that will be provided to support the implementation of this project using the format below. CVs should demonstrate qualifications in areas relevant to the scope of goods and/or services.

Format for CV of Proposed Key Personnel

Name of Personnel	[Insert]
Position for this assignment	[Insert]
Nationality	[Insert]
Language proficiency	[Insert]
Education/	[Summarize college/university and other specialized education of personnel member, giving names of schools, dates attended, and degrees/qualifications obtained.]
Qualifications	[Insert]
Professional certifications	 [Provide details of professional certifications relevant to the scope of goods and/or services] Name of institution: [Insert] Date of certification: [Insert]
Employment Record/ Experience	[List all positions held by personnel (starting with present position, list in reverse order), giving dates, names of employing organization, title of position held and location of employment. For experience in last five years, detail the type of activities performed, degree of responsibilities, location of assignments and any other information or professional experience considered pertinent for this assignment.]
References	[Insert] [Provide names, addresses, phone and email contact information for two (2) references]

	Reference 1: [Insert]
	Reference 2: [Insert]
,	nat to the best of my knowledge and belief, the data provided above correctly my experiences, and other relevant information about myself.
Signature of Personnel	Date (Day/Month/Year)

FORM F: Price Schedule Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	2019-074 UNDP KAZ		

The Bidder is required to prepare the Price Schedule following the below format. The Price Schedule must include a detailed cost breakdown of all goods and related services to be provided. Separate figures must be provided for each functional grouping or category, if any.

Any estimates for cost-reimbursable items, such as travel of experts and out-of-pocket expenses, should be listed separately.

Currency of the Bid: US Dollar

Price Schedule

Item #	Description	иом	Quantity	Unit Price	Total Price
1	2	3	4	5	6
1	Fire tanker	pcs	3		
2	TOTAL				
3	TOTAL including VAT				
	Transportation/Delivery Cost				
	Bid Subtotal DDP, (Incoterms 2010)				
				Training	
				Warranty	
			D	isposal fee	
			GRAI	ND TOTAL	

Name of Bidder:	
Authorised signature:	
Name of authorised signatory:	
Functional Title:	

FORM G: Form of Bid Security

Bid Security must be issued using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made on this template.

To: UNDP

[Insert contact information as provided in Data Sheet]

WHEREAS [Name and address of Bidder] (hereinafter called "the Bidder") has submitted a Bid to UNDP dated Click here to enter a date. to execute goods and/or services [Insert Title of Goods and/or Services] (hereinafter called "the Bid"):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security if the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bids;
- c) Fails to comply with UNDP's variation of requirement, as per ITB instructions; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid up to 30 days after the final date of validity of bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

Signature:	 	
Title.		
Date:	 	
Name of Bank		
Address		

[Stamp with official stamp of the Bank]