United Nations Development Programme



INVITATION TO BID

Bolivarian Republic of Venezuela Musical Foundation Simón Bolívar

ITB/054/FUNDAMUSICAL BOLIVAR/2014

ACQUISITION OF MUSICAL INSTRUMENTS: STRING AND WIND

Project 58656 Musical Formation Program Phase II Component 74571 Orchestras and Endowed Centers

AUGUST 2014

Section 1. Letter of Invitation

NOT APPLICABLE

Caracas, August 19, 2014

Bolivarian Republic of Venezuela Musical Foundation Simón Bolívar

ACQUISITION OF MUSICAL INSTRUMENTS: STRING AND WIND Project 58656 Musical Formation Program Phase II Component 74571 Orchestras and Endowed Centers

Dear Mr./Ms.:

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents:

Section 1 – This Letter of Invitation

Section 2 – Instructions to Bidders (including Data Sheet)

Section 3 – Schedule of Requirements and Technical Specifications

Section 4 - Bid Submission Form

Section 5 – Documents Establishing the Eligibility and Qualifications of the Bidder

Section 6 - Technical Bid Form

Section 7 - Price Schedule Form

Section 8 - Form for Bid Security

Section 9 – Form for Performance Security

Section 10 - Form for Advanced Payment Guarrantee "N/A"

Section 11 – Contract to be signed, including General Terms and Conditions

Your offer, comprising of a Technical Bid and Price Schedule, together in a sealed envelope, should be submitted in accordance with Section 2.

You are kindly requested to submit an acknowledgment letter to UNDP to the following address:

United Nations Development Programme (UNDP) Ref.: IAL/054/FUNDAMUSICAL BOLÍVAR/2014

To: Procurement Unit

Avenida Francisco de Miranda, Torre HP, Piso 6, Oficina 6-A Los Palos Grandes,

Caracas, Venezuela

Phones: (58)-212 208 4444, Fax: (58)-212 263-8179

E- mail: <u>licitaciones.ven@undp.org</u> <u>http://www.ve.undp.org/</u> The letter should be received by UNDP no later than TUESDAY, SEPTEMBER 16, 2014 no later than 11:00 hours official time of the Bolivarian Republic of Venezuela. The same letter should advise whether your company intends to submit a Bid. If that is not the case, UNDP would appreciate your indicating the reason, for our records.

If you have received this ITB through a direct invitation by UNDP, transferring this invitation to another firm requires notifying UNDP accordingly.

Should you require any clarification, kindly communicate with the contact person identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thanks you in advance for your interest in UNDP procurement opportunities.

Yours sincerely,

Nicky Fabiancic Representante Residente

Section 2: Instruction to Bidders¹

Definitions

- a) "Bid" refers to the Bidder's response to the Invitation to Bid, including the Bid Submission Form, Technical Bid and Price Schedule and all other documentation attached thereto as required by the ITB.
- b) "Bidder" refers to any legal entity that may submit, or has submitted, a Bid for the supply of goods and provision of related services requested by UNDP.
- c) "Contract" refers to the legal instrument that will be signed by and between the UNDP and the successful Bidder, all the attached documents thereto, including the General Terms and Conditions (GTC) and the Appendices.
- d) "Country" refers to the country indicated in the Data Sheet.
- e) "Data Sheet" refers to such part of the Instructions to Bidders used to reflect conditions of the tendering process that are specific for the requirements of the ITB.
- f) "Day" refers to calendar day.
- g) "Goods" refer to any tangible product, commodity, article, material, wares, equipment, assets or merchandise that UNDP requires under this ITB.
- h) "Government" refers to the Government of the country where the goods and related services provided/rendered specified under the Contract will be delivered or undertaken.
- i) "Instructions to Bidders" refers to the complete set of documents which provides Bidders with all information needed and procedures to be followed in the course of preparing their Bid
- j) "ITB" refers to the Invitation to Bid consisting of instructions and references prepared by UNDP for purposes of selecting the best supplier or service provider to fulfil the requirement indicated in the Schedule of Requirements and Technical Specifications.
- k) "LOI" (Section 1 of the ITB) refers to the Letter of Invitation sent by UNDP to Bidders.
- "Material Deviation" refers to any contents or characteristics of the bid that is significantly different from an essential aspect or requirement of the ITB, and (i) substantially alters the scope and quality of the requirements; (ii) limits the rights of UNDP and/or the obligations of the offeror; and (iii) adversely impacts the fairness and principles of the procurement process, such as those that compromise the competitive position of other offerors.

¹ Note: this Section 2 - Instructions to Bidders shall not be modified in any way. <u>Any necessary changes to address specific country and project information shall be introduced only through the Data Sheet.</u>

- m) "Schedule of Requirements and Technical Specifications" refers to the document included in this ITB as Section 3 which lists the goods required by UNDP, their specifications, the related services, activities, tasks to be performed, and other information pertinent to UNDP's receipt and acceptance of the goods.
- n) "Services" refers to the entire scope of tasks related or ancillary to the completion or delivery of the goods required by UNDP under the ITB.
- o) "Supplemental Information to the ITB" refers to a written communication issued by UNDP to prospective Bidders containing clarifications, responses to queries received from prospective Bidders, or changes to be made in the ITB, at any time after the release of the ITB but before the deadline for the submission of Bid.

A. GENERAL

- 1. UNDP hereby solicits Bids as a response to this Invitation to Bid (ITB). Bidders must strictly adhere to all the requirements of this ITB. No changes, substitutions or other alterations to the rules and provisions stipulated in this ITB may be made or assumed unless it is instructed or approved in writing by UNDP in the form of Supplemental Information to the ITB.
- Submission of a Bid shall be deemed as an acknowledgement by the Bidder that all obligations stipulated by this ITB will be met and, unless specified otherwise, the Bidder has read, understood and agreed to all the instructions in this ITB.
- 3. Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of any Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this ITB.
- 4. UNDP implements a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical practices, and obstruction. UNDP is committed to preventing, identifying and addressing all acts of fraud and corrupt practices against UNDP as well as third parties involved in UNDP activities. (See
 - http://www.undp.org/about/transparencydocs/UNDP Anti Fraud Policy English FINAL june 2011.pdf and
 - http://www.undp.org/content/undp/en/home/operations/procurement/procurement protest/ for full description of the policies)
- 5. In responding to this ITB, UNDP requires all Bidders to conduct themselves in a professional, objective and impartial manner, and they must at all times hold UNDP's interests paramount. Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. All Bidders found to have a conflict of interest shall be disqualified. Without limitation on the generality of the above, Bidders, and any of their affiliates, shall be considered to have a conflict of interest with one or more parties in this solicitation process, if they:
 - 5.1 Are, or have been associated in the past, with a firm or any of its affiliates which have

been engaged UNDP to provide services for the preparation of the design, Schedule of Requirements and Technical Specifications, cost analysis/estimation, and other documents to be used for the procurement of the goods and related services in this selection process;

- 5.2 Were involved in the preparation and/or design of the programme/project related to the goods and related services requested under this ITB; or
- 5.3 Are found to be in conflict for any other reason, as may be established by, or at the discretion of, UNDP.

In the event of any uncertainty in the interpretation of what is potentially a conflict of interest, Bidders must disclose the condition to UNDP and seek UNDP's confirmation on whether or not such conflict exists.

- 6. Similarly, the following must be disclosed in the Bid:
 - 6.1 Bidders who are owners, part-owners, officers, directors, controlling shareholders, or key personnel who are family of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving the goods and related services under this ITB; and
 - 6.2 Others that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices.

Failure of such disclosure may result in the rejection of the Bid.

- 7. The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered as an independent entity, the extent of Government ownership/share, receipt of subsidies, mandate, access to information in relation to this ITB, and others that may lead to undue advantage against other Bidders, and the eventual rejection of the Bid.
- 8. All Bidders must adhere to the UNDP Supplier Code of Conduct, which may be found at this link: http://web.ng.undp.org/procurement/undp-supplier-code-of-conduct.pdf

B. CONTENTS OF BID

9. Sections of Bid

Bidders are required to complete, sign and submit the following documents:

- 9.1 Bid Submission Cover Letter Form (see ITB Section 4);
- 9.2 Documents Establishing the Eligibility and Qualifications of the Bidder (see ITB Section 5);
- 9.3 Technical Bid (see prescribed form in ITB Section 6);
- 9.4 Price Schedule (see prescribed form in ITB Section 7);
- 9.5 Bid Security, if applicable (if required and as stated in the DS nos. 9-11, see prescribed Form in ITB Section 8);
- 9.6 Any attachments and/or appendices to the Bid (including all those specified under the **Data**

Sheet)

10. Clarification of Bid

- 10.1 Bidders may request clarification of any of the ITB documents no later than the number of days indicated in the **Data Sheet** (DS no. 16) prior to the Bid submission date. Any request for clarification must be sent in writing via courier or through electronic means to the UNDP address indicated in the **Data Sheet** (DS no. 17). UNDP will respond in writing, transmitted by electronic means and will transmit copies of the response (including an explanation of the query but without identifying the source of inquiry) to all Bidders who have provided confirmation of their intention to submit a Bid.
- 10.2 UNDP shall endeavor to provide such responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bid, unless UNDP deems that such an extension is justified and necessary.

11. Amendment of Bid

- 11.1 At any time prior to the deadline for submission of Bid, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of a Supplemental Information to the ITB. All prospective Bidders will be notified in writing of all changes/amendments and additional instructions through Supplemental Information to the ITB and through the method specified in the **Data Sheet** (DS No. 18).
- 11.2 In order to afford prospective Bidders reasonable time to consider the amendments in preparing their Bid, UNDP may, at its discretion, extend the deadline for submission of Bid, if the nature of the amendment to the ITB justifies such an extension.

C. PREPARATION OF BID

12. Cost

The Bidder shall bear any and all costs related to the preparation and/or submission of the Bid, regardless of whether its Bid was selected or not. UNDP shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the procurement process.

13. Language

The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the **Data Sheet** (DS No. 4). Any printed literature furnished by the Bidder written in a language other than the language indicated in the **Data Sheet**, must be accompanied by a translation in the preferred language indicated in the **Data Sheet**. For purposes of interpretation of the Bid, and in the event of discrepancy or inconsistency in meaning, the version translated into the preferred language shall govern. Upon conclusion of a contract, the language of the contract shall govern the relationship between the contractor and UNDP.

14. Bid Submission Form

The Bidder shall submit the Bid Submission Form using the form provided in Section 4 of this ITB.

15. Technical Bid Format and Content

Unless otherwise stated in the **Data Sheet** (DS no. 28), the Bidder shall structure the Technical Bid as follows:

- 15.1 Expertise of Firm/Organization this section should provide details regarding management structure of the organization, organizational capability/resources, and experience of organization/firm, the list of projects/contracts (both completed and on-going, both domestic and international) which are related or similar in nature to the requirements of the ITB, manufacturing capacity of plant if Bidder is a manufacturer, authorization from the manufacturer of the goods if Bidder is not a manufacturer, and proof of financial stability and adequacy of resources to complete the delivery of goods and provision of related services required by the ITB (see ITB Clause 18 and DS No. 26 for further details). The same shall apply to any other entity participating in the ITB as a Joint Venture or Consortium.
- 15.2 Technical Specifications and Implementation Plan this section should demonstrate the Bidder's response to the Schedule of Requirements and Technical Specifications by identifying the specific components proposed; how each of the requirements shall be met point by point; providing a detailed specification and description of the goods required, plans and drawings where needed; the essential performance characteristics, identifying the works/portions of the work that will be subcontracted; a list of the major subcontractors, and demonstrating how the bid meets or exceeds the requirements, while ensuring appropriateness of the bid to the local conditions and the rest of the project operating environment during the entire life of the goods provided. Details of technical bid must be laid out and supported by an Implementation Timetable, including Transportation and Delivery Schedule where needed, that is within the duration of the contract as specified in the **Data Sheet** (DS noS. 29 and 30).

Bidders must be fully aware that the goods and related services that UNDP require may be transferred, immediately or eventually, by UNDP to the Government partners, or to an entity nominated by the latter, in accordance with UNDP's policies and procedures. All bidders are therefore required to submit the following in their bids:

- a) A statement of whether any import or export licences are required in respect of the goods to be purchased or services to be rendered, including any restrictions in the country of origin, use or dual use nature of the goods or services, including any disposition to end users;
- b) Confirmation that the Bidder has obtained license of this nature in the past, and have an expectation of obtaining all the necessary licenses, should their bid be rendered the most responsive; and
- c) Complete documentation, information and declaration of any goods classified or may be classified as "Dangerous Goods".

15.2 Management Structure and Key Personnel – This section should include the comprehensive curriculum vitae (CVs) of key personnel that will be assigned to support the implementation of the technical bid, clearly defining their roles and responsibilities. CVs should establish competence and demonstrate qualifications in areas relevant to the requirements of this ITB.

In complying with this section, the Bidder assures and confirms to UNDP that the personnel being nominated are available to fulfil the demands of the Contract during its stated full term. If any of the key personnel later becomes unavailable, except for unavoidable reasons such as death or medical incapacity, among other possibilities, UNDP reserves the right to render the Bid non-responsive. Any deliberate substitution of personnel arising from unavoidable reasons, including delay in the implementation of the project of programme through no fault of the Bidder, shall be made only with UNDP's acceptance of the justification for substitution, and UNDP's approval of the qualification of the replacement who shall be either of equal or superior credentials as the one being replaced.

- 15.4 Where the **Data Sheet** requires the submission of the Bid Security, the Bid Security shall be included along with the Technical Bid. The Bid Security may be forfeited by UNDP, and reject the Bid, in the event of any or any combination of the following conditions:
 - a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the **Data Sheet** (DS no. 11), or;
 - b) If the Bid Security amount is found to be less than what is required by UNDP as indicated in the **Data Sheet** (DS no. 9), or;
 - c) In the case the successful Bidder fails:
 - i. to sign the Contract after UNDP has awarded it;
 - ii. to comply with UNDP's variation of requirement, as per ITB Clause 35; or
 - iii. to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering effective the contract that may be awarded to the Bidder.

16. Price Schedule

The Price Schedule shall be prepared using the attached standard form (Section 7). It shall list all major cost components associated with the goods and related services, and the detailed breakdown of such costs. All goods and services described in the Technical Bid must be priced separately on a one-to-one correspondence. Any output and activities described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of the items or activities, as well as in the final total price of the bid.

17. Currencies

All prices shall be quoted in the currency indicated in the **Data Sheet** (DS no. 15). However, where Bids are quoted in different currencies, for the purposes of comparison of all Bid:

17.1 UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in

- accordance with the prevailing UN operational rate of exchange on the last day of submission of Bid; and
- 17.2 In the event that the Bid found to be the most responsive to the ITB requirement is quoted in another currency different from the preferred currency as per **Data Sheet** (DS no. 15), then UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the conversion method specified above.

18. Documents Establishing the Eligibility and Qualifications of the Bidder

- 18.1 The Bidder shall furnish documentary evidence of its status as an eligible and qualified vendor, using the forms provided under Section 5, Bidder Information Forms. In order to award a contract to a Bidder, its qualifications must be documented to UNDP's satisfactions. These include, but are not limited to the following:
 - a) That, in the case of a Bidder offering to supply goods under the Contract which the Bidder did not manufacture or otherwise produce, the Bidder has been duly authorized by the goods' manufacturer or producer to supply the goods in the country of final destination;
 - b) That the Bidder has the financial, technical, and production capability necessary to perform the Contract; and
 - c) That, to the best of the Bidder's knowledge, it is not included in the UN 1267 List or the UN Ineligibility List, nor in any and all of UNDP's list of suspended and removed vendors.
- 18.2 Bids submitted by two (2) or more Bidders shall all be rejected by UNDP if they are found to have <u>any</u> of the following:
 - a) they have at least one controlling partner, director or shareholder in common; or
 - b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
 - c) they have the same legal representative for purposes of this ITB; or
 - d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this ITB process;
 - e) they are subcontractors to each other's bid, or a subcontractor to one bid also submits another Bid under its name as lead Bidder; or
 - f) an expert proposed to be in the bid of one Bidder participates in more than one Bid received for this ITB process. This condition does not apply to subcontractors being included in more than one Bid.

19. Joint Venture, Consortium or Association

If the Bidder is a group of legal entities that will form or have formed a joint venture, consortium or association at the time of the submission of the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the joint venture jointly and severally, and this shall be duly evidenced by a duly notarized Agreement among the legal entities, which shall be submitted along with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP

and the designated lead entity, who shall be acting for and on behalf of all entities that comprise the joint venture.

After the bid has been submitted to UNDP, the lead entity identified to represent the joint venture shall not be altered without the prior written consent of UNDP. Furthermore, neither the lead entity nor the member entities of the joint venture can:

- a) Submit another Bid, either in its own capacity; nor
- b) As a lead entity or a member entity for another joint venture submitting another Bid.

The description of the organization of the joint venture/consortium/association must clearly define the expected role of each of the entity in the joint venture in delivering the requirements of the ITB, both in the bid and in the Joint Venture Agreement. All entities that comprise the joint venture shall be subject to the eligibility and qualification assessment by UNDP.

Where a joint venture is presenting its track record and experience in a similar undertaking as those required in the ITB, it should present such information in the following manner:

- a) Those that were undertaken together by the joint venture; and
- b) Those that were undertaken by the individual entities of the joint venture expected to be involved in the performance of the services defined in the ITB.

Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the joint venture or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials.

If the Bid of a joint venture is determined by UNDP as the most responsive Bid that offers the best value for money, UNDP shall award the contract to the joint venture, in the name of its designated lead entity, who shall sign the contract for and on behalf of all the member entities.

20. Alternative Bid

Unless otherwise specified in the **Data Sheet** (DS nos. 5 and 6), alternative bid shall not be considered. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative bid.

21. Validity Period

- 21.1 Bid shall remain valid for the period specified in the **Data Sheet** (DS no. 8), commencing on the submission deadline date also indicated in the **Data Sheet** (DS no. 21). A Bid valid for a shorter period shall be immediately rejected by UNDP and rendered non-responsive.
- 21.2 In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bid. The request and the responses shall be made in writing, and shall be considered integral to the Bid.

22. Bidder's Conference

When appropriate, a Bidder's conference will be conducted at the date, time and location specified in the **Data Sheet** (DS no. 7). All Bidders are encouraged to attend. Non-attendance, however, shall <u>not</u> result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be either posted on the UNDP website, or disseminated to the individual firms who have registered or expressed interest with the contract, whether or not they attended the conference. No verbal statement made during the conference shall modify the terms and conditions of the ITB unless such statement is specifically written in the Minutes of the Conference, or issued/posted as an amendment in the form of a Supplemental Information to the ITB.

D. SUBMISSION AND OPENING OF BID

23. Submission

- 23.1 The Technical Bid and the Price Schedule <u>must</u> be submitted together and sealed together <u>in one and the same envelope</u>, delivered either personally, by courier, or by electronic method of transmission. If submission will not be done by electronic means, the Technical Bid and Price Schedule must be sealed together in an envelope whose external side must:
 - a) Bear the name of the Bidder;
 - b) Be addressed to UNDP as specified in the **Data Sheet** (DS no.20); and
 - c) Bear a warning not to open before the time and date for Bid opening as specified in the **Data Sheet** (DS no. 24).

If the envelope is not sealed nor labeled as required, the Bidder shall assume the responsibility for the misplacement or premature opening of Bid due to improper sealing and labeling by the Bidder.

- 23.2 Bidders must submit their Bid in the manner specified in the **Data Sheet** (DS nos. 22 and 23). When the Bid is expected to be in transit for more than 24 hours, the Bidder must ensure that sufficient lead time has been provided in order to comply with UNDP's deadline for submission. UNDP shall indicate for its record that the official date and time of receiving the Bid is the <u>actual</u> date and time when the said Bid has physically arrived at the UNDP premises indicated in the **Data Sheet** (DS no. 20).
- 23.3 Bidders submitting Bid by mail or by hand shall enclose the original and each copy of the Bid, in separate sealed envelopes, duly marking each of the envelopes as "Original Bid" and the others as "Copy of Bid". The two envelopes, consisting of original and copies, shall then be sealed in an outer envelope. The number of copies required shall be as specified in the Data Sheet (DS no. 19). In the event of any discrepancy between the contents of the "Original Bid" and the "Copy of Bid", the contents of the original shall govern. The original version of the Bid shall be signed or initialed by the Bidder or person(s) duly authorized to commit the Bidder on every page. The authorization shall be communicated through a document evidencing such authorization issued by the highest official of the firm, or a Power of Attorney, accompanying the Bid.

23.4 Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder accepts the General Contract Terms and Conditions of UNDP as attached hereto as Section 11.

24. Deadline for Submission of Bid and Late Bids

Bid must be received by UNDP at the address and no later than the date and time specified in the **Data Sheet** (DS no. 20 and 21).

UNDP shall not consider any Bid that arrives after the deadline for submission of Bid. Any Bid received by UNDP after the deadline for submission of Bid shall be declared late, rejected, and returned unopened to the Bidder.

25. Withdrawal, Substitution, and Modification of Bid

- 25.1 Bidders are expected to have sole responsibility for taking steps to carefully examine in detail the full consistency of its Bid to the requirements of the ITB, keeping in mind that material deficiencies in providing information requested by UNDP, or lack clarity in the description of goods and related services to be provided, may result in the rejection of the Bid. The Bidder shall assume any responsibility regarding erroneous interpretations or conclusions made by the Bidder in the course of understanding the ITB out of the set of information furnished by UNDP.
- A Bidder may withdraw, substitute or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 23, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid must accompany the respective written notice. All notices must be received by UNDP prior to the deadline for submission and submitted in accordance with ITB Clause 23 (except that withdrawal notices do not require copies). The respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or MODIFICATION".
- 25.3 Bid requested to be withdrawn shall be returned unopened to the Bidders.
- 25.4 No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bid and the expiration of the period of Bid validity specified by the Bidder on the Bid Submission Form or any extension thereof.

26. Bid Opening

UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members. If electronic submission is permitted, any specific electronic Bid opening procedures shall be as specified in the **Data Sheet** (DS no. 23).

The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will

be announced at the opening. No Bid shall be rejected at the opening stage, except for late submission, for which the Bid shall be returned unopened to the Bidder.

27. Confidentiality

Information relating to the examination, evaluation, and comparison of Bid, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of the contract award.

Any effort by a Bidder to influence UNDP in the examination, evaluation and comparison of the Bid or contract award decisions may, at UNDP's decision, result in the rejection of its Bid.

In the event that a Bidder is unsuccessful, the Bidder may seek a meeting with UNDP for a debriefing. The purpose of the debriefing is discussing the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving the bid presented to UNDP. The content of other bid and how they compare to the Bidder's submission shall not be discussed.

E. EVALUATION OF BID

28. Preliminary Examination of Bid

UNDP shall examine the Bid to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, whether or not the Bidder is in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's list of suspended and removed vendors, and whether the Bid are generally in order, among other indicators that may be used at this stage. UNDP may reject any Bid at this stage.

29. Evaluation of Bid

- 29.1 UNDP shall examine the Bid to confirm that all terms and conditions under the UNDP General Terms and Conditions and Special Conditions have been accepted by the Bidder without any deviation or reservation.
- 29.2 The evaluation team shall review and evaluate the Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the **Data Sheet** (DS No. 25). Absolutely no changes may be made by UNDP in the criteria after all Bids have been received.
- 29.3 UNDP reserves the right to undertake a post-qualification exercise, aimed at determining, to its satisfaction the validity of the information provided by the Bidder. Such post-qualification shall be fully documented and, among those that may be listed in the **Data Sheet** (DS No.33), may include, but need not be limited to, all or any combination of the following:
 - a) Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted;

- b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team;
- c) Inquiry and reference checking with Government entities with jurisdiction on the bidder, or any other entity that may have done business with the bidder;
- d) Inquiry and reference checking with other previous clients on the quality of performance on on-going or previous contracts completed;
- e) Physical inspection of the bidder's plant, factory, branches or other places where business transpires, with or without notice to the bidder;
- f) Testing and sampling of completed goods similar to the requirements of UNDP, where available; and
- g) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract.

30. Clarification of Bid

To assist in the examination, evaluation and comparison of bids, UNDP may, at its discretion, ask any Bidder to clarify its Bid.

UNDP's request for clarification and the Bidder's response shall be in writing. Notwithstanding the written communication, no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bid, in accordance with ITB Clause 35.

Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bid.

31. Responsiveness of Bid

UNDP's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

A substantially responsive Bid is one that conforms to all the terms, conditions, and specifications of the ITB without material deviation, reservation, or omission.

If a Bid is not substantially responsive, it shall be rejected by UNDP and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.

32. Nonconformities, Reparable Errors and Omissions

- 32.1 Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
- 32.2 Provided that a Bid is substantially responsive, UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 32.3 Provided that the Bid is substantially responsive, UNDP shall correct arithmetical errors as

follows:

- a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
- b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to the above.

32.4 If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.

F. AWARD OF CONTRACT

33. Right to Accept, Reject, or Render Non-Responsive Any or All Bid

- 33.1 UNDP reserves the right to accept or reject any Bid, to render any or all of the Bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. Furthermore, UNDP is not obligated to award the contract to the lowest price offer.
- 33.2 UNDP shall also verify, and immediately reject their respective Bid, if the Bidders are found to appear in the UN's Consolidated List of Individuals and Entities with Association to Terrorist Organizations, in the List of Vendors Suspended or Removed from the UN Secretariat Procurement Division Vendor Roster, the UN Ineligibility List, and other such lists that as may be established or recognized by UNDP policy on Vendor Sanctions. (See http://www.undp.org/content/undp/en/home/operations/procurement/procurement/protest/

34. Award Criteria

Prior to expiration of the period of Bid validity, UNDP shall award the contract to the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification, and has offered the lowest price (See DS No. 32).

35. Right to Vary Requirements at the Time of Award

At the time of award of Contract, UNDP reserves the right to vary the quantity of the goods and/or related services, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

36. Contract Signature

Within fifteen (15) days from the date of receipt of the Contract, the successful Bidder shall sign and date the Contract and return it to UNDP.

Failure of the successful Bidder to comply with the requirement of ITB Section F.3 and this provision shall constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security if any, and on which event, UNDP may award the Contract to the Bidder with the second highest rated Bid, or call for new Bid.

37. Performance Security

A performance security, if required, shall be provided in the amount and form provided in Section 9 and by the deadline indicated in the **Data Sheet** (DS no. 14), as applicable. Where a Performance Security will be required, the submission of the said document, and the confirmation of its acceptance by UNDP, shall be a condition for the effectivity of the Contract that will be signed by and between the successful Bidder and UNDP.

38. Bank Guarantee for Advanced Payment

Except when the interests of UNDP so require, it is the UNDP's preference to make no advanced payment(s) on contracts (i.e., payments without having received any outputs). In the event that the Bidder requires an advanced payment upon contract signature, and if such request is duly accepted by UNDP, and the said advanced payment exceeds 20% of the total Bid price, or exceed the amount of USD 30,000, UNDP shall require the Bidder to submit a Bank Guarantee in the same amount as the advanced payment. A bank guarantee for advanced payment shall be furnished in the form provided in Section 10.

39. Vendor Protest

UNDP's vendor protest procedure provides an opportunity for appeal to those persons or firms not awarded a purchase order or contract through a competitive procurement process. In the event that a Bidder believes that it was not treated fairly, the following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/procurement/protest.shtml

Instructions to Bidders DATA SHEET²

The following data for the supply of goods and related services shall complement / supplement the provisions in the Instruction to Bidders. In the case of a conflict between the Instruction to Bidders and the Data Sheet, the provisions in the Data Sheet shall prevail.

| DS No. | Cross Ref. to Instructions | Data | Specific Instructions / Requirements | |
|-----------|-------------------------------|--|---|--|
| 1 | | Project Title: | Project 58656 Musical Formation Program Phase II Component 74571 Orchestras and Endowed Centers | |
| 2 | | Title of Goods/Services/Work Required: | ACQUISITION OF MUSICAL INSTRUMENTS: STRING AND WIND Project 58656 Musical Formation Program Phase II Component 74571 Orchestras and Endowed Centers | |
| 3 | | Country: | Venezuela | |
| 4 | C.13 | Language of the Bid: | ✓ English □ French ✓ Spanish ✓ Others (pls. specify) it comes accompanied by a faithful translation to Spanish language | |
| 5 | C.20 | Conditions for Submitting Bid for Parts or sub-parts of the Total Requirements | ✓ Allowed. The bidders can quote for one or more lots and part of each lot. Was corrected in the document. | |
| 6 | C.20 | Conditions for Submitting Alternative Bid | ☑ Shall not be considered | |
| 7 | C.22 | A pre-Bid conference will be held on: | "N/A" | |
| 8 | C.21.1 | Period of Bid Validity commencing on the submission date | ✓ 120 days September 16, 2014 | |

.

 $^{^2}$ All DS number entries in the Data Sheet are cited as references in the Instructions to Bidders. All DS Nos. corresponding to a Data must not be modified. Only information on the 3^{rd} column may be modified by the user. If the information does not apply, the 3^{rd} column must state "N/A" but must not be deleted.

| 9 | B.9.5 C.15.4 b) | Bid Security | ✓ Required Amount: 2% of the total amount of the offer Form: Section 8 | |
|----|--------------------|--|---|--|
| 10 | B.9.5 | Acceptable forms of Bid Security ³ | ✓ Bank Guarantee (See Section 8 for template) ✓ Any Bank-issued Check / Cashier's Check / Certified Check The guarantee of the offer shall be denominated in the same currency of the offer, or in a currency freely convertible, and will be issued by a Bank of recognized prestige in the country of the buyer or abroad, and in the form requested in this document. | |
| 11 | B.9.5 C.15.4 a) | Validity of Bid Security | 150 days from the last day of Bid submission (February 13, 2014) Bid Security of unsuccessful Bidders shall be returned. | |
| 12 | | Advanced Payment upon signing of contract | ⊠ Not allowed | |
| 13 | | Liquidated Damages | ✓ Will be imposed under the following conditions: Percentage of contract price per week of delay: 2% Max. no. of week of delay: 5 This compensation shall be imposed according to the delivery schedule offered (partial shipments) Next course of action: Max 10% UNDP can be cancel the contract | |
| 14 | F.37 | Performance Security | ✓ Required Amount :10% of the total amount of the contract Form: Section 9 | |
| 15 | C.17 C.17.2 | Preferred Currency of Bid and Method for Currency conversion | ✓ United States Dollars (US\$) ✓ Euro ✓ Local Currency: Bolivars Or in any currency freely convertible Reference date for determining UN Operational Exchange Rate: Date for the presentation of the offer | |

_

 $^{^3}$ Surety bonds or other instruments issued by non-bank Financial Institutions are least preferred by UNDP. Unless stated otherwise, they shall be considered unacceptable to UNDP.

| 16 | B.10.1 | Deadline for submitting requests for clarifications/ questions | 10 days before the submission date. September 6, 2014 |
|----|-----------------------------|---|--|
| 17 | B.10.1 | Contact Details for submitting clarifications/questions ⁴ | To: Programa de las Naciones Unidas para el Desarrollo-Unidad de Adquisiciones fax: (58 212) 263 81 79 mail: licitaciones.ven@undp.org Note: The sending of an email must be accompanied by the correspondence signed by a representative of the bidder, doing reference number of the bid process. |
| 18 | B.11.1 | Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries | ✓ Direct communication to prospective Bidders by email (licitaciones.ven@undp.org), and Posting on the website ⁵ http://www.ve.undp.org/ |
| 19 | D.23.3 | No. of copies of Bid that must be submitted | ✓ Original : 1✓ Copies : 1 |
| 20 | D.23.1 b) D.23.2 D.24 | Bid submission address | Programa de las Naciones Unidas para el Desarrollo (PNUD) Ref.: ITB/054/FUNDAMUSICAL BOLIVAR/2014 To: Unidad de Adquisiciones Avenida Francisco de Miranda, Torre HP, Piso 6, Oficina 6-A Los Palos Grandes, Caracas, Venezuela Teléfonos: (58)-212 208 4444, Fax: (58)-212 263-8179 E- mail: licitaciones.ven@undp.org Website: http://www.ve.undp.org/ |
| 21 | C.21.1 D.24 | Deadline of Bid Submission | Date and Time : September 16, 2014 11:00 AM |
| 22 | D.23.2 | Manner of Submitting Bid | ✓ Courier✓ Hand Delivery |
| 23 | D.23.2 D.26 | Conditions and Procedures for electronic submission and opening, if allowed | "N/A" |
| 24 | D.23.1 c) | Date, time and venue for | Date and Time: <u>July 15, 2014 11:10 AM</u> |

_

⁴ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was officially received.

⁵ Posting on the website shall be supplemented by directly transmitting the communication to the prospective offerors.

| | | opening of Bid | Avenue: Programa de las Naciones Unidas para el Desarrollo (PNUD) Ref.: ITB/054/FUNDAMUSICAL BOLIVAR/2014 To: Procurement Unit Avenida Francisco de Miranda, Torre HP, Piso 6, Oficina 6-A Los Palos Grandes, Caracas, Venezuela Teléfonos: (58)-212 208 4444, Fax: (58)-212 263-8179 E- mail: licitaciones.ven@undp.org http://www.ve.undp.org/ |
|----|--------|--|---|
| 25 | | Evaluation method to be used in selecting the most responsive Bid | ✓ "Pass/Fail" Criteria on the Technical Requirements; including the evaluation of the sample instrument (item by Item), and ✓ Lowest price offer of technically qualified/responsive Bid |
| 26 | C.15.1 | Required Documents that must be Submitted to Establish Qualification of Bidders (In "Certified True Copy" form only) | The offer shall be submitted printed in ink, indelible, foliated (pages listed consecutively), ringed or bound, with dividers between each section in the order here indicated: A. Cover; B. Index of documents; C. Contact information for the bidder (address, phone, fax, e-mail, name of the contact); D. Bid Submission form (according to section 4): fully completed and duly signed by the authorized person; E. Bidder Information form (according to section 5) accompanied by the following documents; 1Copy of Certificate of Registration of the business, including Articles of Incorporation, or equivalent document if Bidder is not a corporation, to prove the legal existence, as well as amendments to the Certificate that are considered relevant, 2Members of the Governing Board and their Designations duly certified by the Corporate Secretary, or its equivalent document if Bidder is not a corporation; and name(s) of authorized person(s) to signed the letter of offer. 3List of Bank References (Name of Bank, Location, Contact Person and Contact Details). F. Technical offer (according to section 6) form fully completed and duly signed by the person |

| | | | authorized and accompanied by the list of instruments and deliveries plan offered. Document with technical and operation characteristics of the instruments. The deliveries plan must be within the maximum time limits required. G. Financial Form (Offer - according to section 7) form fully completed and duly signed by the person authorized. H. Forms of Bid Security (according to section 8) Note: Bidders must provide instrument sample offered, similar to has required in this document, available, in the same date, time and address Bid submission. The evaluation of the samples is considered part of the technical evaluation. |
|----|--------|--|---|
| 27 | | Other documents that may be Submitted to Establish Eligibility | Certification / Statement from the company, which indicates that the company has at least 2 years' experience as a manufacturer or supplier of similar Musical Instruments and quantities. For each item offered, Certification or authorization to act as representative or agent, in behalf of the Manufacturer, if bidder is not a manufacturer. |
| 28 | C.15 | Structure of the Technical Bid and List of Documents to be Submitted | See Section 6 Technical Bid Form |
| 29 | C.15.2 | Latest Expected date for commencement of Contract | After approval by authorities |
| 30 | C.15.2 | Maximum Expected duration of contract | According to the latest date of delivery deadlines awarded. |
| 31 | | UNDP will award the contract to: | ✓ One Bidder by Item, based on the following factors and sequence: a) Technical evaluation results will: evidence establishing that the Goods and Related Services conform to the requirements and specifications set out in this BID Document. b) lowest prices offered |

| | | | max | ee: Time limits for delivery shall eptable: partial / total, according taken period of 180 days (30, 60, 50) days). | o supply | y up to a |
|----|------|--|--------|--|----------|-----------|
| | | | Sta | eria for the Award and Evaluation of the docustrian of the docustrian on the docustrian on the docustrian on the DATA Secretary in this D | ıment re | equired. |
| 32 | F.34 | Criteria for the Award and Evaluation of Bid | 1 2 | Description Bid Submission form (according to section 4): fully completed and duly signed by the authorized person; Bidder Information form (according to section 5) accompanied by the following documents; Copy of Certificate of Registration of the business, including Articles of Incorporation, or equivalent document if Bidder is not a corporation, to prove the legal existence, as well as amendments to the Certificate that are considered relevant. Members of the Governing Board and their Designations duly certified by the Corporate Secretary, or its equivalent document if Bidder is not a corporation; and name(s) of authorized person(s) to signed the letter of offer. List of Bank References (Name of Bank, Location, Contact Person and Contact Details). Technical offer (according to section 6) form fully completed | C C | NC |
| | | | 3 | and duly signed by the person authorized and accompanied by the list of instruments and deliveries plan offered. Document with technical and | | |

| 33 | E.29 | Post qualification Actions | award to complete the total or maximum quantity of instruments required. ✓ Testing and sampling of completed goods similar to the requirements of UNDP, where available; and ✓ Others: Returns |
|----|------|----------------------------|--|
| | | | evaluation and verify compliance with the technical specifications. The evaluation of the samples as part of this stage. Stage 3 Financial evaluation: The lowest price for the total award of goods offered will be determined. If Failure to complete the required quantity, then the second, thirdetc., best price offered to continue to |
| | | | quantities. For each item offered, Certification or authorization to act as representative or agent, in behalf of the Manufacturer, if bidder is not a manufacturer. Financial Form (Offer - according to section 7) form fully completed and duly signed by the person authorized. Forms of Bid Security (according to section 8) Stage 2 Technical evaluation ⁶ ; The Technical Committee will conduct the technical |
| | | | operation characteristics of the instruments. The deliveries plan must be within the maximum time limits required. Certification / Statement from the company, which indicates that the company has at least 2 years' experience as a manufacturer or supplier of similar Musical Instruments and |

⁶ by the Technical Committee: Teachers and professors with extensive academic and renowned musical career in the National System of Youth and Children's Orchestras of Venezuela empowered by FUNDAMUSICAL for evaluation of the goods offered. PNUD will also participate of the evaluation of bids and instruments samples.

| 34 | Conditions for Determining Contract Effectivity | | eipt of Performance Bond contract by UNDP and Supplier |
|----|--|------|---|
| 35 | Other Information Related to the ITB ⁷ | N/A" | |

 7 Where the information is available in the web, a URL for the information may simply be provided.

Section 3a: Schedule of Requirements and Technical Specifications (Spanish)

Musical Instruments: String and Wind

| 1.1 VIOLIN 4/4 |
|---|
| Cantidad: 120 |
| Medida: 4/4 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Cuatro afinadores |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listos para tocar |

| 1.2 VIOLIN 3/4 |
|---|
| Cantidad: 140 |
| Medida: 3/4 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Cuatro afinadores |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listos para tocar |

| 1.3 VIOLIN 1/2 |
|---|
| Cantidad: 160 |
| Medida: 1/2 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Cuatro afinadores |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listos para tocar |

| 2.1 Violas de 16 |
|---|
| Cantidad: 30 |
| Medida: 16 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

| 2.2 Violas de 15 |
|---|
| Cantidad: 30 |
| Medida: 15 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

| 2.3 Violas de 14 |
|---|
| Cantidad: 50 |
| Medida: 14 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

| 2.4 Violas de 13 |
|---|
| Cantidad: 50 |
| Medida: 13 |
| Construido con maderas de calidad |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas, botón y cordal en madera de ébano |
| Mentonera modelo Guarniere en madera de ébano |
| Barnizado y acabado brillante |
| Puente tipo aubert ajustado |
| Cuerdas modelo estudiante |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

| 3.1 Violoncellos 4/4 |
|--|
| Cantidad: 30 |
| Medida: 4/4 |
| Construido con maderas de calidad sin nudos |
| Calibrado y terminado a mano |
| Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas |
| Tapa trasera (fondo) de arce ensamblado en dos piezas |
| Faja de arce |
| Mástil de arce |
| Filetes incrustados de madera |
| Tastiera, clavijas y cordal en madera de ébano |
| Puntal o pica de ébano |
| Barnizado y acabado brillante |
| Puente ajustado |
| Cuatro afinadores |
| Cuerdas modelo estudiante |
| Arco de fibra de carbono con cerda natural |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

3.2 Violoncellos 3/4

Cantidad: 50 Medida: 3/4

Construido con maderas de calidad sin nudos

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera, clavijas y cordal en madera de ébano

Puntal o pica de ébano

Barnizado y acabado brillante

Puente ajustado

Cuatro afinadores

Cuerdas modelo estudiante

Arco de fibra de carbono con cerda natural

Estuche duro forrado en lona o calidad superior

Listo para tocar

3.3 Violoncellos 1/2

Cantidad: 60 Medida: 1/2

Construido con maderas de calidad sin nudos

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera, clavijas y cordal en madera de ébano

Puntal o pica de ébano

Barnizado y acabado brillante

Puente ajustado

Cuatro afinadores

Cuerdas modelo estudiante

Arco de fibra de carbono con cerda natural

Estuche duro forrado en lona o calidad superior

Listo para tocar

4.1 Contrabajos 4/4

Cantidad: 15 Medida: 4/4

Modelo de gamba "gamba shape"

Construido con maderas de calidad

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera y cordal en madera de ébano

Puntal de pica de ébano

Barnizado con acabado brillante

Puente ajustado

Cuerdas (cuatro) modelo estudiante

Arco de fibra de carbono modelo alemán y cerdas naturales

Estuche duro forrado en lona o calidad superior

Listo para tocar

4.2 Contrabajos 3/4

Cantidad: 30 Medida: 3/4

Modelo de gamba "gamba shape"

Construido con maderas de calidad

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera y cordal en madera de ébano

Puntal de pica de ébano

Barnizado con acabado brillante

Puente ajustado

Cuerdas (cuatro) modelo estudiante

Arco de fibra de carbono modelo alemán y cerdas naturales

Estuche duro forrado en lona o calidad superior

Listo para tocar

4.3 Contrabajos 1/2

Cantidad: 30 Medida: 1/2

Modelo de gamba "gamba shape"

Construido con maderas de calidad

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera y cordal en madera de ébano

Puntal de pica de ébano

Barnizado con acabado brillante

Puente ajustado

Cuerdas (cuatro) modelo estudiante

Arco de fibra de carbono modelo alemán y cerdas naturales

Estuche duro forrado en lona o calidad superior

Listo para tocar

4.4 Contrabajos 1/4

Cantidad: 30 Medida: 1/4

Modelo de gamba "gamba shape"

Construido con maderas de calidad

Calibrado y terminado a mano

Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas

Tapa trasera (fondo) de arce ensamblado en dos piezas

Faja de arce

Mástil de arce

Filetes incrustados de madera

Tastiera y cordal en madera de ébano

Puntal de pica de ébano

Barnizado con acabado brillante

Puente ajustado

Cuerdas (cuatro) modelo estudiante

Arco de fibra de carbono modelo alemán y cerdas naturales

Estuche duro forrado en lona o calidad superior

Listo para tocar

5. Flauta "do" Cantidad: 60 Medida: do Llaves cerradas, Llaves de Sol desplazadas (offset) Mecanismo para el Mi Aleación de níquel y plata Bañada en plata Con estuche

| 6. Flauta Piccolo "do" |
|---------------------------|
| Cantidad: 15 |
| Medida: do |
| Cuerpo y cabeza de madera |
| Mecanismo de Mi |
| Con estuche |

| 7. Oboe "do" |
|--|
| Cantidad: 50 |
| Medida: do |
| Madera de granadilla |
| Llaves bañadas en plata |
| Semiautomático |
| Sistema de digitación francés |
| Llave de segunda octava |
| Fa de horquilla |
| Sol sostenido + Mi bemol doble |
| Llave de trino para Do sostenido doble |
| Llave de Fa para Mano Izquierda |
| Llave de resonancia para Si bemol bajo |
| Con estuche |

| 8. Clarinete "sib" |
|-------------------------------|
| Cantidad: 50 |
| Medida: sib |
| Material Sintético |
| Llaves niqueladas |
| Soporte para pulgar ajustable |
| 17 llaves y 6 anillos |
| Con estuche |

9. Fagot "do"

Cantidad: 50

Medida: do

Modelo Conservatorio

Sistema alemán

Cuerpo de arce alpino

Llaves medida estándar de aleación de niquel

25 llaves incluyendo llave de Re alto

Doble llave de Do

Llave automática para el portavoz

5 orificios recubiertos de caucho duro

4 rodillos de Fa/Sol# y Do#/Re#

Llaves de trino Mi/Sol# y Do#/Re#

Protección para llaves de Sib y Re

Cámara revestida de resina desde el cuerpo corto (ala) hasta el orificio de Lab en la unión de la culata

Protectores de bronce para uniones de los cuerpos con la culata

Orificios barnizados a mano en aceite

Dos tudeles trabajados a mano

Con estuche

10. Corno "fa/sib"

Cantidad: 80

Medida: fa/sib

Corno doble en Fa y Si bemol

Cuerpo y campana en bronce

Diámetro aproximado del tubo de 11,89mm (.468")

Diámetro aproximado de la campana de 311mm (12 1/4") de Garganta grande

Hecho de aleación de niquel y plata

Rotores y rodamientos trabajados

Válvula de cambio totalmente mecánica

Palancas ajustables

Acabado laqueado y llaves de acción mecánica

Con estuche

11. Trompeta "sib"

Cantidad: 40 Medida: sib

Cuerpo (material) de latón

Campana de bronce amarillo o en baño de plata completo de 1000 milésimas

Diámetro aproximado de la campana 123mm (4 7/8")

Diámetro aproximado de la tubería del instrumento de 11,65mmm (0,459")

Acabado de laca dorada o plateada

Gancho para pulgar en la bomba de la 1a Válvula

Anillo ajustable para dedo en la bomba de la 3a. Válvula

Tornillo de retén para bomba de la tercera válvula

Dos llaves de desagüe

Pistones bañados en níquel y monel

Con estuche

12. Trombon Tenor "sib/fa"

Cantidad: 40 Medida: sib/fa

Tenor con válvula rotatoria de Fa (transpositor)

Acabado de laca

Diámetro dual del tubo 12,9mm-13,34mm aproximadamente

Válvula rotatoria

1 llave de desagüe

Campana de 8 3/8" ú 8 1/2" aproximadamente

Llave de bloqueo de la vara

Sistema abierto o semiabierto para bomba de Fa

Con estuche

13. Trombon Bajo "sib/fa"

Cantidad: 20 Medida: sib/fa

Bajo con válvula rotatoria de Fa (transpositor)

Acabado de laca

Diámetro dual del tubo 12,9mm-13,34mm aproximadamente

Válvula rotatoria

1 llave de desagüe

Campana de 8 3/8" ú 8 1/2" aproximadamente

Llave de bloqueo de la vara

Sistema abierto o semiabierto para bomba de Fa

Con estuche

| 14. Tuba "fa" |
|---|
| Cantidad: 15 |
| Medida: fa |
| Cuerpo y campana en bronce amarillo |
| Medida 3/4 con 4 pistones de acero inoxidable con resortes inferiores |
| Compensada |
| Dos llaves de desagüe |
| Acabado de laca transparente |
| Con estuche |

Section 3b: Related Services

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfillment of the requirements:

| | ✓ CIP Agreed P | Point | | | |
|---|--|---|--|--|--|
| Delivery Term [INCOTERMS 2010] (Pls. link this to price schedule) | The supplier is responsible for all costs, including the main transportation from country of origin, and within the country of destination, and insurance until the goods arrive at agreed point in the country of destination. The risk is transferred to the buyer at the moment of the delivery of the goods at the agreed point. Although insurance has hired by the supplier, the beneficiary of the insurance is the buyer. The Incoterms CIP can be used with any mode of transport or a combination of them (multimodal transport). The insurance shall be against risk of loss, damage or destruction of the goods until delivery at the agreed point. The risks of war, strikes, riots and civil unrest are also included and will be 110% of the total contract amount, in the same currency. | | | | |
| Exact Address of | | | | | |
| Delivery/Installation Location (AGREED POINT) | FUNDAMUSICAL Warehouse, Caracas, Venezuela | | | | |
| Made of Transport Dueformed | ✓ AIR | ✓ LAND | | | |
| Mode of Transport Preferred | ✓ SEA | ✓ OTHER MULTIMODAL | | | |
| UNDP Preferred Freight Forwarder, if any ⁸ | "N/A" | | | | |
| Distribution of shipping documents (if using freight forwarder) | Documents to complete the formalities of customs clearance by the supplier (diplomatic franchise) and excluding taxes, will be processed by UNDP, if UNDP receives the documents referred in the section "Payment Terms", at least one (1) week before the arrival of goods at the port of the country of destination. If UNDP not received the documents, the supplier will be responsible for any expenses resulting. | | | | |
| Delivery Date | _ | es of the Offer: Partial / total delivery up to 120, 150 and 180 days). | | | |
| Customs ⁹ , if needed, clearing shall be done by: | UNDP ✓ Supplier | orwarder | | | |

⁸A factor of the Incoterms stipulated in the ITB. The use of a UNDP preferred courier may be considered for purposes of ensuring forwarder's familiarity with procedures and processing of documentary requirements applicable to UNDP when clearing with customs authority of the country of destination.

⁹ Interact with the Incoterms that apply.

| Ex-factory / Pre-shipment inspection | UNDP reserves the right to make inspections prior to shipment from the port of origin of at least 10% of goods awarded to each supplier, which will monitor and verify the quality of goods. |
|--------------------------------------|---|
| Inspection upon delivery | ✓ Inspection on arrival at destination for quantity according with delivery note |
| Testing Requirements | ✓ Music tests |
| Payment Terms | For Imported goods: Payments shall be made in dollars of the United States of America or other freely convertible currency only when the goods and services are imported to Venezuela, and are consignee to the "United Nations Development Programme (UNDP)": (i) Seventy percent (70%) of the total price of goods when shipped them, as stipulated in the purchase order, shall be paid by check, deposit or transfer into the account of the supplier, upon presentation of the documents specified below: • Two (2) copies of the invoice from the supplier that indicated the description, quantity, unit price and total amount of the goods; • Bill of lading negotiable original, clean on board, with the indication "freight prepaid" and two copies of the Bill of lading not negotiable which must indicate the number of packages and the gross weight; • Two (2) copies of the list of shipment, with indication of the contents of each package; • Certificate of insurance; • Original and copy of the certificate of warranty of the manufacturer or provider; • Original and copy of the certificate of origin of the goods. Indicated as the consignee of the goods: United Nations Development Program (UNDP). UNDP shall receive the documents mentioned above at least one (1) week before the arrival of the goods to the port of destination. If the supplier don't get them, shall be liable for any expenses resulting from this. (ii) Thirty percent (30%) of the total price of goods when received them, as stipulated in the purchase order, shall be paid by check, deposit or transfer into the account of the supplier, upon submission of a request for payment accompanied by the delivery note of goods, duly signed by the authorized persons to receive them, and the acceptance certificate by the General Coordinator of the Project, and the original invoice of the goods delivered. |

| | For Goods and services supplied from the country (Venezuela): Payments will be made in Bolivars exclusively. |
|---|---|
| | (i) One hundred percent (100%) of the total price of goods when received them, as stipulated in the purchase order, shall be paid by check, deposit or transfer into the account of the supplier, upon submission of a request for payment accompanied by the delivery note of goods, duly signed by the authorized persons to receive them, and the acceptance certificate by the General Coordinator of the Project, and the original invoice of the goods delivered. |
| | ✓ Receipt of the shipping documents ✓ Written Acceptance of Goods based on full compliance with ITB requirements |
| | ✓ Others: The payment terms are not negotiable. |
| | The supplier must present an invoice that meets all requirements established by the regulations in the country of the supplier. |
| Conditions for Release of Payment | Venezuelan suppliers must present an invoice with the formalities established by the Venezuelan tax legislation and SENIAT. |
| | Payments in other currencies than the local currency are only when the goods are imported and consignee to United Nations Development Programme – Venezuela. Payments will be made only to the supplier (Venezuelan or foreigner) who presented the offer and who signed the purchase order. |
| | All Payment within 30 days upon after UNDP's acceptance the conditions mentioned above, presented by the supplier. |
| | The supplier shall guarantee that the goods supplied are new, unused, free from defects (manufacturing, materials or workmanship), ready to be used and that they meet all the technical specifications of this ITB/054/Fundamusical Bolivar/2014 documents. |
| After-sale services required | The supplier must provide a quality guarantee of the goods delivered for the period that the supplier gives from the time of delivery. |
| | The supplier will replace or repair goods that do not work fully or partially during the period of warranty by the supplier. |
| All documentations, including catalogs, instructions and operating manuals, shall be in this language | ✓ English ✓ French ✓ Spanish ✓ Others it comes accompanied by a faithful translation to Spanish language |
| tins language | Spanish language |

Section 4: Bid Submission Form¹⁰

(This should be written in the Letterhead of the Bidder. Except for indicated fields, no changes may be made in this template.)

Insert: Location
Insert: Date

To: [insert: Name and Address of UNDP focal point]

Dear Sir/Madam:

We, the undersigned, hereby offer to supply the goods and related services required for *ITB/054/FUNDAMUSICAL/2014 ADQUISICIÓN DE INSTRUMENTOS MUSICALES* in accordance with your Invitation to Bid dated Insert: bid date. We are hereby submitting our Bid, which includes the Technical Bid and Price Schedule.

We hereby declare that:

- a) All the information and statements made in this Bid are true and we accept that any misrepresentation contained in it may lead to our disqualification;
- We are currently not on the removed or suspended vendor list of the UN or other such lists of other UN agencies, nor are we associated with, any company or individual appearing on the 1267/1989 list of the UN Security Council;
- c) We have no outstanding bankruptcy or pending litigation or any legal action that could impair our operation as a going concern; and
- d) We do not employ, nor anticipate employing, any person who is or was recently employed by the UN or UNDP.

We confirm that we have read, understood and hereby fully accept the Schedule of Requirements and Technical Specifications describing the duties and responsibilities required of us in this ITB, and the General Terms and Conditions of UNDP's Standard Contract for this ITB.

We agree to abide by this Bid for [insert: period of validity as indicated in Data Sheet].

We undertake, if our Bid is accepted, to initiate the supply of goods and provision of related services not later than the date indicated in the Data Sheet.

We fully understand and recognize that UNDP is not bound to accept this Bid that we shall bear all costs associated with its preparation and submission, and that UNDP will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the evaluation.

 $^{^{10}}$ No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

| Authorized Signa | ature [<i>In full and initials</i>]: | |
|------------------|--|--|
| | of Signatory: | |
| | | |
| Contact Details: | | |

Section 5: Documents Establishing the Eligibility and Qualifications of the Bidder

Bidder Information Form¹¹

Date: [insert date (as day, month and year] of Bid Submission]

ITB No.: [insert number of bidding process] Page _____of ____pages 1. Bidder's Legal Name [insert Bidder's legal name] 2. In case of Joint Venture (JV), legal name of each party: [insert legal name of each party in JV] 3. Actual or intended Country/ies of Registration/Operation: [insert actual or intended Country of Registration] 4. Year of Registration in its Location: [insert Bidder's year of registration] 5. Countries of Operation 6. No. of staff in each Country 7. Years of Operation in each Country 8. Legal Address/es in Country/ies of Registration/Operation: finsert Bidder's legal address in country of registration] 9. Value and Description of Top three (3) Biggest Contract for the past five (5) years 10. Latest Credit Rating (Score and Source, if any) 11. Brief description of litigation history (disputes, arbitration, claims, etc.), indicating current status and outcomes, if already resolved. 12. Bidder's Authorized Representative Information Name: [insert Authorized Representative's name] Address: [insert Authorized Representative's Address] Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers] Email Address: [insert Authorized Representative's email address] 13. Are you in the UNPD List 1267.1989 or UN Ineligibility List ? \square YES or \square NO

¹¹ The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, no alterations to its format shall be permitted and no substitutions shall be accepted.

| 14. Attached are copies of original documents of: |
|--|
| \square All eligibility document requirements listed in the Data Sheet |
| ☐ If Joint Venture/Consortium – copy of the Memorandum of Understanding/Agreement or Letter of Intent to form a JV/Consortium, or Registration of JV/Consortium, if registered |
| ☐ If case of Government corporation or Government-owned/controlled entity, documents establishing legal and financial autonomy and compliance with commercial law. |

Joint Venture Partner Information Form (if Registered)¹² NOT APPLY "N/A"

Date: [insert date (as day, month and year) of Bid Submission]
ITB No.: [insert number of bidding process]

| | | Page | of | pages | |
|--|---|----------------------------------|----------------------|------------|--|
| 1. Bidder's Legal Name: [insert B | idder's legal name] | | | | |
| 2. JV's Party legal name: [insert J | V's Party legal name] | | | | |
| 3. JV's Party Country of Registrat | ion: [insert JV's Party country of r | egistration] | | | |
| 4. Year of Registration: [insert Party | y's year of registration] | | | | |
| 5. Countries of Operation | 6. No. of staff in each Country 7. Years of Operation in each Country | | | | |
| 8. Legal Address/es in Country/ies (registration] | of Registration/Operation: [insert i | Party's legal addi | ress in country of | | |
| 9. Value and Description of Top three | ee (3) Biggest Contract for the past | t five (5) years | | | |
| 10. Latest Credit Rating (if any) :Cl | ick here to enter text. | | | | |
| Brief description of litigation houtcomes, if already resolved. | nistory (disputes, arbitration, claim Click here to enter text. | s, etc.), indicatin _i | g current status and | t | |
| 13. JV's Party Authorized Represe | ntative Information | | | | |
| Name: [insert name of JV's Party a Address: [insert address of JV's Par Telephone/Fax numbers: [insert te Email Address: [insert email address | rty authorized representative] lephone/fax numbers of JV's Part | • | resentative] | | |
| 14. Attached are copies of original | documents of: [check the box(es) | of the attached | original documents | :] | |
| ☐ All eligibility document requirem ☐ Articles of Incorporation or Regis ☐ In case of government owned er with commercial law. | stration of firm named in 2. | and financial aut | tonomy and compli | ance | |

 $^{^{12}}$ The Bidder shall fill in this Form in accordance with the instructions. Apart from providing additional information, \mathbf{N} 0 alterations to its format shall be permitted and no substitutions shall be accepted.

Section 6: Technical Bid Form¹³

ADQUISICIÓN DE INTRUMENTOS MUSICALES

Project 58656 Musical Formation Program Phase II Component 74571 Orchestras and Endowed Centers

| Name of Bidding Organization / Firm: | |
|--------------------------------------|--|
| Country of Registration: | |
| Name of Contact Person for this Bid: | |
| Address: | |
| Phone / Fax: | |
| Email: | |

SECTION 1: EXPERTISE OF FIRM/ ORGANISATION

- 1.1 Brief Description of Bidder as an Entity: Provide a brief description of the company which shall not exceed five (5) pages, including printed brochures and product catalogs, related to the goods and services that are buy in this process, the year and country of incorporation, and approximate annual budget, etc. Include reference to reputation.
- <u>1.2 Track Record and Experiences:</u> Provide the following information regarding corporate experience within at least the last five (5) years which are related or relevant to those required for this Contract.

| Name of project | Client | Contract Value | Period of activity | Types of activities undertaken | Status or Date Completed | References Contact Details (Name, Phone, Email) |
|-----------------|--------|-------------------|--------------------|--------------------------------------|-----------------------------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

SECTION 2 - SCOPE OF SUPPLY, TECHNICAL SPECIFICATIONS, AND RELATED SERVICES

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the specifications.

 $^{^{13}}$ Technical Bids not submitted in this format may be rejected.

<u>2.1. Scope of Supply</u>: Please provide a detailed description of the goods to be supplied, indicating clearly how they comply with the technical specifications required by the ITB (see below table);

| 1.1 VIOLIN | 14/4 | | CUMPLE | NO CUMPLE | | |
|-------------|-----------------------|---------------|----------------|-----------|--|--|
| Cantidad: | 120 | Indicar c | | | | |
| Fuente/Fa | bricante: <i>Inc</i> | dicar | | | | |
| País de Or | ígen: <i>Indica</i> i | r | | | | |
| Fecha de e | entrega: Indi | car cantidad | de instrumer | ntos | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 4 | | | | | | |
| | con mader | | <u> </u> | | | |
| Calibrado | y terminado | a mano | | | | |
| Tapa delar | ntera de abe | to plateado | o SPRUCE | | | |
| Tapa trase | ra (fondo) d | e arce ensar | nblado en dos | s piezas | | |
| Faja de arc | ce | | | | | |
| Mástil de a | arce | | | | | |
| Filetes inc | rustados de | madera | | | | |
| Tastiera, c | lavijas, botó | n y cordal er | n madera de é | bano | | |
| Mentoner | a modelo Gu | iarniere en r | madera de éb | ano | | |
| Barnizado | y acabado b | rillante | | | | |
| Puente tip | o aubert aju | stado | | | | |
| Cuerdas m | odelo estud | iante | | | | |
| Cuatro afir | nadores | | | | | |
| Arco de fib | ra de carbo | no con cerda | a natural | | | |
| Estuche du | ıro forrado | en Iona o ca | lidad superior | • | | |
| Listos para | tocar | | | | | |

| 1.2 VIOLIN | 13/4 | CUMPLE | NO CUMPLE | | | | |
|--|------------------------------------|---------------|---------------|----------|----|--|--|
| Cantidad: | 140 | | | | | | |
| Fuente/Fabricante: Indicar | | | | | | | |
| País de Orígen: <i>Indicar</i> | | | | | | | |
| Fecha de entrega: Indicar cantidad de instrumentos | | | | | | | |
| 30-60 | 30-60 60-90 90-120 120-150 150-180 | | | | | | |
| días | días | días | días | días | | | |
| | | | | | ┚╽ | | |
| Medida: 3, | /4 | | | | | | |
| Construido | con mader | as de calidad | k | | | | |
| Calibrado | y terminado | a mano | | | | | |
| Tapa delar | ntera de abe | to plateado | o SPRUCE | | | | |
| Tapa trase | ra (fondo) d | e arce ensan | nblado en dos | s piezas | | | |

| Faja de arce | |
|---|--|
| Mástil de arce | |
| Filetes incrustados de madera | |
| Tastiera, clavijas, botón y cordal en madera de ébano | |
| Mentonera modelo Guarniere en madera de ébano | |
| Barnizado y acabado brillante | |
| Puente tipo aubert ajustado | |
| Cuerdas modelo estudiante | |
| Cuatro afinadores | |
| Arco de fibra de carbono con cerda natural | |
| Estuche duro forrado en lona o calidad superior | |
| Listos para tocar | |
| | |

| 1.3 VIOLIN 1 | /2 | CUMPLE | NO CUMPLE | | | |
|----------------|-----------------------|---------------|--------------|---------|--|--|
| Cantidad: 16 | 0 | | | | | |
| Fuente/Fabri | icante: <i>Indico</i> | | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | rega: Indicar | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 1/2 | | | | | | |
| Construido c | | | | | | |
| Calibrado y t | | | | | | |
| Tapa delante | | | | | | |
| Tapa trasera | (fondo) de a | rce ensambl | ado en dos p | iezas | | |
| Faja de arce | | | | | | |
| Mástil de arc | | | | | | |
| Filetes incrus | | | | | | |
| Tastiera, clav | | | | | | |
| Mentonera r | | | dera de éban | 0 | | |
| Barnizado y a | acabado brill | ante | | | | |
| Puente tipo a | | | | | | |
| Cuerdas mod | delo estudiar | nte | | | | |
| Cuatro afinad | dores | | | | | |
| Arco de fibra | | | | | | |
| Estuche durc | forrado en | lona o calida | ad superior | | | |
| Listos para to | ocar | | | | | |

| 2.1 Violas de 16 | CUMPLE | NO CUMPLE |
|--|--------|-----------|
| Cantidad: 30 Indicar cantidad a ofertar: | | |
| Fuente/Fabricante: Indicar | | |
| País de Orígen: <i>Indicar</i> | | |

| Fecha de ent | rega: Indicar | | | | | |
|----------------|---|--------------|--------------|---------|--|--|
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 16 | | | | | | |
| Construido c | on maderas | de calidad | | | | |
| Calibrado y t | erminado a ı | mano | | | | |
| Tapa delante | era de abeto | plateado o S | PRUCE | | | |
| Tapa trasera | (fondo) de a | rce ensambl | ado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de arc | ce | | | | | |
| Filetes incrus | stados de ma | idera | | | | |
| Tastiera, clav | /ijas, botón y | cordal en m | adera de éba | ano | | |
| Mentonera r | nodelo Guar | niere en mad | dera de éban | 0 | | |
| Barnizado y a | acabado brill | ante | | | | |
| Puente tipo a | aubert ajusta | ido | | | | |
| Cuerdas mod | delo estudiar | nte | | | | |
| Arco de fibra | Arco de fibra de carbono con cerda natural | | | | | |
| Estuche durc | Estuche duro forrado en lona o calidad superior | | | | | |
| Listo para to | car | | | | | |

| 2.2 Violas d | le 15 | CUMPLE | NO CUMPLE | | | |
|----------------|---------------------------|---------------|--------------|---------|---|--|
| Cantidad: 30 | In | | | | | |
| Fuente/Fabr | icante: <i>Indic</i> | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | trega: Indica | r cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Medida: 15 | | | | | | |
| Construido c | | | | | | |
| Calibrado y t | | | | | | |
| Tapa delante | | • | | | | |
| Tapa trasera | (fondo) de a | arce ensambl | ado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |
| Filetes incrus | stados de ma | adera | | | | |
| Tastiera, clav | /ijas, botón γ | cordal en m | adera de éba | ano | · | |
| Mentonera r | nodelo G <mark>uar</mark> | | | | | |
| Barnizado y a | acabado bril | · | | | | |
| Puente tipo | aubert ajusta | ado | | | | |
| Cuerdas mod | delo estudia: | nte | | | | |

| Arco de fibra | a de carbono | | | | | |
|----------------|------------------------|---------------|---------------|--|--------|-----------|
| Estuche dure | o forrado en | | | | | |
| Listo para to | car | | | | | |
| | | | | | | • |
| 2.3 Violas d | le 14 | | | | CUMPLE | NO CUMPLE |
| Cantidad: 50 |) / | ndicar cantid | dad a ofertar | : | | |
| Fuente/Fabr | icante: <i>Indic</i> o | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de en | trega: Indicai | r cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | • | • | • | <u>. </u> | | |
| Medida: 14 | | | | | | |
| Construido d | on maderas | de calidad | | | | |
| Calibrado y t | erminado a i | mano | | | | |
| Tapa delante | era de abeto | plateado o S | PRUCE | | | |
| Tapa trasera | (fondo) de a | rce ensambl | ado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |
| Filetes incru | stados de ma | adera | | | | |
| Tastiera, clav | vijas, botón y | cordal en m | adera de éb | ano | | |
| Mentonera | modelo Guar | niere en ma | dera de éban | 10 | | |
| Barnizado y | acabado brill | ante | | | | |
| Puente tipo | aubert ajusta | ado | | | | |
| Cuerdas mod | delo estudiar | nte | | | | |
| Arco de fibra | a de carbono | con cerda n | atural | | | |
| Estuche dure | o forrado en | lona o calida | d superior | | | |
| Listo para to | car | | | | | |
| | | | | | | |
| 2.4 Violas d | | | | | CUMPLE | NO CUMPLE |
| Cantidad: 50 |) lı | ndicar cantid | ad a ofertar: | | | |
| Fuente/Fabr | icante: <i>Indic</i> e | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de en | trega: Indicai | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 13 | | | | | | |
| Construido d | on maderas | | | | | |
| | erminado a ı | | | | | |
| - | era de abeto | | | | | |
| Tapa trasera | (fondo) de a | | | | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |

| Filetes incrustados de madera | |
|---|--|
| Tastiera, clavijas, botón y cordal en madera de ébano | |
| Mentonera modelo Guarniere en madera de ébano | |
| Barnizado y acabado brillante | |
| Puente tipo aubert ajustado | |
| Cuerdas modelo estudiante | |
| Arco de fibra de carbono con cerda natural | |
| Estuche duro forrado en lona o calidad superior | |
| Listo para tocar | |
| | |

| 3.1 Violoncello | s 4/4 | CUMPLE | NO CUMPLE | | | |
|--------------------|-----------------------|--------------|--------------|-----------|--|--|
| Cantidad: 30 | li li | | | | | |
| Fuente/Fabrican | te: <i>Indica</i> | ır | | | | |
| País de Orígen: / | Indicar | | | | | |
| Fecha de entrega | a: Indicar | cantidad de | instrumento | os | | |
| 30-60 | 50-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 4/4 | | | | | | |
| Construido con n | | | n nudos | | | |
| Calibrado y term | | | | | | |
| Tapa delantera d | le abeto _l | plateado o S | PRUCE ensar | mblado en | | |
| dos piezas | | | | | | |
| Tapa trasera (for | ndo) de a | rce ensambl | ado en dos p | iezas | | |
| Faja de arce | | | | | | |
| Mástil de arce | | | | | | |
| Filetes incrustade | | | | | | |
| Tastiera, clavijas | | en madera c | le ébano | | | |
| Puntal o pica de | ébano | | | | | |
| Barnizado y acab | ado brill | ante | | | | |
| Puente ajustado | | | | | | |
| Cuatro afinadore | es | | | | | |
| Cuerdas modelo | estudian | | | | | |
| Arco de fibra de | carbono | | | | | |
| Estuche duro for | rado en l | ona o calida | d superior | | | |
| Listo para tocar | | | | | | |

| 3.2 Violoncellos | 3/4 | CUMPLE | NO CUMPLE |
|----------------------------|-----------------------------|--------|-----------|
| Cantidad: 50 | Indicar cantidad a ofertar: | | |
| Fuente/Fabricante: | Indicar | | |
| País de Orígen: <i>Ind</i> | licar | | |

| Fecha de en | trega: Indica | r cantidad de | e instrument | os | | |
|---------------|---|---------------|---------------|-----------|--|--|
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 3/4 | • | | | | | |
| Construido d | con maderas | de calidad si | n nudos | | | |
| Calibrado y t | terminado a | mano | | | | |
| Tapa delante | era de abeto | plateado o S | SPRUCE ensa | mblado en | | |
| dos piezas | | | | | | |
| Tapa trasera | (fondo) de a | arce ensamb | lado en dos ¡ | piezas | | |
| Faja de arce | | | | | | |
| Mástil de ar | ce | | | | | |
| Filetes incru | stados de ma | adera | | | | |
| Tastiera, cla | vijas y cordal | en madera | de ébano | | | |
| Puntal o pica | a de ébano | | | | | |
| Barnizado y | acabado bril | lante | | | | |
| Puente ajust | tado | | | | | |
| Cuatro afina | dores | | | | | |
| Cuerdas mo | delo estudia: | nte | | | | |
| Arco de fibra | Arco de fibra de carbono con cerda natural | | | | | |
| Estuche dur | Estuche duro forrado en lona o calidad superior | | | | | |
| Listo para to | car | | | | | |

| 3.3 Violono | ellos 1/2 | CUMPLE | NO CUMPLE | | | |
|----------------|----------------------|---------------|---------------|-----------|--|--|
| Cantidad: 60 | | ndicar canti | dad a ofertar | : | | |
| Fuente/Fabr | icante: <i>Indic</i> | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | trega: Indica | r cantidad de | e instrument | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| Medida: 1/2 | | | | | | |
| Construido c | on maderas | de calidad s | in nudos | | | |
| Calibrado y t | erminado a | mano | | | | |
| Tapa delante | era de abeto | plateado o S | SPRUCE ensa | mblado en | | |
| dos piezas | | | | | | |
| Tapa trasera | (fondo) de a | rce ensamb | lado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |
| Filetes incrus | stados de ma | adera | | | | |
| Tastiera, clav | ijas y cordal | en madera | de ébano | | | |
| Puntal o pica | de ébano | | | | | |
| Barnizado y | acabado bril | ante | | | | |

| Puente ajustado | |
|---|--|
| Cuatro afinadores | |
| Cuerdas modelo estudiante | |
| Arco de fibra de carbono con cerda natural | |
| Estuche duro forrado en lona o calidad superior | |
| Listo para tocar | |

| 4.1 Contrak | ajos 4/4 | CUMPLE | NO CUMPLE | | | |
|---------------|------------------------|---------------|--------------|-----------|--|--|
| Cantidad: 15 | 1 | | | | | |
| Fuente/Fabr | icante: <i>Indic</i> e | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | trega: Indica | r cantidad de | instrument | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 4/4 | | | | | | |
| Modelo de g | | | | | | |
| Construido d | | | | | | |
| Calibrado y t | | | | | | |
| Tapa delante | era de abeto | plateado o S | PRUCE ensai | mblado en | | |
| dos piezas | | | | | | |
| Tapa trasera | (fondo) de a | rce ensamb | ado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |
| Filetes incru | | | | | | |
| Tastiera y co | | era de ébanc |) | | | |
| Puntal de pi | ca de ébano | | | | | |
| Barnizado co | n acabado b | rillante | | | | |
| Puente ajust | ado | | | | | |
| Cuerdas (cua | itro) modelo | | | | | |
| Arco de fibra | de carbono | | | | | |
| Estuche dure | o forrado en | lona o calida | d superior | | | |
| Listo para to | car | | | | | |

| 4.2 Contral | oajos 3/4 | CUMPLE | NO CUMPLE | | | |
|---------------|------------------------|---------------|----------------|------|--|--|
| Cantidad: 30 |) Inc | dicar cantida | d a ofertar: _ | | | |
| Fuente/Fabr | icante: <i>Indic</i> e | | | | | |
| País de Orígo | en: <i>Indicar</i> | | | | | |
| Fecha de en | trega: Indicai | r cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | | | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |

| Modelo de gamba "gamba shape" Construido con maderas de calidad Calibrado y terminado a mano Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas Tapa trasera (fondo) de arce ensamblado en dos piezas Faja de arce Mástil de arce |
|---|
| Calibrado y terminado a mano Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas Tapa trasera (fondo) de arce ensamblado en dos piezas Faja de arce |
| Tapa delantera de abeto plateado o SPRUCE ensamblado en dos piezas Tapa trasera (fondo) de arce ensamblado en dos piezas Faja de arce |
| dos piezas Tapa trasera (fondo) de arce ensamblado en dos piezas Faja de arce |
| Tapa trasera (fondo) de arce ensamblado en dos piezas Faja de arce |
| Faja de arce |
| |
| Mástil de arce |
| |
| Filetes incrustados de madera |
| Tastiera y cordal en madera de ébano |
| Puntal de pica de ébano |
| Barnizado con acabado brillante |
| Puente ajustado |
| Cuerdas (cuatro) modelo estudiante |
| Arco de fibra de carbono modelo alemán y cerdas naturales |
| Estuche duro forrado en lona o calidad superior |
| Listo para tocar |

| 4.3 Contrak | oajos 1/2 | CUMPLE | NO CUMPLE | | | |
|---------------|-----------------------|---------------|---------------|-----------|--|--|
| Cantidad: 30 |) <i>II</i> | | | | | |
| Fuente/Fabr | icante: <i>Indico</i> | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de en | trega: Indicar | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: 1/2 | | | | | | |
| | gamba "gamb | | | | | |
| | on maderas | | | | | |
| | terminado a i | | | | | |
| • | era de abeto | plateado o S | PRUCE ensar | mblado en | | |
| dos piezas | | | | | | |
| - | (fondo) de a | irce ensamb | lado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ar | | | | | | |
| Filetes incru | stados de ma | idera | | | | |
| - | ordal en made | era de ébanc |) | | | |
| Puntal de pi | | | | | | |
| Barnizado co | on acabado b | rillante | | | | |
| Puente ajust | | | | | | |
| | atro) modelo | | | | | |
| Arco de fibra | a de carbono | modelo aler | nán y cerdas | naturales | | |
| Estuche dure | o forrado en | lona o calida | d superior | | | |

| 4.4 Contrab | ajos 1/4 | CUMPLE | NO CUMPLE | | | |
|----------------|-----------------------|---------------|---------------|-----------|--------|-----------|
| Cantidad: 30 | 1 | ndicar cantic | lad a ofertar | : | | |
| Fuente/Fabr | icante: <i>Indico</i> | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | trega: Indicar | r cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| Medida: 1/4 | | | | | | |
| Modelo de g | amba "gamb | a shape" | | | | |
| Construido c | on maderas | de calidad | | | | |
| Calibrado y t | erminado a i | mano | | | | |
| Tapa delante | era de abeto | plateado o S | PRUCE ensar | mblado en | | |
| dos piezas | | | | | | |
| Tapa trasera | (fondo) de a | rce ensambl | ado en dos p | oiezas | | |
| Faja de arce | | | | | | |
| Mástil de ard | ce | | | | | |
| Filetes incrus | stados de ma | adera | | | | |
| Tastiera y co | rdal en made | era de ébano | 1 | | | |
| Puntal de pio | ca de ébano | | | | | |
| Barnizado co | n acabado b | rillante | | | | |
| Puente ajust | ado | | | | | |
| Cuerdas (cua | atro) modelo | estudiante | | | | |
| Arco de fibra | de carbono | modelo alen | nán y cerdas | naturales | | |
| Estuche dure | o forrado en | lona o calida | d superior | | | |
| Listo para to | car | | | | | |
| | | | | | | |
| 5. Flauta "d | lo" | | | | CUMPLE | NO CUMPLE |
| Cantidad: 60 | 1 | ndicar cantid | lad a ofertar | : | | |
| Fuente/Fabr | icante: <i>Indico</i> | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | trega: Indicar | r cantidad de | instrumento | os | | |
| 30-60 | 60-90 | | | | | |
| días | días | | | | | |
| | | | | | | |
| Medida: do | | | | | | |
| Llaves cerrac | das, | | | | | |
| Llaves de So | | (offset) | | | | |

Listo para tocar

Mecanismo para el Mi Aleación de níquel y plata

| 6. Flauta Piccolo "do" Cantidad: 15 | Bañada en plat | а | | | | | |
|--|-----------------|---------------------|---------------|---------------|---------|--------|-----------|
| 6. Flauta Piccolo "do" Cuntidad: 15 | | | | | | | |
| Cantidad: 15 | | | | | | | 1 |
| Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días Medida: do Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No Cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días días días días | 6. Flauta Picco | olo "do" | | | | CUMPLE | NO CUMPLE |
| País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días días días días | Cantidad: 15 | I | ndicar cantid | lad a ofertar | : | | |
| Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días Medida: do Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cantidad: 50 Indicar cantidad a ofertar: Feunte/Fabricante: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | Fuente/Fabrica | nte: <i>Indico</i> | ar | - | | | |
| Medida: do Cuerpo y cabeza de madera Cumpus y capeza y ca | País de Orígen: | Indicar | | | | | |
| Medida: do Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No Cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días días días días | Fecha de entre | ga: Indicar | cantidad de | instrumento | os | | |
| Medida: do Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | días | días | días | días | días | | |
| Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | | | | | | | |
| Cuerpo y cabeza de madera Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | | | | | _ | | |
| Mecanismo de Mi Con estuche 7. Oboe "do" Cumple No cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | Medida: do | | | | | | |
| 7. Oboe "do" Cumple Cantidad: 50 Indicar cantidad a ofertar: Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 días días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | Cuerpo y cabez | za de made | era | | | | |
| 7. Oboe "do" Cantidad: 50 | Mecanismo de | Mi | | | | | |
| Cantidad: 50 | Con estuche | | | | | | |
| Cantidad: 50 | | | | | | | |
| Fuente/Fabricante: Indicar País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | 7. Oboe "do" | | | | | CUMPLE | NO CUMPLE |
| País de Orígen: Indicar Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | | | | lad a ofertar | : | | |
| Fecha de entrega: Indicar cantidad de instrumentos 30-60 60-90 90-120 120-150 150-180 días días días días días Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | Fuente/Fabrica | inte: <i>Indico</i> | ar | | | | |
| Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | | | | | | | |
| Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | Fecha de entre | ga: Indicar | cantidad de | instrumento | os | | |
| Medida: do Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de Fa para Mano Izquierda | 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | días | días | días | días | días | | |
| Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Madera de granadilla Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Llaves bañadas en plata Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Semiautomático Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Sistema de digitación francés Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | • | | | | | |
| Llave de segunda octava Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Fa de horquilla Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | ncés | | | | |
| Sol sostenido + Mi bemol doble Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Llave de trino para Do sostenido doble Llave de Fa para Mano Izquierda | | | | | | | |
| Llave de Fa para Mano Izquierda | | | | | | | |
| | - | | | e | | | |
| Llava da reconancia nara Ci hamal haia | | | | | | | |
| Llave de resonancia para Si bemol bajo | | ancia para | Si bemol baj | 0 | | | |
| Con estuche | Con estuche | | | | | | |
| | | | | | | | |
| 8. Clarinete "sib" CUMPLE NO CUMPLE | | | | | | CUMPLE | NO CUMPLE |
| Cantidad: 50 | | | | lad a ofertar | : | | |
| Fuente/Fabricante: Indicar | | | ar | | | | |
| País de Orígen: Indicar | | | | | | | |
| Fecha de entrega: Indicar cantidad de instrumentos | | | | | | | |

| T | días | días | días | días | días | | |
|---|---------------|---------------|-------|------|------|--------|-----------|
| | | | | | | | |
| - | Cantidad: 50 | | | | | | |
| F | Medida: sib | | | | | | |
| | Material Sint | tético | | | | | |
| Γ | Llaves nique | ladas | | | | | |
| | Soporte para | a pulgar ajus | table | | | | |
| | 17 llaves y 6 | anillos | | | | | |
| | Con estuche | | | | | | |
| | | | | | | | |
| | 9. Fagot "de | 0" | | | | CUMPLE | NO CUMPLE |

| 9. Fagot "do | ວ" | CUMPLE | NO CUMPLE | | | |
|-----------------|-----------------------|---------------|-------------|-------------|--|--|
| Cantidad: 50 | | | | | | |
| Fuente/Fabri | icante: <i>Indico</i> | | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | rega: Indicar | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| Medida: do | | | | | | |
| Modelo Cons | - on votorio | | | | | |
| Sistema alem | | | | | | |
| Cuerpo de ar | | | | | | |
| Llaves medid | | la aleación d | o niqual | | | |
| 25 llaves incl | | | e mquei | | | |
| Doble llave d | - | uc ne arto | | | | |
| Llave automa | | nortavoz | | | | |
| 5 orificios rec | | |) | | | |
| 4 rodillos de | | | | | | |
| Llaves de trir | | | | | | |
| Protección p | • | | | | | |
| Cámara reve | | • | uerpo corto | (ala) hasta | | |
| el orificio de | | | • | . , | | |
| Protectores | de bronce pa | | | | | |
| culata | | | | | | |
| Orificios barr | nizados a ma | no en aceite | | | | |
| Dos tudeles t | trabajados a | mano | | | | |
| Con estuche | | | | | | |

| 10. Corno "fa/sib" | CUMPLE | NO CUMPLE | |
|------------------------|-------------------------------|-----------|--|
| Cantidad: 80 | | | |
| Fuente/Fabricante: In | dicar | | |
| País de Orígen: Indico | nr | | |
| Fecha de entrega: Ind | icar cantidad de instrumentos | | |

| 30-60 días | 60-90 días | 90-120 días | 120-150 días | 150-180 días | | |
|---------------|---------------|----------------|-----------------|-----------------|---|--|
| | | | | |] | |
| Medida: fa/s | sib | | | | | |
| Corno doble | en Fa y Si be | emol | | | | |
| Cuerpo y car | mpana en bro | once | | | | |
| Diámetro ap | roximado de | l tubo de 11, | ,89mm (.468 | ") | | |
| Diámetro ap | roximado de | la campana | de 311mm (| 12 1/4") de | | |
| Garganta gra | ande | | | | | |
| Hecho de ale | eación de nic | uel y plata | | | | |
| Rotores y ro | damientos tr | abajados | | | | |
| Válvula de c | ambio totaln | | | | | |
| Palancas aju | stables | | | | | |
| Acabado laq | ueado y llave | | | | | |
| Con estuche | ! | | | | | |
| | | | | | | |

| 11. Trompe | ta "sib" | CUMPLE | NO CUMPLE | | | |
|----------------|------------------------|----------------|---------------|------------|--|---|
| Cantidad: 40 | 1 | | | | | |
| Fuente/Fabr | icante: <i>Indic</i> o | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | rega: Indica | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: sib | | | | | | |
| Cuerpo (mat | • | | | | | |
| Campana de | | rillo o en baí | io de plata c | ompleto de | | |
| 1000 milésin | nas | | | | | |
| Diámetro ap | roximado de | la campana | 123mm (4 7 | /8") | | |
| Diámetro ap | roximado de | la tubería d | el instrumen | to de | | |
| 11,65mmm (| (0,459") | | | | | |
| Acabado de | laca dorada (| o plateada | | | | |
| Gancho para | pulgar en la | a bomba de l | a 1a Válvula | | | |
| Anillo ajusta | ble para ded | | | | | |
| Tornillo de re | etén para bo | | | | | |
| Dos llaves de | e desagüe | | | | | _ |
| Pistones bañ | ados en níqu | ıel y monel | | | | |
| Con estuche | | | | | | |

| 12. Trombon Tenor "sib/fa" | CUMPLE | NO CUMPLE |
|--|--------|-----------|
| Cantidad: 40 Indicar cantidad a ofertar: | | |
| Fuente/Fabricante: Indicar | | |
| País de Orígen: <i>Indicar</i> | | |

| Fecha de en | trega: Indicar | cantidad de | instrumento | os | | |
|---------------|----------------|----------------|-------------|-----------|---|---|
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | <u> </u> | | |
| Medida: sib/ | ′fa | | | | | |
| Tenor con va | álvula rotator | ria de Fa (tra | nspositor) | | | |
| Acabado de | laca | | | | | |
| Diámetro du | al del tubo 1 | 2,9mm-13,3 | 4mm aproxir | madamente | | |
| Válvula rota | toria | | | | | |
| 1 llave de de | sagüe | | | | | |
| Campana de | 8 3/8" ú 8 1, | /2" aproxima | idamente | | | |
| Llave de blo | queo de la va | ıra | | | | |
| Sistema abie | rto o semiab | | | | | |
| Con estuche | | | | | | |
| | | | | | _ | _ |

| 13. Trombo | n Bajo "sib | CUMPLE | NO CUMPLE | | | |
|---------------|------------------------|----------------|-------------|-----------|--|--|
| Cantidad: 20 | 1 | | | | | |
| Fuente/Fabr | icante: <i>Indic</i> e | ar | | | | |
| País de Oríge | en: <i>Indicar</i> | | | | | |
| Fecha de ent | rega: Indica | cantidad de | instrumento | os | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| | | | | | | |
| Medida: sib/ | fa | | | | | |
| Bajo con válv | /ula rotatoria | a de Fa (trans | spositor) | | | |
| Acabado de | laca | | | | | |
| Diámetro du | al del tubo 1 | 2,9mm-13,3 | 4mm aproxir | madamente | | |
| Válvula rotat | oria | | | | | |
| 1 llave de de | sagüe | | | | | |
| Campana de | 8 3/8" ú 8 1 | | | | | |
| Llave de bloc | queo de la va | | | | | |
| Sistema abie | rto o semiab | ierto para b | omba de Fa | | | |
| Con estuche | | | | | | |

| 14. Tuba "fa" | | | | CUMPLE | NO CUMPLE | |
|--|-------|--------|---------|---------|-----------|--|
| Cantidad: 15 Indicar cantidad a ofertar: | | | | | | |
| Fuente/Fabricante: Indicar | | | | | | |
| País de Orígen: <i>Indicar</i> | | | | | | |
| Fecha de entrega: Indicar cantidad de instrumentos | | | | | | |
| 30-60 | 60-90 | 90-120 | 120-150 | 150-180 | | |
| días | días | días | días | días | | |
| | | | | | | |
| • | • | | • | | | |

| Medida: fa | |
|--|--|
| Cuerpo y campana en bronce amarillo | |
| Medida 3/4 con 4 pistones de acero inoxidable con resortes | |
| inferiores | |
| Compensada | |
| Dos llaves de desagüe | |
| Acabado de laca transparente | |
| Con estuche | |

2.2. Technical Quality Assurance Mechanisms: The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms, all the appropriate quality certificates, export licenses and other documents attesting to the superiority of the quality of the goods and technologies to be supplied. (Indicate all that applies and if attached).

| | ignature [<i>In full and initials</i>]: | _ | |
|--------------|--|---------------------|---|
| | tle of Signatory: | | |
| Name of Fir | | | |
| Contact Deta | IIS: | | i |
| | | | |
| | | | |
| | [please mark this letter with your corporate : | seal, if available] | |

Section 7: Price Schedule Form¹⁴

The Bidder is required to prepare the Price Schedule as indicated in the Instruction to Bidders.

- 1. The proposed technical descriptions should present sufficient detail, in order to allow the buyer determine the compliance of the offer with respect to provisions of the section 3a list of requirements and technical specifications.
- 2. The estimated shipments weight and volume must be part of the documentation presented.
- 3. All price quoted for imported goods should exclude taxes, since UNDP is exempt from payment of direct taxes and customs duties.
- 4. All price quoted for national good should include relevant taxes and be so designated in the offer.
- 5. In addition to the hard copy, if possible, please provide information also on CD.

| Name o | Name of Bidder: | | | | |
|--------|-------------------|-----------------|----------------------|-------------------|--|
| ltem | Descriptions | (a) Quantity | Country of Origin | (b) Unit Price | (c)=(a)x(b) Total Cost of Goods |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | Sub Total | | | | |
| | Tax (if apply) | | | | |
| | GRAND TOTAL PRICE | | | | |

| Weight (Kg) volume (m3) estimated shipping: | |
|---|-------------------------------|
| Delivery Term | CIP – Fundamusical Warehouse, |
| | Caracas, Venezuela |

60

 $^{^{14}}$ No deletion or modification may be made in this form. Any such deletion or modification may lead to the rejection of the Bid.

| | ull and initials]: | |
|---------------------------|--------------------|--|
| Name and Title of Signato | ry: | |
| Name of Firm: | | |
| ontact Details: | | |
| | | |
| | | |
| | | |

Section 8: FORM FOR BID SECURITY

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

To: UNDP

[Insert contact information as provided in Data Sheet]

WHEREAS [name and address of Contractor] (hereinafter called "the Bidder") has submitted a Bid to UNDP dated Click here to enter a date., to deliver goods and execute related services for [indicate ITB title] (hereinafter called "the Bid"):

AND WHEREAS it has been stipulated by you that the Bidder shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security in the event that the Bidder:

- a) Fails to sign the Contract after UNDP has awarded it;
- b) Withdraws its Bid after the date of the opening of the Bid;
- c) Fails to comply with UNDP's variation of requirement, as per ITB Section F.3; or
- d) Fails to furnish Performance Security, insurances, or other documents that UNDP may require as a condition to rendering the contract effective.

AND WHEREAS we have agreed to give the Bidder such this Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Bidder, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Price Bid is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until 30 days after the date of validity of the bids.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

| Date | •• |
|--------------|-----|
| Name of Bank | ••• |
| Address | |

Section 9: FORM FOR PERFORMANCE SECURITY¹⁵

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

To: UNDP

[Insert contact information as provided in Data Sheet]

WHEREAS [name and address of Contractor] (hereinafter called "the Contractor") has undertaken, in pursuance of Contract No. Click to enter dated Click to enter, to deliver the goods and execute related services Click here to enter text. (hereinafter called "the Contract"):

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract:

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of [amount of guarantee] [in words and numbers], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [amount of guarantee as aforesaid] without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

This guarantee shall be valid until a date 30 days from the date of issue by UNDP of a certificate of satisfactory performance and full completion of services by the Contractor.

SIGNATURE AND SEAL OF THE GUARANTOR BANK

| Pate |
|--------------|
| lame of Bank |
| ddress |

¹⁵ If the RFP requires the submission of a Performance Security, which shall be made a condition to the signing and effectivity of the contract, the Performance Security that the Bidder's Bank will issue shall use the contents of this template

Section 10: Form for Advanced Payment Guarantee¹⁶ NOT APPLY

(This must be finalized using the official letterhead of the Issuing Bank. Except for indicated fields, no changes may be made in this template.)

| [Bank's Name, and Address of Issuing Branch or Office] |
|---|
| Beneficiary: [Name and Address of UNDP] |
| Date: |
| ADVANCE PAYMENT GUARANTEE No.: |
| We have been informed that [name of Company] (hereinafter called "the Contractor") has entered into |
| Contract No. [reference number of the contract] dated [insert: date] with you, for the provision of [brience description of ITB requirements] (hereinafter called "the Contract"). |
| Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum of [amount in words] ([amount in figures]) is to be made against an advance payment guarantee |
| At the request of the Contractor, we [name of Bank] hereby irrevocably undertake to pay you any sum o sums not exceeding in total an amount of [amount in words] ([amount in figures]) ¹⁷ upon receipt by us o your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor has used the advance payment for purpose other than toward providing the goods and related services under the Contract. |
| It is a condition for any claim and payment under this guarantee to be made that the advance paymen referred to above must have been received by the Contractor on its account number a [name and address of Bank]. |
| The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of certified monthly statements which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of the monthly payment certificate indicating that the Consultants have made full repayment of the amount of the advance payment, or on the day of, 2, 20 whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date. |
| This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458. |
| |

offer is not in USD, using the exchange rate stated in the Data Sheet. The Contractor's Bank must issue the Guarantee using the

 17 The Guarantor Bank shall insert an amount representing the amount of the advanced payment and denominated either in the

contents of this template.

currency/ies of the advanced payment as specified in the Contract.

[signature(s)]

Note: All italicized text is for indicative purposes only to assist in preparing this form and shall be deleted from the final product.

Section 11: Contract

General Terms and Conditions for Goods

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.1.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.1.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.1.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

- 3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
- 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with DDU Incoterms 2000, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2000 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.

7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- a) Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- b) Refuse to accept delivery of all or part of the goods.
- c) Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May

Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

16.1 Amicable Settlement

The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

16.2 Arbitration

Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

- 18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.
- 18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the

Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19.0 OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20.0 AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.