HIHOIRICAL DRAWINGS



COVER

MOIN

Drawings List

E-10	E-09	E-08	E-07	E-06	E-05	E-04	E-03	E-02	E-01	E-00
	DB-2 and DB-3	DB-1 and DB-4	Roof Electromechanical System	Roof Power and LV Systems	Roof Lighting and Intrusion Systems	Ground Floor Electromechanical System	Ground Floor Fire Alarm, Intrusion System and Speaker Systems	Ground Floor Power and LV Systems	Ground Floor Lighting System	Electrical Legend and List Of Drawings

Electrical Legend

NOTES:

			**All Conduits Used Shall be Tire rated Self Extinguishing	TAII Conduits	_	2	f
			White 1ø16 CONDUIT	Burglar Alarm		Nicco Office - Spower sock. 3/2_fmm2 2cmmpder OXIS 14-40 telephone OXF8	
		·	Speakers White 1#16 CONDUIT 2x1 mm2 multicore speaker cable	Public Address Speakers		DOUBLE POLE SWITCH	4
			Control White 1916 CONDUIT	UAMERA, ACCESS		W D 16A 3 DIN SOCKET OUTLET WITH	
			Red 1ø16 CONDUIT 4x0.8 mm2 F	FRE		3 PHASE SOCKET INTERLOCKED	-Di#
			1ø16 CONDUIT 3x1.5 mm2	LIGHTING		3 PHASE SOCKET	·D#
			1ø16 CONDUIT 2 pair telephone cable	150 TELEPHONE	15	THERMOSTATE	4
			3x2.5 mm2	160 POWER	16	EMERGENCY TRIP PUSH BUTTON	®
180	BURGLER ALARM CONTROL PANEL	BACP	1ø16 CONDUIT CAT6 SHEILDED CABLE	COMPUTER	7.	SONCTION BOX	×
150	KEYPAD			DESC.	2 =	= NOTON DOX]
Floor	LEG PANIC BUTTON		CONDUIT COLORS & WIRING DETAILS			ווואבר וואסר (דו סבר) וסטראוטה, ואמני אי ווומה	- - -
200	VIBRATION DETECTOR	8		220		THREE PHASE (ADOLE) ISOLATOR Pote As Indicated	1
3	TOTAL ICCI INVESTIGATION OF ICCIDA	Ĺ		220		SINGLE PHASE (2POLE) ISOLATOR, Rate As Indicated] [2]
220	NIA TECH IR/MICRIWAVE MOTION DETECTOR	*		180	18	16A 3 PIN TRIPLE SOCKET OUTLET	• ⊅
	INTRUSION SYSTEM			180	18	16A 3 PIN TWIN SOCKET OUTLET / W.P.	-} :
	SUPERVISORY MAGNET	•		180		16A 3 PIN SOCKET OUTLET CEILING MOUNTED	H
	OPEN PUSH BUTTON	•		180	18	16A 3 PIN SOCKET OUTLET / W.P.	-K-
Door	MAGNETIC LOCK	-					,
	ELECTRICAL LOCK	-		(cm) a.f.f.	H= (cm	POWER SOCKETS	
150	CARD READER	CR				DESCIVIT HOIN	0
180	ACCESS CONTROL PANEL	ACP					CAMBO
	ACCESS CONTROL JUNCTION BOX			130	_	TVD WAY SWITCH / W.P.	<u>-</u>
	ACCESS CONTROL STSTEM	ı	סטיייסטטרו וברנוושואר ווחואושרר	130		SINGLE POLE FOUR GANG SVITCH / W.P.	Om Om
	ACCTOS CONTONI SYSTEM		_ [130		SINGLE POLE THREE GANG SWITCH / W.P.	Om ⊕m
	CCTV CENTRAL MONITOR	CCTV	FORFOOM FLECTRICAL MANHOLF	130 <i>ELE</i>		SINGLE POLE TWO GANG SWITCH / W.P.	O-11 ● 11
	SPLIT SCREEN MONITOR		CHECK BOX	130 [C:8]		SINGLE POLE ONE GANG SWITCH / V.P.	1
ХJ	FIXED OUTDOOR COLORED CAMERA DAY/NIGHT]		BELL	X
x13	DOME INDOOR COLORED CAMERA	Þ	TRANSFORMER	8		PUSH BUTTON	•
	FIXED INDOOR COLORED CAMERA	Ţ	NDICATOR LAMPS WITH PUSH BUTTON	130		INTERMEDIATE SWITCH	♣
	INDOOR CAMERA: CEILING, MURAL					2*13W PL GLOBE LIGHT (FOR STAIR & BATH)	0
	CCTV SYSTEM		CONTACTOR			Bell	X
CEILING	VGA		STEP RELAY	× SR		Ix11W above mirror decorative with opal cover	
CEILING	PROJECTOR		HREE/SINGLE PHASE MCB	ر د الا		Lighting Columns	‰ [
) <				Artemis GLS 75w 230v E-27	XI.
	VGA VIERING VIDEL		THREE /SIG F PHASE FARTH FACKAGE RE AY	』 プ.		Wall Recessed 3 Watt Led	
- 4	DG SO LITTERIAG		THREE/SIGLE PHASE FUSE		Y LIGHTING FIX.	LED TYPE WITH STAIR SIGN AND ARROWS EMERGENCY LIGHTING FIX.	
	Witi-Foint		4-POLE CHANGE OVER SWITCH MANUAL OR AUTO		thorn EyeKon	1x26 watt PL wall mount opal, IP65 fixture as thorn EyeKon	₽
ý,		3	STAGEL - HUSE SALE			SHUTTER MOTOR	3
	INTERCOM		SINGLE PHASE KWHM			UP-DOWN SWITCH FOR SHUTTERS	
	COMPUTER PATCH PANEL	СОМР	THREE PHASE KWHM		IXTURE 3000K	2x18V PL DL, FAULSECEILING RECESSED LIGHTING FIXTURE 3000K	•
	LOW VOLTAGE BOX		GENERAL EX	GEN	RZB 64230	Night Light 3 Watt LED with aluminum grill RZB	w
×18	DATA SOCKET OUTLET	O				2*13W PL GLOBE LIGHT (FOR STAIR & BATH)	0
x12	T.V. SOCKET DUTLET	8	DISTRIBUTION BOARD		oven	12V 5 watt Cree LED spot lighting fixtures white oven painted aluminum	(8)
×12	TELEPHONE SOCKET OUTLET	E	METAL ELECTRIC BOARD WITH LOW VOLTAGE SIDE			Celing suspended lighting point / Fixture	#
	L.V. SDCKETS		MAIN ELECTRIC BUARD L.V. SIDE	S H= (cm) a.f.f.	H= (c	LIGHTING FIXTURE & SVITCHES HERGENCY KIT INSIDE LIGHTING FIX. (IH) FOR 9-36V FL LAMPS	
	DESCRIPTION	SYMBOL	DESCRIPTION	SYMBOL		DESCRIPTION	SYMBOL



1:100

For revies

For approval

For tender

For construction

Electrical Legend and List Of Drawings

PO-Box 19276, Januarism Tel. 02-2345888 Fox. 02-2345719

















