

## Section 7: Price Schedule Form - Revised

---

The Bidder is required to prepare the Price Schedule as indicated in the Instruction to Bidders.

**Unit price** of each item shall include the cost of supply, delivery to a location in West Bank or Jerusalem, and installation of the item, including all the necessary hanging and fixing attachments and materials, losses, insurances of whatsoever nature, transportation of all relevant materials to the site, fixing, loading, horizontal and vertical transportation, unloading, workmanship, contractor's profit and general expenses for the successful supply.

Bidders shall quote reasonable bid prices with an acceptable margin of deviation in comparison to the real local market prices at the time of bids preparation. In case of **Unbalanced pricing** (i.e. the price of one or more line items is significantly over or understated), UNDP reserves the right to negotiate the unbalanced bid and normalize the line items in question.

**Partial bidding in this tender is not permissible. The price schedule form must be complete in order to be accepted for evaluation.**

The below Price schedule form is subject to the following Preamble:

The Contractor shall offer Goods which are: (1) new and conform with the ITB documents; (2) free from defects in design, workmanship and materials; (3) factory packed in a manner adequate to protect them.

The wooden furniture shall be delivered with the minimum technical specifications:

- All wood shall be Medium Density Fiberboard (MDF) class A.
- All working surfaces shall be of minimum thickness of 28mm, protected with rubber band edging (curved).
- All structural elements (side panels that mount the desk) shall be of a minimum thickness of 28 mm.
- Door leaves and drawers of cabinets shall be of a minimum thickness of 18mm.
- Shelves shall be of a minimum thickness of 14mm.
- MDF Wood shall be covered with high-pressure melamine laminated sheets from two sides, except where indicated MDF wood shall be covered with beech (Ballut or zan).
- All furniture shall be elevated from ground using heavy duty Leveling Foot Adjuster.
- Steel frames, legs and parts shall be epoxy powder coated.
- Steel tracks (Italian made) shall be used for drawers.
- Cabinet doors and top drawers shall be lockable.
- The back board of the cabinets shall be covered with 8mm melamine MDF.
- All wooden panels shall have ABS or PVC edge bands.
- Handles shall be metal of a good quality.
- All accessories, locks, and hinges shall be of a good quality.
- Desks shall include cable tray and hole for the electrical outlets per request.
- Glass shall be 6mm.

The metal furniture shall be delivered with the minimum technical specifications:

- The metal structure for metal cabinets shall be made from steel sheets not less than 0.8mm thick including the back.

- Welding shall be made in a professional manner using CO<sub>2</sub> in a point welding method.
- All furniture shall be elevated from ground using heavy duty Leveling Foot Adjuster.
- All metal shall be painted after being treated with at least three stages and cleaned from oil, grease, dust, rust and other dirt using special thermal control painting for metal furniture to form a layer of base painting of (iron phosphate) (0.4-0.8 gm/m<sup>2</sup>). Automatic spray painting (Abox polyster powder) shall be applied to be followed by a drying process in a thermal furnace with suitable temperature and time for the process. Thickness of painting (60-80) micron.
- Painting of iron, assembly, delivery and storage must be carried out away from climatic influence i.e. sun, dust.

Generally:



- All accessories, locks, and hinges shall be of a good quality.
- The office chairs shall be of load capacity up to 150 Kg.
- All metal ends shall be closed with plastic covers.



Some line items have detailed description that complement the above technical specifications. In case of a conflict between the above listed technical specifications and the description of the item, the description of the item shall prevail. All materials shall comply with the minimum local standards.



Colours and materials (textile fabric, leather fabric, coating, melamine, etc.) shall be submitted for the requestor's approval. Photos that are provided under Section 7 are for info purposes with an attempt to visualize the requirements.




Dimensions shall read width x depth x height.



Bidder shall declare as well that their offered products are in accordance with the prescribed minimum technical specifications. Any departure from the provisions of the specification shall be disclosed. Failure of such disclosure may result in the rejection of the Bid.


#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
1	Straight Reception Desk	 <ul style="list-style-type: none"> <li>- Counter top panel: 30cm deep; 28mm thick mounted on three panels of same thickness; height 110cm.</li> <li>- Work surface desk: 75cm deep; 28mm thick supported by two panels of min. thickness 28mm on each side; height 75cm.</li> <li>- requisitioner shall specify the color and texture of melamine.</li> </ul>	200 long			
2		<p>Same as above but longer</p> <p><i>Example of a future order: supply a 3 meter long/run reception desk; The cost of the additional 1m in width shall be added to the price of Item #1</i></p>	For every additional 100 long			
3	L-Shape wooden desk with aluminum legs	 <ul style="list-style-type: none"> <li>- L-Shape work surface panel: main panel width 80cm, secondary panel width 50 cm;</li> <li>- Frame: epoxy-painted aluminum profile;</li> <li>- Legs: epoxy-painted aluminum injection leg</li> </ul> <p><b><u>Important:</u></b> this item does not include side pedestal or cabinet. Please see items 9-11 to select.</p>	overall dimension 200*200*75			
4		Same as Item #3	150*150*75			
5	Rectangular wooden	Same as Item #3 but with one main panel	160*80*75			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
	desk with aluminum legs					
6		Same as above but longer <i>The cost of the additional 20 cm long shall be added to the price of Item #5</i>	For every additional 20 cm			
7		Same as Item #5	120*60*75			
8	Rectangular Oak desk (manager office)	 <ul style="list-style-type: none"> <li>- Wood is MDF covered with natural beech (Oak or Zan)</li> <li>- work surface panel: min. 28 mm thick</li> <li>- Legs: wooden structure, min 50mm thick</li> </ul>	200*80*75			
9	Free-standing Side Pedestal	 <ul style="list-style-type: none"> <li>- Top Panel: min. thickness 28 mm MDF melamine;</li> <li>- Drawers: number (3) and first drawer is lockable;</li> <li>- Mounted on (4) castors.</li> </ul>	45*45*50			
10	Side Cabinet - low	<ul style="list-style-type: none"> <li>- To be fixed under desks without top panel;</li> <li>- Side panel frame, cabinet door and shelves: min. 18 mm MDF;</li> <li>- one shelf 12mm included;</li> <li>- Lockable.</li> </ul>	45*45*70			



#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
11		Item 9 with (5) drawers + Item 10: joined and fixed under desk (without top panel and share one side panel)	90*45*70			
12	Filling Cabinet	 <p>Same as above with (3) shelves and two lockable doors.</p>	90*45*120			
13		Same as above but mounted on wall and replicated as units	90*45*120			
14		 <ul style="list-style-type: none"> <li>- Top, base and side panels are 28 mm thick with four shelves 20 mm thick;</li> <li>- mounted on heavy duty leveled feet and the lower two-door cabinet is lockable.</li> </ul>	80*40*200			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
15	Filing Cabinet with glass doors for the top shelves	 <p>Same as above but the upper part of the cabinet contains three shelves and protected with lockable glass doors and the lower part contains two shelves and protected with lockable two doors.</p>	80*40*200			
16		Same as above but the wood is Ballut – Oak.	80*40*200			
17	Wood display cabinet Tilted shelves	 <p>Skeleton 28 mm thick shelves 18 mm</p>	80*30*180			
18	Filling drawers	 <p>Two drawers</p>	45*65*70			
19		Three drawers	45*65*100			
20		Four drawers	45*65*130			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
21	Metal Filling Cabinet (two doors)	 <ul style="list-style-type: none"> <li>- inside layout: four movable shelves per requirement</li> <li>- doors: to be mounted using heavy duty hinges of good quality and cylinder of reputable brand to be lockable from three ways. Each door leaf shall be supported from the middle by a plate –П–</li> </ul>	90*45*190			
22	Metal Filling Cabinet (drawers)	 <ul style="list-style-type: none"> <li>- Drawers: four drawers made from steel not less than 0.63 mm thick with back cover, sliding on the sides with a lockable arrangement to stop it when fully push out, with ball-bearing suspension, with built in pull handle and a label</li> <li>- lockable for all drawers</li> </ul>	45*65*130			



#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
23		Same as above but three drawers	45*65*100			
24		Same as above but two drawers	45*65*70			
25	Orthopedic high back chair	 <ul style="list-style-type: none"> <li>- Weight capacity up to 150 Kg</li> <li>- Black bonded durable leather upholstery (back, seat, neckrest), Lumbar and headrest support, padding (&gt;8 cm sponge).</li> <li>- The arms shall be made of iron and covered with reinforced plastic pieces from top</li> <li>- Polished aluminum base with (5) sturdy carpet castors connected to the seat by a chromium rod not less than 30cm long and 5cm in diameter</li> <li>- Seat shall be made of plywood min. 15mm thick, sponge thickness &gt;10 cm. The wooden seat shall be fixed on the metal base using bolts, with a nut fixed on the wooden seat.</li> <li>- Seat height control, Seat depth adjustment (seat slide)</li> <li>- Backrest tilt tension control, Backrest tilt angle and height adjustment</li> <li>- Armrests with soft polyurethane pads, Armrest height &amp; angle adjustment</li> <li>- Headrest height &amp; angle adjustment</li> <li>- Chair Warranty: 3 years</li> </ul>	Seat: 43-49 deep, 52-55 wide, 47-58 high Back: 68-80 high			
26		Same as Item #25 but breathable comfortable mesh seat, backrest and neckrest	Same as above			








#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
27	Standard Working Chair	 <p>Same as Item #25 but upholstery is textile fabric for back and seat (min. 6cm thick), without neckrest, without lumbar and headrest support</p>	Same as above			
28	Visitor Chair I	 <ul style="list-style-type: none"> <li>- The metal framework shall be made from iron pipes (Φ25 mm, 2mm thick) painted using electrostatic process, mounted on heavy duty plastic heels.</li> <li>- The back and the seat shall be made of 17mm thick plywood, upholstered press sponge (33/35). Sponge for the chair back &gt;4cm and for the seat &gt;6cm.</li> <li>- The chair seat and back shall be fixed using (8) metal screws.</li> <li>- Steel frame is epoxy powder coated.</li> </ul>	Seat: 50 * 45 Back 50 * 22			
29	Visitor Chair II	Same as Item #28 but with two arm rests	Same as above			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
30	Visitor Chair III	 <p>Wooden chair (ballut-Oak duly polish) with arms, seat and bade cushioned covered with black leather</p>	<p>Seat: 50-55 deep, 50 wide, 47-45 high Back: 50 high</p>			
31	Meeting Table Chair	 <p>Same as Item #30 but steel structure</p>	Same as above			
32	Sofa for visitors	 <ul style="list-style-type: none"> <li>- 20x20x1.2 mm box profile</li> <li>- Frame shall be supported with wooden half battens in order to fix covers easily. For anticorrosive process, frame shall be applied with special no-rust painting</li> <li>- 3 mm MDF shall be placed for a better surface before the upholstery procedure</li> <li>- Leather</li> <li>- Chrome legs</li> <li>- Seat back must be at least 35cm</li> </ul>	80 * 160 *70			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
33		Same as Item #32	80 * 120 * 70			
34		 <p>Same as above</p>	80 * 80 * 70			
35	Coffee Table Rectangular	 <ul style="list-style-type: none"> <li>- min. 28mm MDF high-pressure melamine laminated sheets table top panel</li> <li>- ABS or PVC edging with the same colour and texture with top panel</li> <li>- Special cold rolled steel profile beam, min. 2mm thickness; epoxy powder coated or eloxal.</li> <li>- Special cold rolled steel profile leg, min. 2mm thickness; polypropylene level adjustable, epoxy powder coated, or chrome legs.</li> </ul>	45 * 100 * 45			
36	Coffee Table square	Same as Item #35	45 * 45 * 45			
37	Coffee Table Round	Same as Item #35	Ø 80 * 45			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
38	Poly-propylene Chair	 <ul style="list-style-type: none"> <li>- Polypropylene back-rest and seat</li> <li>- Stackable</li> <li>- Carpet glides</li> <li>- chrome legs</li> </ul>	50 * 50 * 75			
39	Meeting Table	 <ul style="list-style-type: none"> <li>- min. 28mm MDF top panel covered with high-pressure melamine laminated sheets</li> <li>- ABS or PVC edging with the same colour and texture with top panel</li> <li>- Special cold rolled steel profile beam, min. 2mm thickness; epoxy powder coated or eloxal.</li> <li>- Special cold rolled steel profile leg, min. 2mm thickness; polypropylene level adjustable, epoxy powder coated.</li> <li>- cable tray upon request.</li> </ul>	4 persons			
40		Same as Item #39	6 persons			
41		Same as Item #39	8 persons			
42		Same as Item #39	8 persons			
43		Same as Item #39	10 persons			
44		Same as Item #39	12 persons			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
45		Same as Item #39	14 persons			
46		Same as Item #39	16 persons			
47	Round Table	 <p>Same as Item #39 but leg is centered</p>	Φ 80 / 75			
48		Same as Item #47	Φ 100 / 75			
49	Conference Foldable Table (foldable vertically)	 <p>Same as item #39 but Foldable vertically (free standing in folded mode).</p>	60*140*75			
50	Adjustable foot rest	 <p>Two position adjustment from floor, made from durable high impact plastic, non-skid pad mounted on chrome frame, with rubber stoppers.</p>	30*40 platform			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
51	Pigeon Hole Unit	 <ul style="list-style-type: none"> <li>- One column only of 5-7 compartments;</li> <li>- Sturdy 18mm (MDF melamine) construction including the back;</li> <li>- elevated from ground using heavy duty legs.</li> </ul>	40*40*120			
52		<p>For every additional column to be fixed to Item 51</p> <p><i>Example of a future order: supply a 2 meter wide pigeon hole unit as follows 2 external sides x item #51 + 3 inner columns x item #52</i></p>	40*40*120			
53	Archive with drawers	 <ul style="list-style-type: none"> <li>- same as <b>Item #51</b> one column only of 4 drawers; but:</li> <li>- 25mm MDF Beech construction;</li> <li>- lockable drawers 18mm MDF beech with external steel tracks (Italian made) and steel handles of good quality.</li> </ul>	40*40*120			
54		<p>For every additional column to be fixed to Item 53.</p> <p><i>Example of a future order: furnish a 2 meter wall with archive drawers as follows 2 external sides x item #53 + 3 inner columns x item #54</i></p>	40*40*120			

#	Description	Specifications – OFFICE FURNITURE	Dimensions cm	Unit Price NIS	Delivery period	Deviation / Non compliance remarks
55	Rectangular wooden desk	<ul style="list-style-type: none"> <li>- Wood is MDF Melamine</li> <li>- work surface panel: min. 28 mm thick</li> <li>- Legs: wooden structure</li> </ul>	120*60*75			
56		Same as above but with drawers	150*70*75			
<b>TOTAL PRICE IN NIS, VAT EXCLUDED :</b>						

We, the undersigned, offer to supply the items listed above in conformity with the ITB specifications, terms and conditions.  
Other Information pertaining to our Quotation are as follows :

Country/ies Of Origin:	
------------------------	--

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the ITB.

\_\_\_\_\_  
[Name and Signature of the Supplier's Authorized Person]

\_\_\_\_\_  
[Designation]

\_\_\_\_\_  
[Contact address]