

REQUEST FOR QUOTATION (RFQ) (Goods)

NAME & ADDRESS OF FIRM	DATE: 11 October 2016
	REFERENCE: RFQ 014/TLS/2016 Supply of GIS Investment Hardware and
	Software

Dear Sir / Madam:

We kindly request you to submit your quotation for supply of GIS Investment Hardware and Software, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before COB 25 October 2016 and via *⊴e-mail or ⊴courier* mail to the address below:

United Nations Development Programme

Registry of UNDP, UN House Caicoli Street, P.O Box 558 Dili, Timor-Leste

Attn: Mr. Claudio Providas, Country Director Email: bids.tp@undp.org

Quotations submitted by email must be limited to a maximum of 4 MB, virus-free and no more than 2 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

	☑DAP			
Delivery Terms				
[INCOTERMS 2010]				
(Pls. link this to price				
schedule)	F75 1: /055			
Customs clearance ¹ , if needed, shall be done by:	☑Supplier/Offe			
Exact Address/es of Delivery Location/s (identify all, if multiple)	Registry of UND	P, UN House Caicoli Street, P.O Box 558 Dili		
UNDP Preferred Freight Forwarder, if any ²	N/A			
	N/A			
Distribution of shipping				
documents (if using freight forwarder)				
		rom the issuance of the Purchase Order (PO)		
Latest Expected Delivery		ry Schedule attached [if delivery will be staggered]		
Date and Time (if delivery	Time : 08:30ar			
time exceeds this, quote may be rejected by UNDP)	Time Zone of R	eference: Timor-Leste Time		
Delivery Schedule	☑Required			
T. T. C.				
Packing Requirements	Required			
	☑ AIR	✓LAND		
Mode of Transport	⊠SEA			
	☑United States	Dollars		
Preferred				
Currency of Quotation ³				
Value Added Tax on Price Quotation ⁴	✓ Must be exclusive of VAT and other applicable indirect taxes			
After-sales services required	☑Warranty on Parts and Labor for minimum period of 1 Year			
	☑Technical Sup			
	☑Provision of S	Service Unit when pulled out for maintenance/ repair		

¹ Must be linked to INCO Terms chosen.

²Depends on INCO Terms. The suggestion to use a UNDP preferred courier is only for purposes of familiarity with

procedures and documentary requirements applicable to the UNDP when clearing with customs.

³ Local vendors must comply with any applicable laws regarding doing business in other currencies. Conversion of currency into the UNDP preferred currency, if the offer is quoted differently from what is required, shall be based only on UN Operational Exchange Rate prevailing at the time of UNDP's issuance of Purchase Order.

⁺ This must be reconciled with the INCO Terms required by the RFQ. Furthermore, VAT exemption status varies from one country to another. Pls. tick whatever is applicable to the UNDP CO/BU requiring the goods.

Deadline for the Submission of Quotation	COB, Tuesday, 25 October 2016 17:00 local time
All documentations, including catalogs, instructions and operating manuals, shall be in this language	☑ English
Documents to be submitted ⁵	☑ Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; ☑ A statement whether any import or export licenses are required in respect of the goods to be purchased including any restrictions on the country of origin, use/dual use nature of goods or services, including and disposition to end users; ☑ Confirmation that licenses of this nature have been obtained in the past and an expectation of obtaining all the necessary licenses should the quotation be selected; ☑ Quality Certificates (ISO, etc.); ☑ Latest Business Registration Certificate; ☑ Latest Internal Revenue Certificate / Tax Clearance; ☑ Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer); ☑ Certificate of Exclusive Distributorship in the country (if applicable, and if Supplier is not the manufacturer); ☑ Complete documentation, information and declaration of any goods classified or may be classified as "Dangerous Goods". ☑ Patent Registration Certificates (if any of technologies submitted in the quotation is patented by the Supplier); ☑ Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;
Period of Validity of Quotes starting the Submission Date	☑ 90 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	☑ Permitted [please refer to annex 1.]
Payment Terms ⁶	☑ 100% upon complete delivery of goods

⁵ First 2 items in this list are mandatory for the supply of imported goods

⁶ UNDP preference is not to pay advanced amount upon signing of contract. If vendor strictly requires advanced payment, it will be limited only up to 20% of the total price quoted. For any higher percentage, or advanced payment of \$30,000 or higher, UNDP shall require the vendor to submit a bank guarantee or bank checque payable to UNDP, in the same amount as the advanced payment made by UNDP to the vendor.



Liquidated Damages	Please refer to Section 10 of General Terms and Conditions of the PO.
Evaluation Criteria [check as many as applicable]	✓ Technical responsiveness/Full compliance to requirements and lowest price ⁷ Comprehensiveness of after-sales services ✓ Full acceptance of the PO/Contract General Terms and Conditions [this is a mandatory criteria and cannot be deleted regardless of the nature of services required] ✓ Earliest Delivery / Shortest Lead Time ⁸
UNDP will award to:	☑ One or more Supplier, depending on the following factors: [Please refer to annex 1.]
Type of Contract to be Signed	☑ Purchase Order
Special conditions of Contract	☑ Cancellation of PO/Contract if the delivery/completion is delayed by 30 days
Conditions for Release of Payment	 ☑ Passing all Testing and Installation ☑ Completion of Training on Operation and Maintenance MAF Office in Comoro and Directorate Office in Caicoli (if required). ☑ Written Acceptance of Goods based on full compliance with RFQ requirements
Annexes to this RFQ ⁹	 ✓ Specifications of the Goods Required (Annex 1) ✓ Form for Submission of Quotation (Annex 2) ✓ General Terms and Conditions / Special Conditions (Annex 3). Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement

⁷ UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

⁸ This shall be used for time-critical and/or exigent requirements (e.g., post-crisis emergencies, elections, etc.).

⁹ Where the information is available in the web, a URL for the information may simply be provided.

Contact Person for Inquiries (Written inquiries only) ¹⁰	Procurement.staff.tp@undp.orq Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to
	such an extension is necessary and communicates a new deadline to the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/

¹⁰ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.



UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,
Diana Lina Bernardo

Operations Manager, UNDP

11/10/2016

Technical Specifications

Items to be Supplied*	Quantity		Description / Specifications of Goods	Latest Delivery Date
Workstations	4 Units		CPU Speed: 2.2 GHz minimum; hyper-threading (HHT) or multi-core recommended; Platform: x86 or x64 with SSE2 extensions; Memory/P AM: 2DR:	End of Nov 2016
		•	Display Properties: 24-bit color depth;	
			Screen Resolution: 1024x768 recommended minimum at normal size (96 dpi); Swap space: Determined by the operating system: 500 MB minimum	
		•	Disk space: Windows: 2	
		•	Video/Graphics: o 64MB RAM minimum, 256 MB RAM recommended, NVIDIA, ATI, and intel chipsets	
			supported;	
			 24-bit capable graphics accelerator; Windows: OpenGL version 2.0 runtime minimum is required, and shader model 3.0 or 	
			higher is recommended.	
		•	User interface: x windows with Gnome or KDE Desktop Environment is required.	
Software Arcois 10 3	2 Units	•	Phyton Requirement For Geoprocessing: Arcgis Engine Geoprocessing Tools Required That Phyton 2.7 X And Numerical Phyton (Numers) 1.7 X Are Installed:	End of Nov 2016
		•	Microsoft.NET Framework Requirement: Windows: Microsoft. NET Framework 3.5	
			Service Pack 1;	
71		•	Java Requirement: Java Runtime Enviroment (JRE) version 7 (32-bit) is required for solutions developed using the Java Platform. Update 75 and above are supported.*	
		•	Browser requirement:	
			 Windows: Microsoft Internet Explorer (minimum 1E9) must be installed prior to installing ArcGIS Engine. Internet Explorer 9,10 and 11 are supported. 	
			2. Firefox. If you do not have an installation of Mozilla Firefox;	
		•	Operating Systems: 1. Windows 7 Ultimate, Professional and Enterprise (32-bit and 64-bit (FM64T)	

End of Nov 2016	End of Nov 2016
 Computer/Processor: Intel Pentium 6 Memory/RAM: 2 PB GB Graphics Display: Super VGA 1024 x 768 x 32, Image Drape, and Stereo Alayst TM for ERDAS IMAGINE require OpenGL. Operating System: Windows Vista Business, Enterprise & Ultimate, Windows XP Professional SP2, WindowsXP Professional x64 Edition SP1; Software: OpenGL 1.1, Image Drape, and Stereo Analyst TM for ERDAS (IMAGINE), Adobe Acrobat Reader 7, Internet Explorer 10 with JavaScript enabled, Firefox 7 higher with JavaScript enabled, Java Runtime 1.6, Microsoft DirectX 9c. Peripherals: DVD Drive, One Microsoft Windows compatible mouse, Ethernet cart with TCP/IP configured, One Centronics parallel port. 	 Machine type: Colour Laser Multifunctional (Reader/Printer separated); Available Core functions: iR-ADV C2220i; 20 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R); Printins preed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R); Printing method: Colour Laser Beam Printing; per input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1); Maximum paper input capacity:2270 sheets (80 gsm) Print speed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R) Printing method: Colour Laser Beam Printing Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm
t t	≓
2 units	1 Unit
ERDAS IMAGINE 9.3	Printer IMAGE RUNNER ADVANCE C2225I

		۰	Envelopes: No.10 (COM10), Monarch, ISO-C5, DL	
		•	Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm	
		•	Multi-purpose tray: 64 to 220 gsm	
		•	Duplex: 64 to 120 gsm	
		•	Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts;	
		•	PS fonts: 136 Roman fonts	
GPS eTrex 8 Units	8 Units	•	Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm)	End of Nov 2016
10		•	Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm)	
		•	Display resolution, WxH: 128 x 162 pixels	
		•	Display type: 256 level color TFT	
		•	Weight: 5.5 oz (156 g) with batteries	
		•	Battery: 2 AA batteries	

*Pls. attach delivery schedule, if relevant, and cluster by lot, if partial bids will be allowed. Specify delivery locations if goods multiple destinations. Mkwetu Kahoueko Mweutota Consultant, Watershed and GIS, UNDP 11/10/2016

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹¹

Annex 2

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹²)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No.

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

Item No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price	Total Price per
1	 Workstations: CPU Speed: 2.2 GHz minimum; hyper-threading (HHT) or multi-core recommended; Platform: x86 or x64 with SSE2 extensions; Memory/RAM: 2PB; Display Properties: 24-bit color depth; Screen Resolution: 1024x768 recommended minimum at normal size (96 dpi); Swap space: Determined by the operating system; 500 MB minimum Disk space: Windows: 2 Video/Graphics: G4MB RAM minimum, 256 MB RAM recommended, NVIDIA, ATI, and intel chipsets supported; A4-bit capable graphics accelerator; Windows: OpenGL version 2.0 runtime minimum is required, and shader model 3.0 or higher is recommended. User interface: x windows with Gnome or KDE Desktop Environent is required. 	4 Units	End of Nov 2016		

11 This serves as a guide to the Supplier in preparing the quotation and price schedule.

12 Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

reoprocessing Tools 1.7.X Are rosoft. NET m 7 (32-bit) is date 75 and above must be installed 0 and 11 are refox; and Enterprise (32-		rr separated); rint, Copy*, Scan*, ppm (A3), 20 ppm
 Software Arcgis 10.3: Phyton Requirement For Geoprocessing: Arcgis Engine Geoprocessing Tools Required That Phyton 2.7.X And Numerical Phyton (Numpy) 1.7.X Are Installed; Microsoft.NET Framework Requirement: Windows: Microsoft. NET Framework 3.5 Service Pack 1; Java Requirement: Java Runtime Enviroment (JRE) version 7 (32-bit) is required for solutions developed using the Java Platform. Update 75 and above are supported.* Browser requirement: Windows: Microsoft Internet Explorer (minimum IE9) must be installed prior to installing ArcGIS Engine. Internet Explorer 9,10 and 11 are supported. Firefox. If you do not have an installation of Mozilla Firefox; Operating Systems: 1. Windows 7 Ultimate, Professional and Enterprise (32-bit and 64-bit (EM64T) 	 ERDAS IMAGINE 9.3: Computer/Processor: Intel Pentium 6 Memory/RAM: 2 PB GB Graphics Display: Super VGA 1024 x 768 x 32, Image Drape, and Stereo Alayst TM for ERDAS IMAGINE require OpenGL. Operating System: Windows Vista Business, Enterprise & Ultimate, Windows XP Professional SP2, WindowsXP Professional X64 Edition SP1; Software: OpenGL 1.1, Image Drape, and Stereo Analyst TM for ERDAS (IMAGINE), Adobe Acrobat Reader 7, Internet Explorer 10 with JavaScript enabled, Firefox 7 higher with JavaScript enabled, Java Runtime 1.6, Microsoft DirectX 9c. Peripherals: DVD Drive, One Microsoft Windows compatible mouse, Ethernet cart with TCP/IP configured, One Centronics parallel port. 	 Printer IMAGE RUNNER ADVANCE C2225I: Machine type: Colour Laser Multifunctional (Reader/Printer separated); Available Core functions: iR-ADV C2220i/2225i/2230i: Print, Copy*, Scan*, Send* and Optional Fax; Print speed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R); Printing method: Colour Laser Beam Printing;

So So sheets (80 gam), 100-sheet multi-purpose tray; Maximum paper input (Option); 2 x 550-sheet cassettes (80 gam) (CASSETTE FEEDING UNIT-AE); Maximum paper input capacity.2270 sheets (80 gam) (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A4		 per input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 			
• Paper input (Option): 2x 550-sheet cassettes (80 gsm) (CASSETTE • Maximum paper input apacity:2270 sheets (80 gsm) • Print speed (BW/CL): IR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm • Printing method: Colour Laser Beam Printing • Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional • Paper input (Option): 2x 550-sheet cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm): 100-sheet multi-purpose tray • Paper input (Option): 2x 550-sheet cassettes (80 gsm) • Paper input (Option): 2x 550-sheet cassettes (80 gsm) • Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets; lower tray: 1700 sheets) (80 gsm) • Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets; lower tray: 1700 sheets) (80 gsm) • Finishing capabilities: Standard: Collate, Group • With optional funishing units: Offset, Staple. Saddle Stitch • Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B3, Free size: 90 mm x 140 mm to 320 mm x 457 mm • Envelopes: No.10 (COMI10), Monarch, 180-C5, DL • Supported media weights: Paper cassette 2.3 and 4: 64 to 163 gsm • Fourte PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; • Ps fonts: 1.6 Roman fonts • Display type: 1.25 klevel color TFT • Weight: 5.5 colors (156 g) with batteries • Bartery: 2. A A batteries		550 sheets (80 gsm); 100-sheet multi-purpose tray;			
 Maximum paper input capacity:2270 sheets (80 gsm) Print speed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm (A7R), 30 ppm (A5R) Printing method: Colour Laser Beam Printing Printing method: Colour Laser Beam Printing Printing method: Colour Laser Beam Printing Printing from memory media: Supported memory media: USB memory key, Memory cards (SD. Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets). Journal of the standard: Coloup With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, 180-CS, DL Supported media vegits: Paper cassette 2.3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Polylex: 64 to 120 gsm Fourse PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 ox (156 g) with batteries Bartery: 2 AA pateries 		 Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1); 			
 Print speed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm (A4R), 30 ppm (A5R) Printing method: Colour Laser Beam Printing Printing method: Colour Laser Beam Printing Printing method: Colour Laser Beam Printing Printing method: 1200 dpi x1000 dpi x600 dpi Bouble sided printing: Automatic (Standard) Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 1: 520 sheets (80 gsm); Paper cassette 1: 520 sheets (80 gsm); Paper cassette 1: 520 sheets (80 gsm) Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Paper input (Option): 2 x 550-sheet sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A48, A3, SRA3, A5, A5R, B5. Free size: 90 mm x 140 mm to 320 mm x 457 mm Duplex: 64 to 120 gsm Ponitex: 64 to 120 gsm Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Bisplay resolution, WxH: 128 x 162 pixels Bisplay type: 256 level color TFT Weight: 55.0 x 10.7 x 3.0 cm Bisplay resolution, wxH: 158 x 162 pixels Bisplay resolution are tray: 64 to 156 gwith batteries 		 Maximum paper input capacity:2270 sheets (80 gsm) 			
 (A4R), 30 ppm (A5R) Printing method: Colour Laser Beam Printing Printing method: Colour Laser Beam Printing Double sided printing: Automatic (Standard) Printing from memory media: Supported memory media: USB memory key, Memory cards (SD. Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: SO3 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet sassettes (80 gsm); CASSETTE Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A48, A3, SRA3. A5, A5R, B5. Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No. 10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Polits: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display yize, WxH: 1.2" x 1.7" (3.3 x 4.3 cm) Display yize, Sourch of 156 gy with batteries Bisplay resolution, WxH: 128 x 162 pixels Weight: 15.0 coll 156 gy with batteries Battery: 2.AA batteries 		 Print speed (BW/CL): iR-ADV C2230i: 30 ppm (A4), 15 ppm (A3), 20 ppm 			
 Printing method: Colour Laser Beam Printing Print froolution: 1200 dpix 1200 dpix 600 dpix 600 dpi Double sided printing: Automatic (Standard) Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Ps fonts: LS ex (10 2 gsm Display resolution, WXH: 1.2* x 1.2" (5.6 x 10.7 x 3.0 cm) Display resolution, Wath: 1.28 x 162 pixels Display resolution, Wath: 1.28 x 162 pixels Battery: 2. AA batteries Battery: 2. AA batteries Battery: 2. AA batteries 		(A4R), 30 ppm (A5R)			
 Print resolution: 1200 dpi x 1200 dpi, 600 dpi x 600 dpi Double sided printing: Automatic (Standard) Pouble sided printing: Automatic (Standard) Printing from memory media: Supported memory media: USB memory key, Memory cards (SD. Compact Flash and Memory Sick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With Exernal Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Faper output capacity: With Exernal Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media weights: Paper cassette 2.3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Buplex: 64 to 120 gsm Puplex: 64 to 120 gsm Puplex: 64 to 120 gsm Puplex: 64 to 120 gsm Privite alimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display size, WxH: 1.5 so x (165 g) with batteries Battery: 2. AA batteries Battery: 2. AA batteries 		 Printing method: Colour Laser Beam Printing 			
 Double sided printing: Automatic (Standard) Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet tray: 100-sheet tray: 100-sheet tray: 1300 sheets) (Bossm) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Faper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COMIO), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display size, WzH: 5.5 oz (156 gwith batteries Battery: 2.2 AA batteries Battery: 2.2 AA batteries 		 Print resolution: 1200 dpi x 1200 dpi, 600 dpi x 600 dpi 			
 Printing from memory media: Supported memory media: USB memory key, Memory cards (SD, Compact Flash and Memory Stick via optional Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 530 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximuum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4 AR, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 40 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display size, Wyth: 1.5" x 1.7" (5.6 x 10 x 3.0 cm) Weight: 5.5 oz (156 gwith batteries Battery: 2. AA batteries Battery: 2. AA batteries 		 Double sided printing: Automatic (Standard) 			
 Memory cards (SD., Compact Flash and Memory Stick via optional 2: 550 sheets (80 gsm); Paper cassette 1: 520 sheets (80 gsm); Paper cassette 1: 550 sheets (80 gsm); Paper cassette 1: 550 sheets (80 gsm); Paper cassette 1: 550 sheets (80 gsm); Paper cassettes (80 gsm); Paper cassettes (80 gsm); Paper cassettes (80 gsm); Paper input (Option): 2 x 550-sheet cassettes (80 gsm) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets); (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4. A4B, A3, SRA3, A5, A5B, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Display size, WxH: 1.13" x 1.7" (3.5 x 4.5 cm) Display type: 226 level color TFT Weight: 5.5 oz (156 g) with batteries Batter: 2 AA batteries 		 Printing from memory media: Supported memory media: USB memory key, 			
 Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 2: 550 sheets (80 gsm); 100-sheet multi-purpose tray Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Fee size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Pulpex: 64 to 120 gsm Pulpex: 136 Roman fonts PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 1.28 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		Memory cards (SD, Compact Flash and Memory Stick via optional			
 Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FEEDING UNIT-AF1) Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COMIO), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Ponts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries Battery: 2 AA batteries 		 Paper input (Standard): Paper cassette 1: 520 sheets (80 gsm); Paper cassette 550 sheets (80 osm): 100-sheet multi-numose tray 			
 Maximum paper input capacity: 2270 sheets (80 gsm) Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Paper input (Option): 2 x 550-sheet cassettes (80 gsm) (CASSETTE FFEDING LIMITARI)			
 Paper output capacity: With External Finisher: 3000 sheets (upper tray: 1300 sheets, lower tray: 1700 sheets) (80 gsm) Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Puplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Maximum paper input capacity: 2270 sheets (80 gsm)			
 Faper Output Laparity. Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch With optional finishing units: Offset, Staple, Saddle Stitch With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COMIO), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Puplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Objelay size, WxH: 1.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		Dance current connected With Evenuel Einschen 2000 charte (1900)			
 Finishing capabilities: Standard: Collate, Group With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizesMulti-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Puplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		sheets, lower trav: 1700 sheets) (80 gsm)			
 With optional finishing units: Offset, Staple, Saddle Stitch Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Puplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 					
 Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts PS fonts: 136 Roman fonts Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 With optional finishing units: Offset, Staple, Saddle Stitch 			
 B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 Supported media sizes Multi-purpose tray: A4, A4R, A3, SRA3, A5, A5R, 			
 Envelopes: No.10 (COM10), Monarch, ISO-C5, DL Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		B5, Free size: 99 mm x 140 mm to 320 mm x 457 mm			
 Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm Multi-purpose tray: 64 to 220 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 Envelopes: No.10 (COM10), Monarch, ISO-C5, DL 			
 Multi-purpose tray: 64 to 220 gsm Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 Supported media weights: Paper cassette 2, 3 and 4: 64 to 163 gsm 			
 Duplex: 64 to 120 gsm Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 Multi-purpose tray: 64 to 220 gsm 			
 Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts; PS fonts: 136 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Duplex: 64 to 120 gsm			
 PS fonts: 156 Roman fonts GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Fonts PCL fonts: 93 Roman, 10 Bitmap, 2 OCR fonts;			
 GPS eTrex 10: Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm) Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• PS Tonts: 136 Koman Tonts			
	2	GPS eTrex 10:	8 Units	End of Nov	
 Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm) Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Physical dimensions: 2.2" x 4.2" x 1.2" (5.6 x 10.7 x 3.0 cm)		2016	
 Display resolution, WxH: 128 x 162 pixels Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		• Display size, WxH: 1.3" x 1.7" (3.3 x 4.3 cm)			
 Display type: 256 level color TFT Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries 		 Display resolution, WxH: 128 x 162 pixels 			
Weight: 5.5 oz (156 g) with batteries Battery: 2 AA batteries		 Display type: 256 level color TFT 			
Bafferv: 2 AA batteries		• Weight: 5.5 oz (156 g) with batteries			
		Battery: 2 AA batteries			

Total Prices of Goods ¹³
Add : Cost of Transportation
Add : Cost of Insurance
Add : Other Charges (pls. specify)
Total Final and All-Inclusive Price Quotation

 13 Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

TABLE 2: Estimated Operating Costs (if applicable)

List of Consumable Item/s (Include fast moving parts, if any)	Estimated Average Consumption	Unit of Measure	Unit Price	Total Price per Item

TABLE 3 : Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our Quotation are as follows:		Your Responses			
		Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal	
Deliver	y Lead Time				
	ted weight/volume/dimension of the nment:				
Countr	y/ies Of Origin ¹⁴ :				
Warrar	nty and After-Sales Requirements				
a)	Training on Operations and Maintenance				
b)	Minimum one (1) year warranty on both parts.				
c)	Service Unit to be Provided when the Purchased Unit is Under Repair				
d)	Brand new replacement if Purchased Unit is beyond repair				
e)	Others				
Validity	y of Quotation				
Notes of the second	visions of the UNDP General Terms nditions				
Other	requirements [pls. specify]				

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

¹⁴ If the country of origin requires Export License for the goods being procured, or other relevant documents that the country of destination may require, the supplier must submit them to UNDP if awarded the PO/contract.

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]



Annex 3

General Terms and Conditions

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

- 3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
 - 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

- 7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.
- 7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- 9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- 9.2 Refuse to accept delivery of all or part of the goods.
- 9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

- 16.1 Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.
- 16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

- 18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.
- 18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19.0 OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.