

REQUEST FOR QUOTATION (RFQ) (Goods)

NAME & ADDRESS OF FIRM	DATE: October 15, 2017
	REFERENCE: UNDP-SYR-RFQ-138-17

Dear Sir / Madam:

We kindly request you to submit your quotation for the Rehabilitation Works of Public Social and Service Activity Centers in the Governorate of Hama, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before October 31, 2017 on 2.00 pm and via $\square e$ -mail, $\square c$ courier mail to the address below:

United Nations Development Programme

Mezzeh, West Villas, Gazawi street No. 8 Attn: Shouaib Al Khuder, Procurement Assistant E-mail: Syria.bids@undp.org

Quotations submitted by email must be limited to a maximum of 5 MB, virus-free and no more than 3 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s

Delivery Terms [INCOTERMS 2010]	☑DAP
Customs clearance, if needed, shall be done by:	☑UNDP If required
Exact Address/es of Delivery Location/s	Public Social and Service Activity Centers in Hama إعادة تأهيل مراكز للأنشطة الإجتماعية والخدمية العامة في محافظة حماة
UNDP Preferred Freight Forwarder, if any	N/A
Distribution of shipping documents	N/A
Latest Expected Delivery Date and Time	☑45 days from the issuance of the contract of work.
Delivery Schedule	☑ Not Required
	N/A
Packing Requirements Mode of Transport	☑LAND
Preferred	☑United States Dollars
Currency of Quotation	However, for local supplier's payments will be in Syrian Pounds at the prevailing UN exchange rate at the date of the invoice.
Value Added Tax on Price Quotation	☑Must be exclusive of VAT and other applicable indirect taxes
After Sales Services	Warranty period of the project is one calendar year after organizing the final delivery record.
Site Visit	Site visit will be held on 23/10/2017 at 11.30 am
	Focal Point of Site Visit: Mr. Moaiad Arabo
	Mobile: 0960 661194
	Email: moaiad.arbo@gmail.com
Deadline for the Submission of Quotation	Tuesday, October 31, 2017 at 2.00 pm on Damascus Time
All documentations, including catalogs, instructions and operating manuals, shall be in this language	☑English ☑Others Arabic
Documents to be submitted	☑ Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; ☑ Latest Business Registration Certificate; The applicant vendor should be registered in the Engineers Syndicate, and a practitioner of the profession "civil or architect specialization", and the vendor should present a document of authentication from the Syndicate of Engineers and the concerned authorities, duly.

	✓ Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List; ✓ Others Vendor Form ✓ Confirmation from supplier that he bears complete responsibility over damage to the workers. ✓ List of all executed similar projects (at least 2 projects)
Period of Validity of Quotes starting the Submission Date	In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	☑Not Permitted
Payment Terms	☑100% within 30 days from complete delivery and acceptance of Works.
Liquidated Damages	Will be imposed under the following conditions: Percentage of contract price per day of delay:0.5 % Max. no. of days of delay:20 days Next course of action: UNDP may terminate the contract.
Evaluation Criteria	☐ Technical responsiveness/Full compliance to requirements and lowest price ☐ Executed 2 similar projects ☐ Full acceptance of the PO/Contract General Terms and Conditions. ☐ Warranty period. ☐ Delivery Period
UNDP will award to:	☑One and only one supplier.
Type of Contract to be Signed	☑ Contract of Works
Special conditions of Contract	☑Cancellation of PO/Contract if the delivery/completion is delayed by 20 days
Performance Security	⊠Required Amount :10 % of contract Value Form:Bank Guarantee template, or Certified Check. And it will be released after expiry of warranty period.
Conditions for Release of Payment	☑Written Acceptance of works based on full compliance with RFQ requirements

Annexes to this RFQ	✓ Specifications of the works Required (Annex 1) ✓ Form for Submission of Quotation (Annex 2) ✓ General Terms and Conditions / Special Conditions (Annex 3). ✓ Others Vendor Form Non-acceptance of the terms of the General Terms and Conditions(GTC) shall be grounds for disqualification from this procurement process.
Contact Person for Inquiries (Written inquiries only) ¹	Shouaib Al Khuder Procurement Assistant Shouaib.alkhuder@undp.org Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

¹This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link: http://www.undp.org/procurement/protest.shtml.

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link :http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Hanan Al Ali Head of Progurement Unit a.i

October 15, 2017

Technical Specifications

	Unit			
Items to		Quantity	Description / Specifications of Goods	Latest Delivery
be				Date
Supplied*				
		مقطوع	تنفيذ أعمال فك وتحضير مواقع العمل : وتتضمن إزالة الاشجار	
			والعوائق في مكان الخزان والمطبخ وقص جزء من المسطبة	
			على طول المسطبة بعرض مترين وإزالة درجات حول الملعب	
1			و إزالة سور الشبك للملعب في جمعية المرأة العربية وكذلك	
			إزالة سقف الماكرولوس القديم في جمعية رعاية الأيتام من	
			ضمن موقع العمل مع الترحيل إلّى المكان المناسب التي تحدده	
			جهة الإشراف وتقدر أعمال تهيئة الموقع بكلفة مقطوعة. تقديم وتنفيذ بيتون مسلح بالقالب وذلك لزوم الأساسات والأعمدة	
			والشناجات والجدران الإستنادية عيار 350كغ /م3 وحديد	
			التسليح المستخدم بمعدل 100كغ/م3 و فق الشروط الفنية	
			النظامية: لا تقل المقاومة الأسطوانية المميزة للبيتون عن 200	
			كغ/سم2 بعد 28 يوم من تاريخ الصب ويتم اجراء تجربة واحدة	
			تتضمن كسر ثلاث عينات لكل صبة, كما تجري تجارب شد	
			حديد التسليح على قضبان الفو لاذ المستعمل حيثٌ تأخذ ثلاث	
			عينات من ثلاث قصبان مختلفة لنفس القطر وذلك لزوم	
			الأساسات والأعمدة والشيناجات والجدران الاستنادية للخزان	
			كما وتعزل هذه الجدران برقائق بيتومين بسماكة 4 مم بوليستر	
			بعد التنظيف الجيد ويضاف جوانات (water stop) بين	
			البيتون القديم والبيتون الجديد أو عند توقف الصب في مكان ما يوضع جوان بين البيتون المصبوب سابقا والبيتون المصبوب	
			الجديد ويكون الصب من مجبل مركزي مع إضافة مكتم وملدن	
			البيتون بكمية تحدد من قبل جهة الإشراف. وتقدر كمية البيتون	
			المسلح المستخدمة بالمتر المكعب .	
			الأساسات :	
			تنفذ الأساسات من الخرسانة المسلحة عيار 350 كغ/م3 ,	
2	م3	67	ويضاف على سطح أساسات المطبخ والملعب صفيحة معدنية	
_	-,		50*50 سم بسماكة 10 مم وتثبت ببراغي على الأساس حيث	
			تكون البراغي مغروسة في البيتون أثناء الصب .	
			صب بيتون مغموس : قبل صب قواعد الأساسات يتم صب طبقة بيتون مغموس بحيث	
			قبل صنب وراعد الاستسات يتم صنب طبعه بينول معموس بحيث تكون بسماكة 200 سم ابتداءً من سطح التأسيس ويكون أبعاد	
			البيتون المغموس بأبعاد الحفرة ويجب الانتباه إلى أن عمق	
			التأسيس يشمل سماكة البيتون المغموس مع ارتفاع الأساسات	
			المراد تنفيذها حتى الوصول إلى سطح التربة التي تم تسويتها ،	
			وتقدر كمية البيتون المغموس المستخدمة بالمتر المكعب يجب	
			أن يكون الجبل في جميع أعمال البيتون في المشروع جبلاً آلياً .	
			أعمال الخرسانة:	
			تشمل المواصفات الفنية الخاصة لأعمال الخرسانة من حيث اليد العاملة والمواد والادوات وأعمال التسليح والقوالب والنقل	
			العاملة والمواد والادوات واعمال التسليح والقوالب واللقل و الانهاءات و التسامحات و الاختبار ات و مطابقة المو اصفات	
			و المنه و السماحات و المحلوبة والمعابد المواصفات الفنية الخاصة	
			بالمجبول البيتوني: مكون من مواد متجانسة و هي: بحص قاسي	
			+زرادة +نحاتة ب رمل , وهذه الإحضارات حصراً من مقالع	
			حسياء بحمص, كما يجب إجراء التجارب التالية:	
			تجارب تحليل حبي واهتراء للبحص, تجربة المكافئ الرملي	

			للنحاتة , وللخلطة تجربة أبرامز في الموقع.	
			الإسمنت:	
			يستعمل الإسمنت المقاوم للكبريتات في جميع الأعمال	
			الخرسانة الخاصة بالأساسات في حال وجود مادة ضارة (من	
			الكبريتات) في تربة التأسيس وإلا يستخدم الإسمنت البورتلندي	
			العادي دون أن يترتب على ذلك أي حقوق للمتعهد بالمطالبة	
			بزيادة السعر .	
			حديد التسليح :	
			يستعمل في أشغال الخرسانة المسلحة حديد التسليح عالى	
			المقاومة ذو النتوءات على أن لايقل حد الضمان له عن 4200	
			كغ/سم2 .	
			تع الماء . ويستخدم للأتاري حديد التسليح الطري الأملس من النوع الذي	
			لاتقل مقاومته المميزة (حد الخضوع fy) عن 3600 كغ/سم2	
			وقابل للثني على البارد بزاوية 180 درجة بدون أي تشقق أما	
			في الأعصاب فيكون حد الخضوع 2400 كغ/سم2.	
			الخلط: لايسمح بالجبل اليدوي في أعمال الخرسانة المسلحة	
			نهائيا .	
			نقل وضخ وصب ورج الخرسانة: قبل المباشرة بصب	
			الخرسانة ينظم المتعهد خطة عمل الورشة لصنع ونقل وصب	
			ورج الخرسانة وذلك بموافقة مهندس الإدارة .	
			بيتون مسلح عيار 350 كغ/ م3 للبلاطات المفرغة ذات	
			أعصاب بقوالب من البلوك لزوم سقف المطبخ والغرف حسب	
			المخططات ويستخدم بيتون وفق البند السابق بحيث لاتقل كمية	
			الإسمنت عن 350 كغ/م3 ولاتقل المقاومة الاسطوانية المميزة	
			, , ,	
			عن 180 كغ/سم 2 بعد 28 يوماً من تاريخ الصب ويتم إجراء	
	2	20	تجربة واحدة تتضمن كسر ثلاث عينات وذلك لكل سقف كما	
3	م3	20	تجرى تجارب شد على فو لاذ التسليح (ثلاثة أقطار على الأقل)	
			يصب السقف كاملاً .	
			يحسب السعر للمتر المكعب ويتضمن تقديم المواد والهوردي	
			والقالب وحديد التسليح مع التفصيل والجبل الألي والصب	
			والسقاية لمدة 10 أيام وإجراء التجارب " تجربة كسر العينات	
			للبيتون " وكل مايلزم لإنجاز العمل بالشكل الفني المطلوب .	
			تقدر كمية أعمال هذا البند بالمتر المكعب .	
			تنفيذ أعمال الحفريات المختلفة لزوم الأساسات والخزان	
			وحبسات الأرصفة وأينما يلزم سواء كانت الحفريات ترابية أو	
			صخرية أوفي الماء ويتم الحفر بالأليات أو الضاغط أو اليد	
			العاملة لعمق التأسيس البالغ 300 سم وحسب حجم العمل. مع	
			إعادة الردم بتربة محسنة خلف جدران الخزان و ترحيل	
			أدراً	
			وتقدر أعمال الحفر بجميع أشكالها ومشتملاتها بالمتر المكعب.	
			ويشمل السعر: كلفة التخطيط والحفر وكلفة ترحيل الأتربة	
			ويسس السعر . كنف التحصيط والخفر وكنف تركيل الاتراب الزائدة من الورشة إلى الأماكن العامة المرخصة والتفريغ ،	
			الرائدة من الورسة إلى الممكن العامة المرحضة والتعريع : و اليد العاملة و الآلات و الادوات و المعدات و التجهيز ات اللازمة	
	2	00	الكشط والحفر والتدعيم والتكويم ورش الماء والتسوية والتحميل	
4	م3	90	والنقل والتفريغ وكل مايلزم لحسن تنفيذ العمل شاملا والرسوم	
			والهوالك والأرباح .	
			أماكن الطرح المرخصة:	
			يتوجب على المتعهد أن يتقيد بتعليمات السلطات المحلية والبلدية	
			حول أماكن الطرح المرخص بها.	
			في حال العثور على تمديدات أو مجاري :	
			عندما يصادف المتعهد أثناء قيامه بالحفريات تمديدات كهربائية	
			أو هاتفية أو مجاري مياه وغيرها من المنشآت فيجب عليه	
			التوقف عن متابعة الحفر في القسم الموجود فيه مثل هذه الأشياء	
			وأن يعلم الإدارة بذلك فورا مع اتخاذ التدابير اللازمة لحفظ هذه	
			التمديدات أو المنشآت من الضرر, ويكون للإدارة الحق إما	
			بتكليف المتعهد بالقيام بتحويلها أو رفعها أو إعلام الجهة صاحبة	
L	i .	1	1 . 1 , 5 5 5 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7	I .

	1		العلاقة بإجراء اللازم أو تكليف جهة أخرى بذلك بوسائلها	
			الخاصة وعلى المتعهد في كل الحالات تقديم جميع التسهيلات	
			اللازمة لتنفيذ ذلك.	
5	م3	6	تقديم وصب بيتون نظافة عيار 150 كغ/م3	
	-\	_	تقديم وتركيب بلوك اسمنتي مفرغ عيار 200 كغ/م3 لزوم	
			الجدران وتكون أبعاد البلوك النموذجية المستعملة في البناء	
			(20*40 سم) وبسماكة (15 سم) ويجب أن تكون سطوح	
			الأحجار مستوية وزواياها قائمة وخالية من الفتلان وأن تكون	
			معبولة مخبرياً ويجب أن ترش الجدران بالماء لمدة لاتقل عن	
			أسبوع بعد بنائها ويبني البلوك بمونة من عيار 200كغ اسمنت	
6	م3	25	ويشمل السعر المعطى بالمتر المكعب جميع المواد واللوازم	
			وتكاليف العمل والأليات والمحروقات واليد العاملة والسقائل	
			والقوالب وغير ذلك من التجهيزات اللازمة لاستكمال أعمال	
			بناء البلوك وفق الشروط مع كل مايلزم للتركيب والتثبيت لبناء	
			جدران جديدة للمطبخ (وحسب رأي الإشراف)	
			تقدير أشغال البلوك: تقدر اشغال تقديم وتركيب البلوك بالمتر	
			المكعب .	
			تقديم وتركيب سير اميك مع الروبة المناسبة في الحمامات	
			والمطبخ وخزان المياه والالوان متناسقة (حسب رأي الإشراف)	
			بالإضافة لتركيب ميل من الكروم بلون مناسب للسير اميك مدمج	
7	_	200	عند التقاء زوايا السطوح المتعامدة .	
/	م2	300	تقدر الأشغال بالمتر المربع ويشمل تقديم المواد واليد العاملة	
			والتركيب والترويب والميل وكل مايلزم لإنجاز العمل بالشكل	
			الفني المطلوب ووفق رأي المهندس المشرف مع كل مايلزم	
			وحسب رأي الإشراف.	
			تقديم وتركيب غرانيت صناعي 60×60 سم لأرضيات المطبخ	
			مع كل مايلزم وحسب رأي الإشراف ويجب أن يكون الغرانيت	
			الصناعي جيد الصنع مستوي تماماً وخالي من العيوب المختلفة	
			يركب الغرانيت الصناعي بالمونة الاسمنتية وينقع بالماء قبل	
			التركيب وتوضع الصلبان البلاستيكية لضبط السوية ومسافة	
0	_	50	التباعد ويجب تحقيق الميول اللازمة للتصريف ويجب ان يكون	
8	م2	50	الغرانيت الصناعي بعد التركيب مستوياً تماماً واللصاقات	
			مستقيمة ومتوازية بدون انحراف.	
			وبعد الإنتهاء من التبليط تروب الأرضيات بواسطة الروبة	
			الخاصة به وبعد ملء اللصاقات بهذه الروبة يزال ماتبقى من الاسمنت من وجه الغرانيت الصناعي قبل أن يجف.	
			الاسمنت من وجه العرابيت الصناعي قبل أن يجف. يقدم المتعهد نموذجاً من الغرانيت الصناعي الذي يرغب	
			لعدم الملعهد لمودجا من العراقيت الصداعي الذي يرعب باستعماله وذلك لاعتماده من قبل الإشراف وتقدر أعمال	
			الغرانيت بالمتر المربع. تقديم وتركيب قساطل بلاستيك ضغط عالى 10 بار p.v.c	
			لزوم تصريف المصارف المطرية والمطبخ سماكة لاتقل عن	
			5.3م قطر 4إنش وزن لا يقل 2.61كغ/م مع الحفر والترحيل	
9	م.ط	200	والردم مع فرش نحاتة تحته سماكة 10سم والردم فوقه بالرمل	
			وعمل بيتون حول مناطق الوصل مع كل ما يلزم وحسب رأى	
			الإشراف وتقدر الاعمال بالمتر الطولي. تقديم وتركيب قساطل بلاستيك ضغط عالى 10 بار p.v.c	
			سماكة لاتقل عن 5.3مم قطر 8 إنش وزن لا يقل 2.61كغ/م مع	
10	م.ط	15	الحفر والترحيل والردم مع فرش نحاتة تحته سماكة 10سم	
			والردم فوقه بالرمل وعمل بيتون حول مناطق الوصل مع كل ما	
			يلزم وحسب رأي الإشراف وتقدر الأعمال بالمتر الطولي.	
			تقديم وتركيب قساطل بلاستيك ppr قطر (32 مم و 25 مم)	
11	م.ط	250	سماكة 3,7 مم مع السكورة مع كافة الإكسسوارات وكل مايلزم	
			وحسب رأي الإشراف وتقدر الأعمال بالمتر الطولي.	
		•		

	•		-	
12	كغ	350	تقديم وتركيب حديد مشغول لزوم الأبواب مع الغال قياس وسط طقتين مع الأساس "سيرقون " على الوجهين والدهان (اسود وذهبي للمنجور المعدني) والتثبيت مع الزخرفة حسب طلب الإشراف ويشمل السعر ثمن الحديد الصناعي وكافة الأجور والدهان والمفصلات والنقل واللحام والغال وكل مايلزم وحسب رأي جهة الإشراف وتقدر الأعمال بالكيلو غرام .	
13	77E	10	تقديم وتركيب مرحاض عربي بورسلان مع رخام حوله مع تركيب خلاط كروم وخرطوم بلاستيكي أبيض مع كوع بلاستيكي أبيض مع كوع بلاستيكي أبيض مع كوع بلاستيكي أميل والتثبيت والوصل .يكون المرحاض العربي البورسلين أملس خالي من العيوب والشقوق والكسور ويركب للمرحاض سيفون من البلاستيك ويركب المرحاض على قاعدة من البيتون العادي ويغمس فيها بحيث يملأ البيتون جميع الفراغات تحت المرحاض كما يجب أن تدخل رقبة المرحاض ضمن فوهة السيفون ويحشى حولها بمونة من الاسمنت الأبيض .ويشمل السعر المعطى جميع المواد واللوازم واليد العاملة وكافة التجهيزات لإنهاء أعمال المرحاض وحسب تعليمات المهندس المشرف أثناء التنفيذ .	
14	375	2	تقديم وتركيب تواليت افرنجي بورسلان مع كافة اكسسواراته مع تركيب خلاط كروم والسكورة والخراطيم والتمديدات مع التثبيت الجيد وكافة اللوازم وحسب رأي الإشراف.	
15	2775	5	تقديم وتركيب منجور ألمنيوم مع الفيير لزوم أبواب دورات المياه والمطبخ مع الجوانات وكل ما يلزم واللون حسب رأي الإشراف	
16	2م	5	تقديم وتركيب منجور ألمنيوم لون فضي لا تقل سماكة المقطع عن (103) مم مع البلور سماكة لاتقل عن (5,5)مم مع تحشية الفراغات بالسليكون والجوانات مع الأقفال مع المنخل للنوافذ وكل اللوازم لزوم نوافذ المطبخ مع كل ما يلزم وحسب رأي الإشراف	
17	م2	40	تقديم وتركيب منجور ألمنيوم لف لون فضي لزوم خزن المطبخ مع تحشية الفر اغات بالسليكون مع كل مايلزم وحسب رأي الإشراف.	
18	77E	6	تقديم وتركيب خلاط كروم 1/2" مع نصف سيفون لزوم المجلى وخرطوم بلاستيك مع كل ما يلزم وحسب رأي الإشراف	
19	775	5	تقديم وتركيب خزان مياه حديد مزيبق سماكة /2/ مم سعة / 2/ م3 مع الفواشة و الوصل بالمياه الرئيسية والتمديد وكل ما يلزم من سكورة وأنابيب وحسب رأي الإشراف	
20	2 _č	40	تقديم وتركيب حجر سادة سماكة 3سم عرض 30سم وحجر مبوز عرض15سم مع المونة والكحلة وكل ما يلزم وحسب رأي جهة الإشراف, يتم اختيار الحجر المتجانس ظاهريا والخالي من العروق العميقة والترابية ويتم تكحيله وترويبه بعد التركيب ويتضمن السعر كافة الأعمال والمواد والأيدي العاملة والأرباح والهوالك ، على أن لا ينقص طول الحجرة عن مرة ونصف من ارتفاعها . وتقدر الكمية بالمتر المربع . تقديم وتركيب سقف مستعار من البلاستيك : ألواح بولي	
21	2م	150	كربونات بسماكة 8مم وزن المتر المربع الواحد 1.6كغ لزوم المدخل مثبت على شبكة معدنية في الموقع المحتاج لشبكة معدنية مقطعها بروفيل لايقل عن (3 * 6) سم2 وبسماكة لاتقل عن 2 مم واللون يحدد من قبل الإشراف, وتقدر أعمال تقديم	
22	2 ₈	75	وتركيب السقف المستعار بالمتر المربع . تقديم وتركيب مظلة قرميد وحديد لزوم سقف المطبخ , مقطع بروفيل مقطع لا يقل عن 8*8 سم2 سماكة لاتقل عن 3مم وحسب رأي الإشراف مع إعطائه الميول المناسبة وبمقدار 5/1 مع الروبة مع عمل مدخنة وكل ما يلزم وحسب رأي الإشراف , وتقدر كمية أعمال تقديم وتركيب مظلة القرميد بالمتر المربع .	

23	م2	600	تقديم وتركيب مظلة لسقف الملعب من ألواح التوتياء بسماكة 6 دوزين وحديد بروفيل مربع مقطع لا يقل عن 8*8 سم2 سماكة لاتقل عن 2.5مم مع إعطائه الميول المناسبة وبمقدار 5/1, مع تركيب مجراة حديد بطول الملعب من الجهتين لتصريف مياه الأمطار مع قساطل موصولة إلى المصارف ، على أن لا يقل وزن الجسر الحامل الواحد عن 650كغ وبعدد 5 جسورة على طول الملعب ووفق التفصيلة المرفقة محملة على أعمدة مقطع لايقل 8*8 سم2 مثبتة ببراغي على بيليته بسماكة لاتقل عن 8 مم مزروعة على قاعدة بيتونية مع كل ما يلزم وحسب رأي الإشراف.	
24	775	12	تقديم وتركيب شفاط (30*30) سم مع كل ما يلزم وحسب رأي ا الإشراف	
25	שרר	5	تقديم وتركيب كراسي حديدية مخصصة للجلوس في الحديقة بوزن لا يقل عن 35كغ مع الدهان الزياتي العادي والتثبيت وكل ما يلزم وحسب رأي الإشراف	
26	2 _P	40	تقديم وتركيب رخام مجلي وملمع مع الدمج وكل ما يلزم لزوم المطبخ بسماكة لاتقل عن 3 سم ، ويكون مقطوع ومجلي بصورة دقيقة ومستوي بدون أي تحديب وزوايا قائمة ، ويشمل السعر ثمن الرخام مجلي وملمع مع النقل وثمن احضارات وإسمنت أسود وأبيض للتركيب والتكحيل ويتم اختيار نوع الرخام بالاتفاق مع الجهة المشرفة وتنفيذ كل ما يلزم حسب رأي الإشراف. وتقدر كمية أعمال الرخام بالمتر المربع .	
27	שרר	2	تقديم وتركيب مغسلة بورسلين عمود قياس (50×40سم) مع نصف سيفون مع الرف بورسلين 50سم والمراية وخلاط كروم وخرطوم بلاستيكي مع التثبيت وكل مايلزم وحسب رأي الإشراف.	
28	275	10	تقديم وتركيب بالوعه من الستانلس ستيل قياس 4 إنش مع الغطاء من الكروم وكل مايلزم وحسب رأي الإشراف	
29	م2	600	تقديم وتركيب سقف مستعار من البلاستيك : ألواح بولي كربونات بسماكة 8مم وزن المتر المربع الواحد 1.6كغ لزوم المدخل واللون يحدد من قبل الإشراف	

يشترط على العارض الالتزام بما يلى

- :
- 1. يشترط على العارض المتقدم أن يكون مسجلاً بنقابة المهندسين وممارساً للمهنة " اختصاص مدني أو عمارة "، وأن يكون منفذاً لمشاريع مماثلة (2 على الاقل), وعلى العارض تقديم وثيقة تثبت ذلك من نقابة المهندسين و من الجهات المعنية مصدقة أصولاً.
 - 2. مدة التنفيذ 45 يوم تبدأ من تاريخ تسليم موقع العمل للعارض.
 - 3. يتم صرف قيمة الاعمال المنفذة دفعة واحدة خلال 30 يوم بعد تنفيذ كافة الأعمال وبموجب محاضر تنفيذ أصولية.
 - 4. مدة ضمان اعمال المشروع سنة ميلادية كاملة بعد تنظيم محضر الاستلام النهائي.
 - 5. يتم خصم خمسة بالألف عن كل يوم تأخير من قيمة الاحالة على أن لا يتجاوز المبلغ 10% عن قيمة الإحالة.
- على العارض معاينة موقع العمل ومطابقة الأعمال المطلوبة وفق المذكور في جدول وكشف الأعمال مع احتياجات العمل ورأي
 الجهة المشرفة على المشروع وعليه أن يقدم عرضه بناءً على ذلك.
- 7. التقيد بالشروط المتعلقة بتنفيذ الأعمال المذكورة أعلاه وفق معايير ومواصفات الجهات المعتمدة بهذا المجال ودفتر الشروط الفنية
 العامة .
 - 8. يتحمل العارض المسؤولة الكاملة على كل ضرر يقع على العمال.

*Pls. attach delivery schedule, if relevant, and cluster by lot, if partial bids will be allowed. Specify delivery locations if goods multiple destinations.

[Enter name of authorized staff] [Designation] [Click here to enter a date]

			[ellell liefe	to enter a datej
Items to	Unit	Quantity	Description / Specifications of Goods	Latest Delivery
be		,		Date
Supplied*				
1	m3	Lumb Sum	Dismantling works and preparation of the work site: includes removing the trees and barriers in the tank spot and in the kitchen, as well as cutting a part of the floor deck along its length in a measure of two meters width, in addition to removing steps around the playground and removing the metal net fence of the playground in the Arabian Woman Association, and also removing the macrolux ceiling in the Orphans Care Assosiaton within the work site along with removal to the appropriate location identified by the supervising authority; the preparation works	
2	m3	67	are estimated per lump sum. Providing and implementing reinforced concrete in the mold for the foundations, columns, tie beams, and the retaining walls of 350kg/m3 ratio, and the used reinforcement iron is 100kg/m3 according to the standard technical conditions: Cylindrical concrete resistance/strength is 200kg/cm2 after 28 days from the date of casting; a single test is performed by breaking three samples for each casting; experiments of tying the reinforcement iron onto the used steel bars is also performed by taking three samples from thee different bars in the same diameter for the foundations, columns, tie beams, and the retaining walls of the tank. These walls are to be insulated by using bitumen sheets of 4mm thickness after thorough cleaning, and (water stop) gaskets are to be added between the old and the new concrete or if the casting has ceased in a certain area, a gasket is put between the already cast concrete and the new cast concrete. Casting should be from a central mixer along with adding impermeabilizante and sealer for the concrete in amounts identified by the supervising authority. The used reinforced concrete is estimated cubic	

metr.

The foundations: The foundations are implemented by using reinforced concrete of 350kg/m3, and adding a metal sheet of 50*50cm and 10mm thick over the foundation roof of the kitchen ad the playground, to be fixed bolts on the foundation as the blts are implanted in the the concrete during the casting.

Casting Aggregate Concrete: Before casting the foundation basis, a layer of aggregate cocrete is cast in 200cm thickness starting the foundation surface, and the dimensions of the aggregate concrete are as the dimensions of the hole, takinaccount that the foundation depth includes the thickness of the aggregate concrete along with the height of the foundations meant to be implemented reaching the soil surface that has been leveled. The used aggregate concrete is estimated per cubic meter. The mixing process in all the concrete works in the project should be done mechanically. The used reinforced concrete is estimated per cubic meter.

The Concrete Works: Includes the technical specifications of the concret in terms of the manpower, materials, tools, reinforcement works, molds, transportation, complesion works, tolerances, testing, matching specifications and all the required work elements. Technical specifications of the concrete mix: consisting of consistent materials: hard gravel+granules+chipping+ sand, these supplies are to be provided exclusively from Hassia gurries is Homs. Also, the following tests should be conducted: experiments of pea analysis and wearing of gravles, sand equivalent test for the ganules, and Abram test for the concrete in the worksite. mix

Cement: Sulphate resisant cement is used in all concrete works of foundations in case of presense of any harmful substances (of sulphate) in the foundation soil, otherwise the plain Portland cement is to be used without entailing any right of claiming a price increase by the vendor.

Reinforcement iron: In reinforced concrete works, high tensile reinforced deformed concrete is used, provided that guarantee margin is no less than 4200kg/cm2. and the mild

			reinforcement steel is used for the (atari) with resistenceLstrength level no less than 3600kg/cm2, cold bent in 180 degrees without having any cracks: and as for the veins/waffles, the allowance stress level is 2400kg/cm2 (fy allowance stress level) Mixing: The manual mixing is absolutely not acceptable in reinforced concrete works. Transporting, pumping, casting, and shaking concrete: Before commencing the concrete cast, the vendor organizes a workshop plan for making, transporting, casting, and shaking the concrete under the approval of the Administration engineer.	
3	m3	20	Reinforced concrete of 350kg/m3 for the hollow-core waffle slabs in concrete block molds for the kitchen ceiling and the rooms according to the Drawings, The concrete is used according to the previous item as the cement quantity is no less than 350kg/m2 and the cylindrical resistence/strength is no less than 180kg/cm2 after 28 days from the date of casting; a single test is performed by breaking three samples for each ceiling; experiments of tying the reinforcement iron onto the used steel bars is also performed (at least three diameters). The ceiling is completely cast. The price is calculated per cubic meter and includes providing the materials, the ribbed concrete, the mold, and the reinforcement iron along with tailoring, mechanical mix, cast, watering for 10 days, performing tests "breaking the concrete samples" and all requirements of accomplishing the works in the required technical form, The quantity of works in this item is estimated per cubic meter.	
4	m3	90	Implementing various excavations for the foundations, the water tank and the sidewalk clips and also wherever necessary, whether the excavations were in soil, rocks, or in the water. Excavation is performed by using machinery, compressor, or manpower for the foundation depth of 300cm, and according to the volume of the work along with backfilling with refined soil behind the ceilings of the tank and removal of surplus quantity off the work site. The entire excavation works of all types is estimated per linear meter. Pricing includes: the planning and excavation cost, the cost of surplus soil from the workste onto the authorized public locations, unloading,	

			manpower, machinery, tools, and the required equipment for scraping, excavation, supporting, compiling, watering, leveling, loading, transporting, unloading and all requirements for inclusively proper implementation, as well as the fees, consumables, profits. Authorized throwing areas: The vendor should commit to the directions of the local authorities and Municipality regarding the authorized throwing area.	
			In case of encountering conduits or sewage: when the vendor encounters electricity, telephone, or water sewage or other conduits, he should stop digging in the part where these elements exist, and should inform the administration immediately along with taking the necessary measures to keep these conduits maintained from any harm. The administration has the right to assign the vendor with the task of shifting, removing, or informing the concerned party to take the appropriate measures or assigning another party to do so in its special means. The vendor in any of these cases should provide all required facilitations for implementation.	
5	m3	6	Providing and installing blinding concrete 150kg/m3	
6	m2	25	Providing and installing hollow-core cement blocks 200kg/m3 for the walls; the standard dimensions of the blocks used in building is (20*40cm) and the thickness is (15cm). The surface of the stones should be leveled with right angles and free of curvatures and should be laboratory confirmed. The walls should be sprayed with water for at least one week after being constructed. The blocks are to be built with mortar of 200kg cement, and the price given per cubic meter includes all the materials, requirements, work cost, vehicles, fuel, manpower, scaffolds, molds, and other equipment needed for the completion of building the blocks according to the conditions with all requirements of installation and fixation to build new walls for the kitchen (and according to the supervisory). Estimation of block works: Works of providing and installing blocks are estimated per cubic meter.	
7	m2	300	Providing and installing ceramics along with the appropriate grout in the bathrooms and the kitchen, and the water tank; the colors should be harmonious (according to the advice of the	

			supervisory) in addition to installing a chrome lining with a color suitable to the ceramic tiles, rounded at the meeting point of perpendicular surfaces. Workd are estimated per square meter and includes providing materials, manpower, installation, grouting, lining and providing all requirements to accomplish the work in the required technical form and according to the advice of the supervising engineer with all requirements and according to the supervisory.	
8	L.M	50	Providing and installing engineered granite 60x60cm for the floor of the kitchen along with all requirements and according to the advice of the supervisory. the engineered granite should be well manufactured, totally flat and free of various defaults. The granite in installed by using cement mortar, and soaked in water before installation. Plastic crosses are emplaced to adjust the level and the spacing, and should achieve the required slope for discharging. The engineered granite should be completely flat after installation, and the taping should be straight, parallel without any inclinations. after the completion of flooring works, the floor tiles should be grouted by a special grout and after filling the tape with this grout, the remaining cement should be removed off of the engineered granite before drying. The vendor presents a sample of the engineered granite that he wishes to use to be adopted by the supervisory. The granite works are estimated per square meter.	
9	L.M	200	Providing and installing 10 bar high pressure plastic pipes p.v.c for the discharge of the rainwater, and the kitchen, of a thickness no less than 5.3mm, 4" diameter, and weight of no less than 2.61 kg/m along with excavations, removal, and spreading 10cm thick chipping layer underneath and filling over with sand and performing concrete surrounding the areas of connections along with all requirements and according to the advice of the supervisory, and the works are estimated per linear meter.	
10	L.M	15	Providing and installing 10 bar high pressure plastic pipes p.v.c of thickness no less than 5.3mm, 8" diameter, along with excavations, removal, 10 cm granule filling underneath and and weight of no less than 2.61, kg/m along with excavations, removal, and spreading 10cm chipping underneath and filling sand on top and performing concrete surrounding the areas of connections along with all requirements and	

	1]	
			according to the advice of the supervisory, and	
			the works are estimated per linear meter.	
			Providing and installing plastic pipes p.p.r of	
		252	(32mm and 25mm) diameter along with all	
11	kg	250	fittings and all requirements and according to	
			the advice of the supervisory. Works are	
			estimated per linear meter.	
			Providing and installing wrought iron for the	
			doors along with a medium sized two-level lock,	
			and two layers of "red oxide" primer base paint	
			on both sides, and the paint is (black and gold for	
			the metal trim carpentry), along with fixation	
12	EA	350	with embossing according to the advice of the	
			Supervisory. Pricing includes the price of the	
			engineered iron, all wages, paint, hinges,	
			transportation, welding, the lock, and all	
			requirements and according to the advice of the	
			supervising authority. Works are estimated per	
			kilogram.	
			Providing and installing first class porcelain squat	
			toilet along with the surrounding marble and	
			installing a chrome mixer, white plastic hose, and	
			high pressure plastic elbow along with all	
			requirements of installation, fixation, and	
			coupling. the porcelain squat toilet should be	
			smooth, free of defaults, cracks, and breaks. A	
			plastic siphon is to be installed to the toilet, and	
13	EA	10	the toilet is mounted on a plain concrete	
			foundation and dipped in it until the concrete	
			fills all the voids under the toilet, and the toilet	
			neck should be inserted within the siphon nozzle	
			and should be stuffed around with white	
			cement. The given price includes all materials,	
			requirements, manpower, and all equipment	
			necessary for the completion of the toilet works	
			and according to the directions of the	
			supervising engineer during implementation.	
			Providing and installing porcelain toilet seat	
			along with all fittings, and installing a chrome	
14	EA	2	mixer, shut-off valves, hoses, and conduits	
			along with proper fixation and providing all	
			requirements according to the advice of the	
			Supervisory. Providing and installing aluminum trim	
15	m2	5	carpentry along with fiberglass for the WCs and	
15	1112	5	the kitchens along with the gasket and all	
			requirements, and the color is set according to	
			the advice of the Supervisory.	
			Providing and installing silver colored aluminum	
16	m2	5	trim carpentry, of a division thickness no less than /103/ mm along with the glass panel no	
10	1112	5		
			less than /5.5/ mm along with filling the voids	
	j .	İ	with silicone and providing gaskets and locks	

	1		7	
			with the screen for the kitchen windows and all	
			requirements and according to the advice of the	
			supervisory.	
			Providing and installing silver colored round	
			edge aluminum trim carpentry for the kitchen	
17	EA	40	cabinets along with filling the voids with silicone	
			and providing all requirements, according to the	
			advice of the Supervisory.	
			Providing and installing a good quality chrome	
			mixer tap 1/2" along with half siphon for the	
18	EA	6	washing basin, and a plastic hose, with all	
10	LA		requirements provided, and according to the	
			advice of the supervisory.	
			Providing and installing mercury infused water	
10		_	tank /2/mm thick, /2/m3 capacity, along with	
19	m2	5	the float and coupling to the main water and	
			conduit with all requirements of shut-off valves	
			and according to the advice of the supervisory.	
			Providing and installing plain stones 3cm thick	
			and 30cm wide, and pointed stones 15cm wide,	
			along with the mortar and the lining with all	
			requirements according to the advice of the	
	m2	m2 40	supervising authority. The seemingly	
20			homogeneous stone, free of deep and soil veins	
20			is chosen, to be lined and grouted after	
			installation. Pricing includes all types of works,	
			materials, manpower, profits, and consumables,	
			provided that the length of the stone should not	
			be less than one and a half times its height.	
			Quantity is estimated per square meter.	
			Providing and installing plastic false ceiling:	
			poly-carbonate panels of 8mm, weight of the	
			single square meter is 1,6kg for the entrance,	
			fixed on a metal net in the work site that	
			requires metal net of a profile division no less	
21	m2	150	than (6*3)cm2 and thickness no less than 2mm,	
			and the color is set according to the advice of	
			the Supervisory. The works of providing and	
			installing the false ceiling in estimated per	
			square meter.	
			Providing and installing brick and iron umbrella	
			for the ceiling of the kitchen, of a profile	
			division no less than 8*8 cm and thickness no	
			less than 3mm, and according to the advice of	
	2		the supervisory along with providing the	
22		75		
22	m2	75	appropriate slopes in 1/5 measure, along with	
			the grout and performing a chimney, with all	
			requirements and according to the advice of the	
			supervisory. The quantity of providing and	
			installing the brick umbrella works is estimated	
			in square meters.	
23	EA	600	Providing and installing an umbrella for the	
			ceiling of the playground made of zinc sheets of	

			6 deuxieme and square metal profile no less than 8*8cm and thickness no less than 2.5mm along with giving the appropriate slope in 1/5 measure, as well as installing iron channel along the length of the playground from both sides for discharging the rainwater along with pipes coupled to the drains, provided that the single load-bearing beam is no less than 650kg and the number of beams is 5 along the length of the playground and according to the enclosed figure, to be held on columns of section no less than 8*8cm2 fixed with bolts on a panel no less than 8mm, implanted on a concrete foundation along with providing all requirements and according to the advice of the Supervisory. The quantity of providing and installing ceiling umbrella works is estimated in square meters.	
24	EA	12	Providing and installing exhaust fan (30*30), along with all requirements and according to the advice of the Supervisory.	
25	m2	5	Providing and installing iron chairs for sitting in the garden, of a weight no less than 35 kg along with regular oil based paint and fixation with all requirements provided	
26	EA	40	Providing and installing burnished and polished marble along with rounding and providing all requirements for the kitchen, in thickness no less than 3cm, to be cut and burnished accurately and flat without any curves and right angles. Pricing includes the price of the marble burnished and polished along with transportation and the price of supplies, black and white cement for installing lining, choosing the marble is set in accordance with the supervising authority, and implementing all requirements according to the advice of the Supervisory; The marble works quantity is estimated per square meter.	
27	EA	2	Providing and installing porcelain column sink (40x50cm) along with half siphon, the porcelain shelf 50cm, a mirror, a chrome mixer tap, a plastic hose along with fixation and all requirement	
28	m2	10	Providing and installing stainless steel drain, size 4" along with the cover and all requirements, and according to the advice of the Supervisory.	
29	m3	600	Providing and installing macrolux plastic false ceiling: Poly-carbonate panels of 8mm thickness and the single cubic meter weight is 1,6kg for the entrance, and the color is set by the Supervisory.	

The vendor should commit to the following:

- 1. The applicant vendor should be registered in the Engineers Syndicate, and a practitioner of the profession "civil or architect specialization", and should be an executor to similar projects, and the vendor should present a document of authentication from the Syndicate of Engineers and the concerned authorities, duly
- 2. Implementation period is 45 Days starting the date of handing over the work site to the vendor.
- 3. The value of the implemented works is issued for payment on one installment within 30 days after implementing all the works, and according to regular implementation records.
- 5. Warranty period of the project is one calendar year after organizing the final delivery record.
- 6. There would be five per thousand deduction off of the remission value upon each day of delay, provided that the sum should not exceed 10% of the remission value.
- 7. the vendor should preview the worksite and match the required works according to the stated in the table and work statement along with the work requirements and the advice of the authority supervising the project, and therefore, present his offer accordingly.
- 8. Commitment to the terms regarding the implementation of the above-mentioned works according to the criteria and the specifications of the accredited authorities in the field and the Book of General Technical Conditions.
- 9. The vendor bears complete responsibility over each damage to the workers.

FORM FOR SUBMITTING SUPPLIER'S QUOTATION²

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery³)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer
to supply the items listed below in conformity with the specification and requirements of UNDP as
per RFQ Reference No:

TABLE 1: Lot 1 Offer to Supply Goods Compliant with Technical Specifications and Requirements

			Unit		
Item	Description/Specification of Goods	Quantity		Unit Price	Total Price
No.					per Item
1	تنفيذ أعمال فك وتحضير مواقع العمل: وتتضمن إزالة الاشجار والعوائق				
	في مكان الخزان والمطبخ وقص جزء من المسطبة على طول المسطبة				
	بعرض مترين وإزالة درجات حول الملعب وإزالة سور الشبك للملعب في جمعية المرأة العربية وكذلك إزالة سقف الماكرولوس القديم في جمعية	مقطوعة			
	جمعية المراه العربية وخدلت إرائه سقف الماحرونوس القديم في جمعية رعاية الأيتام من ضمن موقع العمل مع الترحيل إلى المكان المناسب التي				
	ر عايه الايتام من كمن موقع العمل مع المرحين إلى المحال المناسب التي تحدده جهة الإشراف وتقدر أعمال تهيئة الموقع بكلفة مقطوعة.				
2	تقديم وتنفيذ بينون مسلح بالقالب وذلك لزوم الأساسات والأعمدة				
	والشناجات والجدران الإستنادية عيار 350كغ /م3 وحديد التسليح				
	المستخدم بمعدل 100كغ/م3 وفق الشروط الفنية النظامية: لا تقل المقاومة				
	الأسطوانية المميزة للبيتون عن 200 كغ/سم2 بعد 28 يوم من تاريخ				
	الصب ويتم اجراء تجربة واحدة تتضمن كسر ثلاث عينات لكل صبة, كما				
	تجري تجارب شد حديد التسليح على قضبان الفولاذ المستعمل حيث تأخذ				
	ثلاث عينات من ثلاث قضبان مختلفة لنفس القطر وذلك لزوم الأساسات				
	والأعمدة والشيناجات والجدران الاستنادية للخزان كما وتعزل هذه				
	الجدران برقائق بيتومين بسماكة 4 مم بوليستر بعد التنظيف الجيد ويضاف				
	جوانات (water stop) بين البيتون القديم والبيتون الجديد أو عند توقف				
	الصب في مكان ما يوضع جوان بين البيتون المصبوب سابقا والبيتون				
	المصبوب الجديد ويكون الصب من مجبل مركزي مع إضافة مكتم وملدن				
	البيتون بكمية تحدد من قبل جهة الإشراف . وتقدر كمية البيتون المسلح المستخدمة بالمتر المكعب .	67	م3		
	المستحدمة بالمتر المحجب . الأساسات ·	07	م		
	رو المسات من الخرسانة المسلحة عيار 350 كغ/م3 , ويضاف على				
	سطح أساسات المطبخ والملعب صفيحة معدنية 50*50 سم بسماكة 10 مم				
	وتثبت ببراغي على الأساس حيث تكون البراغي مغروسة في البيتون أثناء				
	الصب.				
	صب بیتون مغموس :				
	قبل صب قواعد الأساسات يتم صب طبقة بيتون مغموس بحيث تكون				
	بسماكة 200 سم ابتداءً من سطح التأسيس ويكون أبعاد البيتون المغموس				
	بأبعاد الحفرة ويجب الانتباه إلى أن عمق التأسيس يشمل سماكة البيتون				
	المغموس مع ارتفاع الأساسات المراد تنفيذها حتى الوصول إلى سطح				
	التربة التي تم تسويتها ، وتقدر كمية البيتون المغموس المستخدمة بالمتر				
	المكعب . يجب أن يكون الجبل في جميع أعمال البيتون في المشروع جبلاً آلــاً .				
	اليا .				

²This serves as a guide to the Supplier in preparing the quotation and price schedule.

³ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

	أعمال الخرسانة:]	
	, صحن , صرحت . تشمل المواصفات الفنية الخاصة لأعمال الخرسانة من حيث اليد العاملة			
	والمواد والادوات وأعمال التسليح والقوالب والنقل والإنهاءات			
	والتسامحات والإختبارات ومطابقة المواصفات وجميع عناصر العمل			
	والمطلوبة, المواصفات الفنية الخاصة بالمجبول البيتوني: مكون من مواد			
	المطوبة والمواعظات العلية الخاطئة بالمجبول البيتوني المول من مواد متجانسة وهي: بحص قاسى +زرادة +نحاتة + رمل وهذه الإحضارات			
	منجاسة وهي. بخط فاسي جرزانه جنفانه جرما , وهذه الإخصارات حصراً من مقالع حسياء بحمص , كما يجب إجراء التجارب التالية :			
	تجارب تحليل حبي و اهتراء للبحص , تجربة المكافئ الرملي للنحاتة ,			
	وللخلطة تجربة أبرامز في الموقع.			
	الإسمنت:			
	يستعمل الإسمنت المقاوم للكبريتات في جميع الأعمال الخرسانة الخاصة			
	بالأساسات في حال وجود مادة ضارة (من الكبريتات) في تربة التأسيس			
	و إلا يستخدم الإسمنت البور تلندي العادي دون أن يترتب على ذلك أي			
	حقوق للمتعهد بالمطالبة بزيادة السعر .			
	حديد التسليح :			
	يستعمل في أشغال الخرسانة المسلحة حديد التسليح عالي المقاومة ذو			
	النتوءات على أن لايقل حد الضمان له عن 4200 كغ/سم2.			
	ويستخدم للأتاري حديد التسليح الطري الأملس من النوع الذي لاتقل			
	مقاومته المميزة (حد الخضوع fy) عن 3600 كغ/سم2 وقابل للثني على			
	البارد بزاوية 180 درجة بدون أي تشقق أما في الأعصاب فيكون حد			
	الخضوع 2400 كغ/سم2 .			
	الخلط: لايسمح بالجبل اليدوي في أعمال الخرسانة المسلحة نهائيا.			
	نقل وضخ وصب ورج الخرسانة: قبل المباشرة بصب الخرسانة ينظم			
	المتعهد خطة عمل الورشة لصنع ونقل وصب ورج الخرسانة وذلك			
	بموافقة مهندس الإدارة .			
3	بيتون مسلح عيار 350 كغ/م3 للبلاطات المفرغة ذات أعصاب بقوالب			
	من البلوك لزوم سقف المطبخ والغرف حسب المخططات ويستخدم بيتون			
	وفق البند السابق بحيث لاتقل كمية الإسمنت عن 350 كغ/م3 والاتقل			
	المقاومة الاسطوانية المميزة عن 180 كغ/سم2 بعد 28 يوماً من تاريخ			
	الصب ويتم إجراء تجربة واحدة تتضمن كسر ثلاث عينات وذلك لكل			
	سقف كما تجرى تجارب شد على فولاذ التسليح (ثلاثة أقطار على الأقل)			
	يصب السقف كاملاً .	20	م3	
	يحسب السعر للمتر المكعب ويتضمن تقديم المواد والهوردي والقالب			
	وحديد التسليح مع التفصيل والجبل الألي والصب والسقاية لمدة 10 أيام			
	واجراء التجارب " تجربة كسر العينات للبيتون " وكل مايلزم لإنجاز			
	وبمراء الشبارب المبرب المرب الميات للبيلول ولك للايترام والمبار			
	المحمل بالمسل المسي المحموب . تقدر كمية أعمال هذا البند بالمتر المكعب .			
1	تعدر حميه اعصال للمذالبيد بالمطر المصحب . تنفيذ أعمال الحفريات المختلفة لزوم الأساسات والخزان وحبسات			
4	الغيد العدن المعريت المعطف الروم المساست والعران وحبست الأرصفة وأينما يلزم سواء كانت الحفريات ترابية أو صخرية أوفي الماء			
	الدر الصفه والله يترم سواء عالم المعطوليات لرابية أو للمعطولية أولي المان 300 ويتم الحفر بالأليات أو المصاغط أو البد العاملة لعمق التأسيس البالغ 300			
	ويتم الحفر بديت أو المصاعد أو اليد العالمة عمل العالميان الباع 300 سم وحسب حجم العمل. مع إعادة الردم بتربة محسنة خلف جدر أن الخز أن			
	و ترحيل الكميات الفائضة خارج موقع العمل.			
	و تركيل المميات الفائضة خارج موقع العمل . وتقدر أعمال الحفر بجميع أشكالها ومشتملاتها بالمتر المكعب.			
	و تقدر اعمال الحقر بجميع اسحالها ومسلماتها بالمتر المحعب. ويشمل السعر: كلفة التخطيط والحفر وكلفة ترحيل الأتربة الزائدة من			
	ويسمن السعر : كلفه التحصيط والتحفر وكلفه لرحين الالربه الرائدة من الورشة إلى الأماكن العامة المرخصة والتفريغ ، واليد العاملة والآلات			
	الورسة إلى الاهادل العامة المرحصة واللغريع ، والبد العاملة والالات والأدوات والمعدات والتجهيزات اللازمة للكشط والحفر والتدعيم والتكويم			
	والادوات والمعدات والتجهيرات الكرمة للخسط والحقر واللدعيم والتحويم ورش الماء والتسوية والتحميل والنقل والتفريغ وكل مايلزم لحسن تنفيذ	90	٥.	
	ورس الماء والنسوية والتحميل واللقل واللقريع وكل مايلزم تحسل للقيد العمل شاملا والرسوم والهوالك والأرباح.	90	م3	
	العمل ساملا والرسوم والهوالك والارباح . أماكن الطرح المرخصة :			
	الماكل الطرح المرحصة : يتوجب على المتعهد أن يتقيد بتعليمات السلطات المحلية والبلدية حول			
	أماكن الطرح المرخص بها.			
	في حال العثور على تمديدات أو مجاري :			
	عندما يصادف المتعهد أثناء قيامه بالحفريات تمديدات كهربائية أو هاتفية			
	أو مجاري مياه وغير ها من المنشآت فيجب عليه التوقف عن متابعة الحفر			
	في القسم الموجود فيه مثل هذه الأشياء وأن يعلم الإدارة بذلك فورا مع			
	اتخاذ التدابير اللازمة لحفظ هذه التمديدات أو المنشآت من الضرر			

	ويكون للإدارة الحق إما بتكليف المتعهد بالقيام بتحويلها أو رفعها أو إعلام		1	
	الجهة صاحبة العلاقة بإجراء اللازم أو تكليف جهة أخرى بذلك بوسائلها			
	الخاصة وعلى المتعهد في كل الحالات تقديم جميع التسهيلات اللازمة			
	لتنفيذ ذلك.			
5	تقديم وصب بيتون نظافة عيار 150 كغ/م3	6	م3	
6	تقديم وتركيب بلوك اسمنتي مفرغ عيار 200 كغ/م3 لزوم الجدران			
	وتكون أبعاد البلوك النموذجية المستعملة في البناء (20*40 سم) وبسماكة			
	(15 سم) ويجب أن تكون سطوح الأحجار مستوية وزواياها قائمة وخالية			
	من الفتلان وأن تكون مقبولة مخبرياً ويجب أن ترش الجدران بالماء لمدة			
	لاتقل عن أسبوع بعد بنائها ويبنى البلوك بمونة من عيار 200كغ اسمنت	0.5		
	ويشمل السعر المعطى بالمتر المكعب جميع المواد واللوازم وتكاليف العمل	25	م2	
	والأليات والمحروقات واليد العاملة والسقائل والقوالب وغير ذلك من			
	التجهيزات اللازمة لاستكمال أعمال بناء البلوك وفق الشروط مع كل مايلزم للتركيب والتثبيت لبناء جدران جديدة للمطبخ (وحسب رأي			
	مهرم سرحيب والسبيت بنبء جدران جديده للمطبع (وحسب راي الإشراف)			
	م سر . تقدير أشغال البلوك : تقدر اشغال تقديم وتركيب البلوك بالمتر المكعب .			
7	تقديم وتركيب سيراميك مع الروبة المناسبة في الحمامات والمطبخ وخزان			
	المياه والالوان متناسقة (حسب رأي الإشراف) بالإضافة لتركيب ميل من			
	الكروم بلون مناسب للسير اميك مدمّج عند التقاء زوايا السطوح المتعامدة .	300	2.	
	تقدر الأشغال بالمتر المربع ويشمل تقديم المواد واليد العاملة والتركيب	300	م2	
	والترويب والميل وكل مايلزم لإنجاز العمل بالشكل الفني المطلوب ووفق			
	رأي المهندس المشرف مع كل مايلزم وحسب رأي الإشراف.			
8	تقديم وتركيب غرانيت صناعي 60×60 سم لأرضيات المطبخ مع كل مايلزم وحسب رأي الإشراف ويجب أن يكون الغرانيت الصناعي جيد			
	مبيرم وحسب راي الإسراف ويجب ال يحول العراليت الصداعي جيد الصنع مستوي تماماً وخالي من العيوب المختلفة .			
	المصنع للمسوي نعاله وكاني من الميوب المحالف. يركب الغرانيت الصناعي بالمونة الاسمنتية وينقع بالماء قبل التركيب			
	وتوضع الصلبان البلاستيكية لضبط السوية ومسافة التباعد ويجب تحقيق			
	الميول اللازمة للتصريف ويجب أن يكون الغرانيت الصناعي بعد التركيب	F0	,	
	مستوياً تماماً واللصاقات مستقيمة ومتوازية بدون انحراف.	50	م.ط	
	وبعد الإنتهاء من التبليط تروب الأرضيات بواسطة الروبة الخاصة به			
	وبعد ملء اللصاقات بهذه الروبة يزال ماتبقي من الاسمنت من وجه			
	الغرانيت الصناعي قبل أن يجف.			
	يقدم المتعهد نموذجاً من الغرانيت الصناعي الذي يرغب باستعماله وذلك لاعتماده من قبل الإشراف وتقدر أعمال الغرانيت بالمتر المربع.			
	تقديم وتركيب قساطل بلاستيك ضغط عالى 10 بار p.v.c لزوم تصريف			
	المصارف المطرية والمطبخ سماكة لاتقل عن 5.3مم قطر 4إنش وزن لا			
	يقل 2.61كغ/م مع الحفر والترحيل والردم مع فرش نحاتة تحته سماكة	200	م.ط	
	10سم والردم فوقه بالرمل وعمل بيتون حول مناطق الوصل مع كل ما	200	-,	
	يلزم وحسب رأي الإشراف وتقدر الاعمال بالمتر الطولي.			
	تقديم وتركيب قساطل بالستيك ضغط عالي 10 بار p.v.c سماكة لاتقل			
	عن 5.3مم قطر 8 إنش وزن لا يقل 2.61كغ/م مع الحفر والترحيل والردم			
	مع فرش نحاتة تحته سماكة 10سم والردم فوقه بالرمل وعمل بيتون حول	15	م.ط	
	مناطق الوصل مع كل ما يلزم وحسب رأي الإشراف وتقدر الأعمال			
	بالمتر الطولي.			
	تقديم و تركيب قساطل بلاستيك ppr قطر (32 مم و 25 مم) سماكة 3,7	350		
	مم مع السكورة مع كافة الإكسسوارات وكل مايلزم وحسب رأي الإشراف	250	كغ	
	وتقدر الأعمال بالمتر الطولي . تقديم وتركيب حديد مشغول لزوم الأبواب مع الغال قياس وسط طقتين مع			
	الأساس " سير قون " على الوجهين والدهان (اسود وذهبي للمنجور			
	المعدني) والتثبيت مع الزخرفة حسب طلب الإشراف. ويشمل السعر ثمن	350	عدد	
	الحديد الصناعي وكافة الأجور والدهان والمفصلات والنقل واللحام والغال			
	وكلُ مايلزم وحُسْبُ رأي جهةُ الْإِشْرافُ وْتَقْدَرُ الْأَعْمَالُ بِالْكَيْلُو غَرَامٌ .			
	تقديم وتركيب مرحاض عربي بورسلان مع رخام حوله مع تركيب خلاط			
	كروم وخرطوم بالاستيكي أبيض مع كوع بالاستيكي ضغط عالي مع كل	10	275	
	مايلزم للتركيب والتثبيت والوصل يكون المرحاض العربي البورسلين		<u> </u>	

	l	l	
أملس خالي من العيوب والشقوق والكسور ويركب للمرحاض سيفون من			
البلاستيك ويركب المرحاض على قاعدة من البيتون العادي ويغمس فيها			
بحيث يملأ البيتون جميع الفراغات تحت المرحاض كما يجب أن تدخل			
رقبة المرحاض ضمن فوهة السيفون ويحشى حولها بمونة من الاسمنت			
الأبيض ويشمل السعر المعطى جميع المواد واللوازم واليد العاملة وكافة			
التجهيزات لإنهاء أعمال المرحاض وحسب تعليمات المهندس المشرف			
أثناء التنفيذ .			
تقديم وتركيب تواليت افرنجي بورسلان مع كافة اكسسواراته مع تركيب			
خلاط كروم والسكورة والخراطيم والتمديدات مع التثبيت الجيد وكافة	2	77E	
اللوازم وحسب رأي الإشراف.			
تقديم وتركيب منجور ألمنيوم مع الفيبر لزوم أبواب دورات المياه والمطبخ	5	٦.	
مع الجوانات وكل ما يلزم واللون حسب رأي الإشراف	3	م2	
تقديم وتركيب منجور ألمنيوم لون فضي لا تقل سماكة المقطع عن (103)			
مم مع البلور سماكة لاتقل عن (5,5)مم مع تحشية الفراغات بالسليكون			
والجوانات مع الأقفال مع المنخل للنوافذ وكل اللوازم لزوم نوافذ المطبخ	5	م2	
مع كل ما يلزم وحسب رأي الإشراف			
تقديم وتركيب منجور ألمنيوم لف لون فضي لزوم خزن المطبخ مع تحشية	40	77 c	
الفراغات بالسليكون مع كل مايلزم وحسب رأي الإشراف.	.0		
تقديم وتركيب خلاط كروم 1/2" مع نصف سيفون لزوم المجلى وخرطوم	6		
بلاستيك مع كل ما يلزم وحسب رأي الإشراف	6	77E	
تقديم وتركيب خزان مياه حديد مزيبق سماكة /2/ مم سعة / 2/ م3 مع			
الفواشة و الوصل بالمياه الرئيسية والتمديد وكل ما يلزم من سكورة	5	م2	
وأنابيب وحسب رأي الإشراف	3	2-	
تقدیم و ترکیب حجر سادة سماکة 30سم عرض 30سم و حجر مبوز			
عرض15سم مع المونة والكحلة وكل ما يلزم وحسب رأي جهة الإشراف			
, يتم اختيار الحجر المتجانس ظاهريا والخالي من العروق العميقة			
والترابية ويتم تكحيله وترويبه بعد التركيب ويتضمن السعر كافة الأعمال	40	م2	
والمواد والأيدي العاملة والأرباح والهوالك ، على أن لا ينقص طول			
الحجرة عن مرة ونصف من ارتفاعها .			
وتقدر الكمية بالمتر المربع .			
تقديم وتركيب سقف مستعار من البلاستيك: ألواح بولي كربونات بسماكة			
هم وزن المتر المربع الواحد 1.6كغ لزوم المدخل مثبت على شبكة			
	450		
معدنية في الموقع المحتاج لشبكة معدنية مقطعها بروفيل لايقل عن (3 *	150	م2	
6) سم2 وبسماكة لاتقل عن 2 مم واللون يحدد من قبل الإشراف , وتقدر			
أعمال تقديم وتركيب السقف المستعار بالمتر المربع .			
تقديم وتركيب مظلة قرميد وحديد لزوم سقف المطبخ, مقطع بروفيل مقطع			
لا يقل عن 8*8 سم2 سماكة لاتقل عن 3مم وحسب رأي الإشراف مع			
إعطائه الميول المناسبة وبمقدار 5/1 مع الروبة مع عمل مدخنة وكل ما	75	2.	
	/5	2م	
يلزم وحسب رأي الإشراف, وتقدر كمية أعمال تقديم وتركيب مظلة			
القرميد بالمتر المربع .			
تقديم وتركيب مظلة لسقف الملعب من ألواح التوتياء بسماكة 6 دوزين			
وحديد بروفيل مربع مقطع لا يقل عن 8*8 سم2 سماكة لاتقل عن 2.5مم			
مع إعطائه الميول المناسبة وبمقدار 5/1, مع تركيب مجراة حديد بطول			
الملعب من الجهتين لتصريف مياه الأمطار مع قساطل موصولة إلى			
المصارف، على أن لا يقل وزن الجسر الحامل الواحد عن 650كغ وبعدد	600	عدد	
5 جسورة على طول الملعب ووفق التفصيلة المرفقة محملة على أعمدة			
ر بسوره على تنون المصب ورونق المطلقية المعرفة المصادة لا القل عن 8 مم			
مزروعة على قاعدة بيتونية مع كل ما يلزم وحسب رأي الإشراف.			
وتقدر كمية أعمال تقديم وتركيب مظلة سقف الملعب بالمتر المربع .			
تقديم وتركيب شفاط (30*30) سم مع كل ما يلزم وحسب رأي الإشراف	12	77E	
تقديم وتركيب كراسي حديدية مخصصة للجلوس في الحديقة بوزن لا يقل			
عن 35كغ مع الدهان الزياتي العادي والتثبيت وكل ما يلزم وحسب رأي	5	م2	
الإشراف		-,	
تقديم وتركيب رخام مجلي وملمع مع الدمج وكل ما يلزم لزوم المطبخ			
	40	275	
بسماكة لاتقل عن 3 سم ، ويكون مقطوع ومجلي بصورة دقيقة ومستوي			

ون أي تحديب وزوايا قائمة ، ويشمل السعر ثمن الرخام مجلي وملمع مع نقل وثمن احضارات وإسمنت أسود وأبيض للتركيب والتكحيل ويتم فتيار نوع الرخام بالاتفاق مع الجهة المشرفة وتنفيذ كل ما يلزم حسب أي الإشراف. وتقدر كمية أعمال الرخام بالمتر المربع .	1		
نديم وتركيب مغسلة بورسلين عمود قياس (50×40سم) مع نصف سيفون ع الرف بورسلين 50سم والمراية وخلاط كروم وخرطوم بلاستيكي مع تثبيت وكل مايلزم وحسب رأي الإشراف .	2 م	77E	
لايم وتركيب بالوعه من الستانلس ستيل قياس 4 إنش مع الغطاء من كروم وكل مايلزم وحسب رأي الإشراف	1 10	م2	
نديم وتركيب سقف مستعار من البلاستيك : ألواح بولي كربونات بسماكة مم وزن المتر المربع الواحد 1.6كغ لزوم المدخل واللون يحدد من قبل إشراف	600		
Total Prices of Goods			
Add : Cost of Transportation			
Add : Cost of Insurance			
Add : Other Charges (pls. specify)			
Total Final and All-Inclusive Price Quotation			

TABLE 3 : Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our	Your Responses				
Quotation are as follows :	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal		
Delivery Lead Time					
Estimated weight/volume/dimension of the Consignment:					
Country/ies Of Origin:					
Warranty and After-Sales Requirements					
a) Minimum one (1) year warranty on both parts and labor					
Validity of Quotation					
All Provisions of the UNDP General Terms					
and Conditions					
The vendor bears complete responsibility					
over each damage to the workers.					

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person] [Designation] [Date] Annex 3

MODEL CONTRACT FOR WORKS

Dear	Sir/Madam,
Ref.:	/[INSERT PROJECT NUMBER AND TITLE]
	United Nations Development Programme (hereinafter referred to as "UNDP"), wishes to ge your company, duly incorporated under the Laws of [INSERT NAME OF
	COUNTRY] (hereinafter referred to as the "Contractor") in order to perform [INSERT SUMMARY DESCRIPTION OF THE WORKS] inafter referred to as the "Works"), in accordance with the following Contract:
1. <u>Cor</u>	ntract Documents
1.1	This Contract is subject to the UNDP General Conditions for Civil Works, [INSERT REVISION NUMBER AND DATE FROM THE CONTRACTS DOCUMENTS LIBRARY], attached hereto as Annex I. The provisions of such Annex shall control the interpretation of this Contract and in no way shall be deemed to have been derogated by the contents of this letter and any other Annexes, unless otherwise expressly stated under section 4 of this letter, entitled "Special Conditions".
1.2	The Contractor and UNDP also agree to be bound by the provisions contained in the following documents, which shall take precedence over one another in case of conflict in the following order: a) this letter;
	b) the Technical Specifications and Drawings [refdated], attached hereto as Annex II;
	c) the Contractor's Tender [IF THE CONTRACT IS ON THE BASIS OF
	UNIT PRICE, INSERT: including the Priced Bill of Quantities] [ref, dated], as clarified by the agreed minutes of the negotiation meeting ¹ [dated], not attached hereto but known to and in the possession of both parties.
1.3	All the above shall form the Contract between the Contractor and UNDP, superseding the contents of any other negotiations and/or agreements, whether oral or in writing, pertaining to the subject of this Contract.

 $^{^{1}}$ If there are updates to the technical proposal or correspondence exchanged in clarification of certain aspects, reference them

too, provided that they are acceptable to UNDP. Otherwise, aspects which resolution is pending should be dealt with in this letter itself or in the Technical Specifications/Drawings, as appropriate.

CONTR	ACTOR]	[IN	SERT NAM	1E AND ADDRESS OF TH	łE	
2.	Obligations of the Cont	ractor				
2.1	The Contractor shall co	mmence work	within	[INSERT NUMBE	ER OF DAYS] days	
	from the date on which he shall have been given access to the Site and received the notice to commence from the Engineer, and shall perform and substantially complete the Works by// [INSERT DATE], in accordance with the Contract. The Contractor shall provide all materials, supplies, labour and other services necessary to that end.					
2.2	The Contractor shall submit to the Engineer the Programme of Work referred to in Clause 13 of the General Conditions by// [INSERT DATE].					
2.3	The Contractor represents and warrants the accuracy of any information or data provided to UNDF for the purpose of entering into this Contract, as well as the quality of the Works foreseen under this Contract in accordance with the highest industrial and professional standards.					
		ОРТІС	ON 1 (FIXE	ED PRICE)		
3.	Price and Payment ²					
3.1	In full consideration of the complete and satisfactory performance of the Works under this Contract, UNDP shall pay the Contractor a fixed contract price of [INSERT CURRENCY & AMOUNT IN FIGURES AND WORDS].					
3.2	The price of this Contract is not subject to any adjustment or revision because of price or currency fluctuations or the actual costs incurred by the Contractor in the performance of the Contract.					
3.3	Invoices shall be submitted by the Contractor to the Engineer upon achievement of the corresponding milestones and for the following amounts:					he
	MILESTONE ³	<u>AMOUNT</u>		DATE		
	Upon signature of Contract	 -	//			

² This version of section 3 is to be used for fixed price contracts. Fixed price contracts should normally be used when it is possible to estimate with reasonable accuracy the costs of the activities which are the subject of the Contract.

			//				
	Upon substantial completion of Works		//				
	Upon final completion of Works		//				
		OPTION 2 (COST	REIMBURSEMENT)				
3.	Price and payment						
3.1			act is contained in the B _ [INSERT CURRENCY & A				;
3.2	materials utilized in t	he complete and t prices containe	determined on the basis I satisfactory performan d in the Contractor's fin on whatsoever.	ice of the Wo	orks as	certified	by the
3.3	contained in 3.1 above at its discretion, to in work/material or to reshall not be responsible.	e, he shall so infoce crease the estimeduce the quantible for payment of as been increase	al price of the Contract room the Engineer without ated price of the Contractity of work to be perfor f any amount in excess ced by means of a write.	it delay, in ord act as a result med or mate of that stipula	der for t of a la rials to ated in 3	UNDP to orger qua be used. 3.1 above	decide, antity of . UNDP e unless
3.4	The Contractor shall	submit an invoi	ce for			[INS	ERT
	signature of this Cont		ADVANCE PAYMENT IN ies, invoices for the wor		WORD OF	S] upon	OR
	MILESTONES] and a f Substantial Completion		n 30 days from the issuant.	ance of the C	ertificat	te of	
	OLLOWING CLAUSES AR PTION CHOSEN FOR AR		OPTIONS 1 & 2 AND MUS	T BE NUMBER	ED ACC	CORDING	то

3.@ UNDP shall effect payment of the invoices after receipt of the certificate of payment issued by the Engineer, approving the amount contained in the invoice. The Engineer may make corrections to that amount, in which case UNDP may effect payment for the amount so corrected. The Engineer may also withhold invoices if the work is not performed at any time ⁴ In the case of advance payments, the amount should not exceed 15%.

in accordance with the terms of the Contract or if the necessary insurance policies or performance security are not valid and/or in order. The Engineer shall process the invoices submitted by the Contractor within 15 days of their receipt.

- 3.@ Payments effected by UNDP to the Contractor shall be deemed neither to relieve the Contractor of its obligations under this Contract nor as acceptance by UNDP of the Contractor's performance of the Works.
- 3.@ Payment of the final invoice shall be effected by UNDP after issuance of the Certificate of Final Completion by the Engineer.

4. <u>Special conditions</u>⁵

- 4.1 The advance payment to be made upon signature of the contract by both parties is contingent upon receipt and acceptance by UNDP of a bank guarantee ⁶ for the full amount of the advance payment issued by a Bank and in a form acceptable to UNDP.⁷
- 4.2 The amounts of the payments referred to under section 3.6 above shall be subject to a deduction of [INSERT PERCENTAGE OF TOTAL

CONTRACT PRICE THAT THE ADVANCE REPRESENTS] % (... percent) of the amount accepted for payment until the cumulative amount of the deductions so effected shall equal the amount of the advance payment. 8 Should the cumulative amount of the deductions so made be lower than the amount of the advance payment after the date of substantial completion of the Works, UNDP may deduct the amount equal to the difference between the advance payment and the cumulative deductions from the payments due after substantial completion or may recover such amount from the bank guarantee referred to in 4.1 above.

4.3 The Performance [SELECT BOND/GUARANTEE] referred to in Clause 10 of the General Conditions shall be submitted by the Contractor for an amount of _____ [INSERT PERCENTAGE OF THE TOTAL]

ESTIMATED OR FIXED PRICE OF THE CONTRACT IN THE CASE OF A GUARANTEE AND 30% IN THE CASE OF A BOND]. $^9\,$

4.4 [THE USE OF THIS CLAUSE REQUIRES APPROVAL BY THE PROJECT DIRECTOR/UNDP PROGRAMME OFFICER] The Contractor may submit invoices for

⁵ Under this Section, the Programme Officer may propose special clauses in order to adapt the model contract to the specific situation. In this sample clause 4, several clauses of common use are given. If they are not required, they should be deleted.

⁶ If the legislation of the Country of the Contractor forbids the use of bank guarantees, a bond may be accepted.

 $^{^{7}}$ This clause must be used when an advance payment of \$50,000 or more is granted to the Consultant..

⁸ This clause must be used when an advance payment is granted (whatever the amount) in a cost reimbursement contract.

⁹ The reason for the distinction between a 10% bank guarantee and a 30% performance bond is that bank guarantees are generally unconditional and can be called directly without proof of nonperformance, whereas most performance bonds are conditional and require some proof of nonperformance. There are usually additional costs and time delays incurred with cashing a performance bond and so a higher percentage is requested to cover the extra work involved. Some banks outside of the U.S. may call certain guarantee instruments, "performance bonds or guarantees" although they may only be conditional guarantees. It is important to review the text of the instrument to determine whether it is a conditional or unconditional guarantee.

	materials and plant stored at the Site, provided they are necessary and adequate for the performance of the Works and they are protected from weather conditions and duly insured as per the instructions of the Engineer.			
4.5	The liability insurance referred to in Clause 23 of the General Conditions shall be taken out by the Contractor for an amount of[CONSULT THE ENGINEER FOR APPROPRIATE AMOUNT].			
4.6	According to Clause 45 of the General Conditions, the liquidated damages for delay shall be [INSERT PERCENTAGE] of the price of the Contract per week of delay, up to a maximum of 10% of the final price of the Contract.			
5.	Submission of invoices			
5.1	One original and one copy of every invoice shall be submitted by mail by the Contractor for each payment under the Contract to the Engineer's address specified in clause 8.2.			
5.2	Invoices submitted by fax shall not be accepted by UNDP.			
6.	Time and manner of payment			
6.1	Invoices shall be paid within thirty (30) days of the date of their receipt and acceptance by UNDP.			
6.2	All payments shall be made by UNDP to the following Bank account of the Contractor:			
	[NAME OF THE BANK]			
	[ACCOUNT NUMBER]			
	[ADDRESS OF THE BANK]			

7. Modifications

7.1 Any modification to this Contract shall require an amendment in writing between both parties duly signed by the authorized representatives of the Contractor and UNDP.

8. <u>Notifications</u>

8.1 For the purpose of notifications under the Contract, the addresses of UNDP and the Contractor are as follows:

For the UNDP:

	[INSERT NAME OF RR OR DIVISION
CHIEF	
Chief	
Unite	d Nations Development Programme
Ref	/[INSERT CONTRACT REFERENCE & NUMBER]
Telex:	<u></u>
Fax:	
Cable	: <u> </u>
For th	ne Contractor:
	t Name, Address and Telex, Fax able Numbers]
8.2	For the purposes of communications with the Engineer, the address of the Engineer shall be as follows:
[Inser	t Name, Address and Telex,
Fax ar	nd Cable Numbers of the Engineer]
	OR
8.2	UNDP shall communicate as soon as possible to the Contractor after the signature of the Contract

the address of the Engineer for the purposes of communication with the Engineer under the Contract.

If the above terms and conditions meet with your agreement as typed in this letter and in the Contract Documents, please initial every page of this letter and its attachments and return to this office one original of this Contract, duly signed and dated.

Yours sincerely,

[INSERT NAME OF RR or Bureau/Division Director]

For [Insert name of the company/organization]				
Agreed and Accepted:				
Signature				
Name				
Title				
Date				

Section 12: General Condition ns of Contract for Civil Works

- 1. Definitions
- 2. Singular and Plural
- 3. Headings or Notes
- 4. Legal Relationships
- 5. General Duties/Powers of Engineer
- 6. Contractor's General Obligations/Responsibilities
- 7. Assignment and Subcontracting
- 8. Drawings
- 9. Work Book
- 10. Performance Security
- 11. Inspection of Site
- 12. Sufficiency of Tender
- 13. Programme of Work to be Furnished
- 14. Weekly Site Meeting
- 15. Change Orders
- 16. Contractor's Superintendence
- 17. Contractor's Employees
- 18. Setting-Out
- 19. Watching and Lighting
- 20. Care of Works
- 21. Insurance of Works, Etc.
- 22. Damage to Persons and Property
- 23. Liability Insurance
- 24. Accident or Injury to Workmen
- 25. Remedy on Contractor's Failure to Insure
- 26. Compliance with Statutes, Regulations, Etc.
- 27. Fossils, Etc.
- 28. Copyright, Patents and Other Proprietary Rights, and Royalties
- 29. Interference With Traffic and Adjoining Properties
- 30. Extraordinary Traffic and Special Loads
- 31. Opportunities for Other Contractors
- 32. Contractor to Keep Site Clean
- 33. Clearance of Site on Substantial Completion
- 34. Labour
- 35. Returns of Labour, Plant, Etc.
- 36. Materials, Workmanship and Testing
- 37. Access to Site
- 38. Examination of Work Before Covering Up
- 39. Removal of Improper Work and Materials
- 40. Suspension of Work
- 41. Possession of Site
- 42. Time for Completion
- 43. Extension of Time for Completion

- 44. Rate of Progress
- 45. Liquidated Damages for Delay
- 46. Certificate of Substantial Completion
- 47. Defects Liability
- 48. Alterations, Additions and Omissions
- 49. Plant, Temporary Works and Materials
- 50. Approval of Materials, Etc., Not Implied
- 51. Measurement of Works
- 52. Liability of the Parties
- 53. Authorities
- 54. Urgent Repairs
- 55. Increase and Decrease of Costs
- 56. Taxation
- 57. Blasting
- 58. Machinery
- 59. Temporary Works and Reinstatement
- 60. Photographs and Advertising
- 61. Prevention of Corruption
- 62. Date Falling on Holiday
- 63. Notices
- 64. Language, Weights and Measures
- 65. Records, Accounts, Information and Audit
- 66. Force Majeure
- 67. Suspension by the UNDP
- 68. Termination by the UNDP
- 69. Termination by the Contractor
- 70. Rights and Remedies of the UNDP
- 71. Settlement of Disputes
- 72. Privileges and Immunities

1. **DEFINITIONS**

For the purpose of the Contract Documents the words and expressions below shall have the following meanings:

- a) "Employer" means the United Nations Development Programme (UNDP).
- b) "Contractor" means the person whose tender has been accepted and with whom the Contract has been entered into.
- c) "Engineer" means the person whose services have been engaged by UNDP to administer the Contract as provided therein, as will be notified in writing to the Contractor.
- d) "Contract" means the written agreement between the Employer and the Contractor, to which these General Conditions are annexed.

- e) "The Works" means the works to be executed and completed under the Contract.
- f) "Temporary Works" shall include items to be constructed which are not intended to be permanent and form part of the Works.
- g) "Drawings" and "Specifications" mean the Drawings and Specifications referred to in the Contract and any modification thereof or addition thereto furnished by the Engineer or submitted by the Contractor and approved in writing by the Engineer in accordance with the Contract.
- h) "Bill of Quantities" is the document in which the Contractor indicates the cost of the Works, on the basis of the foreseen quantities of items of work and the fixed unit prices applicable to them.
- i) "Contract Price" means the sum agreed in the Contract as payable to the Contractor for the execution and completion of the Works and for remedying of any defects therein in accordance with the Contract.
- j) "Site" means the land and other places on, under, in or through which the Works or Temporary Works are to be constructed.

2. SINGULAR AND PLURAL

Words importing persons or parties shall include firms or companies and words importing the singular only shall also include the plural and vice versa where the context requires.

3. HEADINGS OR NOTES

The headings or notes in the Contract Documents shall not be deemed to be part thereof or be taken into consideration in their interpretation.

4. LEGAL RELATIONSHIPS

The Contractor and the sub-contractor(s), if any, shall have the status of an independent contractor vis-à-vis the Employer. The Contract Documents shall not be construed to create any contractual relationship of any kind between the Engineer and the Contractor, but the Engineer shall, in the exercise of his duties and powers under the Contract, be entitled to performance by the Contractor of its obligations, and to enforcement thereof. Nothing contained in the Contract Documents shall create any contractual relationship between the Employer or the Engineer and any subcontractor(s) of the Contractor.

5. GENERAL DUTIES/POWERS OF ENGINEER

a) The Engineer shall provide administration of Contract as provided in the Contract Documents. In particular, he shall perform the functions hereinafter described.

- b) The Engineer shall be the Employer's representative vis-à-vis the Contractor during construction and until final payment is due. The Engineer shall advise and consult with the Employer. The Employer's instructions to the Contractor shall be forwarded through the Engineer. The Engineer shall have authority to act on behalf of the Employer only to the extent provided in the Contract Documents as they may be amended in writing in accordance with the Contract. The duties, responsibilities and limitations of authority of the Engineer as the Employer's representative during construction as set forth in the Contract shall not be modified or extended without the written consent of the Employer, the Contractor and the Engineer.
- c) The Engineer shall visit the Site at intervals appropriate to the stage of construction to familiarize himself generally with the progress and quality of the Works and to determine in general if the Works are proceeding in accordance with the Contract Documents. On the basis of his on-site observations as an Engineer, he shall keep the Employer informed of the progress of the Works.
- d) The Engineer shall not be responsible for and will not have control or charge of construction means, methods, techniques, sequences or procedures, or for safety precautions and programs in connection with the Works or the Temporary Works. The Engineer shall not be responsible for or have control or charge over the acts or omissions of the Contractor (including the Contractor's failure to carry out the Works in accordance with the Contract) and of Sub-contractors or any of their agents or employees, or any other persons performing services for the Works, except if such acts or omissions are caused by the Engineer's failure to perform his functions in accordance with the contract between the Employer and the Engineer.
- e) The Engineer shall at all times have access to the Works wherever and whether in preparation or progress. The Contractor shall provide facilities for such access so that the Engineer may perform his functions under the Contract.
- f) Based on the Engineer's observations and an evaluation of the documentation submitted by the Contractor together with the invoices, the Engineer shall determine the amounts owed to the Contractor and shall issue Certificates for Payment as appropriate.
- g) The Engineer shall review and approve or take other appropriate action upon the Contractor's submittals such as Shop Drawings, Product Data and Samples, but only for conformity with the design concept of the Works and with the provisions of the Contract Documents. Such action shall be taken with reasonable promptness so as to cause no delay. The Engineer's approval of a specific item shall not indicate approval of an assembly of which the item is a component.
- h) The Engineer shall interpret the requirements of the Contract Documents and judge the performance thereunder by the Contractor. All interpretations and orders of the Engineer shall be consistent with the intent of and reasonably inferable from the Contract Documents and shall be in writing or in the form of drawings. Either party may make a written request

to the Engineer for such interpretation. The Engineer shall render the interpretation necessary for the proper execution of the Works with reasonable promptness and in accordance with any time limit agreed upon. Any claim or dispute arising from the interpretation of the Contract Documents by the Engineer or relating to the execution or progress of the Works shall be settled as provided in Clause 71 of these General Conditions.

- i) Except as otherwise provided in the Contract, the Engineer shall have no authority to relieve the Contractor of any of his obligations under the Contract nor to order any work involving delay in completion of the Works or any extra payment to the Contractor by the Employer, or to make any variations to the Works.
- j) In the event of termination of the employment of the Engineer, the Employer shall appoint another suitable professional to perform the Engineer's duties.
- k) The Engineer shall have authority to reject work which does not conform to the Contract Documents. Whenever, in his opinion, he considers it necessary or advisable for the implementation of the intent of the Contract Documents, he will have authority to require special inspection or testing of the work whether or not such work be then fabricated, installed or completed. However, neither the Engineer's authority to act nor any reasonable decision made by him in good faith either to exercise or not to exercise such authority shall give rise to any duty or responsibility of the Engineer to the Contractor, any subcontractor, any of their agents or employees, or any other person performing services for the Works.
- The Engineer shall conduct inspections to determine the dates of Substantial Completion and Final Completion, shall receive and forward to the Employer for the Employer's review written warranties and related documents required by the Contract and assembled by the Contractor, and shall issue a final Certificate for Payment upon compliance with the requirements of Clause 47 hereof and in accordance with the Contract.
- m) If the Employer and Engineer so agree, the Engineer shall provide one or more Engineer's Representative(s) to assist the Engineer in carrying out his responsibilities at the site. The Engineer shall notify in writing to the Contractor and the Employer the duties, responsibilities and limitations of authority of any such Engineer's Representative(s).

6. CONTRACTOR'S GENERAL OBLIGATIONS/RESPONSIBILITIES

6.1.Obligation to Perform in Accordance with Contract

The Contractor shall execute and complete the Works and remedy any defects therein in strict accordance with the Contract, with due care and diligence and to the satisfaction of the Engineer, and shall provide all labor, including the supervision thereof, materials, Constructional Plant and all other things, whether of a temporary or permanent nature, required in and for such execution, completion and remedying of defects, as far as the necessity for providing the same is specified in or is reasonably to be inferred from the Contract. The Contractor shall comply with and adhere strictly to the Engineer's instructions and directions on any matter, touching or concerning the Works.

6.2 Responsibility for Site Operations

The Contractor shall take full responsibility for the adequacy, stability and safety of all site operations and methods of construction, provided that the Contractor shall not be responsible, except as may be expressly provided in the Contract, for the design or specification of the Permanent Works or of any Temporary Works prepared by the Engineer.

6.3.Responsibility for Employees

The Contractor shall be responsible for the professional and technical competence of his employees and will select for work under this Contract, reliable individuals who will perform effectively in the implementation of the Contract, respect local customs and conform to a high standard of moral and ethical conduct.

6.4. Source of Instructions

The Contractor shall neither seek nor accept instructions from any authority external to the Employer, the Engineer or their authorized representatives in connection with the performance of his services under this Contract. The Contractor shall refrain from any action which may adversely affect the Employer and shall fulfill his commitments with fullest regard for the interest of the Employer.

6.5.Officials Not to Benefit

The Contractor warrants that no official of the Employer has been or shall be admitted by the Contractor to any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of the Contract.

6.6.Use of Name, Emblem or Official Seal of UNDP or the United Nations

The Contractor shall not advertise or otherwise make public the fact that he is performing, or has performed services for the Employer or use the name, emblem or official seal of the Employer or the United Nations or any abbreviation of the name of the Employer or the United Nations for advertising purposes or any other purposes.

6.7.Confidential Nature of Documents

All maps, drawings, photographs, mosaics, plans, reports, recommendations, estimates, documents and all other data compiled by or received by the Contractor under the Contract shall be the property of the Employer, shall be treated as confidential and shall be delivered only to the duly authorized representative of the Employer on completion of the Works; their contents shall not be made known by the Contractor to any person other than the personnel of

the Contractor performing services under this Contract without the prior written consent of the Employer.

7. ASSIGNMENT AND SUBCONTRACTING

7.1. Assignment of Contract

The Contractor shall not, except after obtaining the prior written approval of the Employer, assign, transfer, pledge or make other disposition of the Contract or any part thereof or of any of the Contractor's rights, claims or obligations under the Contract.

7.2. Subcontracting

In the event the Contractor requires the services of subcontractors, the Contractor shall obtain the prior written approval of the Employer for all such subcontractors. The approval of the Employer shall not relieve the Contractor of any of his obligations under the Contract, and the terms of any subcontract shall be subject to and be in conformity with the provisions of the Contract.

7.3. Assignment of Subcontractor's Obligations

In the event of a subcontractor having undertaken towards the Contractor in respect of the work executed or the goods, materials, Plant or services supplied by such subcontractor for the Works, any continuing obligation extending for a period exceeding that of the Defects Liability Period under the Contract, the Contractor

shall at any time after the expiration of such Period, assign to the Employer, at the Employer's request and cost, the benefit of such obligation for the unexpired duration thereof.

8. DRAWINGS

8.1. Custody of drawings

The drawings shall remain in the sole custody of the Employer but two (2) copies thereof shall be furnished to the Contractor free of cost. The Contractor shall provide and make at his own expense any further copies required by him. At the completion of the Works, the Contractor shall return to the Employer all drawings provided under the Contract.

8.2. One copy of Drawings to be kept on Site

One copy of the Drawings furnished to the Contractor as aforesaid shall be kept by the Contractor on the Site and the same shall at all reasonable times be available for inspection and use by the Engineer and by any other person authorized in writing by the Engineer.

8.3. Disruption of Progress

The Contractor shall give written notice to the Engineer whenever planning or progress of the

Works is likely to be delayed or disrupted unless any further drawing or order, including a direction, instruction or approval, is issued by the Engineer within a reasonable time. The notice shall include details of drawing or order required and of why and by when it is required and of any delay or disruption likely to be suffered if it is late.

9. WORK BOOK

The Contractor shall maintain a Work Book at the Site with numbered pages, in one original and two copies. The Engineer shall have full authority to issue new orders, drawings and instructions to the Contractor, from time to time and as required for the correct execution of the Works. The Contractor shall be bound to follow such orders, drawings and instructions.

Every order shall be dated and signed by the Engineer and the Contractor, in order to account for its receipt.

Should the Contractor want to refuse an order in the Work Book, he shall so inform the Employer, through the Engineer, by means of an annotation in the Work Book made within three (3) days from the date of the order that the Contractor intends to refuse. Failure by the Contractor to adhere to this procedure shall result in the order being deemed accepted with no further possibility of refusal.

The original of the Work Book shall be delivered to the Employer at the time of Final Acceptance of the Works. A copy shall be kept by the Engineer and another copy by the Contractor.

10. PERFORMANCE SECURITY

- a) As guarantee for his proper and efficient performance of the Contract, the Contractor shall on signature of the Contract furnish the Employer with a Performance Security issued for the benefit of the Employer. The amount and character of such security (bond or guarantee) shall be as indicated in the Contract.
- b) The Performance Bond or Bank Guarantee must be issued by an acceptable insurance company or accredited bank, in the format included in Appendix I to these General Conditions, and must be valid up to twenty-eight days after issuance by the Engineer of the Certificate of Final Completion. The Performance Bond or Bank Guarantee shall be returned to the Contractor within twenty-eight days after the issuance by the Engineer of the Certificate of Final Completion, provided that the Contractor shall have paid all money owed to the Employer under the Contract.
- c) If the surety of the Performance Bond or Bank Guarantee is declared bankrupt or becomes insolvent or its right to do business in the country of execution of the Works is terminated, the Contractor shall within five (5) days thereafter substitute another bond or guarantee and surety, both of which must be acceptable to the Employer.

11. INSPECTION OF SITE

The Contractor shall be deemed to have inspected and examined the site and its surroundings and to have satisfied himself before submitting his Tender and signing the Contract as to all matters relative to the nature of the land and subsoil, the form and nature of the Site, details and levels of existing pipe lines, conduits, sewers, drains, cables or other existing services, the quantities and nature of the work and materials necessary for the completion of the Works, the means of access to the Site, and the accommodation he may require, and in general to have himself obtained all necessary information as to risk contingencies, climatic, hydrological and natural conditions and other circumstances which may influence or affect his Tender, and no claims will be entertained in this connection against the Employer.

12. SUFFICIENCY OF TENDER

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his Tender for the construction of the Works and of the rates and prices, which rates and prices shall, except in so far as it is otherwise provided in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper execution and completion of the Works.

13. PROGRAMME OF WORK TO BE FURNISHED

Within the time limit specified in the Contract, the Contractor shall submit to the Engineer for his consent a detailed Programme of Work showing the order of procedure and the method in which he proposes to carry out the Works. In preparing his Programme of Work the Contractor shall pay due regard to the priority required by certain works. Should the Engineer, during the progress of work, require further modifications to the Programme of Work, the Contractor shall review the said program. The Contractor shall also whenever required by the Engineer submit particulars in writing of the Contractor's arrangements for carrying out the Works and of the Constructional Plant and Temporary Works which the Contractor intends to supply, use or construct as the case may be. The submission of such program, or any modifications thereto, or the particulars required by the Engineer, shall not relieve the Contractor of any of his duties or obligations under the Contract nor shall the incorporation of any modification to the Programme of Work either at the commencement of the contract or during its course entitle the Contractor to any additional payments in consequence thereof.

14. WEEKLY SITE MEETING

A weekly site meeting shall be held between the UNDP Project Coordinator or engineer, if any, the representative of the Contractor and the Engineer or the Engineer's Representative, in order to verify that the Works are progressing normally and are executed in accordance with the Contract.

15. CHANGE ORDERS

- a) The Engineer may instruct the Contractor, with the approval of the Employer and by means of Change Orders, all variations in quantity or quality of the Works, in whole or in part, that are deemed necessary by the Engineer.
- b) Processing of change orders shall be governed by clause 48 of these General Conditions.

16. CONTRACTOR'S SUPERINTENDENCE

The Contractor shall provide all necessary superintendence during the execution of the Works and as long thereafter as the Engineer may consider necessary for the proper fulfillment of the Contractor's obligations under the Contract. The Contractor or a competent and authorized agent or representative of the Contractor approved in writing by the Engineer, which approval may at any time be withdrawn, shall be constantly on the site and shall devote his entire time to the superintendence of the Works. Such authorized agent or representative shall receive on behalf of the Contractor directions and instructions from the Engineer. If the approval of such agent or representative shall be withdrawn by the Engineer, as provided in Clause 17(2) hereinafter, or if the removal of such agent or representative shall be requested by the Employer under Clause 17(3) hereinafter, the Contractor shall as soon as it is practicable after receiving notice of such withdrawal remove the agent or representative from the Site, and replace him by another agent or representative approved by the Engineer. Notwithstanding the provision of Clause 17(2) hereinafter, the Contractor shall not thereafter employ, in any capacity whatsoever, a removed agent or representative again on the Site.

17. CONTRACTOR'S EMPLOYEES

- a) The Contractor shall provide and employ on the Site in connection with the execution and completion of the Works and the remedying of any defects therein:
- i. Only such technical assistants as are skilled and experienced in their respective callings and such sub-agent foremen and leading hands as are competent to give proper supervision to the work they are required to supervise, and
- ii. Such skilled, semi-skilled, and unskilled labour as is necessary for the proper and timely execution and completion of the Works.
- b) The Engineer shall be at liberty to object to and require the Contractor to remove forthwith from the Works any person employed by the Contractor in or about the execution or completion of the Works, who in the opinion of the Engineer is misconducting himself, or is incompetent or negligent in the proper performance of his duties, or whose employment is otherwise considered reasonably by the Engineer to be undesirable, and such person shall not be again employed on the Site without the written permission of the Engineer. Any person so removed from the Works shall be replaced as soon as reasonably possible by a competent
 - substitute approved by the Engineer.
- c) Upon written request by the Employer, the Contractor shall withdraw or replace from the Site any agent, representative or other personnel who does not conform to the standards set forth

in paragraph (1) of this Clause. Such request for withdrawal or replacement shall not be considered as termination in part or in whole of this Contract. All costs and additional expenses resulting from any withdrawal or replacement for whatever reason of any of the Contractor's personnel shall be at the Contractor's expense.

18. SETTING-OUT

The Contractor shall be responsible for the true and proper setting out of the Works in relation to original points, lines and levels of reference given by the Engineer in writing and for the correctness of the position, levels, dimensions and alignment of all parts of the Works and for the provision of all necessary instruments, appliances and labor in connection therewith. If, at any time during the progress of the Works, any error shall appear or arise in the position, levels, dimensions or alignment of any part of the Works, the Contractor, on being required so to do by the Engineer, shall, at his own cost, rectify such error to the satisfaction of the Engineer.

19. WATCHING AND LIGHTING

The Contractor shall in connection with the Works provide and maintain at his own cost all lights, guards, fencing and watching when and where necessary or required by the Engineer or by any duly constituted authority for the protection of the Works and the materials and equipment utilized therefor or for the safety and convenience of the public or others.

20. CARE OF WORKS

- a) From the commencement date of the Works to the date of substantial completion as stated in the Certificate of Substantial Completion, the Contractor shall take full responsibility for the care thereof and of all Temporary Works. In the event that any damage or loss should happen to the Works or to any part thereof or to any Temporary Works from any cause whatsoever (save and except as shall be due to <u>Force Majeure</u> as defined in Clause 66 of these General Conditions), the Contractor shall at his own cost repair and make good the same so that, at completion, the Works shall be in good order and condition and in conformity in every respect with the requirements of the Contract and the Engineer's instructions. The Contractor shall also be liable for any damage to the Works occasioned by him in the course of any operations carried out by him for the purpose of complying with his obligations Clause 47 hereof.
- b) The Contractor shall be fully responsible for the review of the Engineering design and details of the Works and shall inform the Employer of any mistakes or incorrectness in such design and details which would affect the Works.

21. INSURANCE OF WORKS, ETC.

Without limiting his obligations and responsibilities under Clause 20 hereof, the Contractor shall insure immediately following signature of this Contract, in the joint names of the Employer and the Contractor (a) for the period stipulated in Clause 20(1) hereof, against all

loss or damage from whatever cause arising, other than cause of Force majeure as defined in clause 66 of these General Conditions, and (b) against loss or damage for which the Contractor is responsible, in such manner that the Employer and the Contractor are covered for the period stipulated in Clause 20 (1) hereof and are also covered during the Defects Liability Period for loss or damage arising from a cause occurring prior to the commencement of the Defects Liability Period and for any loss or damage occasioned by the Contractor in the course of any operations carried out by him for the purpose of complying with his obligations under Clause 47 hereof:

- a) The Works, together with the materials and Plant for incorporation therein, to their full replacement cost, plus an additional sum of ten (10) per cent of such replacement cost, to cover any additional costs of and incidental to the rectification of loss or damage including professional fees and the cost of demolishing and removing any part of the Works and of removing debris of whatsoever nature;
- b) The Contractor's equipment and other things brought on to the Site by the Contractor to the replacement value of such equipment and other things;
- c) An insurance to cover the liabilities and warranties of Section 52(4);

Such insurance shall be effected with an insurer and in terms approved by the Employer, which approval shall not be unreasonably withheld, and the Contractor shall, whenever required, produce to the Engineer the policy or policies of insurance and the receipts for payment of the current premiums.

22. DAMAGE TO PERSONS AND PROPERTY

The Contractor shall (except if and so far as the Contract provides otherwise) indemnify, hold and save harmless and defend at his own expense the Employer, its officers, agents, employees and servants from and against all suits, claims, demands, proceedings, and liability of any nature or kind, including costs and expenses, for injuries or damages to any person or any property whatsoever which may arise out of or in consequence of acts or omissions of the Contractor or its agents, employees, servants or subcontractors in the execution of the Contract. The provision of this Clause shall extend to suits, claims, demands, proceedings and liability in the nature of workmen's compensation claims and

arising out of the use of patented inventions and devices. Provided always that nothing herein contained shall be deemed to render the Contractor liable for or in respect of or with respect to:

- a) The permanent use or occupation of land by the Works or any part thereof;
- b) The right of the Employer to construct the Works or any part thereof on, over, under, or through any land.

- c) Interference whether temporary or permanent with any right of light, airway or water or other easement or quasi-easement which is the unavoidable result of the construction of the Works in accordance with the Contract.
- d) Death, injuries or damage to persons or property resulting from any act or neglect of the Employer, his agents, servants or other contractors, done or committed during the validity of the Contract.

23. LIABILITY INSURANCE

23.1. Obligation to take out Liability Insurance

Before commencing the execution of the Works, but without limiting his obligations and responsibility under Clause 20 hereof, the Contractor shall insure against his liability for any death, material or physical damage, loss or injury which may occur to any property, including that of the Employer or to any person, including any employee of the Employer by or arising out of the execution of the Works or in the carrying out of the Contract, other than due to the matters referred to in the proviso to Clause 22 hereof.

23.2. Minimum Amount of Liability Insurance

Such insurance shall be effected with an insurer and in terms approved by the Employer, which approval shall not be unreasonably withheld, and for at least the amount specified in the contract. The Contractor shall, whenever required by the Employer or the Engineer, produce to the Engineer the policy or policies of insurance and the receipts for payment of the current premiums.

23.3. Provision to Indemnify Employer

The insurance policy shall include a provision whereby, in the event of any claim in respect of which the Contractor would be entitled to receive indemnity under the policy, being brought or made against the Employer, the insurer shall indemnify the Employer against such claims and any costs, charges and expenses in respect thereof.

24. ACCIDENT OR INJURY TO WORKMEN

- a) The Employer shall not be liable for or in respect of any damages or compensation payable at law in respect or in consequence of any accident or injury to any workman or other person in the employment of the Contractor or any sub-Contractor, save and except an accident or injury resulting from any act or default of the Employer, his agents or servants. The Contractor shall indemnify, hold and save harmless the Employer against all such damages and compensation, save and except as aforesaid, and against all claims, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.
- b) Insurance Against Accident, etc., to Workmen

The Contractor shall insure against such liability with an insurer approved by the Employer, which approval shall not be unreasonably withheld, and shall continue such insurance during the whole of the time that any persons are employed by him for the Works and shall, when required, produce to the Engineer such policy of insurance and the receipt for payment of the current premium. Provided always that, in respect of any persons employed by any subcontractor, the Contractor's obligation to insure as aforesaid under this sub-clause shall be satisfied if the subcontractor shall have insured against the liability in respect of such persons in such manner that the Employer is indemnified under the policy but the Contractor shall require such subcontractor to produce to the Engineer when required such policy of insurance and the receipt for the current premium, and obtain the insertion of a provision to that effect

in its contract with the subcontractor.

25. REMEDY ON CONTRACTOR'S FAILURE TO INSURE

If the Contractor shall fail to effect and keep in force any of the insurances referred to in Clauses 21, 23 and 24 hereof, or any other insurance which he may be required to effect under the terms of the Contract, the Employer may in any such case effect and keep in force any such insurance and pay such premium as may be necessary for that purpose and from time to time deduct the amount so paid by the Employer as aforesaid from any monies due or which may become due to the Contractor, or recover the same as a debt due from the Contractor.

26. COMPLIANCE WITH STATUTES, REGULATIONS, ETC.

- a) The Contractor shall give all notices and pay all fees and charges required to be given or paid by any national or State Statutes, Ordinances, Laws, Regulations or By-laws, or any local or other duly constituted authority in relation to the execution of the Works or of any Temporary Works and by the Rules and Regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the Works or any Temporary Works.
- b) The Contractor shall conform in all respects with any such Statutes, Ordinances, Laws, Regulations, By-laws or requirements of any such local or other authority which may be applicable to the Works and shall keep the Employer indemnified against all penalties and liabilities of every kind for breach of any such Statutes, Ordinances, Laws, Regulations, By- laws or requirements.

27. FOSSILS, ETC.

All fossils, coins, articles of value or antiquity and structures and other remains or things of geological or archaeological interest discovered on the Site of the Works shall as between the Employer and the Contractor be deemed to be the absolute property of the Employer and the Contractor shall take reasonable precautions to

prevent his workmen or any other persons from removing or damaging any such article or thing and shall immediately upon discovery thereof and before removal acquaint the Employer of such discovery and carry out at the expense of the Employer the Engineer's

orders as to the disposal of the same.

28. COPYRIGHT, PATENT AND OTHER PROPRIETARY RIGHTS, AND ROYALTIES

- a) The Contractor shall hold harmless and fully indemnify the Employer from and against all claims and proceedings for or on account of infringement of any patent rights, design trademark or name or other protected rights in respect of any Plant, equipment, machine, work or material used for or in connection with the Works or Temporary Works and from and against all claims, demands proceedings, damages, costs, charges and expenses whatsoever in respect thereof or in relation thereto, except where such infringement results from compliance with the design or Specification provided by the Engineer.
- b) Except where otherwise specified, the Contractor shall pay all tonnage and other royalties, rent and other payments or compensation, if any, for getting stone, sand, gravel, clay or other materials required for the Works or Temporary Works.

29. INTERFERENCE WITH TRAFFIC AND ADJOINING PROPERTIES

All operations necessary for the execution of the Works and for the Construction of any Temporary Works shall, so far as compliance with the requirements of the Contract permits, be carried on so as not to interfere unnecessarily or improperly with the public convenience, or the access to, use and occupation of, public or private roads and footpaths to or of properties whether in the possession of the Employer or of any other person. The Contractor shall hold harmless and indemnify the Employer in respect of all claims, demands, proceedings, damages, costs, charges and expenses whatsoever arising out of or in relation to any such matters in so far as the Contractor is responsible therefor.

30. EXTRAORDINARY TRAFFIC AND SPECIAL LOADS

- a) The Contractor shall use every reasonable means to prevent any of the roads or bridges communicating with or on the routes to the Site from being damaged by any traffic of the Contractor or any of his sub-contractors and, in particular, shall select routes, choose and use vehicles and restrict and distribute loads so that any such extraordinary traffic as will inevitably arise from the moving of plant and material from and to the Site shall be limited as far as reasonably possible and so that no unnecessary damage may be occasioned to such roads and bridges.
- b) Should it be found necessary for the Contractor to move any load of Constructional Plant, machinery, preconstructed units or parts of units of work, or other thing, over part of a road or bridge, the moving whereof is likely to damage any such road or bridge unless special protection or strengthening is carried out, then the Contractor shall before moving the load on to such road or bridge, save insofar as the Contract otherwise provide, be responsible for and shall pay for the cost of strengthening any such bridge or altering or improving any such road to avoid such damage, and the Contractor shall indemnify and keep the Employer indemnified against all claims for damage to any such road or bridge caused by such

movement, including such claim as may be made directly against the Employer, and shall negotiate and pay all claims arising solely out of such damage.

31. OPPORTUNITIES FOR OTHER CONTRACTORS

The Contractor shall in accordance with the requirements of the Engineer afford all reasonable opportunities for carrying out their work to any other contractors employed by the Employer and their workmen and to the workmen of the Employer and of any other duly constituted authorities who may be employed in the execution on or near the Site of any work not included in the Contract or of any contract which the Employer may enter into in connection with or ancillary to the Works. If work by other contractors of the Employer as above-mentioned involves the Contractor in any direct expenses as a result of using his Site facilities, the Employer shall consider payment to the Contractor of such sum or sums as may be recommended by the Engineer.

32. CONTRACTOR TO KEEP SITE CLEAN

During the progress of the Works, the Contractor shall keep the Site reasonably free from all unnecessary obstruction and shall store or dispose of any Constructional Plant and surplus materials and clear away and remove from the Site any wreckage, rubbish or Temporary Works no longer required.

33. CLEARANCE OF SITE ON SUBSTANTIAL COMPLETION

On the substantial completion of the Works, the Contractor shall clear away and remove from the Site all Constructional Plant surplus materials, rubbish and Temporary Works of every kind and leave the whole of the Site and Works clean and in a workmanlike condition to the satisfaction of the Engineer.

34. LABOUR

34.1 Engagement of Labour

The Contractor shall make his own arrangements for the engagement of all labour local or otherwise.

34.2 Supply of Water

The Contractor shall provide on the Site to the satisfaction of the Engineer an adequate supply of drinking and other water for the use of the Contractor's staff and work people.

34.3 Alcoholic Drinks or Drugs

The Contractor shall comply with Government laws and regulations and orders in force as

regards the import, sale, barter or disposal of alcoholic drinks or narcotics and he shall not allow or facilitate such importation, sale, gift, barter or disposal by his sub-contractors, agents or employees.

34.4 Arms and Ammunition

The restrictions specified in clause 34.3 above shall include all kinds of arms and ammunition.

34.5 Holiday and Religious Customs

The Contractor shall in all dealings with labour in his employ have due regard to all holiday, recognized festivals and religious or other customs.

34.6 Epidemics

In the event of any outbreak of illness of an epidemic nature the Contractor shall comply with and carry out such regulations, orders, and requirements as may be made by the Government or the local medical or sanitary authorities for the purpose of dealing with and overcoming the same.

34.7 Disorderly Conduct, etc.

The Contractor shall at all times take all reasonable precautions to prevent any unlawful riotous or disorderly conduct by or amongst his employees and for the preservation of peace and the protection of persons and property in the neighborhood of the Works against the same.

34.8 Observance by Sub-Contractors

The Contractor shall be considered responsible for the observance of the above provisions by his Sub-Contractors.

34.9 Legislation applicable to Labour

The Contractor shall abide by all applicable legislation and regulation with regard to labour.

35 RETURNS OF LABOUR, PLANT, ETC.

The Contractor shall, if required by the Engineer, deliver to the Engineer at his office, a return in detail in the form and at such intervals as the Engineer may prescribe showing the supervisory staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such information respecting Constructional plant

as the Engineer may require.

36 MATERIALS, WORKMANSHIP AND TESTING

36.1 Materials and Workmanship

- a) All materials and workmanship shall be of the respective kinds described in the Contract and in accordance with the Engineer's instructions and shall be subjected from time to time to such tests as the Engineer may direct at the place of manufacture or fabrication, or on the Site or at all or any of such places. The Contractor shall provide such assistance, instruments, machines, labour and materials as are normally required for examining, measuring and testing any work and the quality, weight or quantity of any materials used and shall supply samples of materials before incorporation in the Works for testing as may be selected and required by the Engineer. All testing equipment and instruments provided by the Contractor shall be used only by the Engineer or by the Contractor in accordance with the instructions of the Engineer.
- b) No material not conforming with the Specifications in the Contract may be used for the Works without prior written approval of the Employer and instruction of the Engineer, provided always that if the use of such material results or may result in increasing the Contract Price, the procedure in Clause 48 shall apply.

36.2 Cost of Samples

All samples shall be supplied by the Contractor at his own cost unless the supply thereof is clearly intended in the Specifications or Bill of Quantities to be at the cost of the Employer. Payment will not be made for samples which do not comply with the Specifications.

36.3 Cost of Tests

The Contractor shall bear the costs of any of the following tests:

- a) Those clearly intended by or provided for in the Contract Documents.
- b) Those involving load testing or tests to ensure that the design of the whole of the Works or any part of the Works is appropriate for the purpose which it was intended to fulfill.

37 ACCESSTO SITE

The Employer and the Engineer and any persons authorized by either of them shall, at all times, have access to the Works and to the Site and to all workshops and places where work is being prepared or whence materials, manufactured articles or machinery are being obtained for the Works and the Contractor shall afford every facility for and every assistance in or in obtaining the right to such access.

38 EXAMINATION OFWORK BEFORE COVERING UP

No work shall be covered up or put out of view without the approval of the Engineer and the Contractor shall afford full opportunity for the Engineer to examine and measure any work which is about to be covered up or put out of view and to examine foundations before permanent work is placed thereon. The Contractor shall give due notice to the Engineer whenever any such work or foundations is or are ready or about to be ready for examination and the Engineer shall without unreasonable delay unless he considers it unnecessary and advises the Contractor accordingly attend for the purpose of examining and measuring such work or of examining such foundations.

39 REMOVAL OF IMPROPER WORK AND MATERIALS

39.1 Engineer's power to order removal

The Engineer shall during the progress of the Works have power to order in writing from time to time, and the Contractor shall execute at his cost and expense, the following operations:

- a) The removal from the Site within such time or times as may be specified in the order of any materials which in the opinion of the Engineer are not in accordance with the Contract;
- b) The substitution of proper and suitable materials; and
- c) The removal and proper re-execution (notwithstanding any previous test thereof or interim payment therefore) of any work which in respect of materials or workmanship is not in the opinion of the Engineer in accordance with the Contract.

39.2 Default of Contractor in carrying out Engineer's Instructions

In case of default on the part of the Contractor in carrying out an instruction of the Engineer, the Employer shall be entitled to employ and pay other persons to carry out the same and all expenses consequent thereon or incidental thereto shall be borne by the Contractor and shall be recoverable from him by the Employer and may be deducted by the Employer from any monies due or which may become due to the Contractor.

40 SUSPENSION OF WORK

The Contractor shall on the written order of the Engineer suspend the progress of the Works or any part thereof for such time or times and in such manner as the Engineer may consider necessary and shall, during such suspension, properly protect and secure the Works so far as it is necessary in the opinion of the Engineer. The Employer should be notified and his written approval should be sought for any suspension of work in excess of three (3) days.

41 POSSESSION OF SITE

41.1 Access to Site

The Employer shall with the Engineer's written order to commence the Works, give to the Contractor possession of so much of the Site as may be required to enable the Contractor to commence and proceed with the construction of the Works in accordance with the Programme referred to in Clause 13 hereof and otherwise in accordance with such reasonable proposals of the Contractor as he shall make to the Engineer by notice in writing, and shall from time to time as the Works proceed give to the Contractor possession of such further portions of the Site as may be required to enable the Contractor to proceed with the construction of the Works with due dispatch in accordance with the said Programme or proposals, as the case may be.

41.2 Wayleaves, etc.

The Contractor shall bear all expenses and charges for special temporary wayleaves required by him in connection with access to the Site. The Contractor shall also provide at his own cost any additional accommodation outside the Site required by him for the purpose of the Works.

41.3 Limits of the Site

Except as defined below, the limits of the Site shall be as defined in the Contract. Should the Contractor require land beyond the Site, he shall provide it entirely at his own expense and before taking possession shall supply the Engineer with a copy of the necessary permits. Access to the Site is available where the Site adjoins a public road but it is not provided unless shown on the Drawings. When necessary for the safety and convenience of workmen, public or livestock or for the protection of the Works, the Contractor shall, at his own expense, provide adequate temporary fencing to the whole or part of the Site. The Contractor shall not disturb, damage or pull down any hedge, tree or building within the Site without the written consent of the Engineer.

42 TIME FOR COMPLETION

- a) Subject to any requirement in the Contract as to completion of any section of the Works before completion of the whole, the whole of the Works shall be completed, in accordance with the provisions of Clause 46 and 47 hereof, within the time stated in the Contract.
- b) The completion time includes weekly rest days, official holidays, and days of inclement weather.

43 EXTENSION OFTIME FOR COMPLETION

If, subject to the provisions of the Contract, the Engineer orders alterations or additions in the Works in accordance with Clause 48 hereof, or if circumstances constituting force majeure as defined in the Contract have occurred, the Contractor shall be entitled to apply for an extension of the time for completion of the Works specified in the Contract. The Employer shall, upon such application, determine the period of any such extension of time; provided

that in the case of alterations or additions in the Works, the application for such an extension must be made before the alterations or additions in the Works are undertaken by the Contractor.

44 RATE OF PROGRESS

The whole of the materials, plant and labour to be provided by the Contractor and the mode, manner and speed of execution and completion of the Works are to be of a kind and conducted in a manner to the satisfaction of the Engineer. Should the rate of progress of the Works or any part thereof be at any time in the opinion of the

Engineer too slow to ensure the completion of the Works by the prescribed time or extended time for completion, the Engineer shall so notify the Contractor in writing and the Contractor shall thereupon take such steps as the Contractor may think necessary and the Engineer may approve to expedite progress so as to complete the Works by the prescribed time or extended time for completion. If the work is not being carried on by day and by night and the Contractor shall request permission to work by night as well as by day, then, if the Engineer shall grant such permission, the Contractor shall not be entitled to any additional payment. All work at night shall be carried out without unreasonable noise and disturbance. The

contractor shall indemnify the Employer from and against any claims or liability for damages on account of noise or other disturbance created while or in carrying out the work and from and against all claims, demands, proceedings, costs and expenses whatsoever in regard or in relation to such noise or other disturbance. The Contractor shall submit in triplicate to the Engineer at the end of each month signed copies of explanatory Drawings or any other material showing the progress of the Works.

45 LIQUIDATED DAMAGES FOR DELAY

a) If the Contractor shall fail to complete the Works within the time for completion prescribed in the Contract, or any extended time for completion in accordance with the Contract, then the Contractor shall pay to the Employer the sum specified in the Contract as liquidated damages, for the delay between the time prescribed in the Contract or the extended time for completion, as the case may be, and the date of substantial completion of the Works as stated in the Certificate of Substantial Completion, subject to the applicable limit stated in the Contract. The said sum shall be payable by the sole fact of the delay without the need for any previous notice or any legal proceedings, or proof of damage, which shall in all cases be considered as ascertained. The Employer may, without prejudice to any other method of recovery, deduct the amount of such liquidated damages from any monies in its hands due or which may become due to the Contractor. The payment or deduction of such damages shall not relieve the Contractor from his obligation to complete the Works or from any other of his obligations and liabilities under the Contract.

b) If, before the time for completion of the whole of the Works or of a Section of the Works, a Certificate of Substantial Completion has been issued for any part or Section of the Works, the liquidated damages for delay in completion of the remainder of the Works or of that Section may, for any period of delay after the date stated in such Certificate of Substantial Completion, and in the absence of alternative provisions in the Contract, be reduced in the proportion which the value of the part or Section so certified bears to the total value of the whole of the Works or Section, as applicable. The provisions of this Sub-Clause shall only apply to the rate of liquidated damages and shall not affect the limit thereof.

46 CERTIFICATE OF SUBSTANTIAL COMPLETION

46.1 Substantial Completion of the Works

When the whole of the Works have been substantially completed and have satisfactorily passed any test on completion prescribed by the Contract, the Contractor may give a notice to that effect to the Engineer accompanied by an undertaking to finish any outstanding work during the Defects Liability Period. Such notice and undertaking shall be in writing and shall be deemed to be a request by the Contractor, for the Engineer to issue a Certificate of Substantial Completion in respect of the Works. The Engineer shall, within twenty-one (21) days of the date of delivery of such notice either issue to the Contractor, with a copy to the Employer, a Certificate of Substantial Completion stating the date on which, in his opinion, the Works were substantially completed in accordance with the Contract or give instructions in writing to the Contractor specifying all the work which, in the Engineer's opinion, requires to be done by the Contractor before the issuance of such Certificate. The Engineer shall also notify the Contractor of any defects in the Works affecting substantial completion that may appear after such instructions and before completion of the work specified therein. The Contractor shall be entitled to receive such Certificate of Substantial Completion within twenty-one (21) days of completion, to the satisfaction of the Engineer, of the work so specified and making good any defect so notified. Upon issuance of the Certificate of Substantial Completion of the Works, the Contractor shall be deemed to have undertaken to complete with due expedition any outstanding work during the Defects Liability Period.

46.2 Substantial Completion of Sections or Parts of the Works

In accordance with the procedure in Sub-Clause (1) of this Clause and on the same conditions as provided therein, the Contractor may request the Engineer to issue, and the Engineer may issue, a Certificate of Substantial Completion in respect of any Section or part of the Works which has been substantially completed and has satisfactorily passed any tests on completion prescribed by the Contract, if:

a) a separate time for completion is provided in the Contract in respect of such Section or part of the Works;

b) such Section or part of the Works has been completed to the satisfaction of the Engineer and is required by the Employer for his occupation or use.

Upon the issuance of such Certificate, the Contractor shall be deemed to have undertaken to complete any outstanding work during the Defects Liability Period.

47 DEFECTS LIABILITY

47.1 Defects Liability Period

The expression "Defects Liability Period" shall mean the period of twelve (12) months, calculated from the date of completion of the Works stated in the Certificate of Substantial Completion issued by the Engineer or, in respect of any Section or part of the Works for which a separate Certificate of Substantial Completion has been issued, from the date of completion of that Section or part as stated in the relevant Certificate. The expression "the Works" shall, in respect of the Defects Liability Period, be construed accordingly.

47.2 Completion of Outstanding Work and Remedying of Defects

During the Defects Liability Period, the Contractor shall finish the work, if any, outstanding at the date of the Certificate of Substantial Completion, and shall execute all such work of repair, amendment, reconstruction, rectification and making good defects, imperfections, shrinkages or other faults as may be required of the Contractor in writing by the Engineer during the Defects Liability Period and within fourteen (14) days after its expiration, as a result of an inspection made by or on behalf of the Engineer prior to expiration of the Defects Liability Period.

47.3 Cost of Execution of Work of Repair, etc.

All such outstanding work shall be carried out by the Contractor at his own expense if the necessity thereof shall, in the opinion of the Engineer, be due to the use of material or workmanship not in accordance with the Contract, or to neglect or failure on the part of the Contractor to comply with any obligation expressed or implied, on the Contractor's part under the Contract.

47.4 Remedy on Contractor's Failure to Carry Out Work Required

If the Contractor shall fail to do any such work outstanding on the Works, the Employer shall be entitled to employ and pay other persons to carry out the same, and all expenses consequent thereon or incidental thereto shall be recoverable from the Contractor by the Employer, and may be deducted by the Employer from any monies due or which may become due to the Contractor.

47.5 Certificate of Final Completion

Upon satisfactory completion of the work outstanding on the Works, the Engineer shall within twenty eight (28) days of the expiration of the Defects Liability period issue a Certificate of Final Completion to the Contractor. The Contract shall be deemed to be completed upon issuance of such Certificate, provided that the provisions of the Contract which remain unperformed and the Settlement of Disputes provision in the Contract shall remain in force for as long as is necessary to dispose of any outstanding matters or issues between the Parties.

48 ALTERATIONS, ADDITIONS AND OMISSIONS

1 VARIATIONS

The Engineer may within his powers introduce any variations to the form, type or quality of the Works or any part thereof which he considers necessary and for that purpose or if for any other reasons it shall, in his opinion be desirable, he shall have power to order the Contractor to do and the Contractor shall do any of the following:

- (a) increase or decrease the quantity of any work under the Contract; (b)
- omit any such work;
- (c) change the character or quality or kind of any such work;
- (d) change the levels, lines, positions and dimensions of any part of the Works;
- (e) execute additional work of any kind necessary for the completion of the Works, and no such variation shall in any way vitiate or invalidate the Contract.

2 Variations Increasing Cost of Contract or altering the Works.

The Engineer shall, however, obtain the written approval of the Employer before giving any order for any variations which may result in an increase of the Contract Price or in an essential alteration of the quantity, quality or character of the Works.

3 ORDERS FORVARIATIONS TO BE INWRITING

No variations shall be made by the Contractor without an order in writing from the Engineer. Variations requiring the written approval of the Employer under paragraph (2) of this Clause shall be made by the Contractor only upon written order from the Engineer accompanied by a copy of the Employer's approval. Provided that, subject to the provisions of the Contract, no order in writing shall be required for any increase or decrease in the quantity of any work where such increase or decrease is not the result of an order given under this Clause but is the result of the quantities exceeding or being less than those stated in the Bill of Quantities.

4 VALUATION OF VARIATIONS

The Engineer shall estimate to the Employer the amount to be added or deducted from the Contract Price in respect of any variation, addition or omission. In the case of any variation, addition or omission which may result in an increase of the Contract Price, the Engineer shall communicate such estimate to the Employer together with his request for the Employer's written approval of such variation, addition or omission. The value of any variation, addition or omission shall be calculated on the basis of the unit prices contained in the Bill of Quantities.

49 PLANT, TEMPORARY WORKS AND MATERIALS

1 PLANT, ETC., EXCLUSIVE USE FORTHEWORKS

All Constructional Plant, Temporary Works and Materials provided by the Contractor shall, when brought on the Site, be deemed to be exclusively intended for the construction and completion of the Works and the Contractor shall not remove the same or any part thereof (save for the purpose of moving it from one part of the Site to another) without the consent in writing of the Engineer which shall not be unreasonably withheld.

2 Removal of Plant, etc.

Upon completion of the Works the Contractor shall remove from the Site all the said Constructional Plant and Temporary Works remaining thereon and any unused materials provided by the Contractor.

3 EMPLOYER NOT LIABLE FOR DAMAGETO PLANT

The Employer shall not be at any time liable for the loss of any of the said Constructional plant, Temporary Works or Materials save if such loss results from the act or neglect of the Employer, its employees or agents.

4 OWNERSHIP OF PAID MATERIAL AND WORK

All material and work covered by payments made by the Employer to the Contractor shall thereupon become the sole property of the Employer, but this provision shall not be construed as relieving the Contractor from the sole responsibility for all material and work upon which payments have been made or the restoration of any damaged work or as waiving the right of the Employer to require the fulfillment of all of the terms of the Contract.

5 EQUIPMENTAND SUPPLIES FURNISHED BY EMPLOYER

Title to any equipment and supplies which may be furnished by the Employer shall rest with the Employer and any such equipment and supplies shall be returned to the Employer at the conclusion of the Contract or when no longer needed by the Contractor. Such equipment when returned to the Employer, shall be in the same condition as when delivered to the Contractor, subject to normal wear and tear.

50 APPROVAL OF MATERIALS ETC., NOT IMPLIED

The operation of Clause 49 hereof shall not be deemed to imply any approval by the Engineer of the materials or other matters referred to therein nor shall it prevent the rejection of any such materials at any time by the Engineer.

51 MEASUREMENT OFWORKS

The Engineer shall, when he requires any part or parts of the Works to be measured, give notice to the Contractor or the Contractor's authorized agent or representative who shall forthwith attend or send a qualified agent to assist the Engineer in making such measurement and shall furnish all particulars required by either of them. Should the Contractor not attend or neglect or omit to send such agent, then the measurement made by the Engineer or approved by him shall be taken to be the correct measurement of the work. The purpose of measuring is to ascertain the volume of work executed by the Contractor and therefore determine the amount of the monthly payments.

52 LIABILITY OF THE PARTIES

- 1 The Works shall not be considered as completed until a Certificate of Final Completion shall have been signed by the Engineer and delivered to the Employer stating that the Works have been completed and that the Contractor has fulfilled all his obligations under Clause 47 to his satisfaction.
- 2 The Employer shall not be liable to the Contractor for any matter arising out of or in connection with the Contract or the execution of the Works unless the Contractor shall have made a claim in writing in respect thereof before the giving of the Certificate of Final Completion and in accordance with the Contract.

3 UNFULFILLED OBLIGATIONS

Notwithstanding the issue of the Certificate of Final Completion, the Contractor shall remain liable for the fulfillment of any obligation incurred under the provisions of the Contract prior to the issuance of the Certificate of Final Completion and which remains unperformed at the time such Certificate is issued. For the purpose of determining the nature and extent of any

such obligation the Contract shall be deemed to remain in force between the parties hereto.

4 CONTRACTOR RESPONSIBLE

Notwithstanding any other provisions in the Contract documents, the Contractor shall be totally responsible for and shall bear any and all risks of loss or damage to or failure of the Works or any part thereof for a period of ten years after issuance of the Certificate of Final Completion, provided always that such risks, damage or failure result from acts, defaults and negligence of the Contractor, his agents, employees or workmen and such contractors.

53 AUTHORITIES

- 1 The Employer shall have the right to enter upon the Site and expel the Contractor therefrom without thereby voiding the Contract or releasing the Contractor from any of his obligations or liabilities under the Contract or affecting the rights and powers conferred on the Employer and the Engineer by the Contract in any of the following cases:
- (a) If the Contractor is declared bankrupt or claims bankruptcy or court protection against his creditors or if the Contractor is a company or member of a company which was dissolved by legal action;
- (b) If the Contractor makes arrangements with his creditors or agrees to carry out the Contract under an inspection committee of his creditors;
- (c) If the Contractor withdraws from the Works or assigns the Contract to others in whole or in part without the Employer's prior written approval;
- (d) If the Contractor fails to commence the Works or shows insufficient progress to the extent which in the opinion of the Engineer will not enable him to meet the target completion date of the Works;
- (e) If the Contractor suspends the progress of the Works without due cause for fifteen (15) days after receiving from the Engineer written notice to proceed;
- (f) If the Contractor fails to comply with any of the Contract conditions or fails to fulfill his obligations and does not remedy the cause of his failure within fifteen (15) days after being notified to do so in writing;
- (g) If the Contractor is not executing the work in accordance with standards of workmanship specified in the Contract;
- (h) If the Contractor gives or promises to give a present or loan or reward to any employee of the Employer or of the Engineer.

Then the Employer may himself complete the Works or may employ any other contractor to complete the Works and the Employer or such other contractor may use for such completion so much of Constructional Plant, Temporary Works and Materials, which have been deemed to be reserved exclusively for the construction and completion of the Works under the provision of the Contract as he or they may think proper and the Employer may at any time sell any of the said Constructional Plant, Temporary Works and unused materials and apply the proceeds of sale in or towards the satisfaction of any sums due or which may become due to him from the Contractor under the Contract.

2 EVALUATION AFTER RE-ENTRY

The Engineer shall as soon as may be practicable after any such entry and expulsion by the Employer notify the Contractor to attend the necessary evaluation of the Works. In the event that for any reason the Contractor does not attend such evaluation the Engineer shall undertake the said evaluation in the absence of the Contractor and shall issue a certificate stating the sum, if any, due to the Contractor for work done in accordance with the Contract up to the time of entry and expulsion by the Employer which has been reasonably accumulated to the Contractor in respect of the Works he has executed in such case in accordance with the Contract. The Engineer shall indicate the value of the materials whether unused or partially used and the value of construction equipment and any part of the Temporary Works.

3 PAYMENTAFTER RE-ENTRY

If the Employer shall enter and expel the Contractor under this Clause he shall not be liable to pay the Contractor any money on account of the Contract until the expiration of the Defects Liability Period, and thereafter until the costs of completion and making good any defects of the Works, damages for delay in completion (if any), and all other expenses incurred by the Employer have been ascertained and their amount certified by the Engineer. The Contractor shall then be entitled to receive only such sum or sums (if any) as the Engineer may certify would have been due to him upon due completion by him after deducting the said amount. But if such amount shall exceed the sum which would have been payable to the Contractor on due completion by him, then the Contractor shall upon demand pay to the Employer the amount of such excess. The Employer in such case may recover this amount from any money due to the Contractor from the Employer without the need to resort to legal procedures.

54 URGENT REPAIRS

If by reason of any accident or failure or other event occurring to, in or in connection with the Works or any part thereof either during the execution of the Works or during the Defects Liability Period any remedial or other work or repair shall in the opinion of the Engineer be urgently necessary for security and the Contractor is unable or unwilling at once to do such work or repair, the Employer may by his own or other workmen do such work or repair as

the Engineer may consider necessary. If the work or repair so done by the Employer is work which in the opinion of the Engineer the Contractor was liable to do at his own expense under the Contract, all costs and charges properly incurred by the Employer in so doing shall on demand be paid by the Contractor to the Employer or may be deducted by the Employer from any monies due or which may become due to the Contractor provided always that the Engineer shall as soon after the occurrence of any such emergency as may be reasonably practicable notify the Contractor thereof in writing.

55 INCREASE AND DECREASE OF COSTS

Except if otherwise provided by the Contract, no adjustment of the Contract Price shall be made in respect of fluctuations of market, prices of labour, materials, plant or equipment, neither due to fluctuation in interest rates nor devaluation or any other matters affecting the Works.

56 TAXATION

The Contractor shall be responsible for the payment of all charges and taxes in respect of income including value added tax, all in accordance with and subject to the provisions of the income tax laws and regulations in force and all amendments thereto. It is the Contractor's responsibility to make all the necessary inquiries in this respect and he shall be deemed to have satisfied himself regarding the application of all relevant tax laws.

57 BLASTING

The Contractor shall not use any explosives without the written permission of the Engineer who shall require that the Contractor has complied in full with the regulations in force regarding the use of explosives. However, the Contractor, before applying to obtain these explosives, has to provide well arranged storage facilities. The Engineer's approval or refusal to permit the use of explosives shall not constitute ground for claims by the Contractor.

58 MACHINERY

The Contractor shall be responsible for coordinating the manufacture, delivery, erection and commissioning of plant machinery and equipment which are to form a part of the Works. He shall place all necessary orders as soon as possible after the signing of the Contract. These orders and their acceptance shall be produced to the Engineer on request. The Contractor shall also be responsible for ensuring that all sub-contractors adhere to such programs as are agreed and are needed to ensure completion of the Works within the period for completion. Should any sub-contracted works be delayed, the Contractor shall initiate the necessary

action to speed up such completion. This shall not prejudice the Employer's right to exercise his remedies for delay in accordance with the Contract.

59 TEMPORARY WORKS AND REINSTATEMENT

The Contractor shall provide and maintain all temporary roads and tracks necessary for movement of plant and materials and clear same away at completion and make good all works damaged or disturbed. The Contractor shall submit drawings and full particulars of all Temporary Works to the Engineer before commencing same. The Engineer may require modifications to be made if he considers them to be insufficient and the Contractor shall give effect to such modifications but shall not be relieved of his responsibilities. The Contractor shall provide and maintain weather-proof sheds for storage of material pertinent to the Works both for his own use and for the use of the Employer and clear same away at the completion of the Works. The Contractor shall divert as required, at his own cost and subject to the approval of the Engineer, all public utilities encountered during the progress of the Works, except those specially indicated on the drawings as being included in the Contract. Where diversions of services are not required in connection with the Works, the Contractor shall uphold, maintain and keep the same in working order in existing locations. The Contractor shall make good, at his own expense, all damage to telephone, telegraph and electric cable or wires, sewers, water or other pipes and other services, except where the Public Authority or Private Party owning or responsible for the same elects to make good the damage. The costs incurred in so doing shall be paid by the Contractor to the Public Authority or Private Party on demand.

60 PHOTOGRAPHS AND ADVERTISING

The Contractor shall not publish any photographs of the Works or allow the Works to be used in any form of advertising whatsoever without the prior approval in writing from the Employer.

61 PREVENTION OF CORRUPTION

The Employer shall be entitled to cancel the Contract and to recover from the Contractor the amount of any loss resulting from such cancellation, if the Contractor has offered or given any person any gift or consideration of any kind as an inducement or reward for doing or intending to do any action in relation to the obtaining or the execution of the Contract or any other contract with the Employer or for showing or intending to show favour or disfavour to any person in relation to the Contract or any other contract with the Employer, if the like acts shall have been done by any persons employed by him or acting on his behalf whether with or without the knowledge of the Contractor in relation to this or any other Contract with the Employer.

62 DATE FALLING ON HOLIDAY

Where under the terms of the Contract any act is to be done or any period is to expire upon a certain day and that day or that period fall on a day of rest or recognized holiday, the Contract shall have effect as if the act were to be done or the period to expire upon the working day following such day.

63 NOTICES

- 1 Unless otherwise expressly specified, any notice, consent, approval, certificate or determination by any person for which provision is made in the Contract Documents shall be in writing. Any such notice, consent, approval, certificate or determination to be given or made by the Employer, the Contractor or the Engineer shall not be
- 2 unreasonably withheld or delayed.
- 3 Any notice, certificate or instruction to be given to the Contractor by the Engineer or the Employer under the terms of the Contract shall be sent by post, cable, telex or facsimile at the Contractor's principal place of business specified in the Contract or such other address as the Contractor shall nominate in writing for that purpose, or by
- 4 delivering the same at the said address against an authorized signature certifying the receipt.
- 5 Any notice to be given to the Employer under the terms of the Contract shall be sent by post, cable, telex or facsimile at the Employer's address specified in the Contract, or by delivering the same at the said address against an authorized signature certifying the receipt.
- Any notice to be given to the Engineer under the terms of this Contract shall be sent by post, cable, telex or facsimile at the Engineer's address specified in the Contract, or by delivering the same at the said address against an authorized signature certifying the receipt.

64 LANGUAGE, WEIGHTS AND MEASURES

Except as may be otherwise specified in the Contract, English shall be used by the Contractor in all written communications to the Employer or the Engineer with respect to the services to be rendered and with respect to all documents procured or prepared by the Contractor pertaining to the Works. The metric system of weights and measures shall be used in all instances.

65 RECORDS, ACCOUNTS, INFORMATION AND AUDIT

The Contractor shall maintain accurate and systematic records and accounts in respect of the

work performed under this Contract.

The Contractor shall furnish, compile or make available at all times to the UNDP any records or information, oral or written, which the UNDP may reasonably request in respect of the Works or the Contractor's performance thereof.

The Contractor shall allow the UNDP or its authorized agents to inspect and audit such records or information upon reasonable notice.

66 FORCE MAJEURE

Force majeure as used herein means Acts of God, war (whether declared or not), invasion, revolution, insurrection or other acts or events of a similar nature or force.

In the event of and as soon as possible after the occurrence of any cause constituting force majeure, the Contractor shall give notice and full particulars in writing to the UNDP and to the Engineer of such force majeure if the Contractor is thereby rendered unable, wholly or in part, to perform its obligations and meet its responsibilities under this Contract. Subject to acceptance by the UNDP of the existence of such force majeure, which acceptance shall not be unreasonably withheld, the following provisions shall apply:

- (a) The obligations and responsibilities of the Contractor under this Contract shall be suspended to the extent of his inability to perform them and for as long as such inability continues. During such suspension and in respect of work suspended, the Contractor shall be reimbursed by the UNDP substantiated costs of maintenance of the Contractor's equipment and of per diem of the Contractor's permanent personnel rendered idle by such suspension;
- (b) The Contractor shall within fifteen (15) days of the notice to the UNDP of the occurrence of the force majeure submit a statement to the UNDP of estimated costs referred to in sub- paragraph (a) above during the period of suspension followed by a complete statement of actual expenditures within thirty (30) days after the end of the
- (c) suspension;
- (d) The term of this Contract shall be extended for a period equal to the period of suspension taking however into account any special condition which may cause the additional time for completion of the Works to be different from the period of suspension;
- (e) If the Contractor is rendered permanently unable, wholly or in part, by reason of force majeure, to perform his obligations and meet his responsibilities under the Contract, the UNDP shall have the right to terminate the Contract on the same terms and conditions as provided for in Clause 68 of these General Conditions, except that the period of notice shall be seven (7) days instead of fourteen (14) days, and

(f) For the purpose of the preceding sub-paragraph, the UNDP may consider the Contractor permanently unable to perform in case of any suspension period of more than ninety (90) days.

67 SUSPENSION BYTHE UNDP

The UNDP may by written notice to the Contractor suspend for a specified period, in whole or in part, payments to the Contractor and/or the Contractor's obligation to continue to perform the Works under this Contract, if in the UNDP' sole discretion:

- (a) any conditions arise which interfere, or threaten to interfere with the successful execution of the Works or the accomplishment of the purpose thereof, or
- (b) the Contractor shall have failed, in whole or in part, to perform any of the terms and conditions of this Contract.

After suspension under sub-paragraph (a) above, the Contractor shall be entitled to reimbursement by the UNDP of such costs as shall have been duly incurred in accordance with this Contract prior to the commencement of the period of such suspension.

The term of this Contract may be extended by the UNDP for a period equal to any period of suspension, taking into account any special conditions which may cause the additional time for completion of the Works to be different from the period of suspension.

68 TERMINATION BYTHE UNDP

The UNDP may, notwithstanding any suspension under Clause 67 above, terminate this Contract for cause or convenience in the interest of the UNDP upon not less than fourteen (14) days written notice to the Contractor.

Upon termination of this Contract:

- (a) The Contractor shall take immediate steps to terminate his performance of the Contract in a prompt and orderly manner and to reduce losses and to keep further expenditures to a minimum, and
- (b) The Contractor shall be entitled (unless such termination has been occasioned by the Contractor's breach of this Contract), to be paid for the part of the Works satisfactorily completed and for the materials and equipment properly delivered to the Site as of the date of termination for incorporation to the Works, plus substantiated costs resulting from commitments entered into prior to the date of termination as well as any reasonable substantiated direct costs incurred by the Contractor as a result of the termination, but shall not be entitled to receive any other or further payment or damages.

69 TERMINATION BYTHE CONTRACTOR

In the case of any alleged breach by the UNDP of the Contract or in any other situation which the Contractor reasonably considers to entitle him to terminate his performance of the Contract, the Contractor shall promptly give written notice to the UNDP detailing the nature and the circumstances of the breach or other situation. Upon acknowledgement in writing by the UNDP of the existence of such breach and the UNDP' inability to remedy it, or upon failure of the UNDP to respond to such notice within twenty (20) days of receipt thereof, the Contractor shall be entitled to terminate this Contract by giving 30 days written notice thereof. In the event of disagreement between the Parties as to the existence of such breach

or other situation referred to above, the matter shall be resolved in accordance with Clause 71 of these General Conditions.

Upon termination of this Contract under this Clause the provisions of sub-paragraph (b) of Clause 68 hereof shall apply.

70 RIGHTS AND REMEDIES OF THE UNDP

Nothing in or relating to this Contract shall be deemed to prejudice or constitute a waiver of any other rights or remedies of the UNDP.

The UNDP shall not be liable for any consequences of, or claim based upon, any act or omission on the part of the Government.

71 SETTLEMENT OF DISPUTES

In the case of any claim, controversy or dispute arising out of, or in connection with this Contract or any breach thereof, the following procedure for resolution of such claim, controversy or dispute shall apply.

1 NOTIFICATION

The aggrieved party shall immediately notify the other party in writing of the nature of the alleged claim, controversy or dispute, not later than seven (7) days from awareness of the existence thereof.

2 CONSULTATION

On receipt of the notification provided above, the representatives of the Parties shall start consultations with a view to reaching an amicable resolution of the claim, controversy or dispute without causing interruption of the Works.

3 CONCILIATION

Where the representatives of the Parties are unable to reach such an amicable settlement, either party may request the submission of the matter to conciliation in accordance with the UNCITRAL Rules of Conciliation then obtaining.

4 ARBITRATION

Any claim, controversy or dispute which is not settled as provided under clauses 71.1 through 3 above shall be referred to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining. The Parties shall be bound by the arbitration award rendered in accordance with such arbitration as the final adjudication of any such controversy or claim.

72 PRIVILEGES AND IMMUNITIES

Nothing in or relating to this Contract shall be deemed a waiver of any of the privileges and immunities of the United Nations of which the UNDP is an integral part.

73 SECURITY

The Contractor shall:

- (a) put in place an appropriate security plan and maintain the security plan, taking into account the security situation in the country where the services are being provided;
- (b) assume all risks and liabilities related to the Contractor's security, and the full implementation of the security plan.

UNDP reserves the right to verify whether such a plan is in place, and to suggest modifications to the plan when necessary. Failure to maintain and implement an appropriate security plan as required hereunder shall be deemed a breach of this contract. Notwithstanding the foregoing, the Contractor shall remain solely responsible for the security of its personnel and for UNDP's property in its custody as set forth in paragraph 4.1 above.

74 AUDITAND INVESTIGATIONS

Each invoice paid by UNDP shall be subject to a post-payment audit by auditors, whether internal or external, of UNDP or the authorized agents of the UNDP at any time during the

term of the Contract and for a period of three (3) years following the expiration or prior termination of the Contract. The UNDP shall be entitled to a refund from the Contractor for any amounts shown by such audits to have been paid by the UNDP other than in accordance with the terms and conditions of the Contract. Should the audit determine that any funds paid by UNDP have not been used as per contract clauses, the company shall reimburse such funds forthwith. Where the company fails to reimburse such funds, UNDP reserves the right to seek recovery and/or to take any other action as it deems necessary.

The Contractor acknowledges and agrees that, at anytime, UNDP may conduct investigations relating to any aspect of the Contract, the obligations performed under the Contract, and the operations of the Contractor generally. The right of UNDP to conduct an investigation and the Contractor's obligation to comply with such an investigation shall not lapse upon expiration or prior termination of the Contract. The Contractor shall provide its full and timely cooperation with any such inspections, post-payment audits or investigations. Such cooperation shall include, but shall not be limited to, the Contractor's obligation to make available its personnel and any documentation for such purposes and to grant to UNDP access to the Contractor's premises. The Contractor shall require its agents, including, but not limited to, the Contractor's attorneys, accountants or other advisers, to reasonably cooperate with any inspections, post-payment audits or investigations carried out by UNDP hereunder.

75 ANTI-TERRORISM

The Contractor agrees to undertake all reasonable efforts to ensure that none of the UNDP funds received under this Contract are used to provide support to individuals or entities associated with terrorism and that the recipients of any amounts provided by UNDP hereunder do not appear on the list maintained by the Security Council Committee established pursuant to resolution 1267 (1999). The list can be accessed via http://www.un.org/Docs/sc/committees/1267/1267ListEng.htm. This provision must be included in all sub-contracts or sub-agreements entered into under this contract.

Vendor Form

Annex 4

SECTION 1 (For Internal Use only)		UN INFORMATION						
Requesting Person:		Date:			Atlas Vendor No:			
First Name / Last Name/Extension		<u> </u>			UN Index No:			
VENDOR TYPE: ☐ Staff☐SSA ☐ Service Contract ☐ Meeting Participant ☐NGO ☐ Supplier ☐ Other								
VENDOR APPROVER SIGNATURE:DATE:								
Complete either Section 2 or Section 3 (not both)								
SECTION 2 PERSON INFORMATION (FOR INDIVIDUALS ONLY)								
Last Name	First Name				Middle Name			
Nationality Da	Date of Birth Place of Birth			Sex: Male Female				
Address								
City,	State/Province/County Postal C			e (ZIP)	IP) Country			
E-mail Address		Telephone Number			Fax Number			
SECTION 3 SUPPLIER INFORMATION (For Companies only)								
Company Name: Parent Company Na		Parent Company Name (if app	applicable)		Web Site URL: (if applicable)			
Street Address								
City State/Province/County Postal Code				Country				
Contact Person (MAIN ADDRESS)		Telephone		F	ax	E-mail Address		
Name:								
Title: BENEFICIARY BAN	IKING INFORM	MATION						
Bank Name								
Bank ID:	For US ban	ks only use whether: (9 digits)		SWIFT cod	e 8 or 11 characters (requir	red for overhoard navments)		
Bank ID.	ACH Fed wire			SWIFT code 8 or 11 characters (required for overboard payments)				
Branch ID: (for Canadian Banks only) 9 digits routing no.		red wife	Branch Name:					
Street Address:								
City State/Province Postal Code			Country	Country				
SECTION 5 BENEFICIARY BANK ACCOUNT DETAILS								
Account Name: (name as it appears on bank account)			Bank Account Currency US\$ Other (PLEASE INDICATE)					
Bank Account No.: (ENTER WITH NO PUNCTUATION, NO DOTS, DASHES OR SPACES) Account Type: Checking Savings								

IBAN (European Banks)								
Transit Code (5 digit) Canadian Banks	Sort Code (6 digits) UK Banks	BSB code (6 digit) Australia Banks						
Bank Information for Intermediary/Correspondent Bank (if applicable)								
Name of Bank:	Address of Bank :							
Bank Account No	SWIFT Coo	le:	FEDWIRE NO. (US BANKS ONLY)					
(of beneficiary bank with intermediary bank)								
I,, in my capacity as	, hereby authorize the agency to dire	ect						
payments for goods and services to the above account.	ature:							