

INVITATION TO BID

Supply of Construction Materials to Improving Water Management System in South Yap

ITB No.: ITB/FJI/JPN/004/20

Project: Enhancing Disaster and Climate Resilience in Federated States of Micronesia

through improved Disaster Preparedness and Infrastructure

Country: Fiji

Issued on: 25 March 2020

CONTENTS

		tter of Invitation	
		struction to Bidders	
GE		AL PROVISIONS	
	1.	IntroductionFraud & Corruption, Gifts and Hospitality	
	2. 3.	Eligibility	
	3. 4.	Conflict of Interests	
В.		PREPARATION OF BIDS	
υ.	5.	General Considerations	
	5. 6.	Cost of Preparation of Bid	
	7.	Language	
	7. 8.	Documents Comprising the Bid	
	9.	Documents Establishing the Eligibility and Qualifications of the Bidder	
		Technical Bid Format and Content	
		Price Schedule	
		Bid Security	
		Currencies	
		Joint Venture, Consortium or Association	
		Only One Bid	
		Bid Validity Period	
		Extension of Bid Validity Period	
		Clarification of Bid (from the Bidders)	
		Amendment of Bids	
		Alternative Bids	
		Pre-Bid Conference	
C.		SUBMISSION AND OPENING OF BIDS	
		Submission	
		rd copy (manual) submission	
		ail and eTendering submissions	
		Deadline for Submission of Bids and Late Bids	
		Withdrawal, Substitution, and Modification of Bids	
		Bid Opening	
D.	E	EVALUATION OF BIDS	10
		Confidentiality	
		Evaluation of Bids	
		Preliminary Examination	
		Evaluation of Eligibility and Qualification	
	30.	Evaluation of Technical Bid and prices	11
		Due diligence	
	32.	Clarification of Bids	12
		Responsiveness of Bid	
		Nonconformities, Reparable Errors and Omissions	
E.		AWARD OF CONTRACT	
		Right to Accept, Reject, Any or All Bids	
		Award Criteria	
		Debriefing	
		Right to Vary Requirements at the Time of Award	
		Contract Signature	
		Contract Type and General Terms and Conditions	
		Performance Security	
		Bank Guarantee for Advanced Payment	
		Liquidated Damages	
		Payment Provisions	
		Vendor Protest	
	46.	Other Provisions	13

Section 3. Bid Data Sheet	15
Required in the amount of 10% of contract amount. Please refer to Clause 41 of Section 2. Instruction	on to Bidders
on performance security requirements.	15
Section 4. Evaluation Criteria	18
Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities	20
Section 5b: Other Related Requirements	24
Section 6: Returnable Bidding Forms / Checklist	25
Form A: Bid Submission Form	
Form B: Bidder Information Form	
Form C: Joint Venture/Consortium/Association Information Form	
Form D: Eligibility and Qualification Form	
Form E: Format of Technical Bid	32
FORM F: PRICE SCHEDULE FORM	38

Section 1. Letter of Invitation

The United Nations Development Programme (UNDP) hereby invites you to submit a Bid to this Invitation to Bid (ITB) for the above-referenced subject.

This ITB includes the following documents and the General Terms and Conditions of Contract which is inserted in the Bid Data Sheet:

Section 1: This Letter of Invitation

Section 2: Instruction to Bidders

Section 3: Bid Data Sheet (BDS)

Section 4: Evaluation Criteria

Section 5: Schedule of Requirements and Technical Specifications

Section 6: Returnable Bidding Forms

- o Form A: Bid Submission Form
- o Form B: Bidder Information Form
- o Form C: Joint Venture/Consortium/Association Information Form
- o Form D: Qualification Form
- o Form E: Format of Technical Bid
- o Form F: Price Schedule

If you are interested in submitting a Bid in response to this ITB, please prepare your Bid in accordance with the requirements and procedure as set out in this ITB and submit it by the Deadline for Submission of Bids set out in Bid Data Sheet.

Please acknowledge receipt of this ITB by sending an email to murod.ruziev@undp.org, cc: victorina.loyola@undp.org indicating whether you intend to submit a Bid or otherwise. You may utilize the "Accept Invitation" function in eTendering system, where applicable. This will enable you to receive amendments or updates to the ITB.

UNDP will organize pre-bid meeting on **7 April 2020 at 14.00 Fiji time**. Those who are interested in attending the meeting are kindly requested to use below link to join in the Zoom call:

Join Zoom Meeting:

https://undp.zoom.us/j/573943302

Meeting ID: 573 943 302.

Should you require further clarifications, kindly communicate with the contact person/s identified in the attached Data Sheet as the focal point for queries on this ITB.

UNDP looks forward to receiving your Bid and thank you in advance for your interest in UNDP procurement opportunities.

Sincerely,

UNDP Pacific Office in Fiji

Procurement Unit

Section 2. Instruction to Bidders

GE	NERAL PROVISIONS		
	Introduction	1.1	Bidders shall adhere to all the requirements of this ITB, including any amendments
			made in writing by UNDP. This ITB is conducted in accordance with the UNDP
			Programme and Operations Policies and Procedures (POPP) on Contracts and
			Procurement which can be accessed at
			https://popp.undp.org/SitePages/POPPBSUnit.aspx?TermID=254a9f96-b883-
			<u>476a-8ef8-e81f93a2b38d</u>
		1.2	Any Bid submitted will be regarded as an offer by the Bidder and does not
			constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation
			to award a contract to any Bidder as a result of this ITB.
		1.3	UNDP reserves the right to cancel the procurement process at any stage without
			any liability of any kind for UNDP, upon notice to the bidders or publication of
			cancellation notice on UNDP website.
		1.4	As part of the bid, it is desired that the Bidder registers at the United Nations Global
			Marketplace (UNGM) website (<u>www.ungm.org</u>). The Bidder may still submit a bid
			even if not registered with the UNGM. However, if the Bidder is selected for contract
	- 100	0.4	award, the Bidder must register on the UNGM prior to contract signature.
2.	Fraud & Corruption,	2.1	UNDP strictly enforces a policy of zero tolerance on proscribed practices, including
	Gifts and Hospitality		fraud, corruption, collusion, unethical or unprofessional practices, and obstruction
			of UNDP vendors and requires all bidders/vendors observe the highest standard of
			ethics during the procurement process and contract implementation. UNDP's Anti- Fraud Policy can be found at
			Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/offi
			ce of audit andinvestigation.html#anti
		2.2	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff
		۷.۲	members including recreational trips to sporting or cultural events, theme parks or
			offers of holidays, transportation, or invitations to extravagant lunches or dinners.
		2.3	In pursuance of this policy, UNDP:
			(a) Shall reject a bid if it determines that the selected bidder has engaged in any
			corrupt or fraudulent practices in competing for the contract in question;
			(b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be
			awarded a contract if at any time it determines that the vendor has engaged in any
			corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
		2.4	All Bidders must adhere to the UN Supplier Code of Conduct, which may be found
			at http://www.un.org/depts/ptd/pdf/conduct_english.pdf
3.	Eligibility	3.1	A vendor should not be suspended, debarred, or otherwise identified as ineligible
			by any UN Organization or the World Bank Group or any other international
			Organization. Vendors are therefore required to disclose to UNDP whether they are
		2.0	subject to any sanction or temporary suspension imposed by these organizations.
		3.2	It is the Bidder's responsibility to ensure that its employees, joint venture members,
			sub-contractors, service providers, suppliers and/or their employees meet the
4	Conflict of Interests	11	eligibility requirements as established by UNDP.
4.	Connect of Interests	4.1	Bidders must strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of
			interest shall be disqualified. Without limitation on the generality of the above,
			Bidders, and any of their affiliates, shall be considered to have a conflict of interest
			with one or more parties in this solicitation process, if they:
			a) Are or have been associated in the past, with a firm or any of its affiliates which
			have been engaged by UNDP to provide services for the preparation of the
			design, specifications, Terms of Reference, cost analysis/estimation, and other
			documents to be used for the procurement of the goods and services in this
			selection process;
		-	The second secon

Were involved in the preparation and/or design of the programme/project related to the goods and/or services requested under this ITB; or Are found to be in conflict for any other reason, as may be established by, or at the discretion of UNDP. 4.2 In the event of any uncertainty in the interpretation of a potential conflict of interest, Bidders must disclose to UNDP, and seek UNDP's confirmation on whether or not such conflict exists. 4.3 Similarly, the Bidders must disclose in their Bid their knowledge of the following: If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this ITB; and b) All other circumstances that could potentially lead to actual or perceived conflict of interest, collusion or unfair competition practices. Failure to disclose such an information may result in the rejection of the Bid or Bids affected by the non-disclosure. 4.4 The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this ITB, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid. **B.** PREPARATION OF BIDS 5. General 5.1 In preparing the Bid, the Bidder is expected to examine the ITB in detail. Material **Considerations** deficiencies in providing the information requested in the ITB may result in rejection of the Bid. 5.2 The Bidder will not be permitted to take advantage of any errors or omissions in the ITB. Should such errors or omissions be discovered, the Bidder must notify the UNDP accordingly. 6.1 The Bidder shall bear all costs related to the preparation and/or submission of the 6. Cost of Preparation of Bid Bid, regardless of whether its Bid is selected or not. UNDP shall not be responsible or liable for those costs, regardless of the conduct or outcome of the procurement 7.1 Language The Bid, as well as any and all related correspondence exchanged by the Bidder and UNDP, shall be written in the language (s) specified in the BDS. 8. Documents 8.1 The Bid shall comprise of the following documents and related forms which details **Comprising the Bid** are provided in the BDS: a) Documents Establishing the Eligibility and Qualifications of the Bidder; b) Technical Bid; c) Price Schedule; d) Bid Security, if required by BDS; e) Any attachments and/or appendices to the Bid. 9.1 9. Documents The Bidder shall furnish documentary evidence of its status as an eligible and **Establishing the** qualified vendor, using the Forms provided under Section 6 and providing **Eligibility and** documents required in those forms. In order to award a contract to a Bidder, its **Qualifications of the** qualifications must be documented to UNDP's satisfaction. **Bidder** 10. Technical Bid 10.1 The Bidder is required to submit a Technical Bid using the Standard Forms and **Format and Content** templates provided in Section 6 of the ITB. 10.2 Samples of items, when required as per Section 5, shall be provided within the time specified and unless otherwise specified by the Purchaser, at no expense to the UNDP. If not destroyed by testing, samples will be returned at Bidder's request and expense, unless otherwise specified.

	10.3	When applicable and required as per Section 5, the Bidder shall describe the necessary training programme available for the maintenance and operation of the equipment offered as well as the cost to the UNDP. Unless otherwise specified, such training as well as training materials shall be provided in the language of the Bid as specified in the BDS.
	10.4	When applicable and required as per Section 5, the Bidder shall certify the availability of spare parts for a period of at least five (5) years from date of delivery, or as otherwise specified in this ITB.
11. Price Schedule	11.1	The Price Schedule shall be prepared using the Form provided in Section 6 of the ITB and taking into consideration the requirements in the ITB.
	11.2	Any requirement described in the Technical Bid but not priced in the Price Schedule, shall be assumed to be included in the prices of other activities or items, as well as in the final total price.
12. Bid Security	12.1	A Bid Security, if required by BDS, shall be provided in the amount and form indicated in the BDS. The Bid Security shall be valid for a minimum of thirty (30) days after the final date of validity of the Bid.
	12.2	The Bid Security shall be included along with the Bid. If Bid Security is required by the ITB but is not found in the Bid, the offer shall be rejected.
	12.3	If the Bid Security amount or its validity period is found to be less than what is required by UNDP, UNDP shall reject the Bid.
	12.4	In the event an electronic submission is allowed in the BDS, Bidders shall include a copy of the Bid Security in their bid and the original of the Bid Security must be sent via courier or hand delivery as per the instructions in BDS.
	12.5	The Bid Security may be forfeited by UNDP, and the Bid rejected, in the event of any, or combination, of the following conditions:
		a) If the Bidder withdraws its offer during the period of the Bid Validity specified in the BDS, or;
		b) In the event the successful Bidder fails:i. to sign the Contract after UNDP has issued an award; or
		ii. to furnish the Performance Security, insurances, or other documents that UNDP may require as a condition precedent to the effectivity of the contract that may be awarded to the Bidder.
13. Currencies	13.1	 All prices shall be quoted in the currency or currencies indicated in the BDS. Where Bids are quoted in different currencies, for the purposes of comparison of all Bids: a) UNDP will convert the currency quoted in the Bid into the UNDP preferred currency, in accordance with the prevailing UN operational rate of exchange on the last day of submission of Bids; and b) In the event that UNDP selects a Bid for award that is quoted in a currency different from the preferred currency in the BDS, UNDP shall reserve the right to award the contract in the currency of UNDP's preference, using the
14. Joint Venture,	14.1	conversion method specified above. If the Bidder is a group of legal entities that will form or have formed a Joint Venture
Consortium or Association		(JV), Consortium or Association for the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture.
	14.2	JV, Consortium or Association shall not be altered without the prior written consent of UNDP.
	14.3	The lead entity and the member entities of the JV, Consortium or Association shall

		abide by the manifeless of Clause Observing in manner (C. 1. 1991)
	14.4 14.5 14.6	abide by the provisions of Clause 9 herein in respect of submitting only one Bid. The description of the organization of the JV, Consortium or Association must clearly define the expected role of each of the entities in the joint venture in delivering the requirements of the ITB, both in the Bid and the JV, Consortium or Association Agreement. All entities that comprise the JV, Consortium or Association shall be subject to the eligibility and qualification assessment by UNDP. A JV, Consortium or Association in presenting its track record and experience should clearly differentiate between: a) Those that were undertaken together by the JV, Consortium or Association; and b) Those that were undertaken by the individual entities of the JV, Consortium or Association. Previous contracts completed by individual experts working privately but who are permanently or were temporarily associated with any of the member firms cannot be claimed as the experience of the JV, Consortium or Association or those of its members, but should only be claimed by the individual experts themselves in their presentation of their individual credentials JV, Consortium or Associations are encouraged for high value, multi-sectoral requirements when the spectrum of expertise and resources required may not be
15. Only One Bid	15.1	available within one firm. The Bidder (including the individual members of any Joint Venture) shall submit only one Bid, either in its own name or as part of a Joint Venture. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to
	13.2	have any of the following: a) they have at least one controlling partner, director or shareholder in common;
		or
		b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
		 c) they have the same legal representative for purposes of this ITB; or d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of another Bidder regarding this ITB process;
		e) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this ITB process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
16. Bid Validity Period	16.1	Bids shall remain valid for the period specified in the BDS, commencing on the Deadline for Submission of Bids. A Bid valid for a shorter period may be rejected by
	16.2	UNDP and rendered non-responsive. During the Bid validity period, the Bidder shall maintain its original Bid without any
	10.2	change, including the availability of the Key Personnel, the proposed rates and the total price.
17. Extension of Bid Validity Period	17.1	In exceptional circumstances, prior to the expiration of the Bid validity period, UNDP may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing, and shall be considered integral to the Bid.
	17.2	If the Bidder agrees to extend the validity of its Bid, it shall be done without any change to the original Bid.
	17.3	The Bidder has the right to refuse to extend the validity of its Bid, in which case, the
10 Clauification of Did	10 1	Bid shall not be further evaluated.
18. Clarification of Bid (from the Bidders)	18.1	Bidders may request clarifications on any of the ITB documents no later than the date indicated in the BDS. Any request for clarification must be sent in writing in
,		the manner indicated in the BDS. If inquiries are sent other than specified channel, even if they are sent to a UNDP staff member, UNDP shall have no obligation to
		respond or confirm that the query was officially received.

	18.2	UNDP will provide the responses to clarifications through the method specified in the BDS.
	18.3	UNDP shall endeavour to provide responses to clarifications in an expeditious manner, but any delay in such response shall not cause an obligation on the part of UNDP to extend the submission date of the Bids, unless UNDP deems that such an extension is justified and necessary.
19. Amendment of Bids	19.1	At any time prior to the deadline of Bid submission, UNDP may for any reason, such as in response to a clarification requested by a Bidder, modify the ITB in the form of an amendment to the ITB. Amendments will be made available to all prospective bidders.
	19.2	If the amendment is substantial, UNDP may extend the Deadline for submission of Bid to give the Bidders reasonable time to incorporate the amendment into their Bids.
20. Alternative Bids	20.1	Unless otherwise specified in the BDS, alternative Bids shall not be considered. If submission of alternative Bid is allowed by BDS, a Bidder may submit an alternative Bid, but only if it also submits a Bid conforming to the ITB requirements. Where the conditions for its acceptance are met, or justifications are clearly established, UNDP reserves the right to award a contract based on an alternative Bid. If multiple/alternative bids are being submitted, they must be clearly marked as "Main Bid" and "Alternative Bid"
21. Pre-Bid Conference	21.1	When appropriate, a pre-bid conference will be conducted at the date, time and location specified in the BDS. All Bidders are encouraged to attend. Non-attendance, however, shall not result in disqualification of an interested Bidder. Minutes of the Bidder's conference will be disseminated on the procurement website and shared by email or on the e-Tendering platform as specified in the BDS. No verbal statement made during the conference shall modify the terms and conditions of the ITB, unless specifically incorporated in the Minutes of the Bidder's Conference or issued/posted as an amendment to ITB.
C. SUBMISSION AN	ID OF	
22. Submission	22.2	The Bidder shall submit a duly signed and complete Bid comprising the documents and forms in accordance with requirements in the BDS. The Price Schedule shall be submitted together with the Technical Bid. Bid can be delivered either personally, by courier, or by electronic method of transmission as specified in the BDS. The Bid shall be signed by the Bidder or person(s) duly authorized to commit the Bidder. The authorization shall be communicated through a document evidencing such authorization issued by the legal representative of the bidding entity, or a Power of Attorney, accompanying the Bid. Bidders must be aware that the mere act of submission of a Bid, in and of itself, implies that the Bidder fully accepts the UNDP General Contract Terms and
Havd come (manual)	22.4	Conditions.
Hard copy (manual) submission	22.4	Hard copy (manual) submission by courier or hand delivery allowed or specified in the BDS shall be governed as follows: a) The signed Bid shall be marked "Original", and its copies marked "Copy" as appropriate. The number of copies is indicated in the BDS. All copies shall be made from the signed original only. If there are discrepancies between the original and the copies, the original shall prevail. (b) The Technical Bid and Price Schedule must be sealed and submitted together in an envelope, which_shall: i. Bear the name of the Bidder; ii. Be addressed to UNDP as specified in the BDS; and iii. Bear a warning not to open before the time and date for Bid opening as specified in the BDS.

			If the envelope with the Bid is not sealed and marked as required, UNDP shall assume no responsibility for the misplacement, loss, or premature opening of the Bid.
e ⁻	mail and Tendering ubmissions	22.5	 Electronic submission through email or eTendering, if allowed as specified in the BDS, shall be governed as follows: a) Electronic files that form part of the Bid must be in accordance with the format and requirements indicated in BDS; b) Documents which are required to be in original form (e.g. Bid Security, etc.) must be sent via courier or hand delivered as per the instructions in BDS. Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/
		00.4	procurement-notices/resources/
S	eadline for ubmission of Bids nd Late Bids	23.1	Complete Bids must be received by UNDP in the manner, and no later than the date and time, specified in the BDS. UNDP shall only recognise the actual date and time that the bid was received by UNDP
		23.2	UNDP shall not consider any Bid that is received after the deadline for the submission of Bids.
	Vithdrawal,	24.1	A Bidder may withdraw, substitute or modify its Bid after it has been submitted at
	ubstitution, and Modification of Bids	24.2	any time prior to the deadline for submission. Manual and Email submissions: A bidder may withdraw, substitute or modify its Bid
		24.3	by sending a written notice to UNDP, duly signed by an authorized representative, and shall include a copy of the authorization (or a Power of Attorney). The corresponding substitution or modification of the Bid, if any, must accompany the respective written notice. All notices must be submitted in the same manner as specified for submission of Bids, by clearly marking them as "WITHDRAWAL" "SUBSTITUTION," or "MODIFICATION" eTendering: A Bidder may withdraw, substitute or modify its Bid by Cancelling,
			Editing, and re-submitting the Bid directly in the system. It is the responsibility of the Bidder to properly follow the system instructions, duly edit and submit a substitution or modification of the Bid as needed. Detailed instructions on how to cancel or modify a Bid directly in the system are provided in the Bidder User Guide and Instructional videos.
		24.4	Bids requested to be withdrawn shall be returned unopened to the Bidders (only for manual submissions), except if the bid is withdrawn after the bid has been opened.
25. B	id Opening	25.1	UNDP will open the Bid in the presence of an ad-hoc committee formed by UNDP of at least two (2) members.
		25.2	The Bidders' names, modifications, withdrawals, the condition of the envelope labels/seals, the number of folders/files and all other such other details as UNDP may consider appropriate, will be announced at the opening. No Bid shall be rejected at the opening stage, except for late submissions, in which case, the Bid shall be returned unopened to the Bidders.
		25.3	In the case of e-Tendering submission, bidders will receive an automatic notification once the Bid is opened.
D	. EVALUATION OF	BIDS	
	onfidentiality	26.1	Information relating to the examination, evaluation, and comparison of Bids, and the recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process, even after publication of

27. Eurlystian of Pide	the contract award. 26.2 Any effort by a Bidder or anyone on behalf of the Bidder to influence UNDP in the examination, evaluation and comparison of the Bids or contract award decisions may, at UNDP's decision, result in the rejection of its Bid and may subsequently be subject to the application of prevailing UNDP's vendor sanctions procedures.
27. Evaluation of Bids	 27.1 UNDP will conduct the evaluation solely on the basis of the Bids received. 27.2 Evaluation of Bids shall be undertaken in the following steps: a) Preliminary Examination including Eligibility b) Arithmetical check and ranking of bidders who passed preliminary examination by price. c) Qualification assessment (if pre-qualification was not done) a) Evaluation of Technical Bids b) Evaluation of prices Detailed evaluation will be focussed on the 3 - 5 lowest priced bids. Further higher priced bids shall be added for evaluation if necessary
28. Preliminary Examination	28.1 UNDP shall examine the Bids to determine whether they are complete with respect to minimum documentary requirements, whether the documents have been properly signed, and whether the Bids are generally in order, among other indicators that may be used at this stage. UNDP reserves the right to reject any Bid at this stage.
29. Evaluation of Eligibility and Qualification	 29.1 Eligibility and Qualification of the Bidder will be evaluated against the Minimum Eligibility/Qualification requirements specified in the Section 4 (Evaluation Criteria). 29.2 In general terms, vendors that meet the following criteria may be considered qualified: a) They are not included in the UN Security Council 1267/1989 Committee's list of terrorists and terrorist financiers, and in UNDP's ineligible vendors' list; b) They have a good financial standing and have access to adequate financial resources to perform the contract and all existing commercial commitments, c) They have the necessary similar experience, technical expertise, production capacity, quality certifications, quality assurance procedures and other resources applicable to the supply of goods and/or services required; d) They are able to comply fully with the UNDP General Terms and Conditions of Contract; e) They do not have a consistent history of court/arbitral award decisions against the Bidder; and f) They have a record of timely and satisfactory performance with their clients.
30. Evaluation of Technical Bid and prices	30.1 The evaluation team shall review and evaluate the Technical Bids on the basis of their responsiveness to the Schedule of Requirements and Technical Specifications and other documentation provided, applying the procedure indicated in the BDS and other ITB documents. When necessary, and if stated in the BDS, UNDP may invite technically responsive bidders for a presentation related to their technical Bids. The conditions for the presentation shall be provided in the bid document where required.
31. Due diligence	 31.1 UNDP reserves the right to undertake a due diligence exercise, aimed at determining to its satisfaction, the validity of the information provided by the Bidder. Such exercise shall be fully documented and may include, but need not be limited to, all or any combination of the following: a) Verification of accuracy, correctness and authenticity of information provided by the Bidder; b) Validation of extent of compliance to the ITB requirements and evaluation criteria based on what has so far been found by the evaluation team; c) Inquiry and reference checking with Government entities with jurisdiction on the Bidder, or with previous clients, or any other entity that may have done business with the Bidder;

32. Clarification o	of Bids 32.1 32.2	 d) Inquiry and reference checking with previous clients on the performance on on-going or completed contracts, including physical inspections of previous works, as deemed necessary; e) Physical inspection of the Bidder's offices, branches or other places where business transpires, with or without notice to the Bidder; f) Other means that UNDP may deem appropriate, at any stage within the selection process, prior to awarding the contract. To assist in the examination, evaluation and comparison of Bids, UNDP may, at its discretion, request any Bidder for a clarification of its Bid. UNDP's request for clarification and the response shall be in writing and no change in the prices or substance of the Bid shall be sought, offered, or permitted, except to provide clarification, and confirm the correction of any arithmetic errors discovered by UNDP in the evaluation of the Bids, in accordance with the ITB. Any unsolicited clarification submitted by a Bidder in respect to its Bid, which is not a response to a request by UNDP, shall not be considered during the review and evaluation of the Bids.
33. Responsivene Bid	33.1 33.2	UNDP's determination of a Bid's responsiveness will be based on the contents of the bid itself. A substantially responsive Bid is one that conforms to all the terms, conditions, specifications and other requirements of the ITB without material deviation, reservation, or omission. If a bid is not substantially responsive, it shall be rejected by UNDP and may not
		subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.
34. Nonconformi Reparable Err and Omission	ors	Provided that a Bid is substantially responsive, UNDP may waive any non-conformities or omissions in the Bid that, in the opinion of UNDP, do not constitute a material deviation.
	34.2	UNDP may request the Bidder to submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
	34.3	For the bids that have passed the preliminary examination, UNDP shall check and correct arithmetical errors as follows: a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of UNDP there is an obvious misplacement of the decimal point in the unit price; in which
		 case, the line item total as quoted shall govern and the unit price shall be corrected; b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail.
	34.4	If the Bidder does not accept the correction of errors made by UNDP, its Bid shall be rejected.
E. AWARD	OF CONTRAC	T Control of the cont
35. Right to Acce Reject, Any o Bids	-	UNDP reserves the right to accept or reject any bid, to render any or all of the bids as non-responsive, and to reject all Bids at any time prior to award of contract, without incurring any liability, or obligation to inform the affected Bidder(s) of the grounds for UNDP's action. UNDP shall not be obliged to award the contract to the lowest priced offer.
36. Award Criteri	a 36.1	Prior to expiration of the period of Bid validity, UNDP shall award the contract to

		the qualified and eligible Bidder that is found to be responsive to the requirements of the Schedule of Requirements and Technical Specification, and has offered the lowest price.
37. Debriefing	37.1	In the event that a Bidder is unsuccessful, the Bidder may request for a debriefing from UNDP. The purpose of the debriefing is to discuss the strengths and weaknesses of the Bidder's submission, in order to assist the Bidder in improving its future Bids for UNDP procurement opportunities. The content of other Bids and how they compare to the Bidder's submission shall not be discussed.
38. Right to Vary	38.1	At the time of award of Contract, UNDP reserves the right to vary the quantity of
Requirements at the		goods and/or services, by up to a maximum twenty-five per cent (25%) of the total
Time of Award		offer, without any change in the unit price or other terms and conditions.
39. Contract Signature	39.1	Within fifteen (15) days from the date of receipt of the Contract, the successful
40. Contract True and	40.1	Bidder shall sign and date the Contract and return it to UNDP. Failure to do so may constitute sufficient grounds for the annulment of the award, and forfeiture of the Bid Security, if any, and on which event, UNDP may award the Contract to the Second highest rated or call for new Bids.
40. Contract Type and	40.1	The types of Contract to be signed and the applicable UNDP Contract General
General Terms and		Terms and Conditions, as specified in BDS, can be accessed at
Conditions		http://www.undp.org/content/undp/en/home/procurement/business/how-we- buy.html
41. Performance	41.1	A performance security, if required in the BDS, shall be provided in the amount
Security		specified in BDS and form available at
Jeanny		https://popp.undp.org/ layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_D
		OCUMENT LIBRARY/Public/PSU Solicitation Performance%20Guarantee%20Form. docx&action=default within a maximum of fifteen (15) days of the contract
		signature by both parties. Where a performance security is required, the receipt of
		the performance security by UNDP shall be a condition for rendering the contract
		effective.
42. Bank Guarantee for	42.1	Except when the interests of UNDP so require, it is UNDP's standard practice to not
Advanced Payment		make advance payment(s) (i.e., payments without having received any outputs). If
		an advance payment is allowed as per the BDS, and exceeds 20% of the total
		contract price, or USD 30,000, whichever is less, the Bidder shall submit a Bank
		Guarantee in the full amount of the advance payment in the form available at
		https://popp.undp.org/_layouts/15/WopiFrame.aspx?sourcedoc=/UNDP_POPP_D OCUMENT_LIBRARY/Public/PSU_Contract%20Management%20Payment%20and%
		20Taxes Advanced%20Payment%20Guarantee%20Form.docx&action=default
43. Liquidated Damages	43.1	If specified in the BDS, UNDP shall apply Liquidated Damages for the damages
		and/or risks caused to UNDP resulting from the Contractor's delays or breach of its
		obligations as per Contract.
44. Payment Provisions	44.1	Payment will be made only upon UNDP's acceptance of the goods and/or services
		performed. The terms of payment shall be within thirty (30) days, after receipt of
		invoice and certification of acceptance of goods and/or services issued by the
		proper authority in UNDP with direct supervision of the Contractor. Payment will be
		effected by bank transfer in the currency of the contract.
45. Vendor Protest	45.1	UNDP's vendor protest procedure provides an opportunity for appeal to those
		persons or firms not awarded a contract through a competitive procurement
		process. In the event that a Bidder believes that it was not treated fairly, the
		following link provides further details regarding UNDP vendor protest procedures: http://www.undp.org/content/undp/en/home/procurement/business/protest-
		and-sanctions.html
46. Other Provisions	46.1	In the event that the Bidder offers a lower price to the host Government (e.g.
TO. Other I Tovisions	70.1	General Services Administration (GSA) of the federal government of the United States of America) for similar goods and/or services, UNDP shall be entitled to the

- same lower price. The UNDP General Terms and Conditions shall have precedence.

 46.2 UNDP is entitled to receive the same pricing offered by the same Contractor in contracts with the United Nations and/or its Agencies. The UNDP General Terms and Conditions shall have precedence.
- 46.3 The United Nations has established restrictions on employment of (former) UN staff who have been involved in the procurement process as per bulletin ST/SGB/2006/15

http://www.un.org/en/ga/search/view_doc.asp?symbol=ST/SGB/2006/15&referer

Section 3. Bid Data Sheet

The following data for the goods and/or services to be procured shall complement, supplement, or amend the provisions in the Invitation to Bid in the case of a conflict between the Instructions to Bidders, the Bid Data Sheet, and other annexes or references attached to the Bid Data Sheet, the provisions in the Bid Data Sheet shall prevail.

BDS No.	Ref. to Section.2	Data	Specific Instructions / Requirements
1	7	Language of the Bid	English
2		Submitting Bids for Parts or sub- parts of the Schedule of Requirements (partial bids)	Not Allowed
3	20	Alternative Bids	Shall not be considered
4	21	Pre-Bid conference	Will be Conducted Time: 14.00 Fiji Time Date: 7 April 2020 Venue: UNDP Pacific Office The UNDP focal point for the arrangement is: Murod Ruziev E-mail: murod.ruziev@undp.org Victorina Loyola E-mail: victorina.loyola@undp.org Those who are interested in attending the meeting are kindly requested to use below link to join in Zoom call: Join Zoom Meeting https://undp.zoom.us/j/573943302 Meeting ID: 573 943 302
5	16	Bid Validity Period	90 days
6	13	Bid Security	Not Required
7	42	Advanced Payment upon signing of contract	Not Allowed
8	43	Liquidated Damages	Will be imposed as follows: Percentage of contract price per day of delay: 0.1% Max. number of days of delay 30, after which UNDP may terminate the contract.
9	40	Performance Security	Required in the amount of 10% of contract amount. Please refer to Clause 41 of Section 2. Instruction to Bidders on performance security requirements.
10	13	Currency of Bid	United States Dollar Reference date for determining UN Operational Exchange Rate: April, 2020
11	31	Deadline for submitting requests for clarifications/ questions	5 days before the submission deadline

12	31	Contact Details for submitting clarifications/questions	Focal Person in UNDP: Murod Ruziev Address: Level 8, Kadavu House, 414 Victoria Parade, Privat Mail Bag Suva, Fiji E-mail address: murod.ruziev@undp.org, cc: procurement.fj@undp.org
13	18, 19 and 21	Manner of Disseminating Supplemental Information to the ITB and responses/clarifications to queries	Posted directly to eTendering Direct communication to prospective Proposers by email, and Posting on the websites: www.ungm.org , https://procurement-notices.undp.org/ , www.undb.org
14	23	Deadline for Submission	As indicated in eTendering system. System time zone is in EST/EDT (New York (time zone). PLEASE NOTE: Date and time visible on the main screen of event (on eTendering portal) will be final and prevail over any other closing time indicated elsewhere, in case they are different. The correct bid closing time is as indicated in the eTendering portal and system will not accept any bid after that time. It is the responsibility of the bidder to make sure bids are submitted within this deadline. UNDP will not accept any bid that is not submitted directly in the system. Try to submit your bid a day prior or well before the closing time. Do not wait until last minute. If you face any issue submitting your bid at the last minute, UNDP may not be able to assist.
14	22	Allowable Manner of Submitting Bids	☐ Courier/Hand Delivery ☐ Submission by email ☑ e-Tendering Username: event.guest Password: why2change
15	22	Bid Submission Address	https://etendering.partneragencies.org Business Unit Code: FJI10 Event ID: 0000005655
16	22	Electronic submission requirements	 Format: PDF files only File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted. Max. File Size per transmission: 15 MB
17	25	Date, time and venue for the opening of bid	Date and Time: next day after bid submission closing day Venue: UNDP Pacific Office in Fiji (Level 8, Kadavu House, 414 Victoria Parade, Private Mail Bag, Suva, Fiji)
18	27, 36	Evaluation Method for the Award of Contract	Lowest priced technically responsive, eligible and qualified bid
19		Expected date for commencement of Contract	June, 2020

20		Maximum expected duration of contract	4 months
21	35	UNDP will award the contract to:	One Proposer Only
22	39	Type of Contract	Contract for Goods and/or Services to UNDP http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
23	39	UNDP Contract Terms and Conditions that will apply	UNDP General Terms and Conditions for Contracts http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
24		Other Information Related to the ITB	N/A

Preliminary Examination Criteria

Bids will be examined to determine whether they are complete and submitted in accordance with ITB requirements as per below criteria on a Yes/No basis:

- Appropriate signatures
- Power of Attorney
- Minimum Bid documents provided
- Bid Validity
- Confirmation of submission of Performance Security

Minimum Eligibility and Qualification Criteria

Eligibility and Qualification will be evaluated on a Pass/Fail basis.

If the Bid is submitted as a Joint Venture/Consortium/Association, each member should meet the minimum criteria, unless otherwise specified.

Subject	Criteria	Document Submission requirement
ELIGIBILITY		
Legal Status	Vendor is a legally registered entity.	Form B: Bidder Information Form
Eligibility	Vendor is not suspended, nor debarred, nor otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization in accordance with ITB clause 3.	Form A: Bid Submission Form
Conflict of Interest	No conflicts of interest in accordance with ITB clause 4.	Form A: Bid Submission Form
Bankruptcy	Has not declared bankruptcy, is not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against the vendor that could impair its operations in the foreseeable future.	Form A: Bid Submission Form
Certificates and Licenses	 Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder Export/Import Licenses, if applicable 	Form B: Bidder Information Form
Additional eligibility documents	 Company Profile, which should not exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods and/or services being procured. The technical literature/brochure must demonstrate the compliance with technical specifications claimed by the bidder in Form E: Format of Technical Bid. Certificate of Incorporation/ Business Registration Tax Registration/Payment Certificate issued by the Internal Revenue Authority evidencing that the Bidder is updated with its tax payment obligations, or Certificate of Tax exemption, if any such privilege is enjoyed by the Bidder Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any Environmental Compliance Certificates, Accreditations, Markings/Labels, and other evidences of the Bidder's practices which contributes to the ecological sustainability 	

	 and reduction of adverse environmental impact (e.g., use of non-toxic substances, recycled raw materials, energy-efficient equipment, reduced carbon emission, etc.), either in its business practices or in the goods it manufactures Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder Export Licenses, if applicable List and value of major contracts of similar nature and size successfully completed in the past three years, including contact details of clients, who could be contacted for reference purposes 	
QUALIFICATION		
History of Non- Performing Contracts ¹	Non-performance of a contract did not occur as a result of contractor default for the last 3 years	Form D: Qualification Form
Litigation History	No consistent history of court/arbitral award decisions against the Bidder for the last 5 years	Form D: Qualification Form
Previous Experience	Minimum 3 years of relevant experience in supply of similar goods (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Form D: Qualification Form
Financial Standing	Minimum average annual turnover of USD 400,000 for the last 3 years (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Form D: Qualification Form
	Bidder must demonstrate the current soundness of its financial standing and indicate its prospective long-term profitability (For JV/Consortium/Association, all Parties cumulatively should meet requirement).	Form D: Qualification Form
Technical Evaluation	The technical bids shall be evaluated on a pass/fail basis for compliance or non-compliance with the technical specifications identified in the bid document	Form E: Technical Bid Form
Financial Evaluation	Detailed analysis of the price schedule based on requirements listed in Section 5 and quoted for by the bidders in Form F. Price comparison shall be based on the landed price, including transportation, insurance and the total cost of ownership (including spare parts, consumption, training, special packaging, etc., where applicable) Comparison with budget/internal estimates.	Form F: Price Schedule Form
Warranty period	Quality guarantee for materials and equipment valid for 12 (twelve) months	

_

¹ Non-performance, as decided by UNDP, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

Supply of construction materials

Any manufacturer's names, trade names, brand names or catalogue numbers used in the specifications are for the purpose of describing and establishing general performance and quality levels. Such references are not intended to be restrictive. Bids are invited on these and comparable brands or products provided the quality of the proposed products meet or exceed the quality of the specifications listed for any item.

Code	Materials	Qty	Unit of Measure
Well Ed	ı quipment		
2.1	Trailer mounted drilling rig and equipment. Dual axle trailer mounted drilling rig. Lonestar LS300T+ or similar. To include drilling equipment to 300' with 8" drill bit (for 6" casings) and 4" drill bit (for 2" dia. sample pipe) w/ compressor and drill tools (roller bit and hammer)	1	Lot
2.2	CentriPro submersible pump motor 1.5-HP 3Wire 460V 60Hz 3-phase 4" motor, or similar	8	Nos.
2.3	Centripro 4" dia. well pump for the above 1.5-HP motor	8	Nos.
2.4	CentriPro 1.5-HP submersible pump control box, or similar	6	Nos.
2.5	CentriPro submersible pump motor 2-HP 3Wire 460V 60Hz 3-phase 4" motor, or similar	7	Nos.
2.6	Centripro 4"dia. well pump for the above 2-HP motor.	4	Nos.
2.7	CentriPro 2-HP submersible pump control box, or similar	3	Nos.
2.8	PVC Sch 40 Well Casings 6" dia. x 10' pipe. Male x Female threads	100	Pcs.
2.9	PVC Schd 40 Screen pipe 6" x 10' x 0.010" slot size. Male x Female threads	15	Pcs.
2.10	PVC Sch 80 Well pump delivery pipe 2" x 10' PVC pipe.	100	Pcs.
2.11	Well seal cap 8" dia. With 2" dia. threaded center outlet.	7	Nos.
2.12	Monitor well cap 2" dia.	3	Nos.
2.13	Pea metal for wells (25 kg bags)	70	Bags
2.14	Well Flushing detergent x 55 gallon drum	2	Drum
2.15	Power points. Wall mounted, IP rated weather proof, double socket. Lithonia or similar	10	Nos.
2.16	Light switches. IP Rated Weather proof. Wall mounted. BWF-TEDDICO TS-11V, or similar	10	Nos.
2.17	LED lights. Ceiling mounted. 3' strip light. Lithonia CDS-L48-MVOLT, or similar	10	Nos.
2.18	Wire splice packs. #SP8C-4. Four wire splice kit, wire size #8, W/ #12 ground	20	Pack
2.19	Pressure control switch. Range 30-80 PSI. Contact rating 20A@120V	8	Nos.
WTP E	quipment		
2.21	Raw water pump pontoon. 4-drum pontoon for mounting item below (raw water pump). w/ 3 x 50' steel wire securing lines, attachment fittings to pontoon & anchor plates (see example below) and 20' boom arm designed to pump item 2.22 below. See Pic 1 example below.	1	Nos.
2.22	Raw water submersible pump (to be installed onto the pontoon). Rated at 55 gpm @ 180' TDH. Grundfos 5-HP 12 stage submersible pump end, or similar	1	Nos.
2.23	Grundfos 5-HP 230V 1-PH Grundfos submersible motor, or similar. (One unit as a spare)	2	Nos.
2.24	Grundfos 5-HP 230V deluxe control box, or similar	1	Nos.
2.25	4" x 4' x 0.020 slot submersible pump screen	1	Nos.
2.26	Treated water submersible pump. Grundfos 3HP 7 stage submersible pump end, or similar	1	Nos.
2.27	Grundfos 3HP 230V 1PH Grundfos submersible motor, or similar. (One unit as a spare)	2	Nos.
2.28	Grundfos 5HP 230V deluxe control box, or similar	1	Nos.
2.29	4" x 4' x .020 slot submersible pump screen	1	Nos.
2.30	Chlorine pumps. LMI B9 series pump. 38.4 GPM. 150 PSI. B911-297, or similar	4	Nos.
2.31	Chlorine pump diaphragms for LMI series pump. (as spares)	4	Nos.

2.32 Plastic wall mounting brackets for LMI pumps	3	Nos.
2.33 LMI chemical tank with top pump mount 100 gal.	3	Nos.
2.34 Sand filter skid. 2 x 1m dia. FRP rapid sand filters rated at 4 bar. Suitable for flow of	1	Lot
300m3/day @ 3.5 bar W/ filter and backwash controls, and interconnecting 2" dia.		
pipework, backwash pump and associated pipework, and sand media. See Pic 2 as an		
example.	1	NI
2.35 HACH CN-66 Total Chlorine test kit H223103 or similar	1	Nos.
2.36 HACH DPD Free Chlorine Reagent Powder Pillows 10 ml, 1000/Pk - H2105528	1	Pk
2.37 HACH HQ11D53000000 HQ11D Portable pH/ORP meter or similar	1	Nos.
2.38 Desktop Turbidity Meter - Lamotte 2020T or similar	1	Nos.
Pipes & Fittings	1	
2.39 Zenner PMFP11 - 2" dia. multi-jet flow meter, or similar	10	Nos.
2.40 2" brass flapper type check valve threaded socket	9	Nos.
2.41 Bronze ball valve 2" dia. Threaded socket	20	Nos.
2.42 Air valve. 1/2" pipe inlet. Valmatic 15A or similar	7	Nos.
2.43 Pressure gauge. 2 1/2" Glycerine filled pressure gauge 0-100 PSI	8	Nos.
2.44 2" dia. PVC tank connectors	4	Nos.
2.45 3' dia. PVC tank connector	2	Nos.
2.46 GI 2" elbow 45 degree. Threaded female	10	Nos.
2.47 GI 2" elbow 90 degree. Threaded female	20	Nos.
2.48 GI 2" Nipples x close	20	Nos.
2.49 GI 2" Tee	20	Nos.
2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread	7	Nos.
2.51 2" dia. PVC discharge hose w/ M&F quick cam connections	2	Nos.
2.52 GI 2" Nipples x 24"	20	Nos.
2.53 GI 2" Nipples x 4"	20	Nos.
2.54 GI 2" x 2" x 3/4" tee. Threaded female	20	Nos.
2.55 GI 2" union. Threaded female	20	Nos.
2.56 GI 2" socket. Threaded female	20	Nos.
2.57 HDPE Pipe 3" dia. x 50 metre rolls 2.58 HDPE straight couplings 3" dia.	10	Roll Nos.
2.59 HDPE straight couplings 3" x 2"dia. (3" compression coupling to HDPE with	4	Nos.
other end 2" female thread)		1403.
2.60 2" Sch 80 PVC female adaptor	10	Nos.
2.61 2" Sch 80 PVC Tee	10	Nos.
2.62 2" Sch 80 PVC Socket Union	10	Nos.
2.63 2" Sch 80 PVC Elbow 45 degree	10	Nos.
2.64 2" Sch 80 PVC Elbow 90 degree	10	Nos.
2.65 2" Sch 80 PVC Coupler	10	Nos.
2.66 2" Sch 80 PVC male Adaptor	10	Nos.
2.67 2" Sch 80 PVC pipe x 10' lengths	10	Nos.
Other	10	1403.
2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth	1	Nos.
2.69 Common key padlocks. 1-3/4" 2522 Padlock, 1-3/3" wide 4-pin tumbler, case-hardene		
steel shackle Masterlock IKA 2007, or similar	u 20	Nos.
2.70 Kitset shed x 3 berth. Material: Zincalume (see Pic 3 example below). Typhoon proof rated.	1	Lot
2.71 CrackBond Epoxy. Two Part Crack Repair Epoxy. 3-gallon kit	4	Kit

2.72	One way 40' container. Final destination container.	1	Nos.
2.73	Well depth measure. Solinst Model 101 flat tape x 200'	1	Nos.
2.74	Danger Chlorine Signs 7" x 10"	2	Nos.
2.75	Face shield for chlorine HTH handling	2	Nos.
2.76	Half mask respirator large	2	Nos.
2.77	Defend multi purpose cartridges (2-pack)	10	Nos.
2.78	Hi-Vis vests. Yellow with reflector strips	20	Nos.

Samples



Pic 1 - Example of four float pontoon on left and boom arm on right



Pic 2 - Example of filter skid



Pic 3 - Example of three bay kitset shed (typhoon rating required)

Section 5b: Other Related Requirements

Further to the Schedule of Requirements in the preceding Table, Bidders are requested to take note of the following additional requirements, conditions, and related services pertaining to the fulfillment of the requirements:

Delivery Term [INCOTERMS 2010]	CIP
(Pls. link this to price schedule)	
Exact Address of Delivery/Installation Location	South Yap, Federated States of Micronesia
Mode of Transport Preferred	Sea
UNDP Preferred Freight Forwarder, if any ²	No
Distribution of shipping documents	No
(if using freight forwarder)	
Customs, if required, clearing shall be done by:	UNDP
Ex-factory / Pre-shipment inspection	No
Inspection upon delivery	Yes, inspection will be conducted at the final point of destination
Installation Requirements	Not required
Testing Requirements	No
Scope of Training on Operation and Maintenance	No
Commissioning	No
Warranty Period	Minimum 12 months warranty is required.
Local Service Support	No
Technical Support Requirements	No
After-sale services Requirements	 ☑ Warranty and other requirements outlined in Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities ☐ Technical Support ☑ Provision of Service Unit when pulled out for maintenance /repair ☐ Others [pls. specify]
Payment Terms	100% within 30 days upon UNDP's acceptance of the goods delivered as specified and receipt of invoice.
Conditions for Release of Payment	 □ Pre-shipment inspection ☑ Inspection upon arrival at destination □ Installation □ Testing □ Training on Operation and Maintenance □ Others [pls. specify] ☑ Written Acceptance of Goods based on full compliance with ITB requirements
All documentations, including catalogues, instructions and operating manuals, shall be in this language	For evaluation purposes documentations, including catalogues, instructions and operating manuals, shall be in English. All technical documentation, instructions and operating manuals in English language will be required with delivered vehicle.

² A factor of the Incoterms stipulated in the ITB. The use of a UNDP preferred freight forwarder may be considered for purposes of ensuring forwarder's familiarity with procedures and processing of documentary requirements applicable to UNDP when clearing with customs authority of the country of destination.

Section 6: Returnable Bidding Forms / Checklist

This form serves as a checklist for preparation of your Bid. Please complete the Returnable Bidding Forms in accordance with the instructions in the forms and return them as part of your Bid submission. No alteration to format of forms shall be permitted and no substitution shall be accepted.

Before submitting your Bid, please ensure compliance with the Bid Submission instructions of the BDS 22.

Technical Bid:

Have you duly completed all the Returnable Bidding Forms?	
Form A: Bid Submission Form	
Form B: Bidder Information Form	
 Form C: Joint Venture/Consortium/ Association Information Form 	
Form D: Qualification Form	
 Form E: Format of Technical Bid/Bill of Quantities 	
From G: Form of Bid Security	
[Add other forms as necessary]	
Have you provided the required documents to establish compliance with the evaluation criteria in Section 4?	
Price Schedule:	
Form F: Price Schedule Form	

Form A: Bid Submission Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/FJI/JPN/004/20		

We, the undersigned, offer to supply the goods and related services required for [Insert Title of goods and services] in accordance with your Invitation to Bid No. [Insert ITB Reference Number] and our Bid. We hereby submit our Bid, which includes this Technical Bid and Price Schedule.

Our attached Price Schedule is for the sum of [Insert amount in words and figures and indicate currency].

We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium /Association members or subcontractors or suppliers for any part of the contract:

- a) is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists;
- b) have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization;
- c) have no conflict of interest in accordance with Instruction to Bidders Clause 4;
- d) do not employ, or anticipate employing, any person(s) who is, or has been a UN staff member within the last year, if said UN staff member has or had prior professional dealings with our firm in his/her capacity as UN staff member within the last three years of service with the UN (in accordance with UN post-employment restrictions published in ST/SGB/2006/15);
- e) have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future;
- f) undertake not to engage in proscribed practices, including but not limited to corruption, fraud, coercion, collusion, obstruction, or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we embrace the principles of the United Nations Supplier Code of Conduct and adhere to the principles of the United Nations Global Compact.

We declare that all the information and statements made in this Bid are true and we accept that any misinterpretation or misrepresentation contained in this Bid may lead to our disqualification and/or sanctioning by the UNDP.

We offer to supply the goods and related services in conformity with the Bidding documents, including the UNDP General Conditions of Contract and in accordance with the Schedule of Requirements and Technical Specifications.

Our Bid shall be valid and remain binding upon us for the period specified in the Bid Data Sheet.

We understand and recognize that you are not bound to accept any Bid you receive.

I, the undersigned, certify that I am duly authorized by [Insert Name of Bidder] to sign this Bid and bind it should UNDP accept this Bid.

Name:	
Title:	
Date:	
Signature:	

[Stamp with official stamp of the Bidder]

Form B: Bidder Information Form

Legal name of Bidder	[Complete]
Legal address	[Complete]
Year of registration	[Complete]
Bidder's Authorized Representative Information	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Are you a UNGM registered vendor?	\square Yes \square No If yes, [insert UGNM vendor number]
Are you a UNDP vendor?	☐ Yes ☐ No If yes, [insert UNDP vendor number]
Countries of operation	[Complete]
No. of full-time employees	[Complete]
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	[Complete]
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	[Complete]
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues	[Complete]
Is your company a member of the UN Global Compact	[Complete]
Contact person that UNDP may contact for requests for clarifications during Bid evaluation	Name and Title: [Complete] Telephone numbers: [Complete] Email: [Complete]
Please attach the following documents:	 Company Profile, which should <u>not</u> exceed fifteen (15) pages, including printed brochures and product catalogues relevant to the goods and/or services being procured. The technical

- literature/brochure must demonstrate the compliance with technical specifications claimed by the bidder in Form E: Format of Technical Bid.
- Certificate of Incorporation/ Business Registration
- Tax Registration/Payment Certificate issued by the Internal Revenue Authority evidencing that the Bidder is updated with its tax payment obligations, or Certificate of Tax exemption, if any such privilege is enjoyed by the Bidder
- Quality Certificate (e.g., ISO, etc.) and/or other similar certificates, accreditations, awards and citations received by the Bidder, if any
- Environmental Compliance Certificates, Accreditations, Markings/Labels, and other evidences of the Bidder's practices which contributes to the ecological sustainability and reduction of adverse environmental impact (e.g., use of non-toxic substances, recycled raw materials, energy-efficient equipment, reduced carbon emission, etc.), either in its business practices or in the goods it manufactures
- Patent Registration Certificates, if any of technologies submitted in the Bid is patented by the Bidder
- Export Licenses, if applicable
- List and value of major contracts of similar nature and size successfully completed in the past three years, including contact details of clients, who could be contacted for reference purposes

Form C: Joint Venture/Consortium/Association Information Form

	e of Bidder:	[Insert Name of Big	aderj			Date:	Select date	
ITB re	eference:	ITB/FJI/JPN/004/20)					
To be	completed and r	eturned with your Bi	d if the Bid is s	submit	tted as a Joir	nt Ventu	re/Consortium	n/Association.
No		ner and contact inf ers, fax numbers, e-mai		dress,		oe of go	ion of respor	nsibilities (in ervices to be
1	[Complete]				[Complete]			
2	[Complete]				[Complete]			
3	[Complete]				[Complete]			
(with a Assoc the ev		the JV, Consortium, ITB process and, in	[Complete]					
legal s	tructure of and t	opy of the below refetche confirmation of joint venture	joint and seve	rable l	liability of th	ne memb	pers of the said	d joint venture: nent
legal s □ Lett We he be join	tructure of and the ter of intent to for	the confirmation of joint venture at if the contract is a liable to UNDP for	oint and seve OR warded, all pa the fulfillment	rable I	liability of th //Consortiur of the Joint V	m/Assoc /enture/ of the C	pers of the said liation agreem Consortium/A Contract.	d joint venture: nent
□ Lett We he be join Name	tructure of and the control of the confirm the confirmation that the confirmat	the confirmation of joint venture at if the contract is and liable to UNDP for	OR warded, all pa the fulfillment	rable I	liability of th V/Consortiun of the Joint V e provisions	m/Assoc /enture/ of the C	iation agreem Consortium/A Contract.	d joint venture: nent
legal so Lette We here be join Name	tructure of and the ter of intent to for the terms of intent to for the terms of the terms of the terms of partner:	the confirmation of joint venture at if the contract is and liable to UNDP for	oint and sevelong of the fulfillment	rable I	liability of the Joint V e provisions of partner:ure:	m/Assoc /enture/ s of the (iation agreem Consortium/A Contract.	d joint venture: nent
legal so Lette We her be join Name Signa Date:	tructure of and the ter of intent to for reby confirm the otily and severally end of partner:	the confirmation of joint venture at if the contract is an illustration in the contract of the contract is an interest of the contract of the cont	oint and seve	rable I JN rties o t of the Name Signate Date: _	liability of the Joint V e provisions of partner:	m/Assoc	ciation agreem Consortium/A Contract.	d joint venture: nent ssociation shal
legal so Lette We her be join Name Signa Date:	tructure of and the ter of intent to for reby confirm the otily and severally end of partner:	the confirmation of joint venture at if the contract is and liable to UNDP for	oint and seve	rable I JN rties o t of the Name Signate Date: _	liability of the Joint V e provisions of partner:	m/Assoc	ciation agreem Consortium/A Contract.	d joint venture: nent association shal
legal si Letti We helbe join Name Signa Date: Name	tructure of and the ter of intent to for reby confirm the otly and severally end of partner:	the confirmation of joint venture at if the contract is an illustration in the contract of the contract is an interest of the contract of the cont	oint and seve	rable I JN rities of the Name Signate Date: _ Name Signate	liability of the Joint Very provisions of partner: of partner: ure: ure:	m/Associated with the control of the	ciation agreem Consortium/A Contract.	d joint venture: nent ssociation shal

Form D: Eligibility and Qualification Form

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/FJI/JPN/004/20		

If JV/Consortium/Association, to be completed by each partner.

History of Non- Performing Contracts

□ Non-performing contracts did not occur during the last 3 years						
□ Contract	t(s) not performed in	the last 3 years				
Year	Year Non- performed Contract Identification Total Contract Amount (current value in US\$) contract					
		Name of Client: Address of Client: Reason(s) for non-performance:				

Litigation History (including pending litigation)

- 9								
□ No litiga	☐ No litigation history for the last 5 years							
☐ Litigation	n History as indicated	d below						
Year of dispute	Amount in dispute (in US\$)	Contract Identification	Total Contract Amount (current value in US\$)					
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:						

Previous Relevant Experience

Please list only previous similar assignments successfully completed in the last 3 years.

List only those assignments for which the Bidder was legally contracted or sub-contracted by the Client as a company or was one of the Consortium/JV partners. Assignments completed by the Bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the Bidder, or that of the Bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The Bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested by UNDP.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken

Bidders may also attach their own Project Data Sheets with more details for assignments above.

☐ Attached are the Statements of Satisfactory Performance from the Top 3 (three) Clients or more.

Financial Standing

Annual Turnover for the last 3 years	Year Year Year	USD USD USD	
Latest Credit Rating (if any), indicate source	e the		

Financial information (in US\$ equivalent)	Historic information for the last 3 years				
	Year 1	Year 2	Year 3		
	Ir	nformation from Balance Sh	eet		
Total Assets (TA)					
Total Liabilities (TL)					
Current Assets (CA)					
Current Liabilities (CL)					
	Information from Income Statement				
Total / Gross Revenue (TR)					
Profits Before Taxes (PBT)					
Net Profit					
Current Ratio					

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the Bidder or party to a JV, and not sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.

Form E: Format of Technical Bid

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/FJI/JPN/004/20		

The Bidder's Bid should be organized to follow this format of the Technical Bid. Where the bidder is presented with a requirement or asked to use a specific approach, the bidder must not only state its acceptance, but also describe how it intends to comply with the requirements. Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

SECTION 1: Bidder's qualification, capacity and expertise

- 1.1 General organizational capability which is likely to affect implementation: management structure, financial stability and project financing capacity, project management controls, extent to which any work would be subcontracted (if so, provide details).
- 1.2 Relevance of specialized knowledge and experience on similar engagements done in the region/country.
- 1.3 Quality assurance procedures and risk mitigation measures.
- 1.4 Organization's commitment to sustainability.

SECTION 2: Scope of Supply, Technical Specifications, and Related Services

This section should demonstrate the Bidder's responsiveness to the specification by identifying the specific components proposed, addressing the requirements, as specified, point by point; providing a detailed description of the essential performance characteristics proposed; and demonstrating how the proposed bid meets or exceeds the requirements/specifications. All important aspects should be addressed in sufficient detail.

- 2.1 A detailed description of how the Bidder will deliver the required goods and services, keeping in mind the appropriateness to local conditions and project environment. Details how the different service elements shall be organized, controlled and delivered.
- 2.2 Explain whether any work would be subcontracted, to whom, how much percentage of the requirements, the rationale for such, and the roles of the proposed sub-contractors and how everyone will function as a team.
- 2.3 The bid shall also include details of the Bidder's internal technical and quality assurance review mechanisms.
- 2.4 Implementation plan including a Gantt Chart or Project Schedule indicating the detailed sequence of activities that will be undertaken and their corresponding timing.
- 2.5 Demonstrate how you plan to integrate sustainability measures in the execution of the contract.

	Code	UNDP Minimum Requirements (Models to be offered by bidders should meet below minimum requirements. Bidders can	Specifications of Proposed by the Bidder Goods	Compliance with Technical Specifications	
-		offer options that exceed below specifications.)		Yes, we comply	No, we can't comply (indicate discrepancy)
	Well E	quipment			

2.1	Trailer mounted drilling rig and equipment.		
	Dual axle trailer mounted drilling rig.		
	Lonestar LS300T+ or similar.		
	To include drilling equipment to 300' with		
	8" drill bit (for 6" casings) and 4" drill bit		
	(for 2" dia. sample pipe) w/ compressor and		
2.2	drill tools (roller bit and hammer)		
2.2	CentriPro submersible pump motor 1.5-HP 3Wire 460V 60Hz 3-phase 4" motor, or		
	similar		
2.3	Centripro 4" dia. well pump for the above		
2.5	1.5-HP motor		
2.4	CentriPro 1.5-HP submersible pump control		
	box, or similar		
2.5	CentriPro submersible pump motor 2-HP		
	3Wire 460V 60Hz 3-phase 4" motor, or		
	similar		
2.6	Centripro 4"dia. well pump for the above 2-		
	HP motor.		
2.7	CentriPro 2-HP submersible pump control		
	box, or similar		
2.8	PVC Sch 40 Well Casings 6" dia. x 10' pipe.		
	Male x Female threads		
2.9	PVC Schd 40 Screen pipe 6" x 10' x 0.010"		
	slot size. Male x Female threads		
2.10	PVC Sch 80 Well pump delivery pipe 2" x		
244	10' PVC pipe.		
2.11	Well seal cap 8" dia. With 2" dia. threaded center outlet.		
2.12	Monitor well cap 2" dia.		
	·		
2.13	Pea metal for wells (25 kg bags)		
2.14	Well Flushing detergent x 55 gallon drum		
2.15	Power points. Wall mounted, IP rated		
	weather proof, double socket. Lithonia or similar		
2.16			
2.10	Light switches. IP Rated Weather proof. Wall mounted. BWF-TEDDICO TS-11V, or similar		
2.17	LED lights. Ceiling mounted. 3' strip light.		
2.17	Lithonia CDS-L48-MVOLT, or similar		
2.18	Wire splice packs. #SP8C-4. Four wire splice		
	kit, wire size #8, W/ #12 ground		
2.19	Pressure control switch. Range 30-80 PSI.		
	Contact rating 20A@120V		
WTP E	quipment	·	
2.21	Raw water pump pontoon. 4-drum pontoon		
	for mounting item below (raw water pump).		
	w/ 3 x 50' steel wire securing lines,		
	attachment fittings to pontoon & anchor		
	plates (see example below) and 20' boom		

	arm designed to pump item 2.22 below. See Pic 1 example below.	
2.22	Raw water submersible pump (to be	
	installed onto the pontoon). Rated at 55	
	gpm @ 180' TDH. Grundfos 5-HP 12 stage	
	submersible pump end, or similar	
2.23	Grundfos 5-HP 230V 1-PH Grundfos	
	submersible motor, or similar. (One unit as	
	a spare)	
2.24	Grundfos 5-HP 230V deluxe control box, or	
	similar	
2.25	4" x 4' x 0.020 slot submersible pump	
2.26	screen	
2.26	Treated water submersible pump. Grundfos	
	3HP 7 stage submersible pump end, or similar	
2.27	Grundfos 3HP 230V 1PH Grundfos	
2.21	submersible motor, or similar. (One unit as	
	a spare)	
2.28	Grundfos 5HP 230V deluxe control box, or	
	similar	
2.29	4" x 4' x .020 slot submersible pump screen	
2.30	Chlorine pumps. LMI B9 series pump. 38.4	
	GPM. 150 PSI. B911-297, or similar	
2.31	Chlorine pump diaphragms for LMI series	
	pump. (as spares)	
2.32	Plastic wall mounting brackets for LMI	
	pumps	
2.33	LMI chemical tank with top pump mount	
	100 gal.	
2.34	Sand filter skid. 2 x 1m dia. FRP rapid sand	
	filters rated at 4 bar. Suitable for flow of	
	300m3/day @ 3.5 bar W/ filter and backwash controls, and interconnecting 2"	
	dia. pipework, backwash pump and	
	associated pipework, and sand media. See	
	Pic 2 as an example.	
2.35	HACH CN-66 Total Chlorine test kit	
	H223103 or similar	
2.36	HACH DPD Free Chlorine Reagent Powder	
	Pillows 10 ml, 1000/Pk - H2105528	
2.37	HACH HQ11D53000000 HQ11D Portable	
	pH/ORP meter or similar	
2.38	Desktop Turbidity Meter - Lamotte 2020T	
Dimas	or similar	
	& Fittings	 T
2.39	Zenner PMFP11 - 2" dia. multi-jet flow meter, or similar	
2.40	2" brass flapper type check valve threaded	
2.40	socket	
	JOCKET	l

2.41	Bronze ball valve 2" dia. Threaded socket		
2.42	Air valve. 1/2" pipe inlet. Valmatic 15A or		
	similar		
2.43	Pressure gauge. 2 1/2" Glycerine filled		
	pressure gauge 0-100 PSI		
2.44	2" dia. PVC tank connectors		
2.45	3' dia. PVC tank connector		
2.46	GI 2" elbow 45 degree. Threaded female		
2.47	GI 2" elbow 90 degree. Threaded female		
2.48	GI 2" Nipples x close		
2.49	GI 2" Tee		
2.50	Cam connector. 2" dia. aluminum cam		
	coupling male adaptor x NPT thread		
2.51	2" dia. PVC discharge hose w/ M&F quick		
	cam connections		
2.52	GI 2" Nipples x 24"		
2.53	GI 2" Nipples x 4"		
2.54	GI 2" x 2" x 3/4" tee. Threaded female		
2.55	GI 2" union. Threaded female		
2.56	GI 2" socket. Threaded female		
2.57	HDPE Pipe 3" dia. x 50 metre rolls		
2.58	HDPE straight couplings 3" dia.		
2.59	HDPE female threaded couplings 3" x 2"dia.		
	(3" compression coupling to HDPE with		
	other end 2" female thread)		
2.60	2" Sch 80 PVC female adaptor		
2.61	2" Sch 80 PVC Tee		
2.62	2" Sch 80 PVC Socket Union		
2.63	2" Sch 80 PVC Elbow 45 degree		
2.64	2" Sch 80 PVC Elbow 90 degree		
2.65	2" Sch 80 PVC Coupler		
2.66	2" Sch 80 PVC male Adaptor		
2.67	2" Sch 80 PVC pipe x 10' lengths		
Other			
2.68	Water Tank Level Indicator for external		
	mounting. Float operatered. 20' Depth		
2.69	Common key padlocks. 1-3/4" 2522		
	Padlock, 1-3/3" wide 4-pin tumbler, case-		
	hardened steel shackle Masterlock IKA		
2.72	2007, or similar		
2.70	Kitset shed x 3 berth. Material: Zincalume		
	(see Pic 3 example below). Typhoon proof rated.		
2.71	CrackBond Epoxy. Two Part Crack Repair		
2.71	Epoxy. 3-gallon kit		
2.72	One way 40' container. Final destination		
	container.		
		1	I

2.73	Well depth measure. Solinst Model 101 flat tape x 200'		
2.74	Danger Chlorine Signs 7" x 10"		
2.75	Face shield for chlorine HTH handling		
2.76	Half mask respirator large		
2.77	Defend multi purpose cartridges (2-pack)		
2.78	Hi-Vis vests. Yellow with reflector strips		

Other Related services and requirements	Compliand	e with requirements	Details or comments on the related requirements		
(based on the information provided in Section 5b)	Yes, we comply	No, we can't comply (indicate discrepancies)			
Delivery term 4 months					
UNDP General Terms and Conditions					
Payment term					
12 months warranty					

SECTION 3: Management Structure and Key Personnel

- 3.1 Describe the overall management approach toward planning and implementing the project. Include an organization chart for the management of the project describing the relationship of key positions and designations. Provide a spreadsheet to show the activities of each personnel and the time allocated for his/her involvement. n/a
- 3.2 Provide CVs for key personnel that will be provided to support the implementation of this project using the format below. CVs should demonstrate qualifications in areas relevant to the scope of goods and/or services. CV of trainers should be provided. n/a

Format for CV of Proposed Key Personnel

Name of Personnel	[Insert]
Position for this assignment	[Insert]
Nationality	[Insert]
Language proficiency	[Insert]
Education/ Qualifications	[Summarize college/university and other specialized education of personnel member, giving names of schools, dates attended, and degrees/qualifications obtained.]
Qualifications	[Insert]
Professional certifications	 [Provide details of professional certifications relevant to the scope of goods and/or services] Name of institution: [Insert] Date of certification: [Insert]
Employment Record/ Experience	[List all positions held by personnel (starting with present position, list in reverse order), giving dates, names of employing organization, title of position held and location of employment. For experience in last five years, detail the type of activities performed, degree of responsibilities, location of assignments and any other information or professional experience considered pertinent for this assignment.]
	[Insert]
	[Provide names, addresses, phone and email contact information for two (2)
References	references] Reference 1: [Insert]
	Reference 2: [Insert]

[Ins	ert]
9	o the best of my knowledge and belief, the data provided above correctl operiences, and other relevant information about myself.
Signature of Personnel	 Date (Day/Month/Year)

FORM F: PRICE SCHEDULE FORM

Name of Bidder:	[Insert Name of Bidder]	Date:	Select date
ITB reference:	ITB/FJI/JPN/004/20		

The Bidder is required to prepare the Price Schedule following the below format. The Price Schedule must include a detailed cost breakdown of all goods and related services to be provided. Separate figures must be provided for each functional grouping or category, if any.

Bidders shall price their bids based on the details presented in Section 5a. All prices quoted shall comply with requested INCOTERMS 2010 and shall include loading/unloading, insurance, transportation to final destination. All prices quoted shall be in US Dollars and shall be exclusive of all taxes (e.g. customs duties, VAT etc.).

UNDP will award the contract to one Bidder, who will present the lowest priced offer of the technically qualified/responsive Bids.

Any estimates for cost-reimbursable items, such as travel of experts and out-of-pocket expenses, should be listed separately.

Bidder is required to specify detailed description of offered goods by providing model, brand, technical parameters and catalogue if available. Offered goods should meet minimum technical specification requirements outlined in the Section 5a: Schedule of Requirements and Technical Specifications/Bill of Quantities.

Currency of the Bid: USD

Price Schedule

Code	Materials	Qty	Unit of	Unit	Total
	Note: attach detailed breakdown of the Grand Total to this		Measure	Price	Price
	Price Schedule as per Section 5: Schedule of Requirements and				
	Technical Specifications/Bill of Quantities and related works				
Well E	quipment				
2.1	Trailer mounted drilling rig and equipment. Dual axle trailer mounted drilling rig. Lonestar LS300T+ or similar. To include drilling equipment to 300' with 8" drill bit (for 6" casings) and 4" drill bit (for 2" dia. sample pipe) w/ compressor	1	Lot		
	and drill tools (roller bit and hammer)				
2.2	CentriPro submersible pump motor 1.5-HP 3Wire 460V 60Hz 3-phase 4" motor, or similar	8	Nos.		
2.3	Centripro 4" dia. well pump for the above 1.5-HP motor	8	Nos.		
2.4	CentriPro 1.5-HP submersible pump control box, or similar	6	Nos.		
2.5	CentriPro submersible pump motor 2-HP 3Wire 460V 60Hz 3-phase 4" motor, or similar	7	Nos.		
2.6	Centripro 4"dia. well pump for the above 2-HP motor.	4	Nos.		
2.7	CentriPro 2-HP submersible pump control box, or similar	3	Nos.		
2.8	PVC Sch 40 Well Casings 6" dia. x 10' pipe. Male x Female threads	100	Pcs.		
2.9	PVC Schd 40 Screen pipe 6" x 10' x 0.010" slot size. Male x Female threads	15	Pcs.		

2.10	PVC Sch 80 Well pump delivery pipe 2" x 10' PVC pipe.	100	Pcs.	1	
2.11	Well seal cap 8" dia. With 2" dia. threaded center outlet.	7	Nos.		
2.12	Monitor well cap 2" dia.	3	Nos.		
2.13	Pea metal for wells (25 kg bags)	70	Bags		
2.14	Well Flushing detergent x 55 gallon drum	2	Drum		
2.15	Power points. Wall mounted, IP rated weather proof, double	10	Nos.		
	socket. Lithonia or similar				
2.16	Light switches. IP Rated Weather proof. Wall mounted. BWF-	10	Nos.		
2.17	TEDDICO TS-11V, or similar	10	N.I.		1
2.17	LED lights. Ceiling mounted. 3' strip light. Lithonia CDS-L48-MVOLT, or similar	10	Nos.		
2.18	Wire splice packs. #SP8C-4. Four wire splice kit, wire size #8, W/	20	Pack		
2.10	#12 ground	20	Tack		
2.19	Pressure control switch. Range 30-80 PSI. Contact rating	8	Nos.		
2.13	20A@120V		1403.		
WTP E	quipment				
2.21	Raw water pump pontoon. 4-drum pontoon for mounting item	1	Nos.		
,	below (raw water pump). w/ 3 x 50' steel wire securing lines,		1403.		
	attachment fittings to pontoon & anchor plates (see example				
	below) and 20' boom arm designed to pump item 2.22 below.				
	See Pic 1 example below.				
2.22	Raw water submersible pump (to be installed onto the	1	Nos.		
	pontoon). Rated at 55 gpm @ 180' TDH. Grundfos 5-HP 12				
	stage submersible pump end, or similar				
2.23	Grundfos 5-HP 230V 1-PH Grundfos submersible motor, or	2	Nos.		
	similar. (One unit as a spare)				
2.24	Grundfos 5-HP 230V deluxe control box, or similar	1	Nos.		
2.25	4" x 4' x 0.020 slot submersible pump screen	1	Nos.		
2.26	Treated water submersible pump. Grundfos 3HP 7 stage submersible pump end, or similar	1	Nos.		
2.27	Grundfos 3HP 230V 1PH Grundfos submersible motor, or similar. (One unit as a spare)	2	Nos.		
2.28	Grundfos 5HP 230V deluxe control box, or similar	1	Nos.		
2.29	4" x 4' x .020 slot submersible pump screen	1	Nos.		
2.30	Chlorine pumps. LMI B9 series pump. 38.4 GPM. 150 PSI. B911-297, or similar	4	Nos.		
2.31	Chlorine pump diaphragms for LMI series pump. (as spares)	4	Nos.		
2.32	Plastic wall mounting brackets for LMI pumps	3	Nos.		
2.33	LMI chemical tank with top pump mount 100 gal.	3	Nos.		
2.34	Sand filter skid. 2 x 1m dia. FRP rapid sand filters rated at 4 bar.	1	Lot		
2.5 1	Suitable for flow of 300m3/day @ 3.5 bar W/ filter and		200		
	backwash controls, and interconnecting 2" dia. pipework,				
	backwash pump and associated pipework, and sand media. See				
	Pic 2 as an example.				
2.35	HACH CN-66 Total Chlorine test kit H223103 or similar	1	Nos.		
2.36	HACH DPD Free Chlorine Reagent Powder Pillows 10 ml,	1	Pk		
	1000/Pk - H2105528				
2.37	HACH HQ11D53000000 HQ11D Portable pH/ORP meter or	1	Nos.		
	similar				

Pipes & Fittings 2.39 Zenner PMFP11 - 2" dia. multi-jet flow meter, or similar 10 Nos. 2.40 2" brass flapper type check valve threaded socket 9 Nos. 2.41 Bronze ball valve 2" dia. Threaded socket 20 Nos. 2.42 Air valve. 1/2" pipe inlet. Valmatic 15A or similar 7 Nos. 2.43 Pressure gauge. 2 1/2" Glycerine filled pressure gauge 0-100 8 Nos. PSI Nos. 2.44 2" dia. PVC tank connectors 4 Nos. 2.45 3" dia. PVC tank connector 2 Nos. 2.46 Gl 2" elbow 45 degree. Threaded female 10 Nos. 2.47 Gl 2" elbow 90 degree. Threaded female 20 Nos. 2.48 Gl 2" Nipples x close 20 Nos. 2.49 Gl 2" Tee 20 Nos. 2.49 Gl 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 Gl 2" Nipples x 24" 20 Nos. 2.53 Gl 2" Nipples x 24" 20 Nos. 2.54 Gl 2" x2" x 3/4" tee. Threaded female 20 Nos. 2.55 Gl 2" nipples x 4" 20 Nos. 2.56 Gl 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 2.60 2" Sch 80 PVC Tee 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.64 2" Sch 80 PVC Goupler 10 Nos. 2.65 2" Sch 80 PVC Goupler 10 Nos. 2.66 2" Sch 80 PVC Goupler 10 Nos. 2.67 2" Sch 80 PVC Goupler 10 Nos. 2.68 2" Sch 80 PVC Goupler 10 Nos. 2.69 Common key padlocks. 1-3/4" 2522 Padlock, 1-3/3" wide 4-pin 20 Nos. 2.69 Common key padlocks. 1-3	
2.40 2" brass flapper type check valve threaded socket 9 Nos. 2.41 Bronze ball valve 2" dia. Threaded socket 20 Nos. 2.42 Air valve. 1/2" pipe inlet. Valmatic 15A or similar 7 Nos. 2.43 Pressure gauge. 2 1/2" Glycerine filled pressure gauge 0-100 8 Nos. PSI Nos. 9 Nos. 2.44 2" dia. PVC tank connectors 4 Nos. 2.45 3" dia. PVC tank connector 2 Nos. 2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Nipples x close 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 2" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos.	
2.41 Bronze ball valve 2" dia. Threaded socket 20 Nos. 2.42 Air valve. 1/2" pipe inlet. Valmatic 15A or similar 7 Nos. 2.43 Pressure gauge. 2 1/2" Glycerine filled pressure gauge 0-100 8 Nos. 2.44 2" dia. PVC tank connectors 4 Nos. 2.45 3" dia. PVC tank connector 2 Nos. 2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" Su 2" x 3/4" tee. Threaded female 20	
2.42	
2.43 Pressure gauge. 2 1/2" Glycerine filled pressure gauge 0-100 PSI 8 Nos. 2.44 2" dia. PVC tank connectors 4 Nos. 2.45 3" dia. PVC tank connector 2 Nos. 2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE female threaded couplings 3" dia. 10 Nos.	
PSI 2.44 2" dia. PVC tank connectors 4 Nos. 2.45 3" dia. PVC tank connector 2 Nos. 2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread NPT thread Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" dia. 10 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Tee 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Coupler 10 Nos. 2.65 2" Sch 80 PVC Dupler 10 Nos. 2.66 2" Sch 80 PVC Dupler 10 Nos. 2.67 2" Sch 80 PVC Dupler 10 Nos. 2.68 2" Sch 80 PVC Dupler 10 Nos. 2.69 2" Sch 80 PVC Dupler 10 Nos. 2.60 2" Sch 80 PVC Dupler 10 N	
2.45 3' dia. PVC tank connector 2 Nos. 2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.55 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor <td></td>	
2.46 GI 2" elbow 45 degree. Threaded female 10 Nos. 2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Socket Union <	
2.47 GI 2" elbow 90 degree. Threaded female 20 Nos. 2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE Extraight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 <td< td=""><td></td></td<>	
2.48 GI 2" Nipples x close 20 Nos. 2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC female adaptor 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 <t< td=""><td></td></t<>	
2.49 GI 2" Tee 20 Nos. 2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos.	
2.50 Cam connector. 2" dia. aluminum cam coupling male adaptor x NPT thread 7 Nos. 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Dupler 10 Nos. 2.66 2" Sch 80 PVC pipe x 10' lengths 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 1 Nos.	
NPT thread 2.51 2" dia. PVC discharge hose w/ M&F quick cam connections 2 Nos. 2.52 Gl 2" Nipples x 24" 20 Nos. 2.53 Gl 2" Nipples x 4" 20 Nos. 2.54 Gl 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 Gl 2" union. Threaded female 20 Nos. 2.56 Gl 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.59 HDPE female adaptor 10 Nos. 2.61 2" Sch 80 PVC female adaptor 10 Nos. 2.62 2" Sch 80 PVC Tee 10 Nos. 2.63 2" Sch 80 PVC Socket Union 10 Nos. 2.64 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC Coupler 10 Nos. 2.67 2" Sch 80 PVC Male Adaptor 10 Nos. 2.68 2" Sch 80 PVC male Adaptor 10 Nos. 2.69 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. 2.68 Water Tank Level Indicator for external mounting. Float 1 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float 1 Nos. Operatered. 20' Depth	
2.52 GI 2" Nipples x 24" 20 Nos. 2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Oth	
2.53 GI 2" Nipples x 4" 20 Nos. 2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other	
2.54 GI 2" x 2" x 3/4" tee. Threaded female 20 Nos. 2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.55 GI 2" union. Threaded female 20 Nos. 2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.56 GI 2" socket. Threaded female 20 Nos. 2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.57 HDPE Pipe 3" dia. x 50 metre rolls 10 Roll 2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.58 HDPE straight couplings 3" dia. 10 Nos. 2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.59 HDPE female threaded couplings 3" x 2"dia. (3" compression coupling to HDPE with other end 2" female thread) 4 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
coupling to HDPE with other end 2" female thread) 10 Nos. 2.60 2" Sch 80 PVC female adaptor 10 Nos. 2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.61 2" Sch 80 PVC Tee 10 Nos. 2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.62 2" Sch 80 PVC Socket Union 10 Nos. 2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.63 2" Sch 80 PVC Elbow 45 degree 10 Nos. 2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.64 2" Sch 80 PVC Elbow 90 degree 10 Nos. 2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.65 2" Sch 80 PVC Coupler 10 Nos. 2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float operatered. 20' Depth 1 Nos.	
2.66 2" Sch 80 PVC male Adaptor 10 Nos. 2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float 1 Nos. operatered. 20' Depth	
2.67 2" Sch 80 PVC pipe x 10' lengths 10 Nos. Other 2.68 Water Tank Level Indicator for external mounting. Float 1 Nos. operatered. 20' Depth	
Other 2.68 Water Tank Level Indicator for external mounting. Float 1 Nos. operatered. 20' Depth	
Water Tank Level Indicator for external mounting. Float operatered. 20' Depth	
operatered. 20' Depth	
tumbler, case-hardened steel shackle Masterlock IKA 2007, or similar	
2.70 Kitset shed x 3 berth. Material: Zincalume (see Pic 3 example 1 Lot below). Typhoon proof rated.	
2.71 CrackBond Epoxy. Two Part Crack Repair Epoxy. 3-gallon kit 4 Kit	
2.72 One way 40' container. Final destination container. 1 Nos.	

2.73	Well depth measure. Solinst Model 101 flat tape x 200'	1	Nos.		
2.74	Danger Chlorine Signs 7" x 10"	2	Nos.		
2.75	Face shield for chlorine HTH handling	2	Nos.		
2.76	Half mask respirator large	2	Nos.		
2.77	Defend multi purpose cartridges (2-pack)	10	Nos.		
2.78	Hi-Vis vests. Yellow with reflector strips	20	Nos.		
	FCA charges, if any				
	Bid Subtotal FCA (Incoterms 2010)				
Transportation/Delivery Cost					
Bid Total CIP, off-loaded/cleared, South Yap, FSM (Incoterms 2010)					
Warranty					
Technical Support					
	Other (please specify)				
	GRAND TOTAL				