

Revision 01 - Dated 23 April 2020

REQUEST FOR QUOTATION (RFQ)

| UNDP Cyprus | DATE: April 23, 2020 | |
|-------------------------------------|---------------------------------|--|
| UNDP Programme Management Office | REFERENCE: UNDP/CYP/RFQ-80-2020 | |
| P.O.BOX 25644, Nicosia 2063, Cyprus | | |

Dear Sir / Madam:

We kindly request you to submit your quotation for: **Supply and Delivery of PPE and other Medical Equipment/Supplies for (COVID-19) to Nicosia – Cyprus** as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **Saturday, April 25, 2020 by 14:00 Cyprus local time** via **email** to <u>Solicitations.lif.cy@undp.org</u> and the subject of email must be **REF: UNDP/CYP/RFQ-080-2020.**

Quotations submitted by email must be limited to a maximum of 20 MB, virus-free and no more than 5 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

| Delivery Terms [INCOTERMS 2010] | Nicosia - Cyprus |
|---|--|
| Customs clearance, if needed, shall be done by: | Supplier/Offeror (UNDP will provide the necessary Tax/VAT exemption certificate) |
| Exact Address/es of Delivery Location/s | To be confirmed upon award of PO |
| UNDP Preferred Freight Forwarder, if any | Not applicable |
| Distribution of shipping documents | Not applicable |
| Latest Expected Delivery Date and Time | ASAP |
| Delivery Schedule | N/A |
| Packing Requirements | N/A |
| Mode of Transport | N/A |
| Preferred Currency of Quotation | Local Currency: EURO |
| Value Added Tax on Price Quotation | Must be exclusive of VAT and other applicable indirect taxes (VAT stated separately) |
| After-sales services required | N/A |
| Deadline for the Submission of Quotation | April 25, 2020 by 14:00 Cyprus Local time |
| All documentations, including catalogs, instructions and operating manuals, shall be in this language | Local or English language |

| Documents to be submitted | ☑ Duly Accomplished Form as provided in Annex 2, and in accordance with the list of |
|--------------------------------------|---|
| | requirements in Annex 1 |
| | ☑ Latest Business Registration Certificate |
| | ☐ Reference list on company's memorandum for delivery of similar items |
| | ☐ Technical specification of the offered equpment |
| | ☐ Certification or authorization to act as Agent in behalf of the Manufacturer, or Power of |
| | Attorney, if bidder is not a manufacturer |
| | ☑ Quality Certificates/ CE Marking Certificate/FDA/ISO 13485/9001; |
| | ☑ Declaration of Conformity for the Goods offered/Manufurer certificate/Testing Certificate |
| Period of Validity of Quotes | To be indicated by a bidder in a offer |
| starting the Submission Date | |
| Partial Quotes | Partial quotes are permitted. |
| Payment Terms | 100% within 30 days upon UNDP's acceptance of the goods delivered as specified and receipt of invoice |
| Advanced Payment | Not allowed |
| | ☑ Technical responsiveness/Full compliance to requirements of UNDP QA |
| Evaluation Criteria | ☑ Earliest Delivery / Shortest Lead Time/Lowest price |
| | ☑ Full acceptance of the PO/Contract General Terms and Conditions |
| UNDP will award to: | One supplier, depending on the following factors: |
| | ☑ Technical responsiveness/Full compliance to requirements of UNDP QA |
| | ☑ Earliest Delivery / Shortest Lead Time/ Lowest price |
| Type of Contract to be Signed | ☑ Purchase Order |
| Special conditions of Contract | Cancellation of PO/Contract if the delivery/completion is delayed by 10 days |
| Conditions for Release of Payment | Written Acceptance of Goods based on full compliance with RFQ requirements |
| | ☑ Specifications of the Goods Required (Annex 1) |
| Annexes to this RFQ | ☑ Form for Submission of Quotation (Annex 2) |
| | ☐ General Terms and Conditions / Special Conditions (Annex 3) Link: English version |
| | Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds |
| | for disqualification from this procurement process. |
| | UNDP Cyprus solicitations.lif.cy@undp.org |
| Contact Person for Inquiries | Any delay in UNDP's response shall be not used as a reason for extending the deadline for |
| (Written inquiries only) | submission, unless UNDP determines that such an extension is necessary and |
| | communicates a new deadline to the Proposers. |

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in

exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process. Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,

UNDP Cyprus April 23, 2020

TECHNICAL SPECIFICATION

| | PPE Items and other Medical Equipment/Supplies for (COVID-19) | Unit of measure | Quantity |
|-------|--|-----------------|----------|
| Items | | | |
| 1 | Non-rebreathing Oxygen Mask (Adult) Non rebreathing, Connection tube, reservoir bag and valve, high-concentration, non- sterile, single-use | Pcs | 3400 |
| 2 | Non Rebreathing Oxygen mask (Pediatric) Non rebreathing, Connection tube, reservoir bag and valve, high-concentration, non- sterile, single-use | Pcs | 600 |
| 3 | Disposable Overshoes Over boot one size fit all. Water resistant. Elastic band under knee | Pcs | 30,000 |
| 4 | MASK - RESPIRATOR, Particulate Respirator FFP2 / N95 SIZE L Good breathability with design that does not collapse against the mouth (e.g. duckbill, cupshaped) "N95" respirator according to US NIOSH, or "FFP3" according to EN 149, Size L | Pcs | 5,000 |
| 5 | MASK - RESPIRATOR Particulate Respirator FFP2 / N95 SIZE M Good breathability with design that does not collapse against the mouth (e.g. duckbill, cupshaped) "N95" respirator according to US NIOSH, or "FFP3" according to EN 149; Size M | Pcs | 20,000 |
| 6 | MASK - RESPIRATOR Particulate Respirator FFP2 / N95 SIZE S Good breathability with design that does not collapse against the mouth (e.g. duckbill, cupshaped) "N95" respirator according to US NIOSH, or "FFP2" according to EN 149, Size S | Pcs | 5,000 |
| 7 | MASK - RESPIRATOR, Particulate Respirator FFP3 Good breathability with design that does not collapse against the mouth, or "FFP3" according to EN 149, | pcs | 5000 |
| 8 | CPAP Hood (adult) S CPAP hood with Venturi flow driven port. Adjustable PEEP valve Includes: inflatable neck cushion bi-directional anti-asphyxiation valve patient access port ear plugs for 34-41 cm neck (45%), for 40-47 cm neck (45%) and for 45-52 cm neck (10%) | Pcs | 125 |
| 9 | CPAP Hood (adult) M CPAP hood with Venturi flow driven port. Adjustable PEEP valve Includes: inflatable neck cushion bi-directional anti-asphyxiation valve patient access port ear plugs for 34-41 cm neck (45%), for 40-47 cm neck (45%) and for 45-52 cm neck (10%) | | 125 |
| 10 | CPAP Hood (adult) L CPAP hood with Venturi flow driven port. Adjustable PEEP valve Includes: inflatable neck cushion bi-directional anti-asphyxiation valve patient access port ear plugs for 34-41 cm neck (45%), for 40-47 cm neck (45%) and for 45-52 cm neck (10%) | pcs | 50 |
| 11 | Closed tracheal aspiration system 10 fr CTSS system for 24 up to 72 hours use. Must incude: Suction cathether of 50 cm wth markings Retainable Irrigation Cap Soft catheter tip with Murphy eyes Isolation valve Double swivel elbow Color coded to identify the adequate size Flexible catheter mount Disconnection wedge Sizes 10% 10fr 40% 12fr , 40% 14fr and 10% 16fr Suggested TrachSeal | pcs | 500 |
| 12 | Closed tracheal aspiration system 12 fr CTSS system for 24 up to 72 hours use. Must include: Suction cathether of 50 cm wth markings Retainable Irrigation Cap Soft catheter tip with Murphy eyes Isolation valve | Pcs | 2,000 |

| | Double swivel elbow Color coded to identify the adequate size Flexible catheter mount Disconnection wedge Sizes 10% 10fr 40% 12fr , 40% 14fr and 10% 16fr Suggested TrachSeal | | |
|----|--|--------|--------|
| 13 | Closed tracheal aspiration system 14 fr CTSS system for 24 up to 72 hours use. Must include: Suction cathether of 50 cm wth markings Retainable Irrigation Cap Soft catheter tip with Murphy eyes Isolation valve | Pcs | 2,000 |
| | Double swivel elbow Color coded to identify the adequate size Flexible catheter mount Disconnection wedge Sizes 10% 10fr 40% 12fr , 40% 14fr and 10% 16fr Suggested TrachSeal | | |
| | Closed tracheal aspiration system 16 fr CTSS system for 24 up to 72 hours use. Must include: Suction cathether of 50 cm wth | | |
| 14 | markings Retainable Irrigation Cap Soft catheter tip with Murphy eyes Isolation valve Double swivel elbow Color coded to identify the adequate size Flexible catheter mount Disconnection wedge Sizes 10% 10fr 40% 12fr , 40% 14fr and 10% 16fr Suggested TrachSeal | Pcs | 2,000 |
| | High Flow Adult Cannula | | |
| 15 | Delivery of 99% to 100% Oxygen Concentration High Concentration at a Flow Rate of 15 LPM Flexible Plastic Mask with Elastic Head Strap Latex Free | Pcs | 200 |
| | GOGGLES Good seal with the skin of the face, Flexible PVC frame to easily fit with all face | | |
| 16 | contours with even pressure, Enclose eyes and the surrounding areas, Accommodate wearers with prescription glasses, Clear plastic lens with fog and scratch resistant treatments, Adjustable band to secure firmly so as not to become loose during clinical activity, Indirect venting to avoid fogging, May be re-usable (provided appropriate arrangements for decontamination are in place) or disposable. EU standard directive | Pcs | 15,000 |
| | 86/686/EEC, EN 166/2002, ANSI/ISEA Z87.1-2010, or equivalent | | |
| | GLOVES M (Medium) | | |
| 17 | GLOVE, EXAMINATION, extended cuff, single. Use, nitrile, powder-free, non-sterile, MEDIUM Cuff length preferably reach mid-forearm (eg. minimum 280mm total length), reaching well above the wrist • EU standard directive 93/42/EEC Class I, EN 455,• EU standard directive 89/686/EEC Category III, EN 374,• ANSI/ISEA 105-2011,• ASTM D6319-10 • or equivalent | Pairs | 50,000 |
| | GLOVES L (Large) | | |
| 18 | GLOVE, EXAMINATION, extended cuff, single. Use, nitrile, powder-free, non-sterile, LARGE, Gloves, examination, non-sterile. Cuff length preferably reach mid-forearm (eg. minimum 280mm total length), reaching well above the wrist • EU standard directive 93/42/EEC Class I, EN 455,• EU standard directive 89/686/EEC Category III, EN 374, • ANSI/ISEA 105-2011,• ASTM D6319-10 • or equivalent | Pairs | 20,000 |
| 19 | Hand sanitizer Alcohol >60% Bulk 5 Its bottles refill | Bottle | 4,500 |
| 20 | Hand sanitizer dispenser, wall mounted | pcs | 2,500 |
| 21 | Shoes, Hard-toe for workers sizes 42, 43 and 44 | pairs | 150 |
| 22 | Clogs for use in the kitchen | Pairs | 50 |
| | | _ | |

[Enter name of authorized staff] [Designation]

FORM FOR SUBMITTING SUPPLIER'S QUOTATION

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. UNDP/CYP/RFQ/080/2020:

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

| Item No. | Description/Specification of Goods | Qty | Latest Delivery Date | Unit Price Euro | Total Price per Item Euro |
|-------------|---|-----|-------------------------|--------------------|------------------------------|
| 1. | | | | | |
| 2. | | | | | |
| 3. | | | | | |
| ••• | | | | | |
| | | | | | |
| | Total without VAT All-Inclusive Price Quotation | | | | |

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

| Other Informati | on pertaining to our Quotation are as follows: | Your Responses | | Responses |
|---|--|---------------------------|----------------------|---|
| | | Yes, we will comply | No, we cannot comply | If you cannot comply, pls. indicate counter proposal |
| Delivery Lead Time | ASAP | | | |
| Compliance with Technical Specifications | | | | |
| All Provisions of the UNDP General Terms and Conditions | | | | |

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person] [Designation] [Date]

General Terms and Conditions

General Terms and Conditions (for Goods and/or Services)

Link: English version