

REQUEST FOR QUOTATION (RFQ)

Companies	DATE: May 6, 2020
	REFERENCE: RFQ/034/20 – Supply of components for hotbeds.

Dear Sir / Madam:

We kindly request you to submit your quotation for supply of components for hotbeds to the Republic of Karakalpakstan, as detailed in **Annex 1** of this RFQ. For preparing your quotation, please be guided by the form attached hereto as **Annex 2** and its relevant tables.

Quotations may be submitted on or before **18.00 (GMT 5+), May 27, 2020** via e-mail Electronic version of your quotation must be sent to <u>bids.uz@undp.org</u>¹.

Quotations submitted by email must be limited to a maximum of 10 MB, virus-free and no more than 2 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

The following must be on the subject of email with your quotation to be sent to <u>bids.uz@undp.org</u>:

RFQ/034/20 - Supply of components for hotbeds.²

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

Delivery Terms [INCOTERMS 2020]	☑ DDP Karakalpakstan for earlier imported goods or local products.		
	☑ DAP for international suppliers registered outside of Uzbekistan.		
Customs clearance, if needed, shall be done by:	⊠ Customs clearance ³ , if needed, shall be done by UNDP		
Exact Address of Delivery Location	As per Table 2 of Annex 2;		
Distribution of shipping documents	Goods are supposed to be exported to the end-user with invoice (2 originals) and packing list (2 originals), with other quality confirmation documents if required. In addition, all documents under INCOTERMS 2020.		

¹ Quotations submitted to other email accounts will not be accepted and will be declined.

² Email submission that will not contain this subject or without reference to subject tender will not be opened and will be declined.

³ Must be linked to INCOTERMS 2020.

Latest Expected Delivery Date and Time	⊠ 60 calendar days from the issuance of the Purchase Order (PO)			
Delivery Schedule	⊠ Not required			
Mode of Transport	⊠ AIR	⊠ LAND		
Preferred Currency of Quotation	 ☑ United States Dollars to fo ☑ Local Currency: Uzbekista 	oreign suppliers n Som (UZS) to Uzbekistan based Suppliers		
Value Added Tax on Price Quotation	VAT payer);	or local companies registered in Uzbekistan (if registered as for foreign companies registered outside of Uzbekistan		
After-sales services required	☑ Warranty on Equipment, F ☑ Technical Support via e-m	Parts and Labor for minimum period of 12 months; ail/phone/fax/internet		
Deadline for the Submission of Quotation	May 27, 2020, Tashkent time	e 18:00 (GMT +5)		
All documentations, including catalogs, instructions and operating manuals, shall be in this language	⊠ English and/or ⊠ Russian Bids and supporting documents in other than English or Russian languages must have translated into above either language version.			
List of mandatory documents to be submitted by Offeror's together with their Quotations by the deadline set above	 accordance with the list of re ☑ Declaration of owners' int Annex 2; ☑ Company's profile with dedetails etc.) using form provi ☑ Contact details (email, tel goods with a similar nature in ☑ Copies of at least 2 succes with a similar nature in the p ☑ A statement whether any goods to be purchased include 	terest in other companies using form provided in Part 2 of tailed information (name of the company, address, contact ded in Part 3 of Annex 2 ; ephone, website) of clients whom the bidder supplied the n the last 3 years using form provided in Part 4 of Annex 2 ; essfully executed contracts signed for the supply of goods past 3 years; y import or export licenses are required in respect of the		

	⊠ Manufacturer's Authorization Letter issued in favour of the bidder allowing selling their product to UNDP (if Supplier is not the manufacturer). The same document must
	demonstrate that the manufacturer takes an obligation to reserve required quantity of goods offered by the bidder for the tender should the bidder selected
	\boxtimes Verified copy of the latest valid business registration certificate of the Offeror's $company^4$
	☑ Quality Certificates (ISO, etc.), Catalogue with details description of offered product with pictures
	☑ Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division I ist or other UN Ineligibility List
List of documents to be requested by	 (a) Verified by third party (tax agency or other authorized body) copy of Financial Reports for the last two years; OR
UNDP additionally from the three lowest priced bid Offerors ⁵	(b) a bank statement from Offeror's bank, issued not less than 30 days prior the bid submission or quotation date, that Offeror has available or has access to liquid assets (asset that can be readily converted to cash), to meet the obligations/supply cash flow for the contract of not less than Offeror's bid value.
Period of Validity of Quotes starting the Submission Date	☑ 90 calendar days after deadline for submission of quotation In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	Allowed, quotes by each separate Lot will be accepted. The contract will be awarded by lots.
Payment Terms	To Local Supplier (Company registered in Uzbekistan):
	☑ To be paid in Uzbek Soums (UZS): 100% payment will be paid in Uzbek Sums (UZS) by bank transfer to the Supplier's account after delivery and acceptance of goods by UNDP;
	To Foreign Suppliers (Company registered outside Uzbekistan):
	☑ To be paid in US Dollars (USD): 100% payment will be by bank transfer to the Supplier's account after delivery and acceptance of goods by UNDP;
Liquidated	Will be imposed under the following conditions:
Damages	Penalty will be applied as percentage of contract price per day of delay: 0.1%, but up to maximum 20% of total contract value
	☑ Next course of action: penalty and termination of contract and return of advance payment if applicable

⁴ Verified by the signature of the authorized Offeror's representative and Offeror's company stamp/seal

⁵ Non-provision of any of additionally requested documents provided in this section will serve as a ground for disqualification of the Offer

Evaluation	I Technical responsiveness/Full compliance to requirements and lowest price				
Criteria	Strong financial position: (a) Liquidity ratio for the last two years not less than 1 if				
	financial statements are presented				
	OR				
	(b) Confirmation from bank on financial strength of the Offeror as per requirement outlined above				
	 Full acceptance of the PO/Contract General Terms and Conditions Comprehensiveness of after-sales services: 				
	i. Warranty on Parts and Labor for minimum period of 12 months				
	ii. Technical Support via e-mail/phone/fax/internet				
	At least 2 contracts for supply of goods with a similar nature successfully performed in the last 3 years.				
	☑ Demonstrated availability of a permanent office reachable via landline telephone and permanent staff of at least 5 persons				
UNDP will award	☑ One or more Supplier, depending on the following factors:				
to:	The contract will be awarded by lots.				
	UNDP will not consider offers, which include subcontracting.				
Type of Contract to be Signed	☑ UNDP Contract for supply of goods				
Special conditions of Contract	☑ Cancellation of PO/Contract if amount of penalty for delay if delivery exceeds 20% from total contract value				
Annexes to this	Specifications of the Goods Required (Annex 1)				
RFQ	☑ Form for Submission of Quotation (Annex 2)				
	☑ General terms of the agreement for construction works that are available in the following website:				
	https://www.undp.org/content/undp/en/home/procurement/business/howwebuy.htm I				
	Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.				
Contact Person	UNDP CO Uzbekistan, Procurement Unit				
for Inquiries	4, T. Shevchenko Street, Tashkent city 100029, Uzbekistan				
(Written	Fax: (+998 71) 1203485				
inquiries only)	Email: <u>pu.uz@undp.org</u>				
	Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.				

Post- qualification Actions	 Verification of accuracy, correctness and authenticity of the information provided by the bidder on the legal, technical and financial documents submitted; Inquiry and reference checking with Government entities with jurisdiction on the bidder, or any other entity that may have done business with the bidder; Inquiry and reference checking with other previous clients on the quality of the bidder. 					
	performance on ongoing or previous contracts completed; Physical inspection of the					
	bidder's plant, factory, branches or other places where business transpires, with or without notice to the bidder;					
	☑ UNDP keeps the right to conduct a visit to bidder's premises/office for making sure bidder's competence for successful execution of the Contract;					
Other	Offers submitted by two (2) or more Offerors shall all be rejected if they are found to have <u>any</u> of the following:					
	a) they have at least one controlling partner, director or shareholder in common; or					
	b) any one of them receive or have received any direct or indirect subsidy from the other/s; or					
	c) they have the same legal representative for purposes of this RFQ;					
	d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or					
	e) they are subcontractors to each other's Offer, or a subcontractor to one Offer also submits another Proposal under its name as lead Offeror; or					
	 f) an expert proposed to be in the team of one Offeror participates in more than one Offer received for this RFQ process. This condition does not apply to subcontractors being included in more than one Offer. 					

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts

without question the General Terms and Conditions of UNDP indicated above <u>http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html</u>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Procurement Unit UNDP in Uzbekistan

ANNEX 1

Lot №	Items to be	Description / Specification	Amount	Delivery lead-			
	Supplied				time		
-		Parameters	UOM				
1	Plastic film for hotbeds	Film Width (in U-Turn)	6 m	6775 kg			
		Film thickness	100 microns		Delivery lead-		
		Film Color	Blue		time Not more than		
		Roll weight	60 kg		60 working days from day of signing contract		
		Total light transmission	90%		by both Parties		
		Light scattering	30%				
		Raw materials	HDPE				
2	Drip irrigation system for an	Drip tape d:16 mm emitter pitch: 30 cm	100 m;	2108 sets			
	area of 100 m2	Main pipe d:16 mm	10 m;				
		Starting fitting outer 1 piece; diameter of the connecting part d¾ "x16mm with a water tap					
		Fitting Double Thread Lock Design More Fixed 16 mm	10 pieces;	-			
		Gasket	10 pieces;		Delivery lead-		
		End caps 16 mm	10 pieces;		time Not more than		
		Adapters designed to connect hoses with an internal diameter of 15 mm and 20 mm to pipes and water taps with a 3/4 " female thread	4 pieces;		60 working days from day of signing contract by both Parties		
		Tees	9 pieces;				
		Pipe elbows for connecting hoses with an internal diameter of 15 mm	2 pieces;				
		The circlip designed to fix the drip tape to the connecting fittings	11 pieces;				

Technical Specifications

		Water filter	1 piece;		
		Fum tape	1 piece;		
		Instruction on Assembly and use	1 piece;		
		Irrigation area	100 square meters;		
		Drip tape emitter with a diameter of 16 mm, a thickness of 0.15 - 0.7 mm, the distance between the emitters	25-30 cm;		
		The total water consumption of one emitter	1.6-2.2 l / h;		
		Minimum working pressure	0.6 bar;		
		Maximum working pressure	1.6 bar;		
		Filtration / mesh	105/140 - 125/120 Micron;		
3	Polyethylene	Type of product:	Pipe;	75000 meters	
	pipe with an	Material:	PE-Xa;		
	outer diameter of 25 mm;	Pipe Diameter Outside:	25 mm;		
	01 25 1111,	Wall Thickness:	3.5 mm;		
		The appointment:	plumbing;		Delivery lead- time
		Application:	for heating		Not more than
		Color:	White;		60 working days
		Min. operating temperature:	5°C		from day of signing contract by both
		Max. operating temperature:	95 ° C		Parties
		Working pressure:	10 bars		
4	Set of tees, cross-shaped connectors,	Tees D 25 mm for connecting pipes	6 pieces;	2000sets	Delivery lead- time
	couplings for connecting polyethylene	Cross-shaped connector D25 mm	6 pieces;		Not more than 60 working days from day of signing contract by both

	pipes PE-Xa D 25 mm;	Coupling D 25 mm	4 pieces		Parties;
5	Material for installation of the grounding profiles for 10 AMS;	Galvanized wire (d 4mm) with a thickness of at least 4 mm; Silicone pipe for wire (d 10mm)	80 meters; 80 meters;		Delivery lead- time Not more than 60 working days from day of signing contract by both Parties;
		Steel channel bar 100x50 mm, thck not less than 4mm	12 meters;	1 set	
		Bolts (M10X40 mm), nuts (M10), washers (d1=10mm; d2=40 mm)	50 pcs of each;		
		Oil-bitumen varnish (black)	2 liters;		

FORM FOR SUBMITTING SUPPLIER'S QUOTATION (This Form must be submitted only using the Supplier's Official Letterhead/Stationery)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **RFQ/034/20**.

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

Lot No.	Items to be supplied	Description/Specifications of Goods ⁶		Required amount	Unit Price (type of currency)	Total Price (type of currency)
1	Plastic film for	Film Width (in U-Turn)	6 m	6775kg		
	hotbeds	Film thickness	100 microns			
		Film Color	Blue	_		
		Roll weight	60 kg	_		
		Total light transmission	90%			
	Light scattering 30%	30%	_			
		Raw materials	HDPE			
		Sub-total costs for 6775 kg	. by lot 1			
		Transportation costs for 67	75 kg. by lot 1			
		Packing, Insurance and oth	er costs for 6775 kg	g. by lot 1		
		Total costs for 6775 kg <u>wit</u>	hout VAT by lot 1			
		VAT for 6775 kg (applicable payer in Uzbekistan)	ompany, registe	ered as a VAT		
		Grand Total all-inclusive cost 6775 kg including VAT. by lot 1				

⁶ Please, provide complete description of the proposed goods that must meet the minimum technical requirements stated in Annex 1

Lot No.	ltems to be supplied	Description/Specifications of Goods ⁷		Required amount	Unit Price (type of currency)	Total Price (type of currency)
2	Drip irrigation	Drip tape d:16 mm emitter pitch: 30 cm	100 m;	2108 sets		
	system for an	Main pipe d:16 mm	10 m;			
	area of 100 m2	Starting fitting outer diameter of the connecting part d¾ "x16mm with a water tap	1 piece;			
		Fitting Double Thread Lock Design More Fixed 16 mm	10 pieces;			
		Gasket	10 pieces;			
		End caps 16 mm	10 pieces;			
		Adapters designed to connect hoses with an internal diameter of 15 mm and 20 mm to pipes and water taps with a 3/4 " female thread	4 pieces;			
	-	Tees	9 pieces;			
		Pipe elbows for connecting hoses with an internal diameter of 15 mm	2 pieces;			
		The circlip designed to fix the drip tape to the connecting fittings	11 pieces;			
	-	Water filter	1 piece;			
	-	Fum tape	1 piece;			
		Instruction on Assembly and use	1 piece;			
		Irrigation area	100 square meters;			
		Drip tape emitter with a diameter of 16 mm, a thickness of 0.15 - 0.7 mm, the distance between the emitters	25-30 cm;			
		The total water consumption of one emitter	1.6-2.2 l / h;			
		Minimum working pressure	0.6 bar;			

		1 1	
Maximum working pressure	1.6 bar;		
Filtration / mesh	105/140 -		
	125/120		
	Micron;		
Sub-total costs for 2108 sets. by	/ lot 2		
Transportation costs for 2108 se			
Packing, Insurance and other co			
Total costs for 2108 sets withou			
VAT for 2108 sets (applicable or payer in Uzbekistan)			
Grand Total all-inclusive cost 21	108 sets <u>including</u> \	/AT. by lot 2	

Lot No.	Items to be supplied	Description/Specification	ons of Goods ⁷	Required amount	Unit Price (type of currency)	Total Price (type of currency)
3	Polyethylene pipe with an	Type of product:	Pipe;	75000 meters		
	outer diameter of	Material:	PE-Xa;			
	25 mm;	Pipe Diameter Outside:	25 mm;			
		Wall Thickness:	3.5 mm;			
		The appointment:	plumbing;			
		Application:	for heating			
		Color:	White;			
		Min. operating temperature:	5°C			
		Max. operating temperature:	95 ° C			
		Working pressure:	10 bars			
		Sub-total costs for 75000 m				
		Transportation costs for 75000 meters. by lot 3				
		Packing, Insurance and othe				
		Total costs for 75000 meter	s <u>without</u> VAT by le	ot 3		
		VAT for 75000 meters (appli a VAT payer in Uzbekistan)	cable only to the lo	ocal Company, i	registered as	
		Grand Total all-inclusive cos	st 75000 meters <u>inc</u>	cluding VAT. by	/ lot 3	

Lot No.	Items to be supplied	Description/Specifications of Goods ⁷ amount (type of currency)				Total Price (type of currency)
4	Set of tees, cross-shaped	Tees D 25 mm for connecting pipes	6 pieces;	2000 sets		
	connectors, couplings for connecting polyethylene pipes PE-Xa D 25 mm;	Cross-shaped connector D25 mm	6 pieces;			
		Coupling D 25 mm	4 pieces			
		Sub-total costs for 2000 set				
		Transportation costs for 200				
		Packing, Insurance and othe				
		Total costs for 2000 sets <u>wi</u>				
		VAT for 2000 sets (applicab VAT payer in Uzbekistan)				
		Grand Total all-inclusive co	st 2000 sets <u>includir</u>	ng VAT. by lo	t 4	

Lot No.	Items to be supplied	amount (ty			Unit Price (type of currency)	Total Price (type of currency)
5	Material for installation of the grounding	Galvanized wire (d 4mm) with a thickness of at least 4 mm;				
profiles for 10 AMS;		Silicone pipe for wire (d 10mm)	80 meters;			
		Steel channel bar 100x50 mm	12 meters;			
	Bolts (M10X40 mm), nuts50 pcs of(M10), washers (d1=10mm;each;d2=40 mm)					
		Oil-bitumen varnish (black)	2 liters;			
		Sub-total costs for 1 set. by lot				
		Transportation costs for 1 set.				
		Packing, Insurance and other c				
		Total costs for 1 set <u>without</u> V				
		VAT for 1 set (applicable only payer in Uzbekistan)				
		Grand Total all-inclusive cost 1	. set <u>including</u> VA	T. by lot 5		

Table 2 – Exact Address of Delivery Location
--

-						
#	Delivery Location	Plastic film for hotbeds	Drip irrigation system for an area of 100 m2	Polyethylene pipe with an outer diameter of 25 mm;	Set of tees, cross- shaped connectors, couplings for connecting polyethylene pipes PE-Xa D 25 mm;	Material for installation of the grounding profiles for 10 AMS;
1	Muynak District. Karakalpakstan	674 kg	210 sets	7500 m	200 sets	-
2	Takhtakupyr District, Karakalpakstan	990 kg	304 sets	11025 m	294 sets	-
3	Kegeyli District, Karakalpakstan	1663 kg	522 sets	18525 m	494 sets	-
4	Chimbay District, Karakalpakstan	2020 kg	630 sets	22500 m	601 sets	-
5	Kanlikul District, Karakalpakstan	943 kg	303 sets	10500 m	279 sets	-
6	Bozataw District, Karakalpakstan	445 kg	137 sets	4950 m	132 sets	-
8	Nukus city, Karakalpakstan	40 kg	2 sets	-	-	1 set

Other Information pertaining to our Quotation	Your Responses			
are as follows:	Yes, we will comply	No, we cannot comply	lf you cannot comply, pls. indicate counter proposal	
The term of delivery of equipment, within 60 calendar days from the date of signing the Contract by both Parties				
Full compliance of each proposed equipment specification				
Country / country of origin ⁷				
Warranty and After-Sales Requirements				
a) Minimum 12 months warranty for all goods supplied				
 b) Warranty for spare parts and maintenance for a period of 12 months 				
Period of Validity of Quotes starting the Submission Date – 90 days				
Acceptance of the UNDP General Terms and Conditions				

Table 3 – Offer to Comply with Other Conditions and Related Requirements

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

⁷ In case the country of origin of the goods requires provision of the export licenses for the goods or any other documents that might be demanded by the receiving country, the vendor must provide copies of such documents to UNDP upon being awarded for the Contract

Description / Specifications of Goods Description / Specifications of					
		Description / Specifications of			
(required b	by UNDP)	Goods (offered by Supplier) ⁸			
		Please indicate parameters of the offered goods			
		Please indicate for the offered goods:			
		Model:			
		Manufacturer: Country of origin:			
	Lot 1: Supply of Plastic				
	(Required quantit				
Film Width (in U-Turn)	6 m	Film Width (in U-Turn)			
Film thickness	100 microns	Film thickness			
Film Color	Blue	Film Color			
Roll weight	60 kg	Roll weight			
Total light transmission	90%	Total light transmission			
Light scattering	30%	Light scattering			
Raw materials	HDPE	Raw materials			
Lot	2: Supply of Drip irrigation sys				
(Required quantity: 2108 sets)					
Drip tape d:16 mm emitter	100 m;	Drip tape d:16 mm			
pitch: 30 cm		emitter pitch: 30 cm			
Main pipe d:16 mm	10 m;	Main pipe d:16 mm			
Starting fitting outer	1 piece;	Starting fitting outer			
diameter of the connecting		diameter of the			
part d¾ "x16mm with a		connecting part d¾			
water tap		"x16mm with a water			
		tap			
Fitting Double Thread Lock	10 pieces;	Fitting Double Thread			
Design More Fixed 16 mm		Lock Design More Fixed			
		16 mm			
Gasket	10 pieces;	Gasket			
End caps 16 mm	10 pieces;	End caps 16 mm			
Adapters designed to	4 pieces;	Adapters designed to			
connect hoses with an		connect hoses with an			
internal diameter of 15		internal diameter of 15			
mm and 20 mm to pipes		mm and 20 mm to			
and water taps with a 3/4 "		pipes and water taps			
female thread		with a 3/4 " female			
		thread			

Table 4 – Table of technical compliance of the offered goods

⁸ Please provide description of offered product, model and brand name, that must meet minimum technical specifications provided in Annex 1 above

	2 piacos:	Dine alkows for	
Pipe elbows for connecting	2 pieces;	Pipe elbows for	
hoses with an internal		connecting hoses with an internal diameter of	
diameter of 15 mm			
The simpling designs of the first	11	15 mm	
The circlip designed to fix	11 pieces;	The circlip designed to	
the drip tape to the		fix the drip tape to the	
connecting fittings	4	connecting fittings	
Water filter	1 piece;	Water filter	
Fum tape	1 piece;	Fum tape	
Instruction on Assembly	1 piece;	Instruction on	
and use	100	Assembly and use	
Irrigation area	100 square meters;	Irrigation area	
Drip tape emitter with a	25-30 cm;	Drip tape emitter with	
diameter of 16 mm, a		a diameter of 16 mm, a	
thickness of 0.15 - 0.7 mm,		thickness of 0.15 - 0.7	
the distance between the		mm, the distance	
emitters		between the emitters	
The total water	1.6-2.2 l / h;	The total water	
consumption of one		consumption of one	
emitter		emitter	
Minimum working	0.6 bar;	Minimum working	
pressure		pressure	
Maximum working	1.6 bar;	Maximum working	
pressure		pressure	
Filtration / mesh	105/140 - 125/120 Micron;	Filtration / mesh	
Lot 3: S	Supply of Polyethylene pipe wit (Required quantity 7		וm;
Type of product:	Pipe;	Type of product:	
Material:	PE-Xa;	Material:	
	PE-Xa; 25 mm;		
Material:		Material:	
Material: Pipe Diameter Outside:	25 mm;	Material: Pipe Diameter Outside:	
Material: Pipe Diameter Outside: Wall Thickness:	25 mm; 3.5 mm;	Material: Pipe Diameter Outside: Wall Thickness:	
Material: Pipe Diameter Outside: Wall Thickness: The appointment:	25 mm; 3.5 mm; plumbing;	Material: Pipe Diameter Outside: Wall Thickness: The appointment:	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application:	25 mm; 3.5 mm; plumbing; for heating	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application:	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color:	25 mm; 3.5 mm; plumbing; for heating White;	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color:	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating	25 mm; 3.5 mm; plumbing; for heating White;	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature:	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature:	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating	
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure:	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure:	nylene pipes PE-Xa D 25
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure:	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C 10 bars , cross-shaped connectors, coup mm;	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Dings for connecting polyet	nylene pipes PE-Xa D 25
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Lot 4: Supply of set of tees	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C 10 bars , cross-shaped connectors, coup mm; (Required quantity	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Dlings for connecting polyet	nylene pipes PE-Xa D 25
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Lot 4: Supply of set of tees Tees D 25 mm for	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C 10 bars , cross-shaped connectors, coup mm;	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Dlings for connecting polyet 2000 sets) Tees D 25 mm for	nylene pipes PE-Xa D 25
Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Lot 4: Supply of set of tees Tees D 25 mm for connecting pipes	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C 10 bars , cross-shaped connectors, coup mm; (Required quantity 6 pieces;	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Dlings for connecting polyet r: 2000 sets) Tees D 25 mm for connecting pipes	nylene pipes PE-Xa D 25
Material:Pipe Diameter Outside:Wall Thickness:The appointment:Application:Color:Min. operating temperature:Max. operating temperature:Working pressure:Lot 4: Supply of set of teesTees D 25 mm for	25 mm; 3.5 mm; plumbing; for heating White; 5 ° C 95 ° C 10 bars , cross-shaped connectors, coup mm; (Required quantity	Material: Pipe Diameter Outside: Wall Thickness: The appointment: Application: Color: Min. operating temperature: Max. operating temperature: Working pressure: Dlings for connecting polyet 2000 sets) Tees D 25 mm for	nylene pipes PE-Xa D 25

Coupling D 25 mm	4 pieces	Coupling D 25 mm
Lot 5: Supp	bly of Material for installa	tion of the grounding profiles for 10 AMS;
	(Required	quantity: 1 set)
Galvanized wire (d 4mm)	80 meters;	Galvanized wire (d
with a thickness of at least		4mm) with a thickness
4 mm;		of at least 4 mm;
Silicone pipe for wire (d	80 meters;	Silicone pipe for wire (d
10mm)		10mm)
Steel channel bar 100x50	12 meters;	Steel channel bar
mm		100x50 mm
Bolts (M10X40 mm), nuts	50 pcs of each;	Bolts (M10X40 mm),
(M10), washers		nuts (M10), washers
(d1=10mm; d2=40 mm)		(d1=10mm; d2=40 mm)
Oil-bitumen varnish (black)	2 liters;	Oil-bitumen varnish
		(black)

PART 2: DECLARATION OF INTEREST

Dear Sir/Madam,

We/I, _____ (Name and Title), as shareholder(s)/owner(s) of _____ Company, declare that:

- a) Have no financial and other interests in, association or relationship with, are not employed and do not have relatives (i.e. spouse, parents, children or siblings) employed by the United Nations Development Programme (UNDP) or the Government of Uzbekistan that announced the RFQ; and do not have access to information about, or influence on the selection process for this RFQ
- b) Have no common controlling partner, director, shareholder, legal representative for the purposes of this RFQ with any other entity submitting its Quotation under this RFQ; are not subcontracting or are subcontractors to other entities for the purposes of this RFQ; and that the experts proposed in the team do not participate in more than one Quotation for this RFQ
- c) Are not involved in activities that could have an impact on the objectivity and independence of the Contractor's team in carrying out its duties under the contract or can affect the image of the United Nations and the Government of Uzbekistan.

We certify that the information stated is true, correct and complete to the best of our knowledge and belief. We are obliged to comply with all requests for additional information, documentation, clarification and/or verification concerning the Declaration of Interest statement.

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

PART 3: COMPANY PROFILE

1. Offeror's Legal Name [insert Bidder's legal name]								
2. In case of Joint Venture (JV), legal name of each party: [insert legal name of each party in JV]								
3. Actual or intended Country/ies of Registration/Operation: [insert actual or intended Country of Registration]								
4. Year of Registration in its Location: [insert Bidder's year of registration]								
5. Countries of Operation6. No. of permanent staff in each Country7.Years of Operation in each Country								
8. Legal Address/es in Country/ies of Registration/Operation ⁹ : [insert Bidder's legal address in country of registration]								
9. Value and Description of Top t	wo (2) Biggest Contracts for the	e past three (3) years						
10. Latest Credit Rating (Score ar	nd Source, if any)							
11. Brief description of litigation history (disputes, arbitration, claims, etc.), indicating current status and outcomes, if already resolved.								
12. Offeror's Authorized Representative Information								
Name: [insert Authorized Representative's name] Address: [insert Authorized Representative's Address] Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers] Email Address: [insert Authorized Representative's email address]								
13. Are you in the UNPD List 126	·							

⁹ You must specify address of permanent office, landline telephone numbers

PART 4: EXPERIENCE IN SIMILAR NATURE*

Name of the good supplied	Delivery period (month, year)	Amount of the contract	Client (Name, contact person, telephone, email)

* - At least 2 contracts signed for the supply of goods with a similar nature