

Request for Quotation RfQ-20/02066 Amendment No. 1

Date: 3 July 2020

Ref. no. RfQ-20/02066

Dear Sir / Madam:

Subject: <u>Procurement of IT equipment for the Support to the Security Sector Reform in the Republic of Moldova Project</u>

Dear Sir/Madam,

1. The amended Annex 1 (Technical Specifications) and Annex 2 (Quotation form) of RfQ-20/02066 is attached. Changes are marked in red within the document.

Annex 1

Annex I					
Item	Generic Description				
no.					
	Lot 1				
1	Server with virtualisation solution/ 2 pcs.				
-	Form factor: Rack mount 1U				
-	Processor 1: Similar to Intel Xeon CLX-SP 4208				
-	Processor 2: Similar to Intel Xeon CLX-SP 4208				
-	RAM: 8x32GB RDIMM, DDR4-2933MT/s, Dual Rank, extendable to 768GB				
-	Storage controller: RAID controller: 2GB flash-backed write cache, RAID: 0, 1, 5, 6, 10, 50, 60				
-	Disks: 8 x 2TB 7.2K RPM SATA 6Gbps 512N, 128M 2.5 in Hot-plug Hard Drive				
-	Extendable up to 10 x 2.5" Hard Drives				
-	Power supply: Dual, Hot-plug, Redundant Power Supply				
-	Network interfaces: 4x 1GbE BASE-T ports, 2 x 10 GbE SFP+ ports I/O Virtualization support for VMware NetQueue and Microsoft VMQ				
-	Ports: Front ports: 1 x USB 2.0				
-	Rear ports: 1x Serial, 2 x USB 3.0				
-	Front or rear 1 x VGA port				
-	Diagnostic LEDs: On front panel				
-	Server management (SM): Local and remote control of system resources (manage, diagnose and monitor)				
-	Remote power control, remote firmware updating, remote presence				
-	Support management interfaces IPMI2.0, WEB, WSMAN, SNMP, SSH				
-	LDAP user authentication, Active Directory				
-	Support protocols IPv4, IPv6, DNS, DDNS, DHCP				
-	Support of Single Sign-on and 2FA				

-	Notifications for alerts SNMP, Email, IPMI			
-	Browser based administration with, full control over the remote host server's display; keyboard, and mouse, including host OS graphical interface			
-	Virtual media option that provides virtual CD drive and remote image mounting			
-	SM & server diagnostics logging			
-	Rack mounting rails: Sliding Rails with Cable Management Arm			
-	Supported operating systems: Canonical Ubuntu LTS, Citrix XenServer, Microsoft Windows Server with Hyper-V, Red Hat, SUSE Linux Enterprise Server, VMware ESXi			
-	Virtualization: Supported and certified by virtualization software vendor: Microsoft Hyper-V 2019, VMware ESXi 6.7			
-	Warranty: 36 months			
	Lot 2			
1	Notebook/ 18 pcs.			
-	CPU: 2-cores Processor similar to Intel core i3, 2.3 GHz			
_	RAM: 8 Gb SO DIMM DDR4 (with upgrade possibility up to 16GB)			
	Number of RAM slots: minimum 2			
	Storage: SSD 128 GB or HDD 1000 GB 5400rpm + 8Gb NAND Cache			
_	Display: LED, Mat, 15.6" IPS Full HD (1920x1080), Integrated Web Camera			
_	Colors: Black or Gray			
_	Ports: HDMI, RJ-45, Audio jack 3.5mm, 2xUSB 3.0, 1xUSB 2.0, Card Reader, DVD +/-RW			
	Wireless: 802.11b/g/n, Bluetooth			
	3-cell Li-lon Battery			
	Connection: Schuko CEE 7/7P			
	Warranty: 24 months			
2	Monitors/ 25 pcs.			
_	Monitors/ 25 pcs.			
	1 7			
-	Type: 23.8 or 24-inch IPS			
-	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180			
- - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1			
-	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P			
- - - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months			
-	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3			
1	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set			
- - - - 1	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel:			
-	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75"			
- - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel)			
-	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey)			
- - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED			
- - - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2			
- - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178°			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points			
- - - - - - - - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available Networking:			
- - - - - - - - - -	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available Networking: Ethernet LAN: 10/100/1000 Mbps			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available Networking: Ethernet LAN: 10/100/1000 Mbps Wireless LAN: IEEE 802.11 a/b/g/n/ac			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available Networking: Ethernet LAN: 10/100/1000 Mbps Wireless LAN: IEEE 802.11 a/b/g/n/ac Connectivity (input):			
	Type: 23.8 or 24-inch IPS Resolution: 1920 x 180 Dynamic contrast: 10000000:1 Connection: Schuko CEE 7/7P Warranty: 24 months Lot 3 LCD interactive system (Smart Board)/ 1 set Display panel: Dimension: min. 75" Resolution: Full-HD (1,920 x 1,080-pixel) Response Time: max. 8 ms (grey to grey) Backlight: LED Max. Brightness: 350 cd/m2 Contrast Ratio: 1200: 1 Viewing Angle (H/V): 178°/178° Touchscreen technology: IR Multi Touch: 10 points Protection glass: available Networking: Ethernet LAN: 10/100/1000 Mbps Wireless LAN: IEEE 802.11 a/b/g/n/ac			

-	HDMI x 3 (PC / AV signal compatible)
-	3.5 mm-diameter mini stereo jack x 1
-	RS-232C D-sub 9-pin x 1
-	USB 2.0 (type A) x 2, USB 3.0 (type A) x 2
-	Connectivity (output):
-	3.5 mm-diameter mini stereo jack x 1
-	1xPortUSB (Type B)
-	Expansion:
-	Expansion Slot: available
-	Sound:
-	Speaker Output: 10 W + 10 W
-	Mount:
-	VESA compatible
-	Power:
-	Power Supply: 100 V – 240 V AC, 50/60 Hz
-	Accessories:
-	AC power cord
-	Remote control unit with battery
_	Set-up manual
_	USB cable
_	Pen tray
_	Touch pen
_	Camera mount
_	System:
_	Memory: 1GB
_	Internal storage: 8GB
_	Additional functionality required:
_	interactive functionality between HOST and mobile devices connected via wireless LAN to enable sharing
	of onscreen content, the transferring of files, interactive onscreen writing, drawing and remote
	controllability of the HOST from mobile devices
-	Expandability:
-	MFP Connectivity
_	Webcam mount
_	Built-in speaker
_	File formats:
_	Microsoft Office (Excel®, Word, PowerPoint)
_	PDF, JPEG/PNG/BMP/TIFF
	WMV/AVI/MP4/FLV
-	OS support:
<u> </u>	Windows 7, Windows 8.1, Windows 10, Mac OS, Android, iOS
-	Flat Panel Floor stand:
-	<u> </u>
-	Designed for displays, with 4 swivel wheels which provide easy maneuverability over various flooring
	surfaces and through doorways
-	Warranty: 24 months
2	Projector screen/ 5 pcs.
-	Projector screen with tripod: 200x200cm
-	Height Adjustable
-	180 degree wide viewing angle
-	Active 3D, 4K Ultra HD, and HDR ready
-	Warranty: minimum 24 months

	Lot 4
1	Un-interruptable Power Supply UPS/ 4 pcs.
-	Capacity: minimum 3000VA
-	Entrance power range:
-	Low voltage: 110 - 160VAC ± 5% in function of charge level
-	High voltage: 300VAC ± 5%
-	Frequency range: 40 Hz-70Hz
-	Outputs: Out nominal voltage: 220 ± 10% VAC
_	Connections:
-	Socket IEC C13: 8
_	Socket IEC C19: 1
-	Connection: 6xSchuko CEE 7/7P
-	USB Port, RS-232 Port, EPO Port, Protection RJ45 and RJ11 - optional
-	Power cable length: ≥ 1.80 meters
-	Warranty: minimum 24 months
2	Un-interruptable Power Supply UPS/ 6 pcs.
-	Output power capacity: minimum 1500 VA
-	Nominal entrance/output voltage: 230V
-	Entrance frequency: 50Hz
-	Connection: 6xSchuko CEE 7/7P
-	Power cable length: minimum 1.80 meters
-	Warranty: minimum 24 months
3	Voltage stabilizer/ 4 pcs.
-	Stabilizer type: relay
-	Maximum output power: at least 10000VA
-	Maximum load, W: ≤ 7000
-	Input voltage: ~ 140 - 275 ± 3%
_	Output voltage: ~ 230 (-14 / + 10%)
-	Operating frequency: 50 Hz
-	Protection: overvoltage / undervoltage, high voltage pulses, short circuit and overload, built-in thermal protection of the autotransformer
-	Indicators: at least two outputs of voltage, power, stabilization, input protection operation
-	Warranty: minimum 24 months
	Lot 5
1	Switch I / 10 pcs.
-	8-Port Gigabit Desktop PoE Switch, 8 Gigabit RJ45 ports including at least 4 PoE ports, 53W PoE, steel case
-	Warranty: minimum 24 months
2	Switch II / 8 pcs.
-	PoE Switch 180W: 24x10/100Mbps RJ45 ports, 4xGigabit RJ45 Ports and 2xCombo SFP Slots. 802.3at/af, Tag-based VLAN, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, 802.1P QoS, Rate Limiting, Port Trunking, Port Mirroring, SNMP, RMON
-	Warranty: minimum 24 months
3	Modem SHDSL/ 8 pcs.
-	SHDSL Interface:
-	2-wire twisted pair
-	Standards:
-	ITU-T G.991-2, ETSI 101 524
-	Data Rate:

-	2 wire: from 64 Kbps to 2.3 Mbps
-	Terminal Interface:
-	G.703, G.704 - E1, T1
-	RS-530, X21, V35, V24/V28
_	LAN Interface: 10/100 Mbps, RJ45x4, RJ11x1
-	Management and Security
_	Support Telnet, SNMP, DHCP, Diagnostic Tools
-	Administration through Telnet, SNMP or WEB GUI
-	Support for VPN tunnels
-	Security: NAT Firewall, MAC /IP /URL Filtering
_	Warranty: minimum 24 months
	Lot 6
1	HP/ CANON Multifunctional Laser Printer A4/ 30 sets (including 1 additional toner cartridge per set)
-	Media size: A4, A5, B5
-	Copying/printing speed: min. 20 ppm
-	Print resolution: min. 600 x 600 dpi
-	Memory: 128 MB
-	Connectivity: USB port, Ethernet 10/100/1000
-	Input tray: minim 250 pages
-	Paper output capacity standard: min. 100 sheets
-	ADF capacity – min. 50 sheets
-	Scanner resolution: min. 300 x 300 dpi
-	Zoom: 25 - 400%
-	Compatibility with operation systems: Drivers for Windows XP. XP x64, Vista, Vista x64, Windows 7, Windows 8, Windows 10, Server 2008/2012, Linux, Unix
-	Toner delivered with equipment: Additionally, 1 original toner cartridge as reserve besides the one delivered with the equipment
-	toner capacity: minim 500 pages
-	Maximum monthly cycle: min. 1 000 pages
-	Warranty: minimum 24 months
2	HP/ CANON Multifunctional Laser black and white Printer A3/8 sets (including 1 additional toner cartridge)
-	Printing speed, A4 format: min 20 ppm
-	Print resolution: 600 x 600 dpi
-	Memory: Minim 256 MB
-	Maximum monthly cycle: min 10000 pages
-	Paper supply: 500 sheets
-	Duplex automat: Integrated
-	Media size: A3, A4, A5, B5
-	Connectivity: Port Gigabit Ethernet 10/100/1000, USB 2.0
-	Compatibility of operation systems: Drivers for Windows, XP. XP x64, Vista, Vista x64, Windows 7, Windows 8, Windows 10, Server 2008/2012, Linux, Unix
-	Copier:
-	Copying speed: A3, A4 format: min 20 ppm
-	Zoom: 25 - 400%
-	Scanner:
-	Resolution: min. 300 x 300 dpi
-	Scanner type: scanner duplex, scan preview function
-	Scanning in formats: PDF, JPEG, TIFF, Secure PDF, XPS
-	Network facilities: USB port scanning,
	•

-	Toner delivered with equipment: Additionally, 1 original toner cartridge as reserve besides the one delivered with the equipment				
-	Warranty: minimum 24 months				
	Lot 7				
1	EPSON color Inkjet A4 Printer MF (incorporated by manufacturer ink tank system)/ 6 pcs.				
-	Printer features, scanner, copier				
-	Print type: Inkjet (color)				
-	Number of cartridges: 4				
-	Maximum print sizes: A4 and photo				
-	Scanner resolution: minimum, dpi 1200x1200				
-	Print resolution:				
-	Color and black & white print resolution 4800 x 1200 dpi				
-	Black and white print speed: minimum color, 20				
	Paper input minimum sheets: 150				
-	USB 2.0, RJ 45 (network)				
	Warranty: minimum 24 months				
2	EPSON Inkjet A3 Printer MF (incorporated ink tank system by the manufacturer)/5 pcs.				
-	Printer features, scanner, copier				
-	Print type: Inkjet (color)				
-	Number of cartridges: 4				
-	Maximum print size: A3 and photo (9 * 13, 10 * 15, 13 * 18, 13 * 20,)				
-	Scanner resolution: minimum dpi 1200x4800				
-	Color and black & white print resolution 4800 x 1200 dpi				
	Black and white print speed: minimum color, 20				
-	Paper input, minimum sheets: 250				
-	Paper output, minimum sheets: 50				
-	USB 2.0, RJ 45 (network)				
-	Warranty: minimum 24 months				
	Lot 8				
1	"Colour plotter 60" thermal inkjet printing technology"/ 1 pc.				
-	Sheet format:				
-	Minimum ISO standards A4, A3, A2, A1, A0, width – minimum 1500mm (optional for other standards)				
-	Roll printing minimum ISO A0, A1, A2, ANSI 24", 36", 42",60" (optional for other standards)				
	Size of printing media:				
-	Width: minimum 1500mm (60")				
-	Grammage: up to 460g/m²				
-	Thickness: up to 0.6mm				
-	Printing technology:				
-	Thermal inkjet or similar Print resolution:				
_	Minimum 3 print resolutions (ex: best, normal, draft)				
	Best (color, black & wtihe): minimum 2400 x 1200 dpi				
	Minimum line width: 0,007mm				
_	Line precision: +/-0.1%				
_	Handling:				
_	Roll feed				
_	Take-up reel				
_	Automatic horizontal cutter				
_	Printing margins: up x down x left x right: maximum 5 x 5 x 5 x 5 mm				

-	Supported languages/programs for printing:			
-	CALS G4, Adobe PostScript 3, Adobe PDF minimum version 1.7, TIFF, JPEG without any additional buying			
-	Drivers included: CALS G4, Adobe PostScript 3, Adobe PDF – minimum Windows 7, Windows 8.1, Windows 10, Windows Server 2008 R2 or upper versions which will be configured downgrade for this C			
-	Possibility of using the solutions RIP (Raster Image Processors) ex: Caldera, ColorGATE, EFI, Onyx, Sai			
-	Possibility to send print directly from specified Windows applications or RIP programs			
-	Printing speed: Maximum 140m ² /h (printed in quick mode on plain inkjet white bright media)			
-	Ink:			
-	Minimum 8 installed ink cartridges			
_	Volume of ink cartridges: minimum 700ml			
-	Additional original ink tank (reservoir) to ensure printing continuity upon completion of the main			
	cartridge i.e. on-the-fly ink cartridge			
-	Print media supported:			
-	Plain and treated paper			
-	Technical paper			
-	Film, photo paper			
-	Translucent support			
-	Auto-adhesive			
-	Banner and ads			
•	Textile			
-	Print color control technology:			
	Emulation technology with sensors for the control of the printed colors according to the minimum prin media for the paper and the color of the cartridges			
-	Miscellaneous (other) performances:			
-	Accuracy and control of paper rolling by automated technology and sensors for adjusting them			
.	Optical detection of misalignment of print heads and possible printing errors			
-	Memory:			
_	Minimum RAM: 8 GB			
-	Minimum HDD: 500 GB			
-	Connectivity:			
-	Gigabit Ethernet (1000 Base-T/TX)			
_	USB 2.0			
-	In case of ports for wireless connection there must be an option to allow them to be disconnected/			
	inhibited			
_	Supplier should deliver the following means for network connection:			
\dashv	USB cable: minimum length of 3 m			
\dashv				
-	UTP cat5e patch-cord: minimum length of 5 m			
-	Compatibility: The product must be compatible with at least the following operating systems: Windows 7, Windows			
-	8/8.1, Windows 10, MAC (OS9, OS10)1, optional Linux, Windows Server 2008 R2 or other upper version			
	which will be downgrade configurable with this OS. Drivers must be supplied for these systems			
-	Power:			
-]	Input voltage (auto ranging): 220 - 240 V (±10%), 3 A;			
-	Weight: maximum 250 kg with accessories			
-	Included accessories:			
-	Spindle			
-	Printheads - 8 (cyan, magenta, yellow, matte black, photo black, chromatic red, light gray, light magent			
-	Two complete sets of ink cartridges (each cartridge set will include 8 colors: magenta, yellow, matte black photo black, chromatic red, cyan or light cyan, light gray, light magenta)			
	User maintenance kit			

	Tales we want			
	Take-up reel			
	Kit for 3-inch spindle (optional)			
-	Power cord			
-	Reference guide			
-	Security features:			
-	SNMPv3, Control Panel lock levels, Certificates management, IPsec, SSL, Secure file erase, Secure disk			
	erase			
-	Warranty: minimum 24 months (on-site warranty)			
-	Certificates and other documents:			
-	Certificate of quality (at delivery stage)			
-	Certificate of conformity from the manufacturer			
-	Drivers availability			
-	Other requirements:			
-	Granting of the products' warranties must not be conditioned by the application of additional sealing elements of the supplying company			
-	All the costs related to the ensuring of the warranty of the supplied products are covered by the contractor during the warranty period applying the conditions of these specifications			
-	In case of the equipment hardware failure during the warranty period, the supplier (without additional costs for the beneficiary) must repair or replace them within 48 hours from the reported time. In the event that an equipment is replaced, it will benefit from a warranty period similar to the offered product. The replacement will be done only with new components according to the configuration in the documentation			
-	NB: The equipment will be tested upon delivery			
	Lot 9			
	Lot 9			
1	Desktop computers/ 25 identical sets with identical components			
-	CPU:			
_	2-cores Processor similar to Intel Pentium			
	2-cores frocessor similar to inter fertitum			
-	Main frequency: 3.70 GHz			
-	Main frequency: 3.70 GHz Cache: 4MB			
-	Main frequency: 3.70 GHz Cache: 4MB Mainboard:			
- - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers			
- - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310			
- - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory:			
- - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB)			
- - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant			
- - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD:			
- - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB			
- - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200			
- - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface			
- - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN:			
- - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s			
- - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector			
- - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card:			
- - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable			
- - - - - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card:			
- - - - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external			
- - - - - - - - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external Extension slots:			
- - - - - - - - - - - - - - - - - - -	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external Extension slots: 1 x PCI-e x 16			
	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external Extension slots: 1 x PCI-e x 16 1 x mini PCI-e			
	Main frequency: 3.70 GHz Cache: 4MB Mainboard: Official component supplied and installed by the manufacturer of desktop computers Chipset: similar to Intel H310 Memory: Capacity: 8GB (with upgrade possibility up to 16GB) Type: DDR4 or more performant HDD: Capacity: 500GB RPM: 7200 SATA III interface LAN: 10/100/1000 Mb/s RJ 45 connector Graphics card: integrated, Shared Memory is acceptable Audio card: internal or external Extension slots: 1 x PCI-e x 16			

-	2 x USB 3.0
-	2 x USB 3.1
-	1 x HDMI or DP
-	1 x VGA(D-Sub)
-	1 x RJ 45 LAN
-	1 x 8Channel Audio in
-	Power:
-	Minimum: 550W
-	Accessories:
-	USB optical mouse, same brand as desktop computer as USB Keyboard
-	USB Keyboard: same brand as desktop computer as USD optical mouse
-	Form Factor:
-	Full Tower, Middle Tower or Mini Tower
-	Connection:
-	Schuko CEE 7/7P
-	Warranty: 24 months

Annex 2

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery²)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. RfQ 20/02066:

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

Item No.	Description/Specification of Goods	Quantity	Latest Delivery Date (no. of days)	Unit Price, USD (VAT 0%)	Total Price per Item, USD (VAT 0%)
	Lot 1				
1	Server with virtualization solution	2 pcs.			
	Lot 2				
1	Notebook	18 pcs.			
2	Monitors	25 pcs.			
	Lot 3				
1	LCD interactive system (Smart Board)	1 set			
2	Project screen	5 pcs.			
	Lot 4				
1	Uninterruptible power supply, UPS	4 pcs.			
2	Uninterruptible power supply, UPS	6 pcs.			
3	Voltage stabilizer	4 pcs.			
	Lot 5				
1	Switch I	10 pcs.			
2	Switch II	8 pcs.			
3	Modem SHDSL	8 pcs.			
	Lot 6				
1	Multifunctional Laser black and white Printer A4	30 sets			

¹ This serves as a guide to the Supplier in preparing the quotation and price schedule.

 $^{^2\} Official\ Letterhead/Stationery\ must\ indicate\ contact\ details-addresses,\ email,\ phone\ and\ fax\ numbers-for\ verification\ purposes$

	(including 1 additional toner cartridge per set)	i				
2	Multifunctional Laser black and white Printer	8 sets				
	A3 (including 1 additional toner cartridge)					
	Lot 7					
1	Color Inkjet A4 Printer MF (incorporated by	6 pcs.				
	manufacturer ink tank system)					
2	Inkjet A3 Printer MF (incorporated ink tank	5 pcs.				
	system by the manufacturer)					
	Lot 8					
1	"Color plotter 60" thermal inkjet printing	1 pc.				
	technology					
	Lot 9					
1	Desktop computers	25 sets				
	Total Prices of Goods ⁸					
	Add : Cost of Transportation					
	Add : Cost of Insurance					
	Add: Other Charges (pls. specify)					
	Total Final and All-Inclusive Price Quotation					

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our Quotation	Your Responses					
are as follows :	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal			
Delivery Lead Time up to 60 calendar days						
Warranty period (as per Annex 1/ technical specifications)						
Authorized Service Center to be provided						
Validity of Quotation 60 days						
All Provisions of the UNDP General Terms and Conditions						

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]

2. All other terms and conditions of the solicitation documents, except as amended herein, shall remain unchanged and shall continue in full force and effect.