

# REQUEST FOR QUOTATION (RFQ) (Goods)

UNITED NATIONS DEVELOPMENT PROGRAMME	DATE: July 6, 2020
SIERRA LEONE	REFERÊNCE: SLE/RFQ/2020/016
Language Communication and the Communication	1 NET ENERGE SEE/ NI CO 2020/010

Dear Sir / Madam:

We kindly request you to submit your quotation for Procurement of Various Items, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before Close of Business (5:00pm) Monday July 13, 2020 and via (choose appropriate box).  $\Box e$ -mail,  $\Box courier$  or mail to the address below:

# United Nations Development Programme Fourah Bay Close, Off Main Motor Road, Wilberforce Freetown procure.sle@undp.org

Quotations may be submitted by hand or courier services as indicated above and must reach the UNDP office on or before the deadline. Quotations submitted by hand should be registered in a bid submission form/register and deposited in the Blue Tender Box located at the reception of the office building, Ground Floor in the presence of the bidder or representative. Quotation delivered elsewhere than the specified place and does not follow the explained procedure shall be disqualified.

It shall remain your responsibility as the bidder to ensure that your quotation reach's the address above on or before the deadline. As mentioned, quotations that are submitted to UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation.

Please take note of the following requirements and conditions pertaining to the procurement of the furniture as explained in detail in the specifications.

ÐĮ

ЦŠ

Ďalius w. Ť	□FCA				
Delivery Terms	□СРТ				
[INCOTERMS 2010]	CIP				
(Pls. link this to price	⊠DAP				
schedule)	Other				
Exact Address/es of Delivery	Fourah Bay Close, Off Main Motor Road, Wilberforce,				
Location/s	Freetown, Sierra Le	one.			
	N/A				
UNDP Preferred Freight					
Forwarder, if any					
Distribution of shipping					
documents (if using freight					
forwarder)	N/A				
Latest Expected Delivery	Shortest delivery t	ime as indicated by the most compliant bid (s)			
Date and Time (if delivery	As per Delivery Sch	edule attached			
time exceeds this, quote may	Time: Throughout of				
be rejected by UNDP)		nce: Sierra Leone Local Time			
Delivery Schedule	⊠Required	Solve Eddite Eddar Time			
	☐Not Required				
Packing Requirements	N/A	<u> </u>			
Manda of Torr	⊠AIR	⊠LAND			
Mode of Transport	<b>⊠</b> SEA	⊠OTHER			
B-6	United States Dolla				
Preferred	<b>∠</b> Local Currency: Sie	rra Leone Leones but the equivalent amount			
Currency of Quotation	should be stated in U	nited States Dollars			
	Euros				
Value Added Tax on Price	Must be exclusive	of VAT and other applicable indirect taxes			
Quotation		f VAT and other applicable indirect taxes			
After-sales services required	<u>⊠</u> maintenance or rep	placement, whichever that may be required			
	warranty on parts o				
	☑Flexibility to UNDP	settings			
Deadline for the Submission	CO8 (5:00p.m.), Mond	ay, July 13, 2020			
of Quotation					
All documentations, including					
catalogs, instructions and	☐ French				
operating manuals, shall be	☐ Spanish				
in this language	☐ Others				
		ng full and clear detailed specifications and			
Documents to be submitted	price for all items.	and sieds detailed specifications and			
	'	ht to award only one of the quotes.			
	Confirmation that li	censes of this nature have been obtained in			
	the past and an expect	ation of obtaining all the necessary licenses			
İ	should the guotation b	e selected:			
	Quality Certificates	• * *			
	□ Latest Business Reg				
The second secon	· —	with the control of t			

	□ Latest Internal Revenue Certificate / Tax Clearance;
	Manufacturer's Authorization of the Company as a Sales Agent (if
	Supplier is not the manufacturer);
	Certificate of Exclusive Distributorship in the country (if
1	applicable, and if Supplier is not the manufacturer);
	Evidence/Certification of Environmental Sustainability ("Green"
	Standards) of the Company or the Product being supplied;
	Complete documentation, information and declaration of any
	goods classified or may be classified as "Dangerous Goods".
	Patent Registration Certificates (if any of technologies submitted
	in the quotation is patented by the Supplier);
	Written Self-Declaration of not being included in the UN Security
	Council 1267/1989 list, UN Procurement Division List or other UN
	Ineligibility List;
	Others
	☐ 60 days
Period of Validity of Quotes	⊠ 90 days
starting the Submission Date	☐ 120 days
	other
	In exceptional circumstances, UNDP may request the Vendor to
	extend the validity of the Quotation beyond what has been initially
	indicated in this RFQ. The Proposal shall then confirm the extension
	in Writing, without any modification whatsoever on the Quotation.
Partial Quotes	☑ Not permitted
	☐ Permitted
	other:
Payment Terms	☑ Upon full delivery and acceptance of all items meeting full
	specification and requirement.
	Others
Liquidated Damages	N/A

ЦS

Evaluation Criteria	M Technical responsiveness / Sull
	☐ Technical responsiveness/Full compliance to specifications, best delivery time and best price¹
	☑ Full acceptance of the PO/Contract General Terms and
	Conditions [this is a mandatory criterion and cannot be deleted
	regardless of the nature of services required]
	• 🗵 Earliest Delivery / Shortest Lead Time <sup>2</sup>
	<ul> <li>All item/requirement must be priced/quoted for.</li> </ul>
	90 days of bid validity period
	Delivery time/Schedule
	<ul> <li>All pages of the bid must be signed and stamped with the</li> </ul>
	company's official stamp
	Updated NaSSIT clearance
	<ul> <li>full adherence to all requirement to this RFQ</li> </ul>
	<ul> <li>Written Self-Declaration of not being included in the UN</li> </ul>
	Security Council 1267/1989 list, UN Procurement Division
	List or other UN Ineligibility List;
	All Latest Business Registration Certificate;
	Latest/updated Internal Revenue Certificate / Tax
	Clearance;
	Full/complete quotation for all items
	Written acceptance of the defect liability for a period of
	12months (one year).
	☑ One and only one supplier
UNDP will award to:	One or more Supplier
	☑ Purchase Order
Type of Contract to be Signed	Long-Term Agreement³ (if LTA will be signed, specify the
	document that will trigger the call-off. E.g., PO, etc.)
· · · · · · · · · · · · · · · · · · ·	Other
	Cancellation of PO if the PO conditions are not met, including
Special conditions of Contract	delivery schedule.
	Others
Conditions for Release of	Passing Inspection upon 100% delivery of all required items as
Payment	agreed, full delivery.
	I full adherence to specifications and UNDP requirement
	General conditions of contract
	Completion of Training on Operation and Maintenance

	<ul> <li>☑ Written Acceptance of Goods based on full compliance with RFQ requirements</li> <li>☐ Others</li> </ul>
Annexes to this RFQ	<ul> <li>☐ Technical Specifications (Annex 1)</li> <li>☐ Form for Submission of quotation (Annex 2)</li> <li>☐ General Terms and Conditions/special Conditions (Annex 3)</li> <li>☐ Others</li> </ul>
	Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
Contact Person for Inquiries (Written inquiries only) <sup>4</sup>	Email: Procure.sle@undp.org  Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Services offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the best value for money, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts the General Terms and Conditions of UNDP herein attached as Annex 4.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

http://www.undp.org/content/undp/en/home/operations/procurement/business/protest-and-sanctions.html

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: <a href="http://www.un.org/depts/ptd/pdf/conduct\_english.pdf">http://www.un.org/depts/ptd/pdf/conduct\_english.pdf</a>

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Yonali Samo

Yona Samo Procurement Specialist July 6, 2020

# Annex 1

**Technical Specifications** 

Items to be Supplied*	Quantity	Description / Specifications of Goods	Latest Delivery Date	Compliance Yes/No
Desktop computer station (Wooden – locally made)	32 pcs	LOT ONE  Desktop computer station (Wooden – locally made) Standard café size Leight X 100CM Weidth X 60CM Hiegt from the foor to the to 70CM with Partition over-rount the desk with hieght of 50CM form the top Made from Solid wood and plymood with cable hole on the table surface to get the cable easy pass form the top to the CPU, 24 Months Warranty		
Wooden dining chairs with cushion covers – locally made)	32 pieces	Wooden dining chairs with cushion covers – locally made) Smaller size, Wooden Dining Chair, Dimension: 450 x 520 x 975 mm Made from solid wood covered with leather or fabric 24 Month Warranty		
Office Desk Standard size	4pieces	Office Desk Standard size 150 CM with Drawers, Desk XL Desk 150 x 70 cm H 75 cm Made from Solid Wood and plywood with 2 attached drawers 24 months warranty		
Coffee tables (wooden with cushion covers - locally made)	8pieces	Coffee tables (wooden with cushion covers - locally made) Standard size Made from solid wood and plywood com-vered either with leather or fabriv 110CM Leight X Wiedth 75CM with Hieght of 45CM		
Lounge chairs 4 Seatter (wooden with cushion covers - locally made)	8pieces	Lounge chairs 4 Seatter (wooden with cushion covers - locally made) 4in1 jointed Size Leight X 240CM X Depth 76 CM X Hieght to the seat 45CM higeth to the arm 75CM Hieght to the back 90CM Made from solid wood fram covered with leather or fabric		
Signboards (YC hubs)	4pieces	Signboards (YC hubs) Design as per YC regional standard		
Wooden executive chair Swivel (with cushion covers or leather & arm rest)	4pieces	Wooden executive chair Swivel (with cushion covers or leather & arm rest) Standard size, Executive Chair has an overall height of 35.5"-37" (90-94 cm), width of 26.5" (67 cm), and depth of 29.5" (75 cm). The seat height of the Eames Executive Chair is adjustable between 18.5"-20" (47-51 cm) with arms set at 23.5"-25" (60-63.5 cm) overall.		
. Wooden dining chairs with cushion covers	8pieces	. Wooden dining chairs with cushion covers Standard size Wooden Dining Chair, Dimension: 450 x 520 x 975 mm Made from solid wood covered with leather or fabric 24 Month Warranty		

SLE/RFQ/2020/016: Procurement of Various Items

Wooden Dining Chair,	32pieces	Wooden Dining Chair, Dimension: 450 x 520 x 975	<del>  · · · · · · · · · · · · · · · · · · ·</del>	
	32pieces	mm Made from solid wood covered with leather or fabric 24 Month Warranty		
		LOT TWO		
Samrt ULTRA HD Flat Screen TV	4 pieces	Samrt ULTRA HD Flat Screen TV, with HDMI cables 46"/50"		
Extension Cables 6 point	16pieces	Extension Cables 6-point high voltage Extension with surge protection		
Printer/geograps/geograp		Dellar	<del></del>	
Printer/scanner/copier machine Color LaserJet Pro	4pieces	Printer/scanner/copier machine Color LaserJet Pro General type Colour Multifunctional for A4/A3 Format		
		Up to 30/15 pages A4/A3 per minute in colour and b/w		
		Warm-up time Approx. 30 seconds or less		
		Power consumption Sleep-mode: 0.5 W, Stand-by: 70 W, Copying/Printing: 600 W		
		PRINT Processor		
		ARM Cortex-A9 Dual core1.2 GHz Fonts		
		101 outline fonts (PCL 6, KPDL3, Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes,		
		1 type of two-dimensional barcode (PDF417) Features Encrypted PDF Direct Print, IPP printing, e-mail		
		printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, private print,		
		job storage and job management functionality		
		COPY Max. original size		•
		A3/Ledger Continuous copy		
		1 - 999 Zoom range		
E		25 - 400 % in 1% steps Preset magnification ratios		
		5 Reductions / 5 Enlargements		

Text, photo, text + photo, map, printed document Digital copy features Scan-once-copy-many, electronic sort, Zin1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to- USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (N): 220 Type Ventilation Fan Material: Pleable Installation Pedestel Fan Guard Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5.43 Transparent Blades Fan Holph: Helpid Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control 3 Speeds / Digital Push Button Occiliation & Time Ss' Rotary Switch / Titlable Fan Mode: Natural, Normal & Sloep  Multi-Purpose Paper A4  Retns Multi-Purpose Paper A4 (RODsen) Per clins	<u> </u>				<u> </u>
Digital copy features Scan-once-copy-many, electronic sort, Zin1, 4in1, Job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FFP, Scan-to-SMB, Scan-to- USB Host, Network TWAIN, WIA, WSD scan Scan speed 50lipm (3000dp), A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Podestel Fan Guard Steel Line Grill w Grill Circle Color: Injection / Chorme Options Blade, 5 AS Transparent Blades Pan Height. Height Alguistable 74-92 cm Fan Base Round Base with Digital Control Panel Speed Control: Speeds / Digital Push Button Timer 7.3 Hours / Digital Push Button Timer 7.4 Hours / Digital Push Button Timer 7.5 Hours / Digital Push Button Timer 7.6 Hours / Digital Push Button Decalization fails delice Fan Model Natural, Normal & Gleep			Image adjustments		
Scan-once-copy-many, electronic sort, Zin1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN  Scan functionalities  Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed  50ipm (300dpi, A4, b/w, colour)  Scan features  Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip  Scan resolution  600, 400, 300, 200 (256 greyscales per colour)  Max. scan size  A3/Ledger  File type  TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2  Original recognition  Text, Photo, Text + Photo, light text, optimised for CCR  Electric fans Standing  Voltage (V): 220  Type Versilation Fan Material: Plastic  Installation: Pedestal  Fan Guard Steel Bedson  Fan Hoight: Height Adjusable 19-32 cm  Fan Base: Round Base with Digital Centrol Panel Speed Control: 3 Speeds / Digital Plash Button  Timer, 7: 8 Hours / Digital Plash Button  Gocaliation R Tilt: 85° / Rotary Switch / Tiltable  Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns					
job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing 16pieces Electric fans Standing Victage (V): 220 Type: Venilation Fan Material: Plastic Installation: Pedestal Fan Guard Steld Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5-AS Transparent Blades Fan Height, Height Adjustable 74-92 cm Fan Base: Round Base with Digital Push Button Timer 7: 5-Hours / Digital Push Button Oscillation & Titt. 85" (Rotary Switch / Tritable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			1.		
job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAINI, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for CCR Electric fans Standing Values (V): 220 Type: Venillation Fan Material: Plastic Installation: Podestal Fan Guard Stela Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5-AS Transparent Blades Fan Height. Height Adjustable 74-92 cm Fan Base: Round Base with Digital Push Button Timer 7: 5-Hours / Digital Push Button Oscillation & Titt 85" (Rotary Switch / Tritable Fan Mode: Natural, Normal & Sieep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			Scan-once-copy-many, electronic sort, 2in1, 4in1,		
copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dp), A4, b/w, colour) Scan speed 50ipm (300dp), A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multil send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, ADF,A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Victage (V): 220 Type. Venitation Fan Maderia: Plastic Installation Pedestal Fan Guard Stel Line Grill w Grill Circle Color. Injection / Chrome Options Blade. 5 AS Transparent Blades Fan Height. Height Adjustable 74-92 cm Fan Base Round Base with Digital Push Button Timer. 7, 5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tritable Fan Mode: Natural, Normal & Sleep.  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns	]		job reserve, priority print, program, auto duplex		
change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpl, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: S AS Transparent Blades Fan Holght: Height Adjustable 74-92 cm Fan Base Round Base with Digital Count Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hound Base with Digital Count Panel Speed Control: 3 Speeds / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns					
density control, Prevent Bleed-Through, ID card copy, Skip blank page SCAN  Scan functionalities  Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed  50ipm (300dpi, A4, b/w, colour)  Scan features  Colour scan, integrated address book, Active Directory support, encrypted data transfer, multisend (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip  Scan resolution  600, 400, 300, 200 (256 greyscales per colour)  Max. scan size  A3/Ledger  File type  TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2  Original recognition  Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  Voltage (V): 220  Type: Ventilation Fan Material: Plastic  Installation Pedestal  Fan Guard Steel Line Grill w/ Grill Circle  Color: Injection / Chrome Options  Black: SA ST Transparent Blades  Fan Height Height Adjustable 74-952 cm  Fan Base Round Base with Digital Control Panel  Speed Control: 3 Speeds / Digital Push Button  Timer 7.5 Hours / Digital Push Button  Oscillation & Tilt: 85° / Retary Switch / Tiltable  Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per cins					
copy, Skip blank page SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photor, Fext + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steal Line Grill w Grill Circle Color: Injection / Chrome Options Blade: SA ST Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gem)  Multi-Purpose Paper A4 (800gsm) Per cins					
SCAN Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed Solipm (300dpl, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Venilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill: W Grill Circle Color. Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height. Height Adjustable 74-92 cm Fan Base. Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hours / Digital Push Button Oscillation & Tilt: 85" / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep Multi-Purpose Paper A4 BOCgsm) Multi-Purpose Paper A4 (800gsm) Per ctns					
Scan functionalities Scan-to-Email, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed Soipm (300dpl, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TiFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Materiai: Plastic Installation: Pedestal Fan Guard. Steel Line Grill w Grill Circle Color: Injection / Chrome Options Blade. 5 AS Transparent Blades Fan Hoight Height Adjustable 74-92 cm Fan Base: Round Bese with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Till: 85" / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sicep  Multi-Purpose Paper A4 BUDgsm) Multi-Purpose Paper A4 (800gsm) Per ctns			, <del>,</del> , <del>,</del> ,		
Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TiFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hours / Digital Push Button Timer 7.5 Hours / Digital Push Button Oscillation & Tilt: 85" / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Siepe Multi-Purpose Paper A4 BOCgsm) Multi-Purpose Paper A4 (800gsm) Per ctns					
USB Host, Network TWAIN, WIA, WSD scan Scan speed 50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FIP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 BOOgsm) Multi-Purpose Paper A4 (800gsm) Per cins			,		
Scan speed 50lpm (300dpl, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material; Plastic Installation: Pedestal Fan Guard Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speed's Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titl: 85° / Rotary Switch / Titlable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm) Multi-Purpose Paper A4 (800gsm) Per cins					•
50ipm (300dpi, A4, b/w, colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TiFF, PDF, AJPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electic fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Time: 7.5 Hours / Digital Push Button Oscillation & Till: 657 Rotary Swirtch / Tittable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm) Multi-Purpose Paper A4 (800gsm) Per ctns				İ	
Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FIP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voitage (V): 220 Type: Vertilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill w/ Grill: Circle Color: Injection / Chrome Options Blade: S AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Till: 85° Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 (800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			, -		
Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titte 85" / Rotary Switch / Tittable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 (800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns		]			ļ
Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing  16pieces Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titte 35" / Rotary Switch / Tittable Fan Mode: Natural, Normal & Sieep  Multi-Purpose Paper A4  800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns					
send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TifF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voitage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill W Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 (800gsm) Multi-Purpose Paper A4 (800gsm) Per ctns					
Blank page skip Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TiFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing  16pieces Electric fans Standing Voitage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill w/ Grill-Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns					
Scan resolution 600, 400, 300, 200 (256 greyscales per colour) Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard. Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm) Multi-Purpose Paper A4 (800gsm) Per ctns			send (e-mail, fax, SMB/FTP folder, print) at once,		
600, 400, 300, 200 (256 greyscales per colour)  Max. scan size  A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  16pieces Electric fans Standing  16pieces Electric fans Standing  16pieces Installation: Pastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85" / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns Multi-Purpose Paper A4 (800gsm) Per ctns			Blank page skip		
Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing  16pieces Electric fans Standing  16pieces Electric fans Standing  16pieces  16pieces Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns		ļ	Scan resolution		
Max. scan size A3/Ledger File type TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR Electric fans Standing  16pieces Electric fans Standing  16pieces Electric fans Standing  16pieces  16pieces Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			600, 400, 300, 200 (256 greyscales per colour)		
File type  TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition  Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  16pieces  Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill W Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 (800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns					
TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  16pieces Electric fans Standing Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill-Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height: Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			A3/Ledger		
High compression PDF, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  16pieces  Electric fans Standing  Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			File type		
High compression PDF, PDF/A-2 Original recognition Text, Photo, Text + Photo, light text, optimised for OCR  Electric fans Standing  16pieces  Electric fans Standing  Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Titt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF		
Original recognition   Text, Photo, Text + Photo, light text, optimised for OCR					
Text, Photo, Text + Photo, light text, optimised for OCR  16pieces  Electric fans Standing  Voltage (V): 220  Type: Ventilation Fan Material; Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns					
Electric fans Standing  16pieces  Electric fans Standing  Voltage (V): 220  Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns			- · <del>-</del>		
Electric fans Standing  16pieces  Electric fans Standing  Voltage (V): 220  Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns					
Voltage (V): 220 Type: Ventilation Fan Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns	Electric fans Standing	16pieces	The state of the s	<del></del>	
Material: Plastic Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4 800gsm)  Multi-Purpose Paper A4 (800gsm) Per ctns			Voltage (V): 220		
Installation: Pedestal Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns		1			
Fan Guard: Steel Line Grill w/ Grill Circle Color: Injection / Chrome Options Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tit: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns				•	
Blade: 5 AS Transparent Blades Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns			Fan Guard: Steel Line Grill w/ Grill Circle		
Fan Height: Height Adjustable 74-92 cm Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns			Color: Injection / Chrome Options		
Fan Base: Round Base with Digital Control Panel Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns  Multi-Purpose Paper A4 (800gsm) Per ctns			Blade: 5 AS Transparent Blades		
Speed Control: 3 Speeds / Digital Push Button Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns Multi-Purpose Paper A4 (800gsm) Per ctns			Fan Base: Round Base with Digital Control Page		
Timer: 7.5 Hours / Digital Push Button Oscillation & Tilt: 85° / Rotary Switch / Tiltable Fan Mode: Natural, Normal & Sleep  Multi-Purpose Paper A4  8ctns Multi-Purpose Paper A4 (800gsm) Per ctns			Speed Control: 3 Speeds / Digital Push Button		
Multi-Purpose Paper A4 8ctns Multi-Purpose Paper A4 (800gsm) Per ctns			Timer: 7.5 Hours / Digital Push Button	ŀ	
Multi-Purpose Paper A4 8ctns Multi-Purpose Paper A4 (800gsm) Per ctns			Uscallation & Tilt: 85" / Rotary Switch / Tiltable	]	
(860gsm)			Tab Mode: Natural, Northal & Sleep		
(860gsm)	Multi-Purpose Paper A4	Retne	Multi-Purgose Paner A4 (800gem) Per etco		
Flip charts Standard size 16pieces . Flip charts Standard size	(800gsm)		The state of the s		
The charts Standard size   16pieces   . File charts Standard size	Elin charle Ctandard -:-	<u> </u>			
	r i uh cuarra orangata sizé	16pieces	riip charts Standard size		
		<u> </u>			

. Flip charts stands	8pieces	Flip charts stands Standard size	· · · · · · · · · · · · · · · · · · ·	
	Брисосо			
Complete solar unit	4sets	Complete solar unit (cabling, inverter, battery and panels) Standard size for powering computers, light	· · · · · · ·	
		bulbs, refrigerator and TV (minimum 12v).	······································	
Assorted markers	20pkta	Assorted markers Standard size		
Refrigerator/Freezer	4pieces	Refrigerator/Freezer Medium size Samsung Digital		
		inverter Refrigerator can be used by solar batteries lless consumption 70% 300 Liters		
Standby Generators 2.8 KVA	4pieces	Standby Generators 2.8 KVA Petrol Manuel start can load 1/4 of the above load	· · · · · · · · · · · · · · · · · · ·	

Yona Samo Procurement Specialist July 6, 2020

#### Annex 2

# FORM FOR SUBMITTING SUPPLIER'S QUOTATION<sup>5</sup>

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery<sup>5</sup>)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. \_SLE/RFQ/2020/016:

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

Item No.	Description/Specification of Goods	Quantity	Latest Delivery Date	Unit Price	Total Price per Item
1	Desktop computer station (Wooden – locally made) Standard café size	32pcs	· · · · · · · · · · · · · · · · · · ·		····
2	Wooden dining chairs with cushion covers – locally made) Smaller size	32pcs			
3	Flat Screen TV with HDMI cables 46"	4pcs			<del></del>
4	Extension Cables 6 point	16pcs			
5	Printer/scanner/copier machine Color LaserJet Pro	4 pcs			<del>*************************************</del>
6	Electric fans Standing	16pcs			
7	Office Desk Standard size	4 pcs		<u> </u>	<del> </del>
8	Multi-Purpose Paper A4 (800gsm)	8ctns			
9	Coffee tables (wooden with cushion covers - locally made) Standard size	8pcs	<del></del>		
10	Lounge chairs (wooden with cushion covers - locally made) 4in1 jointed	8pcs	<del></del>		
11	Flip charts Standard size	16pcs		T	<u> </u>
12	Flip chart stands Standard size	8pcs			
13	Signboards (YC hubs) Design as per YC regional standard	4pcs			
14	Wooden executive chair (with cushion covers & arm rest) Standard size	4pcs			

<sup>&</sup>lt;sup>5</sup> Thi15s serves as a guide to the Supplier in preparing the quotation and price schedule.

<sup>&</sup>lt;sup>6</sup> Officil6al Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

SLE/RFQ/2020/016: Procurement of Various Items

15	Complete solar unit (cabling, inverter, battery and panels)	4 units					
	Standard size for powering						
	computers, light bulbs, refrigerator and TV						
16	Assorted markers Standard size	20 packs	<del></del>		·····	<del> </del>	
17	Refrigerator/Freezer Medium size	4pcs	······································	<u> </u>			······
18	Wooden dining chairs with cushion covers Standard size	8pcs	<u></u>				
19	Wooden dining chairs with cushion covers Standard size	32pcs					
20	Standby Generators 2.8 KVA	4 pcs			<del></del>		· · · · · · ·
	Total Prices of Goods <sup>7</sup>	<del></del>					
	Add: Cost of Transportation						
	Add: Cost of Insurance						
	Add: Other Charges (pls. specify)						
	Total Final and All-Inclusive Price Quota	tion		:		<del></del>	

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our		Your Respo	nses
Quotation are as follows:	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal
Delivery Lead Time			
Estimated weight/volume/dimension of the Consignment:	***************************************		
Country/ies Of Origin <sup>8</sup> :			
Warranty and After-Sales Requirements			
a) Training on Operations and     Maintenance	er-andaliila alah oran gapangalaan	ere englischen den erengen von den der der eren eine eine eren eren eren eren er	Period Section and Assessment of the Section and Section and Section and Section and Section and Section and Se
b) Minimum one (1) year warranty on both parts and labor	and the strong property property of the second	FIF 161/464	NASAH mela alamban api jiri Mahilaka menaman per perjependa dak Milaya
c) Service Unit to be Provided when the Purchased Unit is Under Repair	ر بن بن بن بن بن بن بن بن بن بن بن بن بن		a Hadanii aanay fiyyyy akka aa aa aa ay gyryrii ahaddii ay aa ay ay ay ay a
d) Brand new replacement if Purchased Unit is beyond repair	redit to the total and any angle of the second and the second		H khil <sup>a</sup> dadan <del>mana aya ya ya Malaka</del> n mana mayangga ya gerg Milladha da nahan yangaya
e) Others	- Askara Marianja	······································	

<sup>&</sup>lt;sup>7</sup> Pricing of goods should be consistent with the INCO Terms indicated in the RFQ
<sup>8</sup> If the country of origin requires Export License for the goods being procured, or other relevant documents that the country of destination may require, the supplier must submit them to UNDP if awarded the PO/contract.

SLE/RFQ/2020/016: Procurement of Various Items

Validity of Quotation	T	<u> </u>	
All Provisions of the UNDP General Terms			
and Conditions		1	
Other requirements [pls. specify]			

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person]
[Designation]
[Date]

#### Annex 3

### **General Terms and Conditions**

# 1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

#### 2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

#### 3. TAX EXEMPTION

- Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
- 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

#### 4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

#### 5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

#### 6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

#### 7. INSPECTION

- 7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.
- 7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

#### 8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and fiold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

#### 9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- 9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- 9.2 Refuse to accept delivery of all or part of the goods.
- 9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

#### 10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to <u>Force Majeure</u>), if reasonably so requested by UNDP.

#### 11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

# 12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

#### 13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

#### 14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

#### 15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

#### 16. SETTLEMENT OF DISPUTES

- Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.
- 16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

# 17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

#### 18. SEXUAL EXPLOITATION:

18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person.

The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.

18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

#### 19.0 OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

#### 20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.