United Nations Development Programme



REQUEST FOR QUOTATION (RFQ) (Goods)

	DATE: 12 August 2020
To:	
Interested Bidders	REFERENCE: RFQ/UNDP/EU/110566/42/2020 – ICT Equipment for
	ACCESS Project

Dear Sir / Madam:

We kindly request you to submit your quotation for RFQ/UNDP/EU/110566/42/2020 - ICT Equipment for ACCESS Project Project as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as **Annex 2.**

Quotations may be submitted on or before 19th August 2020 at 15.00 hrs (Jakarta Local Time) and via $\square e$ -mail to the address below:

United Nations Development Programme

Menara Thamrin Building, 7th Floor Jl. M.H. Thamrin, Kav. 3, Jakarta 10250

bids.id@undp.org

And should be marked / titled: RFQ/UNDP/EU/110566/42/2020 - ICT Equipment for ACCESS **Project**

Attn: Head of UNDP Procurement Unit

Quotations submitted by email must be limited to a maximum of 4MB per email and it should be virus-free. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

Delivery Terms	☑DAP				
Customs clearance ¹ , if needed, shall be done by:	☑Supplier/Offeror				
Exact Address/es of Delivery Location/s	Annex 1				
Latest Expected Delivery Date and Time	☑ 5 (five) weeks from the issuance of the Purchase Order (PO) including installations (if delivery time exceed the requirement, quotation may be rejected by UNDP)				
Delivery Schedule	☑Required				
Packing Requirements	☑Yes to ensure that all goods are packed based on the delivery place and that they are all arrived safely.				
Mode of Transport	□AIR	□LAND			
	□SEA	☑OTHER based on quotation from bidders which should meet the delivery time			
Preferred Currency of Quotation ²	☑ IDR for Local Bidde ☑ USD for non Local E				
Value Added Tax on Price Quotation ³	☑ Must be exclusive of	of VAT and other applicable indirect taxes			
After-sales services required	☑ Based on ANNEX 1				
Deadline for the Submission of Quotation	19 th August 2020 at 1	5.00 hrs (Jakarta Local Time)			
All documentations, including catalogs, instructions and operating manuals, shall be in this language	☑ English				

_

¹ Must be linked to INCO Terms chosen.

²Depends on INCO Terms. The suggestion to use a UNDP preferred courier is only for purposes of familiarity with procedures and documentary requirements applicable to the UNDP when clearing with customs.

³ Local vendors must comply with any applicable laws regarding doing business in other currencies. Conversion of currency into the UNDP preferred currency, if the offer is quoted differently from what is required, shall be based only on UN Operational Exchange Rate prevailing at the time of UNDP's issuance of Purchase Order.

⁴ This must be reconciled with the INCO Terms required by the RFQ. Furthermore, VAT exemption status varies from one country to another. Pls. tick whatever is applicable to the UNDP CO/BU requiring the goods.

Documents to be submitted ⁴	 ☑ Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; ☑ Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List; ☑ Latest business registration certificate ☑ Brochure, catalogues
Period of Validity of Quotes starting the Submission Date	☑ 60 days
	In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	☑ Not Permitted
Payment Terms ⁵	☑ 100% upon complete delivery and acceptance of goods
Liquidated Damages	If the Supplier fails to supply the specified goods/services within the time period(s) stipulated by the purchase order, the UNDP shall, without prejudice to its other remedies under the contract, deduct from the Purchase Order price, as liquidated damages, a sum equivalent to 2 (two) percent of the delivered price of the delayed goods/services for each week of delay until actual delivery, up to a maximum deduction of 10 percent of the delayed goods/services Purchase Order price. Once the maximum is reached, the UNDP may consider termination of the Purchase Order
Evaluation Criteria	 ☑ Technical responsiveness/Full compliance to requirements and lowest price⁷ ☑ Comprehensiveness of after-sales services ☑ Full acceptance of the PO/Contract General Terms and Conditions
UNDP will award to	☑ One and only one supplier
Type of Contract to be Signed	☑ Purchase Order
Contract General Terms and Conditions	☑ General Terms and Conditions for contracts (goods and/or services)

_

⁵ First 2 items in this list are mandatory for the supply of imported goods

⁶ UNDP preference is not to pay advanced amount upon signing of contract. If vendor strictly requires advanced payment, it will be limited only up to 20% of the total price quoted. For any higher percentage, or advanced payment of \$30,000 or higher, UNDP shall require the vendor to submit a bank guarantee or bank checque payable to UNDP, in the same amount as the advanced payment made by UNDP to the vendor.

⁷ UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

⁸ Where the information is available in the web, a URL for the information may simply be provided.

	☐ General Terms and Conditions for de minimis contracts
	(services only, less than \$50,000)
	Applicable Terms and Conditions are available at
	http://www.undp.org/content/undp/en/home/procurement/b
	usiness/how-we-buy.html
Special conditions of Contract	☑ Cancellation of PO/Contract if the delivery/completion is delayed
	beyond 5 (five) weeks or refer to the Liquidated Damages whichever
	comes first
Conditions for Release of	☑ Passing Inspection
Payment	☐ Passing all Testing which will be checked against the Technical
,	Specification – Annex 1
	☑ Written Acceptance of Goods based on full compliance with RFQ
	requirements
	requirements
Annexes to this RFQ ⁸	☑ Specifications of the Goods Required (Annex 1)
	☑ Form for Submission of Quotation (Annex 2)
	☑ General Terms and Conditions / Special Conditions
	Non-acceptance of the terms of the General Terms and Conditions
	(GTC) shall be grounds for disqualification from this procurement
	process.
Contact Person for Inquiries	UNDP Indonesia Procurement Unit
(Written inquiries only) ⁶	Fathia Alya Shabrina /Sestyo Ndaru Wicaksono
	fathia.shabrina@undp.org/sestyo.wicaksono@undp.org
	Any delay in LINDR's response shall be not used as a reason for
	Any delay in UNDP's response shall be not used as a reason for
	extending the deadline for submission, unless UNDP determines that
	such an extension is necessary and communicates a new deadline to
	the Proposers.

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is

found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link: http://www.undp.org/procurement/protest.shtml.

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Martin KurniaProcurement Specialist

12 August 2020

ANNEX 1

SPECIFICATION / REQUIREMENTS RFQ/UNDP/EU/110566/42/2020 – ICT Equipment for ACCESS Project

ITEM & SPECIFICATION

No.	Item	Specifications	Qty
1	MacBook Pro 2020 or	- 1.4 Ghz Quad-Core 10th-Generation Intel Core i5 Processor	1
	equivalent (Space Gray)	- 13-inch Retina display with True Tone	
		- Touch Bar and Touch ID	
		- Intel Iris Plus Graphics 645	
		- 8GB 3733MHz LPDDR4X memory	
		- 512GB SSD storage	
		- Two Thunderbolt 3 ports	
		- Backlit Magic Keyboard - US English	
2	MacBook Air 2020 or	- 1.1 GHz Quad-Core 10th-Generation Intel Core i5 Processor	5
	equivalent (Space Gray)	- 13-inch Retina display with True Tone	
		- Touch ID	
		- Intel Iris Plus Graphics	
		- 8GB 3733MHz LPDDR4X memory	
		- 512GB SSD storage	
		- Two Thunderbolt 3 ports	
		- Backlit Magic Keyboard - US English	
3	Lenovo ThinkPad X1	- Intel Core i7-8565U Processor 1. 8GHz Quad Core Up to 4.	7
	Carbon or equivalent	6GHz	
		- 14" Anti-glare LED Backlit IPS FHD (1920 x 1080) Display	
		- 8 GB LPDDR3 2133MHz RAM	
		- 512GB SSD storage	
		- Microsoft Windows Pro 10 (64 bit) or equivalent	
		- Intel Integrated 620 Graphics	
		- 802. 11 Wireless-AC 2x2	
		- Bluetooth 5. 0	
		- Integrated dual Microphone Array Dolby Premium Audio	
		Processing	
		- Backlit English Keyboard	
		- Fingerprint Reader and Integrated Webcam	
		- 2x USB 3. 1	
		- 2x USB Type C Thunderbolt with PowerDelivery	
		- 1x HDMI	
		- 1x Mini RJ-45	
		- 1x Combination Audio Jack	
		- 4 Cell 51Wh Battery	
4	iPhone 11 Pro or	- OS: iOS 13, upgradable to iOS 13.6	1
	equivalent (Space Gray)	- Chipset: Apple A13 Bionic (7 nm+)	
		- CPU: Hexa-core (2x2.65 GHz Lightning + 4x1.8 GHz Thunder)	
		- GPU: Apple GPU (4-core graphics)	
		- Internal Storage: 64GB	

	T		
		- RAM: 4GB	
		- Glass front (Gorilla Glass), glass back (Gorilla Glass), stainless	
		steel frame	
		- IP68 dust/water resistant (up to 4m for 30 mins)	
		- Super Retina XDR OLED capacitive touchscreen, 16M colors	
		- Size: 5.8 inches, 84.4 cm2 (~82.1% screen-to-body ratio)	
		- Main Camera: Triple	
		. 12 MP, f/1.8, 26mm (wide), 1/2.55", 1.4μm, dual pixel PDAF,	
		OIS	
		. 12 MP, f/2.0, 52mm (telephoto), 1/3.4", 1.0μm, PDAF, OIS, 2x	
		optical zoom	
		. 12 MP, f/2.4, 13mm (ultrawide)	
		- Selfie Camera: Dual	
		. 12 MP, f/2.2, 23mm (wide)	
		. SL 3D, (depth/biometrics sensor)	
		- HDR10, Wide color gamut, True-tone, 120Hz touch-sensing	
		- Wi-Fi: 802.11 a/b/g/n/ac/6, dual-band, hotspot	
		- Bluetooth: 5.0, A2DP, LE	
		- GPS, NFC	
		- USB: 2.0, proprietary reversible connector	
		- Sensors: Face ID, accelerometer, gyro, proximity, compass,	
		barometer	
		- Battery: Non-removable Li-Ion 3046 mAh battery (11.67 Wh)	
		- Charging: Fast charging 18W, 50% in 30 min, USB Power	
		Delivery 2.0, Qi wireless charging	
5	Samsung Galaxy S20 or	- OS: Android 10, One UI 2	1
	equivalent (Cloud Blue)	- Chipset: Exynos 990 (7 nm+)	
	, , , ,	- CPU: Octa-core (2x2.73 GHz Mongoose M5 & 2x2.50 GHz	
		Cortex-A76 & 4x2.0 GHz Cortex-A55)	
		- GPU: Mali-G77 MP11	
		- Internal Storage: 128GB,UFS 3.0	
		- RAM: 8GB	
		- Glass front (Gorilla Glass 6), glass back (Gorilla Glass 6),	
		aluminum frame	
		- IP68 dust/water resistant (up to 1.5m for 30 mins)	
		- IP68 dust/water resistant (up to 1.5m for 30 mins)- Dynamic AMOLED 2X capacitive touchscreen, 16M colors	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate 	
		- IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS 	
		 - IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS . 64 MP, f/2.0, 29mm (telephoto), 1/1.72", 0.8 μm, PDAF, OIS, 	
		- IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS . 64 MP, f/2.0, 29mm (telephoto), 1/1.72", 0.8 μm, PDAF, OIS, 1.1x optical zoom, 3x hybrid zoom	
		- IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS . 64 MP, f/2.0, 29mm (telephoto), 1/1.72", 0.8 μm, PDAF, OIS, 1.1x optical zoom, 3x hybrid zoom . 12 MP, f/2.2, 13mm (ultrawide), 1.4μm, Super Steady video - Selfie Camera: Dual	
		- IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS . 64 MP, f/2.0, 29mm (telephoto), 1/1.72", 0.8 μm, PDAF, OIS, 1.1x optical zoom, 3x hybrid zoom . 12 MP, f/2.2, 13mm (ultrawide), 1.4μm, Super Steady video - Selfie Camera: Dual . 10 MP, f/2.2, 26mm (wide), 1/3.2", 1.22μm, Dual Pixel PDAF	
		- IP68 dust/water resistant (up to 1.5m for 30 mins) - Dynamic AMOLED 2X capacitive touchscreen, 16M colors - Size: 6.2 inches, 93.8 cm2 (~89.5% screen-to-body ratio) - HDR10+, Always-on display, 120Hz@FHD/60Hz@QHD refresh rate - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/1.76", 1.8μm, Dual Pixel PDAF, OIS . 64 MP, f/2.0, 29mm (telephoto), 1/1.72", 0.8 μm, PDAF, OIS, 1.1x optical zoom, 3x hybrid zoom . 12 MP, f/2.2, 13mm (ultrawide), 1.4μm, Super Steady video - Selfie Camera: Dual	

	T		
6	Fujifilm X-T30 Kit Lens XF	- GPS, NFC - USB: 3.2, Type-C 1.0 reversible connector, USB On-The-Go - Sensors: Fingerprint (under display, ultrasonic) - Battery: Non-removable Li-Po 4000 mAh battery - Charging: Fast charging 25W, USB Power Delivery 3.0, Fast Qi/PMA wireless charging 15W, Reverse wireless charging 9W - Number of effective pixels: 26.1 million pixels	1
	18-55mm or equivalent (Charcoal Silver) including: Free SD Card Sandisk Extreme 32GB or equivalent & Lens XC 35mm F2.0	- Image sensor: 23.5mm×15.6mm (APS-C) X-Trans CMOS 4 with primary color filter - Sensor Cleaning system: Ultra Sonic Vibration - Storage media: SD Card (-2G) / SDHC Card (-32G) / SDXC Card (-512G) UHS-I - Lens mount: FUJIFILM X mount - Standard Output Sensitivity: ISO160 to 12800(1/3 EV step) - Image Stabilizer: Supported with OIS type lenses - Shutter type: Focal Plane Shutter - Flash: Manual pop-up flash (Super Intelligent Flash) - Guide number: approx. 7 (ISO200 · m) / approx. 5 (ISO100 · m) - LCD monitor: 3.0 inch, aspect ratio 3:2, approx. 1.04 million dots touch screen color LCD monitor(approx. 100% coverage) - Wireless transmitter: Standard IEEE 802.11b / g / n (standard wireless protocol) - Bluetooth®: Standards Bluetooth Ver. 4.2 (Bluetooth low energy) - Digital interface: USB Type-C (USB3.1 Gen1) - HDMI output: HDMI micro connector (Type D) - Accessories included: Li-ion battery NP-W126S . AC power adapter . Plug Adapter . USB cable . Shoulder strap . Body cap . Strap clip . Protective cover . Clip attaching tool . Owner's manual	
7	HP Color LaserJet Pro MFP M479fdw or equivalent	 - A4 Color Laser Multifunction Printer - Print, Scan, Copy and Fax, ADF, Duplex - Print speed up to 28 ppm (black) and 28 ppm (color) - USB, 1 host USB at rear side, Ethernet, Wi-Fi 	1
8	Anker Nebula Apollo Projector or equivalent	 Display Technology: 0.2 in FWVGA DLP Native Resolution: 854 x 480 Brightness: 200 ANSI lumens Lamp Life: 30,000 Hours Aspect Ratio: 16:9 HDMI: HDMI 1.4 up to 1080p Input USB: Data Storage / Connection via USB 	1

		- IR Remote: D-Pad Mode / Mouse Mode	
		- Bluetooth Remote App: Android and iOS	
		- CPU: Quad Core A7 Smartphone Chipset	
		- GPU: Adreno 304	
		- RAM: 1GB DDR3	
		- ROM: 8GB eMMC	
		- Battery: 9,750mAh / 3.85V	
		- Speaker: 6W	
		- Wi-Fi: 802.11a/b/g/n Dual Frequency 2.4/5GHz	
		- Bluetooth: BT4.2 Dual Mode/A2DP	
		- Fan: <30dB	
9	DJI Mavic Mini or	- Camera Sensor: 1/2.3" CMOS	1
	equivalent	- Effective Pixels: 12 MP	
		- Lens: FOV 83°	
		- 35 mm Format Equivalent: 24 mm	
		- Aperture: f/2.8	
		- Shooting Range: 1 m to ∞	
		- 249 gram Ultralight	
		- 30-min Max Flight Time	
		- 4km HD Video Transmission	
		- Vision Sensor + GPS Precise Hover	
		- 3-Axis Gimbal 2.7k Camera	
10	SanDisk MicroSDXC	- SDSQXA1-128GB	1
	Extreme A2 V30 UHS-1		
	(160MB/s) 128GB or		
	equivalent		
	·		
11	Kaspersky Internet	Advanced security & antivirus suite – on PC, Mac	13
	Security 2020 or		
	equivalent		
12	Microsoft Office	2019 versions of Word, Excel, PowerPoint, and Outlook, plus	3
	Professional 2019 or	Publisher and Access	
	equivalent		

1. WARRANTY SCHEME

Official warranty from Manufacture for each item on Parts and Labor upon received of goods-

2. DELIVERY

The delivery time should be within 5 weeks to:

UNDP Indonesia,

Attn: Hery Desha

7th Floor, Menara Thamrin Building,

Jl. M.H. Thamrin Kav. 3, Jakarta, Indonesia 10250

3. LOCAL SERVICE

The Supplier should describe the after-sales service that is available locally, technical support and availability of spare parts in Indonesia

ANNEX 2

RFQ/UNDP/EU/110566/42/2020 – ICT Equipment for ACCESS Project

FORM FOR SUBMITTING SUPPLIER'S QUOTATION
(This Form must be submitted only using the Supplier's Official Letterhead/Stationery)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No.: RFQ/UNDP/EU/110566/42/2020 – ICT Equipment for ACCESS Project

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements

No.	Item	Specifications	Qty	COMPLY / NOT COMPLY, if not please specify	Unit Price (IDR/USD)	Total Price (IDR/USD)
1	MacBook Pro 2020 (Space Gray) or equivalent	- 1.4 Ghz Quad-Core 10th- Generation Intel Core i5 Processor - 13-inch Retina display with True Tone	1 Unit			
		 - Touch Bar and Touch ID - Intel Iris Plus Graphics 645 - 8GB 3733MHz LPDDR4X memory - 512GB SSD storage - Two Thunderbolt 3 ports 				
		- Backlit Magic Keyboard - US English				
2	MacBook Air 2020 (Space Gray) or equivalent	- 1.1 GHz Quad-Core 10th-Generation Intel Core i5 Processor - 13-inch Retina display with True Tone - Touch ID - Intel Iris Plus Graphics - 8GB 3733MHz LPDDR4X memory - 512GB SSD storage - Two Thunderbolt 3 ports - Backlit Magic Keyboard - US English	5 Units			
3	Lenovo ThinkPad X1 Carbon or equivalent	- Intel Core i7-8565U Processor 1. 8GHz Quad Core Up to 4. 6GHz - 14" Anti-glare LED Backlit IPS FHD (1920 x 1080)	7 Units			

4	iPhone 11 Pro (Space Gray) or equivalent	Display - 8 GB LPDDR3 2133MHz RAM - 512GB Solid SSD - Microsoft Windows Pro 10 (64 bit) - Intel Integrated 620 Graphics - 802. 11 Wireless-AC 2x2 - Bluetooth 5. 0 - Integrated dual Microphone Array Dolby Premium Audio Processing - Backlit English Keyboard - Fingerprint Reader and Integrated Webcam - 2x USB 3. 1 - 2x USB Type C Thunderbolt with PowerDelivery - 1x HDMI - 1x Mini RJ-45 - 1x Combination Audio Jack - 4 Cell 51Wh Battery - OS: iOS 13, upgradable to iOS 13.6 - Chipset: Apple A13 Bionic	1 Unit		
		GHz Lightning + 4x1.8 GHz Thunder) - GPU: Apple GPU (4-core graphics) - Internal Storage: 64GB - RAM: 4GB - Glass front (Gorilla Glass), glass back (Gorilla Glass), stainless steel frame - IP68 dust/water resistant (up to 4m for 30 mins) - Super Retina XDR OLED capacitive touchscreen, 16M colors - Size: 5.8 inches, 84.4 cm2 (~82.1% screen-to-body ratio) - Main Camera: Triple . 12 MP, f/1.8, 26mm (wide), 1/2.55", 1.4µm, dual pixel PDAF, OIS			

		12 MD f/2 0 52			
		. 12 MP, f/2.0, 52mm			
		(telephoto), 1/3.4", 1.0μm,			
		PDAF, OIS, 2x optical zoom			
		. 12 MP, f/2.4, 13mm			
		(ultrawide)			
		- Selfie Camera: Dual			
		. 12 MP, f/2.2, 23mm (wide)			
		. SL 3D, (depth/biometrics			
		sensor)			
		- HDR10, Wide color gamut,			
		True-tone, 120Hz touch-			
		sensing			
		- Wi-Fi: 802.11			
		a/b/g/n/ac/6, dual-band,			
		hotspot			
		- Bluetooth: 5.0, A2DP, LE			
		- GPS, NFC			
		- USB: 2.0, proprietary			
		reversible connector			
		- Sensors: Face ID,			
		accelerometer, gyro,			
		proximity, compass,			
		barometer			
		- Battery: Non-removable Li-			
		Ion 3046 mAh battery (11.67			
		Wh)			
		- Charging: Fast charging			
		18W, 50% in 30 min, USB			
		Power Delivery 2.0, Qi			
		wireless charging			
5	Samsung Galaxy	- OS: Android 10, One UI 2	1		
	S20 (Cloud Blue)	- Chipset: Exynos 990 (7	Unit		
	or equivalent	nm+)			
		- CPU: Octa-core (2x2.73			
		GHz Mongoose M5 & 2x2.50			
		GHz Cortex-A76 & 4x2.0 GHz			
		Cortex-A55)			
		- GPU: Mali-G77 MP11			
		- Internal Storage:			
		128GB,UFS 3.0			
		- RAM: 8GB			
		- Glass front (Gorilla Glass			
		6), glass back (Gorilla Glass			
		6), aluminum frame			
		- IP68 dust/water resistant			
		(up to 1.5m for 30 mins)			
		- Dynamic AMOLED 2X			
		capacitive touchscreen, 16M			
		colors			
		COIOIS			

		- Size: 6.2 inches, 93.8 cm2			
		(~89.5% screen-to-body			
		ratio)			
		1			
		- HDR10+, Always-on			
		display,			
		120Hz@FHD/60Hz@QHD			
		refresh rate			
		- Main Camera: Triple			
		. 12 MP, f/1.8, 26mm (wide),			
		1/1.76", 1.8µm, Dual Pixel			
		PDAF, OIS			
		. 64 MP, f/2.0, 29mm			
		(telephoto), 1/1.72", 0.8			
		μm, PDAF, OIS, 1.1x optical			
		zoom, 3x hybrid zoom			
		. 12 MP, f/2.2, 13mm			
		(ultrawide), 1.4μm, Super			
		Steady video			
		- Selfie Camera: Dual			
		. 10 MP, f/2.2, 26mm (wide),			
		1/3.2", 1.22μm, Dual Pixel			
		PDAF			
		- Wi-Fi: 802.11			
		a/b/g/n/ac/6, dual-band,			
		Wi-Fi Direct, hotspot			
		- Bluetooth: 5.0, A2DP, LE			
		- GPS, NFC			
		- USB: 3.2, Type-C 1.0			
		reversible connector, USB			
		On-The-Go			
		- Sensors: Fingerprint (under			
		display, ultrasonic)			
		- Battery: Non-removable Li- Po 4000 mAh battery			
		•			
		- Charging: Fast charging			
		25W, USB Power Delivery			
		3.0, Fast Qi/PMA wireless			
		charging 15W, Reverse			
		wireless charging 9W			
6	Fujifilm X-T30 Kit	- Number of effective pixels:	1 set		
	Lens XF 18-55mm	26.1 million pixels			
	(Charcoal Silver)	- Image sensor:			
	or equivalent	23.5mm×15.6mm (APS-C) X-			
	including: Free	Trans CMOS 4 with primary			
	SD Card Sandisk	color filter			
	Extreme 32GB or	- Sensor Cleaning system:			
	equivalent &	Ultra Sonic Vibration			
	Lens XC 35mm	- Storage media: SD Card (-			
	F2.0	2G) / SDHC Card (-32G) /			
		,, ()	I		

	T	T		T	1
		SDXC Card (-512G) UHS-I			
		- Lens mount: FUJIFILM X			
		mount			
		- Standard Output			
		Sensitivity: ISO160 to			
		12800(1/3 EV step)			
		1			
		- Image Stabilizer:			
		Supported with OIS type			
		lenses			
		-Shutter type: Focal Plane			
		Shutter			
		- Flash: Manual pop-up flash			
		(Super Intelligent Flash)			
		- Guide number: approx. 7			
		(ISO200 · m) / approx. 5			
		(ISO100 · m)			
		1 *			
		- LCD monitor: 3.0 inch,			
		aspect ratio 3:2, approx.			
		1.04 million dots touch			
		screen color LCD			
		monitor(approx. 100%			
		coverage)			
		- Wireless transmitter:			
		Standard IEEE 802.11b/g/			
		n (standard wireless			
		protocol)			
		- Bluetooth®: Standards			
		Bluetooth Ver. 4.2			
		(Bluetooth low energy)			
		- Digital interface: USB Type-			
		C (USB3.1 Gen1)			
		- HDMI output: HDMI micro			
		connector (Type D)			
		- Accessories included:			
		. Li-ion battery NP-W126S			
		. AC power adapter			
		. Plug Adapter			
		. USB cable			
		. Shoulder strap			
		. Body cap			
		. Strap clip			
		. Protective cover			
		. Clip attaching tool			
		. Owner's manual			
7	HP Color LaserJet	- A4 Color Laser	1		
	Pro MFP	Multifunction Printer	unit		
	M479fdw or	- Print, Scan, Copy and Fax,			
	equivalent	ADF, Duplex			
	cquivalent	- Print speed up to 28 ppm			
		- Finit speed up to 26 ppm			

	1	T	1	I	
		(black) and 28 ppm (color)			
		- USB, 1 host USB at rear			
		side, Ethernet, Wi-Fi			
8	Anker Nebula		1		
0		- Display Technology: 0.2 in	_		
	Apollo Projector	FWVGA DLP	unit		
	or equivalent	- Native Resolution: 854 x			
	·	480			
		- Brightness: 200 ANSI			
		-			
		lumens			
		- Lamp Life: 30,000 Hours			
		- Aspect Ratio: 16:9			
		- HDMI: HDMI 1.4 up to			
		1080p Input			
		1			
		- USB: Data Storage /			
		Connection via USB			
		- IR Remote: D-Pad Mode /			
		Mouse Mode			
		- Bluetooth Remote App:			
		Android and iOS			
		- CPU: Quad Core A7			
		Smartphone Chipset			
		- GPU: Adreno 304			
		- RAM: 1GB DDR3			
		- ROM: 8GB eMMC			
		- Battery: 9,750mAh / 3.85V			
		1			
		- Speaker: 6W			
		- Wi-Fi: 802.11a/b/g/n Dual			
		Frequency 2.4/5GHz			
		- Bluetooth: BT4.2 Dual			
		Mode/A2DP			
		- Fan: <30dB			
<u> </u>	DU 14 ' 14' '				
9	DJI Mavic Mini or	- Camera Sensor: 1/2.3"	1		
	equivalent	CMOS	unit		
		- Effective Pixels: 12 MP			
		- Lens: FOV 83°			
		- 35 mm Format Equivalent:			
		24 mm			
		- Aperture: f/2.8			
		- Shooting Range: 1 m to ∞			
		- 249 gram Ultralight			
		- 30-min Max Flight Time			
		- 4km HD Video			
		Transmission			
		- Vision Sensor + GPS Precise			
		Hover			
		- 3-Axis Gimbal 2.7k Camera			

10	SanDisk	- SDSQXA1-128GB	1			
	MicroSDXC		unit			
	Extreme A2 V30					
	UHS-1 (160MB/s)					
	128GB or					
	equivalent					
11	Kaspersky	Advanced security &	13			
	Internet Security	antivirus suite – on PC, Mac	units			
	2020 or					
	equivalent					
12	Microsoft Office	2019 versions of Word,	3			
	Professional 2019	Excel, PowerPoint, and	units			
	or equivalent	Outlook, plus Publisher and				
		Access				
	Total Prices of Goods ⁷					
	Add : Cost of Transportation					
	Add : Cost of Insurance					
	Add : Other Charges (pls. specify)					
	Total Final and All-Inclusive Price Quotation					

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

	Your Responses				
Other Information pertaining to our Quotation are as follows:	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal		
Comply to meet the requirement stated in					
ANNEX 1 or equivalent					
Validity of Quotation 60 days					
Latest expected delivery date and time: 5					
(five) weeks from the issuance of the					
Purchase Order (PO)					
All Provisions of the UNDP General Terms					
and Conditions					
Warranty as provided by manufacturer for					
each item					
Other requirements [pls. specify]					

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

16

⁷ Pricing of goods should be consistent with the INCO Terms indicated in the RFQ

[Name and Signature of the Supplier's Authorized Person] [Designation/Name of the company] [Date]