

# REQUEST FOR QUOTATION (RFQ) 564-2020-UNDP-UKR-RFQ-RPP

All Interested	DATE: <b>August 12, 2020</b>
	REFERENCE: <b>564-2020-UNDP-UKR-RFQ- RPP</b>

Dear Sir / Madam:

We kindly request you to submit your quotation for the procurement of **protective means and equipment** for sanitization and disinfection of territories, vehicles, special clothing for units of the State Emergency Service in Donetsk, Luhansk and Zaporizhzhia oblasts, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **23:59** (**Kyiv time**) **August 27, 2020** and via *e-mail* to the address below:

# United Nations Development Programme tenders.ua@undp.org Procurement Unit

Quotations submitted by email must be limited to a maximum **of 25 MB**, virus-free and no more than 5 email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. *Please ensure that you received an autoreply from above-mentioned e-mail address indicating that the message was received.* Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation. If you are submitting your quotation by email, kindly ensure that they are signed and in the .pdf format, and free from any virus or corrupted files.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned services:

Exact Address/es of Delivery Location/s (identify all, if multiple)  Latest Expected Delivery Date and Time (if delivery time exceeds this, quote may be rejected by UNDP)	Mariupol,175 Mytropolytska street, 87547, Ukraine Zaporizhzhia, 65 Fortechna street, 69002, Ukraine Sievierodonetsk, 24a Promyslova street, 93400, Ukraine  ☑ Delivery must be carried out within 60 days from PO/contract signing date.
Delivery Schedule	⊠Required □Not Required
Packing Requirements	Packaging must comply with the rules for the safe transport of goods offered.
	□ AIR ⊠LAND
Mode of Transport	□SEA □OTHER [pls. specify]
Preferred Currency of Quotation	⊠United States Dollars. Due to fluctuations in the national currency, it is recommended to indicate the price in dollars as risk mitigation measure.  □Euro □Local Currency: UAH
Value Added Tax on Price Quotation	<ul> <li>☐ Must be inclusive of VAT and other applicable indirect taxes (VAT amount should be clearly indicated in a separate line)</li> <li>☑ Must be exclusive of VAT and other applicable indirect taxes</li> </ul>
After-sales services required	<ul><li>☑ Warranty period: Not less than 1 year of full official manufacturer warranty</li><li>☑ Availability of official service in Ukraine</li></ul>
Deadline for the Submission of Quotation	23:59, Thursday, August 27, 2020 Kyiv time
All documentations, including catalogs, instructions and operating manuals, shall be in this language	<ul><li>☑ English and / or</li><li>☑ Russian and / or</li><li>☑ Ukrainian</li></ul>
Documents to be submitted	<ul> <li>☑ Duly Accomplished Form as provided in Annex 2 (Tables 1, 2, 3, 4) and in accordance with the list of requirements in Annex 1;</li> <li>☑ Detailed description and characteristics of the proposed equipment, indicating model and manufacturer;</li> <li>☑ Copy of Latest Business Registration Certificate and Tax Registration certificate (not mandatory on submission stage but will be required if Offeror is selected for contract award);</li> <li>☑ Authorization to represent manufacturer/developer: all main manufacturers' authorizations in relation to items listed in Section 1 should be included. Bidder must be an authorized seller/reseller/service provider for the products/services offered, and shall expressly warrant its status in</li> </ul>

	the Offer Supplier should provide the authorization letter from	
	··	
	proposal;	
	☐ At least 3 years of experience in the field of supply of similar products;	
	□ At least 2 Reference Letters from previous clients	
	⊠ 60 days	
Period of Validity of	In exceptional circumstances, UNDP may request the Vendor to extend the	
Quotes starting the	validity of the Quotation beyond what has been initially indicated in this	
Submission Date	RFQ. The Proposal shall then confirm the extension in writing, without any	
	At least 3 years of experience in the field of supply of similar products; At least 2 Reference Letters from previous clients 60 days exceptional circumstances, UNDP may request the Vendor to extend the idity of the Quotation beyond what has been initially indicated in this Q. The Proposal shall then confirm the extension in writing, without any odification whatsoever on the Quotation.  Not permitted Permitted – The offers may be submitted to different Lots 100% upon complete delivery Others: Technical responsiveness/Full compliance with requirements and lowest ce <sup>1</sup> bimitted offers will be reviewed on "Pass" or "Fail" basis to determine impliance with the below criteria/requirement/s: Iministrative Requirements: Offers must be submitted within the stipulated deadline Offers must meet required Offer Validity Offers have been signed by the proper authority Offers include requested company/organization documentation as entioned above in "Documents to be submitted section"	
Partial Quotes	☑ Not permitted	
	· ·	
	' ' '	
Payment Terms	☐ Others:	
Evaluation Critoria	·	
Evaluation Criteria	price <sup>1</sup> Submitted offers will be reviewed on "Pass" or "Fail" basis to determine	
	· ·	
	,	
	•	
	· ·	
	mentioned above in «Documents to be submitted section"	
	Technical requirements:	
	Officially registered company (for Ukrainian companies – company)	
	should be registered in the territory controlled by the government	
	of Ukraine).	
	·	
	i ·	
	, , , ,	
	· · ·	
	signing date.	
	▼ Full acceptance of the Contract General Torms and Conditions	
UNDP will award to:	<ul><li>☑ Full acceptance of the Contract General Terms and Conditions</li><li>☐ One supplier</li></ul>	
ONDI WIII awalu tu.	☐ One supplier ☐ One or more Supplier, depending on the following factors (according to	
	Lots):	
	☐ The general combination of the lowest prices for all lots, based on	
	different combinations of award contracts	

<sup>&</sup>lt;sup>1</sup> UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

	☐ Regardless of the ability to execute work on more than one lot, UNDP can at its discretion to award a contract to other parties for the purpose of reduce the risk of work.
	☐ If the bidder submits an offer more, than 1 lot, UNDP reserves the right to request additional information from the participant confirming the ability to deliver goods on both Lots.
Type of Contract to be	☑ Purchase Order
Signed	☑ Contract for Goods and/or Services
Special conditions of Contract	☐ Cancellation of PO/Contract if the delivery/completion is delayed by 30 days
	Others Liquidated damages: up to 0.1% of total contract amount per each day of delay may be applied on discretion of UNDP.
Conditions for Release	☑ Mutual Written Acceptance of Goods/Services based on full compliance
of Payment	with RFQ requirements. Upon provision of originals of invoice, act of acceptance and tax invoice (if applicable).
Annexes to this RFQ	☑ Term of References (Annex 1)
	☑ Form for Submission of Quotation (Annex 2)
	☑ General Terms and Conditions (Annex 3) / Special Conditions - Available through the Link:
	https://www.undp.org/content/undp/en/home/procurement/business/how
	-we-buy.html
	Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
	<ul> <li>Shall be grounds for disqualification from this procurement process.</li> <li>✓ Contract for goods and/or services (Annex 4)</li> </ul>
	Ear Contract for goods and, or services (Armex 4)
Contact Person for	Procurement Unit
Inquiries	UNDP Ukraine
(Written inquiries	procurement.rpp.ua@undp.org
only)	Any delay in UNDP's response shall be not used as a reason for extending
	the deadline for submission, unless UNDP determines that such an
	extension is necessary and communicates a new deadline to the Proposers.

Goods/services offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods/services in the event that the transportation cost (freight and

insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods/services, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order/Contract that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. In the event that you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link: <a href="http://www.undp.org/procurement/protest.shtml">http://www.undp.org/procurement/protest.shtml</a>.

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: <a href="http://www.un.org/depts/ptd/pdf/conduct\_english.pdf">http://www.un.org/depts/ptd/pdf/conduct\_english.pdf</a>

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Sukhrob Kakharov

**Mr. Sukhrob Kakharov**UNDP Operations Manager
August 12, 2020

A.D.

#### **SPECIFICATIONS**

for protective means and equipment for sanitization and disinfection of territories, vehicles, special clothing
for units of the State Emergency Service
in Donetsk, Luhansk and Zaporizhzhia oblasts

**Project Name:** UN Recovery and Peacebuilding Program, Community Security and Social Cohesion Component

**Task description:** purchase of protective means and equipment for sanitization and disinfection of territories, vehicles, special clothing for units of State Emergency Service in Donetsk, Luhansk and Zaporizhzhia oblasts

Country / Place of work: Ukraine

#### 1. Project description

The ongoing conflict in eastern Ukraine has had a direct and highly negative impact on social cohesion, resilience, livelihoods, community security, and the rule of law. Recognizing the need to urgently address reconstruction, economic recovery and peacebuilding needs in areas affected both directly and indirectly by the conflict, in late 2014 the Government of Ukraine requested technical assistance and financial support from the international community to assess priority recovery needs.

UNDP has been active and present in eastern Ukraine for the past decade, prior to the conflict, with a focus on community development, civil society development, and environmental protection. Work on addressing the specific conflict-related development challenges discussed above built on this earlier engagement and established partnerships and started in 2015 through the United Nations Recovery and Peacebuilding Programme (UN RPP), a multi-donor funded framework programme implemented by four United Nations partnering agencies: the United Nations Development Programme (UNDP), the UN Entity for Gender Equality and the Empowerment of Women (UN Women), the United Nations Population Fund (UNFPA) and the Food and Agriculture Organization of the United Nations (FAO).

The UN RPP was designed to respond to and mitigate the causes and effects of the conflict. It is based on findings of the Recovery and Peacebuilding Assessment (RPA) and is aligned to the State Target Programme for Recovery as well as to the two oblasts development strategies up to 2020. The UN RPP involves three pillars for action: 1) restoration of infrastructure and economic recovery; 2) support to local governance and related capacity building; and 3) social resilience and peacebuilding. It is an integral component of the UNDP Country Programme and is therefore fully aligned with the United Nations Partnership Framework (UNPF) It is closely interlinked with the Democratic Governance and Reform Programme, operating nationally and in all of Ukraine's regions and is consistent with the SDGs, in particular SDG 16 (Peace, Justice and Strong institutions).

As an area-based programme specifically developed for the conflict-affected areas of eastern Ukraine, the UN RPP addresses the key stabilization, peacebuilding, economic and governance priority needs in eastern Ukraine following the start of the conflict. It takes into account the opportunities that have arisen from the Minsk Protocol of September 2014 and the renewal of its cease-fire provisions (the latest cease-fire having been agreed in March 2018) and is also fully adjusted to the humanitarian-development nexus. In 2019 program was reinforced along the Azov Sea coastline, including extension to Zaporizhzhia region.

According to the current Ukrainian legislation, the State Emergency Service and its territorial units are responsible for protecting the population and territories from emergencies and preventing their occurrence, eliminating the consequences of emergencies. However, COVID-19 pandemic revealed the

unpreparedness of SES units to respond effectively to biological and chemical emergencies, including carrying out of decontamination measures, primarily due to a lack of effective and recommended equipment.

As a part of agreed plan of action for 2020, UNDP is to procure protective means and equipment for sanitization and disinfection of territories, vehicles, special clothing to strengthen capacity of these institutions to respond on emergencies of biological and chemical nature.

#### 2. Scope of work

- Provision of required goods by the Contractor in accordance with Specification.
- Delivery of goods to the addresses according to the table below:

Nō	Nº of position in specification	Product name	Quantity
1	<u> </u>	ytropolytska street, 87547, Ukraine	
	Lot 1. № 1	Thermal Fog Generator	14
	Lot 2. № 1	High Pressure Washer	7
	Lot 2. № 2	Pump	7
	Lot 3. № 1	Protective suit	37
		М	12
		L	12
		XL	13
2	Zaporizhzhia, 65	Fortechna street, 69002, Ukraine	
	Lot 1. № 1	Thermal Fog Generator	7
	Lot 2. № 1	High Pressure Washer	7
	Lot 2. № 2	Pump	7
	Lot 3. № 1	Protective suit	14
		L	4
		XL	5
		XXL	5
3	Sievierodonetsk,	24a Promyslova street, 93400	·
	Lot 2. № 1	High Pressure Washer	2
	Lot 3. № 1	Protective suit	30
		S	7
		M	15
		L	8
	Lot 3. № 2	Self-contained atmospheric protective suit	5
		S	1
		М	3
		L	1
	Lot 3. № 3	Full face mask with filter	60
	Lot 3. № 4	Filter for full face mask	120

#### 3. Specification

#### **Lot 1. Thermal Fog Generators**

No	Product name and specification requirements	Quantity of units of goods` components (units / set)	Quantity of units with content of all components
1	Thermal Fog Generator  Weight, empty in kg, not more than: 8 Solution tank capacity in I, not less: 5,7 / 10 Fuel tank capacity in I: 1,2 Performance of combustion chamber in KW/HP, not less: 18,3 / 24,8 Fuel consumption I/h approx.: 2 Average flow rate in I/h (oil based): 20 Max. flow rate in I/h (oil based), not more than: 42 Flow rate with water in I/h: 10 Efficient horizontal reach in closed rooms with water and carrier, not less: 40 Efficient horizontal reach in closed rooms with water, not less: 8 Energy supply 4 x 1,5V: monocells Pressure in solution tank in bar approx.: 0,25		21
	Thermal Fog Generators Igeba TF 35 (or equivalent)  Nozzles, set	1	
	Solution suction wire, long	1	
	Gasoline funnel with sieve, cell 0.2 mm, unit	1	
	Solution funnel with sieve, cell 0.2 mm, unit	1	
	Tools for service, set	1	
	Cleaning tools, set	1	
	Gaskets, membranes, set	1	
	Operating instructions	1	

### Lot 2. High pressure washer and pump

No	Product name and specification requirements	Quantity of units of goods` components (units / set)	Quantity of units with content of all components
	High Pressure Washer		16
	Current type (Ph/V/Hz): 3 / 400 / 50		
	Flow rate (I/h): 1000		
1.	Operating pressure (bar/MPa) : 210 / 21		
	Max. pressure (bar/MPa): 231 / 23,1		
	Power rating (kW): 8		
	Weight (with accessories) (kg), not more: 63		

	Dimensions (L x W x H) (mm), not more: 560 x 500 x 1090		
	Trigger gun: yes		
	Trigger gun with soft nozzle: yes		
	High-pressure hose, m:10		
	Spray lance, mm: 1050		
	Power nozzle: yes		
	Motor: 4-pole three-phase with air and water cooling		
	Pressure switch control: yes		
	Integrated fine mesh water filter: yes		
	Oil sight glass: yes		
	Inlet fitting material: brass		
	High Pressure Washer Karcher HD 10/21-4 S		
	Pump		14
	Depth of immersion, m, not less than: 8		
	Maximum pressure, m, not less than: 40		
	Mains voltage, V: 220/230		
	Power consumption, W: 800		
	Bandwidth, not less, cubic. m / year: 3.5		
2	Water quality: clean		
	Permissible temperature of liquid: up to 35 ° C		
	Connector diameter, inches: 1		
	Length of a power cord, m: 1.5		
	Pump installation: horizontal		
	Pump KARCHER BP 3 Garden with accessories or equivalent		
	Full set:		
2.1	Pump	1	
2.2	Adapter for pumps with non-return valve G1 internal	1	
2.2	thread, for connection of hoses 3/4 ", 1",	1	
2.3	Suction hose with non-return valve 7m G3 / 4 internal	1	
	thread	1	

#### Lot 3. Protective means

No	Product name and specification requirements	Quantity of units of goods` components (units / set)	Quantity of units with content of all components
1	Protective suit		81
	Hood: Yes		
	Seams: stitched and taped		
	Cuffs: double		
	Zippers and reusable valves: yes	1	
	Category: III,	ľ	
	Type of protection, not worse: 3-B, 4-B, 5-B, 6-B		
	Antistatic inversion treatment: EN 1149-5		
	Protection against microorganisms: Yes		
	Radiation protection: Yes		

	Standards: ДСТУ: EN 1149-1-2017, ДСТУ EN 1073-1-2001,		
	ДСТУ EN 14605-2017, ДСТУ EN ISO 13982-1-2009, ДСТУ		
	EN 13034-2007, ДСТУ EN 14126-2008, ДСТУ EN ISO		
	13688:2016		
	Chemical protection: Yes		
	Greenwar protections res		
	Protective suit TYCHEM 6000 F / CHZ5 / or analog		
	Sizes:		
	S	7	
	M	27	
	L	24	
	XL	18	
	XXL	5	
2	Self-contained atmospheric protective suit	3	5
_	Suit type: armour		,
	Construction: two-layer airtight overalls and hood with		
	panoramic viewing glass		
	Manhole: vertical with magnetic tape sealing		
	Boots: with hit and puncture protection elements,		
	hermetically sealed with overalls		
	Breathing apparatus: located inside the suit		
	Suit material: polymeric material on a fabric basis, steady		
	against influence of strongly aggressive substances, acids,		
	alkalis, etc.		
	Suit seams: sealed on the outside with additional tape of		
	the main material		
	Viewing glass: shock-resistant, resistant to aggressive		
	environments PVC, not less than 2 mm thick		
	Gloves: chemically resistant, wear-resistant, fastened to		
	the suit tightly with a system of rings		
	Operating temperature: -400C 650C.		
	UkrSEPRO certificate: yes		
	Self-contained atmospheric protective suit «Рятувальник-		
	1» or equivalent		
	Sizes:		
	S .	1	
	M	3	
	L	1	
3	Full face mask with filter	<u>'</u>	60
	i an iace mask with miter		00
	Mask body: durable and skin-friendly EPDM;		
	Visor: scratch-proof PMMA (Plexiglas) with 180° wide-		
	angle		
	Presence of the exit valve: yes	1	
	Connector: sturdy plastic with inhalation and exhalation		
	valve, standard thread connection Rd 40x1/7"		
	Thread connection meets standard EN 148-1		
	Temperature of use: from -40 to +40 °C		
	Temperature of use. Hom -40 to +40 C		

	Weight Approx. 500 g		
	Set:		
	Filter for full face mask:		
	Purpose: Respiratory protection;		
	- Protection class A: Vapors and gases of organic		
	substances with a boiling point above 65 ° C (xylene,		
	cyclohexane, benzene, toluene, nitrobenzene, acetonitrile,		
	tetraethyl lead, furfural, phenol, etc.);		
	- Protection class B: Inorganic gases and vapors (chlorine,		
	fluorine, bromine, carbon disulfide, chlorocyanine,		
	halogens, hydrocyanic acid, hydrogen sulfide, chlorocyanine, carbon disulfide, iodine, phosphine, etc.);		
	- Protection class E: Acid gases and vapors (sulfur dioxide,		
	hydrogen chloride, hydrogen bromide, formic and acetic acids, nitric acid vapors);		
	- Protection class K: Ammonia and its organic derivatives;		
	- Protection class P: Aerosols in the form of particles of		
	dust, smoke, fog (steam).		
	Full face mask Drager X-plore 6300 (or equivalent)		
4	Filter for full face mask		120
	Purpose: Respiratory protection;		
	Thread connection: Rd40 according to EN 148-1;		
	Housing: Aluminum;		
	- Protection class A: Vapors and gases of organic		
	substances with a boiling point above 65 ° C (xylene,		
	cyclohexane, benzene, toluene, nitrobenzene, acetonitrile,		
	tetraethyl lead, furfural, phenol, etc.);		
	- Protection class B: Inorganic gases and vapors (chlorine,		
	fluorine, bromine, carbon disulfide, chlorocyanine,		
	halogens, hydrocyanic acid, hydrogen sulfide,	1	
	chlorocyanine, carbon disulfide, iodine, phosphine, etc.);		
	- Protection class E: Acid gases and vapors (sulfur dioxide,		
	hydrogen chloride, hydrogen bromide, formic and acetic		
	acids, nitric acid vapors);		
	- Protection class K: Ammonia and its organic derivatives;		
	- Protection class P: Aerosols in the form of particles of		
	dust, smoke, fog (steam).		
	Filter for full face mask Drager x-plore Rd 40 filter (or		
	Filter for full face mask Drager x-plore Rd 40 filter (or equivalent)		
	Filter for full face mask Drager x-plore Rd 40 filter (or equivalent)		

#### 4. Additional requirements:

1) Delivery of decontamination systems should be accompanied by manufacturer's warranty certificates as well as for all goods/additional equipment. All necessary technical documentation must be provided by

the supplier on the day of delivery. The warranty period for all equipment must be not less than 12 months. All equipment must have official warranty service in Ukraine.

2) Delivery must be carried out during 60 days from the contract signing date.

#### **5. Experience and Qualification Requirements**

- a) Officially registered company (for Ukrainian companies company should be registered in the territory controlled by the government of Ukraine).
- b) At least 3 years of experience in the field of supply of similar products;
- c) At least 2 positive references from previous clients

The Contract will be awarded to the technically compliant offer with the lowest prices

#### 6. Price offer and payment schedule

- The contract value must remain fixed for the duration of the contract.
- Applicants must include all costs associated with the work in their price quotation (such as the supply of all materials and equipment, transportation costs, staff salaries, office expenses, etc.).
- Payments should be arranged as follows:
- 100% of the cost of the product for each Lot as soon as they are accepted by UNDP by signing of the bilateral Transfer and Acceptance Act.

Bidders must submit their price offers in the following format:

#### Lot 1.

No	Product name and specification requirements	Quantity of units of goods` component s ( pcs / pair )	Unit price, without VAT, currency	Total price, without VAT, currency
1	Thermal Fog Generator	21		
2	Costs of delivery			
	Т	otal, without V	AT, currency	

#### Lot 2.

No	Product name and specification requirements	Quantity of units of goods` component s ( pcs / pair )	Unit price, without VAT, currency	Total price, without VAT, currency
1	High Pressure Washer	16		
2	Pump	14		
2.1	Hump	14		

2.2	Pump adapter	14		
2.3	Suction hose	14		
3	Costs of delivery			
Total, without VAT, currency				

#### Lot 3.

No	Product name and specification requirements	Quantity of units of goods` component s ( pcs / pair )	Unit price, without VAT, currency	Total price, without VAT, currency
1	Protective suit	81		
2	Self-contained atmospheric protective suit	5		
3	Full face mask with filter	60		
4	Filter for full face mask	120		
5	Costs of delivery			
	Т	otal, without V	AT, currency	

# FORM FOR SUBMITTING SUPPLIER'S QUOTATION<sup>2</sup> (This Form must be submitted only using the Supplier's Official Letterhead/Stationery<sup>3</sup>)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. **564-2020-UNDP-UKR-RFQ-RPP**:

#### **TABLE 1: BRIEF COMPANY PROFILE**

BRI	EF COMPANY PROFILE					
	The Supplier must describe and explain how and why they are the best entity that can deliver the requirements of UNDP by indicating the following:					
Full registration name						
Year of foundation						
Legal status	If Consortium, please provide written confirmation from each member					
Legal address						
Actual address						
Bank information						
VAT payer status						
Contact person name						
Contact person email						
Contact person phone						
Company's core activities						
Profile – describing the nature of business, field of expertise, licenses, certifications, accreditations (If any);	Please indicate here					
Business Licenses – Registration Papers, Tax Payment Certification, etc						
Certificates and Accreditation	Please indicate here applicable including Quality Certificates, Patent Registrations, Environmental Sustainability Certificates, etc.					
Please provide contact details of at least 3 previous partners for reference	Please attach the signed reference letters (if any).					
Company is not in the UN Security Council 1267/1989 List, UN	Please confirm (Answers: Yes, we are in the list/No, we are not in the list)					

<sup>&</sup>lt;sup>2</sup> This serves as a guide to the Supplier in preparing the quotation and price schedule.

<sup>&</sup>lt;sup>3</sup> Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

Procurement Division List or Other UN	
Ineligibility List.	

## **TABLE 2: Conformity to the specification**

#	Technical requirements (not less tnan)		Conformity (Yes/No)	Offered Brand, Model and Exact characteristics
		Lot 1. Thermal Fog Genera	tors	
	Thermal	Weight, empty in kg, not more than: 8		
	Fog	Solution tank capacity in I, not less: 5,7 / 10		
	Generat	Fuel tank capacity in I: 1,2		
	or	Performance of combustion chamber in		
		KW/HP, not less: 18,3 / 24,8		
		Fuel consumption I/h approx.: 2		
		Average flow rate in I/h (oil based):20		
		Max. flow rate in I/h (oil based), not more		
		than: 42		
		Flow rate with water in I/h: 10		
		Efficient horizontal reach in closed rooms		
		with water and carrier, not less: 40		
1.		Efficient horizontal reach in closed rooms		
		with water, not less: 8		
		Energy supply 4 x 1,5V: monocells		
		Pressure in solution tank in bar approx.: 0,25		
		Thermal Fog Generators Igeba TF 35 (or		
		equivalent		
	Nozzles, s	et		
	Solution s	uction wire, long		
		unnel with sieve, cell 0.2 mm, unit		
		unnel with sieve, cell 0.2 mm, unit		
		service, set		
	Cleaning t			
		nembranes, set		
	Operating	instructions  Lot 2. High pressure washer an	d numn	
	High	Current type (Ph/V/Hz): 3 / 400 / 50	u puilip	
	Pressure	Flow rate (I/h): 1000		
	Washer	Operating pressure (bar/MPa): 210 / 21		
	vvasiiti	Max. pressure (bar/MPa): 231 / 23,1		
		Power rating (kW): 8		
2.		Weight (with accessories) (kg), not more: 63		
		Dimensions (L x W x H) (mm), not more:		
		560 x 500 x 1090		
		Trigger gun: yes		
		Trigger gun with soft nozzle: yes		
		rrigger guri with soft hozzle, yes		

		T	
		High-pressure hose, m:10	
		Spray lance, mm: 1050	
		Power nozzle: yes	
		Motor: 4-pole three-phase with air and water	
		cooling	
		Pressure switch control: yes	
		Integrated fine mesh water filter: yes	
		Oil sight glass: yes	
		3 3 ,	
		Inlet fitting material: brass	
	_	High Pressure Washer Karcher HD 10/21-4 S	
	Pump	Depth of immersion, m, not less than: 8	
		Maximum pressure, m, not less than: 40	
		Mains voltage, V: 220/230	
		Power consumption, W: 800	
		Bandwidth, not less, cubic. m / year: 3.5	
		Water quality: clean	
3.		Permissible temperature of liquid: up to 35 °	
٥.		c	
		Connector diameter, inches: 1	
		Length of a power cord, m: 1.5	
		Pump installation: horizontal	
		· ·	
		Pump KARCHER BP 3 Garden with accessories	
		or equivalent	
	_	Full set:	
3.1	Pump		
3.2	-	or pumps with non-return valve G1 internal roonnection of hoses 3/4 ", 1"	
2.2	Suction ho	ose with non-return valve 7m G3 / 4 internal	
3.3	thread		
		Lot 3. Protective means	
	Protecti	Hood: Yes	
	ve suit	Seams: stitched and taped	
		Cuffs: double	
		Zippers and reusable valves: yes	
		Category: III,	
		Type of protection, not worse: 3-B, 4-B, 5-B,	
		6-B	
		Antistatic inversion treatment: EN 1149-5	
4.		Protection against microorganisms: Yes	
4.		Radiation protection: Yes	
		Standards: ДСТУ: EN 1149-1-2017, ДСТУ EN	
		1073-1-2001, ДСТУ EN 14605-2017, ДСТУ	
		EN ISO 13982-1-2009, ДСТУ EN 13034-2007,	
		ДСТУ EN 14126-2008, ДСТУ EN ISO	
		13688:2016	
		Chemical protection: Yes	
		Protective suit TYCHEM 6000 F / CHZ5 / or	
		analog	
		Sizes: S, M, L, XL, XXL	
			1

		T	
	Self-	Suit type: armour	
	contain	Construction: two-layer airtight overalls and	
	ed	hood with panoramic viewing glass	
	atmosp	Manhole: vertical with magnetic tape sealing	
	heric	Boots: with hit and puncture protection	
	protecti	elements, hermetically sealed with overalls	
	ve suit	Breathing apparatus: located inside the suit	
		Suit material: polymeric material on a fabric	
		basis, steady against influence of strongly	
		aggressive substances, acids, alkalis, etc.	
		Suit seams: sealed on the outside with	
5.		additional tape of the main material	
		Viewing glass: shock-resistant, resistant to	
		aggressive environments PVC, not less than	
		2 mm thick	
		Gloves: chemically resistant, wear-resistant,	
		fastened to the suit tightly with a system of	
		rings	
		Operating temperature: -400C 650C.	
		UkrSEPRO certificate: yes	
		Self-contained atmospheric protective suit	
		«Рятувальник-1» or equivalent	
	F II (	Sizes: S, M, L	
	Full face	Mask body: durable and skin-friendly EPDM;	
	mask	Visor: scratch-proof PMMA (Plexiglas) with	
	with	180° wide-angle	
	filter	Presence of the exit valve: yes	
		Connector: sturdy plastic with inhalation and	
		exhalation valve, standard thread connection	
		Rd 40x1/7"	
		Thread connection meets standard EN 148-1	
		Temperature of use: from -40 to +40 °C	
		Weight Approx. 500 g	
		Set:	
6.		Filter for full face mask:	
		Purpose: Respiratory protection;	
		- Protection class A: Vapors and gases of	
		organic substances with a boiling point	
		above 65 ° C (xylene, cyclohexane, benzene,	
		toluene, nitrobenzene, acetonitrile, tetraethyl	
		lead, furfural, phenol, etc.);	
		- Protection class B: Inorganic gases and	
		vapors (chlorine, fluorine, bromine, carbon	
		disulfide, chlorocyanine, halogens,	
		hydrocyanic acid, hydrogen sulfide,	
		chlorocyanine, carbon disulfide, iodine,	
		phosphine, etc.);	
<u> </u>			

		- Protection class E: Acid gases and vapors	
		(sulfur dioxide, hydrogen chloride, hydrogen	
		bromide, formic and acetic acids, nitric acid	
		vapors);	
		- Protection class K: Ammonia and its organic	
		derivatives;	
		- Protection class P: Aerosols in the form of	
		particles of dust, smoke, fog (steam).	
		Full face mask Drager X-plore 6300 (or	
		equivalent)	
	Filter	Purpose: Respiratory protection;	
	for full	Thread connection: Rd40 according to EN	
	face	148-1;	
	mask	Housing: Aluminum;	
		- Protection class A: Vapors and gases of	
		organic substances with a boiling point	
		above 65 ° C (xylene, cyclohexane, benzene,	
		toluene, nitrobenzene, acetonitrile, tetraethyl	
		lead, furfural, phenol, etc.);	
		- Protection class B: Inorganic gases and	
		vapors (chlorine, fluorine, bromine, carbon	
		disulfide, chlorocyanine, halogens,	
7.		hydrocyanic acid, hydrogen sulfide,	
		chlorocyanine, carbon disulfide, iodine,	
		phosphine, etc.);	
		- Protection class E: Acid gases and vapors	
		(sulfur dioxide, hydrogen chloride, hydrogen	
		bromide, formic and acetic acids, nitric acid	
		vapors);	
		- Protection class K: Ammonia and its organic	
		derivatives;	
		- Protection class P: Aerosols in the form of	
		particles of dust, smoke, fog (steam).	
		Filter for full face mask Drager x-plore Rd 40	
		filter (or equivalent)	

#### **TABLE 3: Price offer**

Financial proposal for the supply of goods in accordance with the technical specification and requirements

Item No.	Description/Specification of Goods	Quantity	Unit Price, Currency (excl. VAT)	Total Price per Item, <i>Currency</i> (excl. VAT)
	Lot 1. Thermal Fog Genera	itors		
1.	Thermal Fog Generator	21		
	Nozzles, set	1		

	Solution suction wire, long	1		
	Gasoline funnel with sieve, cell 0.2 mm, unit	1		
	Solution funnel with sieve, cell 0.2 mm, unit	1		
	Tools for service, set	1		
	Cleaning tools, set	1		
	Gaskets, membranes, set	1		
	Operating instructions			
2.	Cost of transportation			
	Lot 2. High pressure washer a	nd pump		
3.	High Pressure Washer	16		
4.	Pump	14		
3.1	Pump	1		
3.2	Adapter for pumps with non-return valve G1 internal thread, for connection of hoses 3/4 ", 1"	1		
3.3	Suction hose with non-return valve 7m G3 / 4 internal thread	1		
	Cost of transportation			
	Lot 3. Protective means	S	•	
	Protective suit	81		
	S	7		
5.	M	27		
	L	24		
	XL	18		
	XXL	5		
	Self-contained atmospheric protective suit	5		
6.	S	1		
	M	3		
	L	1		
7.	Full face mask with filter	60		
8.	Filter for full face mask	120		
	Total Prices of Goods excl. VAT			
	Cost of transportation (if applicable)			
	Total Final and All-Inclusive Price Quotation (indicate currency) excl.  VAT			

## TABLE 4: Delivery addresses

Nō	№ of position in	Product name	Quantity
	specification		
1	Mariupol,175 Mytropolytska street, 87547, Ukraine		
	Lot 1. № 1	Thermal Fog Generator	14
	Lot 2. № 1	High Pressure Washer	7
	Lot 2. № 2	Pump	7

	Lot 3. № 1	Protective suit	37
		M	12
		L	12
		XL	13
2	Zaporizhzhia, 65 Fortechna street, 69002, Ukraine		
	Lot 1. № 1	Thermal Fog Generator	7
	Lot 2. № 1	High Pressure Washer	7
	Lot 2. № 2	Pump	7
	Lot 3. № 1	Protective suit	14
		L	4
		XL	5
		XXL	5
3	Sievierodonetsk, 24a Promyslova street, 93400		
	Lot 2. № 1	High Pressure Washer	2
	Lot 3. № 1	Protective suit	30
		S	7
		M	15
		L	8
	Lot 3. № 2	Self-contained atmospheric protective suit	5
		S	1
		M	3
		L	1
	Lot 3. № 3	Full face mask with filter	60
	Lot 3. № 4	Filter for full face mask	120

**TABLE 5: Offer to Comply with Other Conditions and Related Requirements** 


	Your Responses		
Other Information pertaining to our Quotation are as follows:	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter proposal
Delivery time (Delivery of equipment must be carried			
out within 60 days from PO/Contact signature date)			
Compliance with technical requirements			
Delivery terms: DDP			
Mariupol,175 Mytropolytska street, 87547, Ukraine;			
Zaporizhzhia, 65 Fortechna street, 69002, Ukraine;			
Sievierodonetsk, 24a Promyslova street, 93400, Ukraine			
Products meet the required quality standards.			
Delivery of decontamination systems should be accompanied by manufacturer's warranty certificates as well as for all goods/additional equipment. All necessary technical documentation must be provided by the supplier on the day of			
delivery. The warranty period for all equipment must			

be not less than 12 months. All equipment must	
have official warranty service in Ukraine.	
Availability of warranty service in Ukraine	
Validity of Quotation (min. 60 days)	
All Provisions of the UNDP General Terms and	
Conditions.	
https://www.undp.org/content/undp/en/home/pro	
curement/business/how-we-buy.html	

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person] [Designation] [Date]

#### Model Contract



Email:	Email:	
14. Ім'я контактної особи ПРООН:	14. UNDP Contact Person's Name:	
Посада:	Title:	
Адреса:	Address:	
Тел.:	Telephone number	
Email:	Email:	
15. Банківський рахунок Підрядника, на який	15. Contractor's Bank Account to which payments	
будуть перераховуватись платежі:	will be transferred:	
Отримувач:	Beneficiary:	
Назва рахунку:	Account name:	
Номер рахунку:	Account number:	
Назва банку:	Bank name:	
МФО	Bank address:	
<b>ЄДРПОУ</b>	MFO	
	EDRPOU	
Даний Договір складається з наступних	This Contract consists of the following documents,	

Даний Договір складається з наступних документів, які, у разі виникнення конфлікту між ними, мають перевагу один перед одним у наступному порядку:

- 1. Дана лицьова сторінка («Лицьова сторінка»).
- 2. Загальні умови ПРООН для договорів Додаток 1
- 3. Технічне завдання (Т3) Додаток 2
- 4. Графік надання послуг, що включають опис послуг, результати надання товарів та/або послуг, планові показники, терміни, графік здійснення платежів, та загальну суму договору Додаток 3.
- 5. Технічна та Фінансова пропозиції Підрядника від \_\_\_\_\_; причому ці документи не додаються, але відомі Сторонам і знаходяться у їх розпорядженні, і є невід'ємною частиною цього Договору.
- 6. Реалізація даного Контракту відбувається в рамках виконання проекту міжнародної технічної допомоги між Урядом України та відповідними Донорами та Виконавцем та, згідно з умовами пункту 197.11 Податкового Кодексу України, операції звільнені від ПДВ.

Все вищезазначене, включене до цього документу за допомогою посилання, містить увесь обсяг домовленостей («Договір») між Сторонами, при цьому усі інші переговори та/або угоди, незалежно від того, виконані вони в усній або ж у письмовій формі, що відносяться до предмету даного Договору, втрачають силу.

This Contract consists of the following documents, which in case of conflict shall take precedence over one another in the following order:

- 1. This face sheet ("Face Sheet").
- UNDP General Terms and Conditions for Contracts – Annex 1
- 3. Terms of Reference (TOR) Annex 2
- 4. Schedule of Services provision, incorporating the description of services, deliverables and performance targets, time frames, schedule of payments, and total contract amount Annex 3
- 5. The Contractor's Technical Proposal and Financial Proposal, dated \_\_\_\_\_\_; these documents not attached hereto but known to and in the possession of the Parties, and forming an integral part of this Contract.
- 6. This Contract implementation is conducted within the framework of the of international technical assistance project between the Government of Ukraine and the relevant Donors and the Executor and is concluded without VAT, in accordance with paragraph 197.11 of the Tax Code of Ukraine.

All the above, hereby incorporated by reference, shall form the entire agreement between the Parties (the "Contract"), superseding the contents of any other negotiations and/or agreements, whether oral or in writing, pertaining to the subject of this Contract.

This Contract shall enter into force on the date of the last signature of the Face Sheet by the duly

Даний Договір вступає в силу з дня проставлення належним чином уповноваженими представниками Сторін останнього підпису на Лицьовій сторінці і припиняє свою дію в Дату завершення Договору, яка зазначена на Лицьовій сторінці. Внесення змін та/або доповнень до даного Договору можливе лише у разі оформлення належним чином уповноваженими представниками Сторін письмової угоди.

**НА ПОСВІДЧЕННЯ ЧОГО,** нижчепідписані, належним чином уповноважені на це представники Сторін, підписали цю Угоду від імені Сторін у місці та в день, що вказані нижче

authorized representatives of the Parties, and terminate on the Contract Ending Date indicated on the Face Sheet. This Contract may be amended only by written agreement between the duly authorized representatives of the Parties.

**IN WITNESS WHEREOF**, the undersigned, being duly authorized thereto, have on behalf of the Parties hereto signed this Contract at the place and on the day set forth below.

Від імені Підрядника / For the Contractor	Від імені ПРООН / For UNDP	
Підпис / Signature:	Підпис / Signature:	
Iм'я / Name:	Ім'я / Name:	
Посада / Title:	Посада / Title:	
Дата / Date:	Дата / Date:	