

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 17890 RSC 2020 – Replenishment Tools for	Date: 27 October 2020	
Crisis and Emergencies RBLAC	Date. 27 October 2020	

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

UNDP - RBLAC

Procurement Unit

procurement.rblac.regionalhub@undp.org

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and Procedures (POPP) on Contracts and Procurement Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the		
	acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.		
	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.		
Deadline for Quotations may be submitted on or before November 5, 2020 no later than 23.			
the Hour of the Republic of Panama			
Submission If any doubt exists as to the time zone in which the quotation should be submitted, re			
of Quotation	http://www.timeanddate.com/worldclock/.		
Method of Submission	Quotations must be submitted as follows:		
	Bid submission address: procurement.rblac.regionalhub@undp.org		
	 File Format: Quotations submitted by email must be limited to a maximum of 5MB, virus-free and no more than 10 email transmissions 		
	 File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. 		
	 All files must be free of viruses and not corrupted. 		
	 Max. File Size per transmission: 5MB 		
	 Mandatory subject of email: 17890 RSC 2020 – Replenishment Tools for Crisis and Emergencies RBLAC 		
	 Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y. 		
	 It is recommended that the entire Quotation be consolidated into as few attachments as possible. 		
	 The bidder should receive an email acknowledging email receipt. 		
Cost of	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission		
preparation of a quotation, regardless of the outcome or the manner of conducting the selection pro			
of quotation Supplier	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge		
Code of	that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct,		
Conduct,	which includes principles on labour, human rights, environment and ethical conduct may be found		
Fraud,	at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct		
Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti		
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the		

	vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of Interest	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the
Conditions of	General Conditions of Contract
Contract	Select the applicable GTC:
	General Terms and Conditions / Special Conditions for Contract.
Special	Applicable Terms and Conditions and other provisions are available at <u>UNDP/How-we-buy</u>
Conditions of	☑ Cancellation of PO/Contract if the delivery/completion is delayed by 30 days.
Contract	
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP. It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established
	by UNDP. Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.
Currency of Quotation	Quotations shall be quoted in US\$ Dollar.
Joint	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium
Venture,	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to
Consortium or	act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the
Association	legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall
	be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on
	behalf of all the member entities comprising the joint venture, Consortium or Association.
	Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the
	following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or

	b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them
	in a position to have access to information about, or influence on the Bid of, another Bidder regarding
	this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid
	under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid
	received for this RFQ process. This condition relating to the personnel, does not apply to
	subcontractors being included in more than one Bid.
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from
	customs restrictions, duties, and charges of a similar nature in respect of articles imported or
	exported for its official use. All quotations shall be submitted net of any direct taxes and any other
	taxes and duties, unless otherwise specified below:
	All prices must:
	☑ be exclusive of VAT and other applicable indirect taxes
Language of	English and/or Spanish
quotation	Including documentation including catalogues, instructions and operating manuals.
Documents	Bidders shall include the following documents in their quotation:
to be submitted	 Annex 2: Quotation Submission Form duly completed and signed Annex 3: Technical and Financial Offer duly completed and signed and in
Subinitieu	accordance with the Schedule of Requirements in Annex 1
	☑ Company Profile.
	⊠ Registration certificate;
	☐ List and value of ongoing Projects with UNDP and other national/multi-national organization with
	contact details of clients and current completion ratio of each ongoing project;
	Statement of satisfactory Performance (Certificates) from the top 3 clients in terms of Contract
	value in similar field;
	Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements
	in Annex 1;
	\boxtimes A statement whether any import or export licenses are required in respect of the goods to be
	purchased including any restrictions on the country of origin, use/dual use nature of goods or services, including and disposition to end users;
	Copy of the ID of the Legal Representative of the Company
	☑ Quality Certificates (ISO, etc.);
	☑ Latest Business Registration Certificate ;
	Internal Revenue Certificate for the last 2 years
	Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer);
	☑ Catalogue / technical specification of the products and equipment offered documenting compliance with the specifications / requirements / minimum criteria / quality standard certificates,
	established for each of the items. Please also include pictures of each item.
	Complete documentation, information and declaration of any goods classified or may be classified
	as "Dangerous Goods".
	⊠ Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;
Quotation	Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.
validity	
period	
Price	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market
variation	factors shall be accepted at any time during the validity of the quotation after the quotation has been
	received.
Partial	⊠ Not permitted
Quotes	

TermsindicatConditions for Release of Payment⊠ Write S Wr	% within 30 days upon complete delivery of goods in accordance with the payment terms and Conditions tten Acceptance of Goods, based on full compliance with RFQ requirements address: procurement.rblac.regionalhub@undp.org elay in UNDP's response shall be not used as a reason for extending the deadline for assion, unless UNDP determines that such an extension is necessary and communicates a new he to the Proposers. sts for clarification from bidders will not be accepted any later than Questions may be tted on or before October 31, 2020 no later than 23.59 GTM-5 Hour of the Republic of ha and via ⊠e-mail. days before the submission deadline. Responses to request for ation will be communicated on the website by 02 November 2020 Contract or Purchase Order will be awarded to the lowest price substantially compliant offer compliance with all requirements as specified in Annex 1 acceptance of the General Conditions of Contract
for Release of PaymentE-mail Any de submis nee, nce, notifications and clarificationsClarifications and clarificationsReques submit Panam clarificClarifications methodImage: Clarification image: ClarificationEvaluation methodImage: Clarification image: ClarificationRight not to accept any quotationUNDP accent (2 amage: ClarificationRight to vary requirement at time of awardAt the clarification image: ClarificationType ofImage: Clarification image: Clarification	address: procurement.rblac.regionalhub@undp.org elay in UNDP's response shall be not used as a reason for extending the deadline for ssion, unless UNDP determines that such an extension is necessary and communicates a new ne to the Proposers. sts for clarification from bidders will not be accepted any later than Questions may be tted on or before October 31, 2020 no later than 23.59 GTM-5 Hour of the Republic of na and via ⊠e-mail. days before the submission deadline. Responses to request for ation will be communicated on the website by 02 November 2020 Contract or Purchase Order will be awarded to the lowest price substantially compliant offer compliance with all requirements as specified in Annex 1
Person for corresponde nce, notifications and clarificationsAny de submis deadlin notificationsand clarificationsIClarificationsRequest submit Panam clarificationClarificationsRequest submitEvaluation method⊠ The methodEvaluation criteria⊠ Full ⊠ Full ⊠ Full ⊠ Full ⊠ Full ⊠ Full ⊠ Full ⊠ Full methodEvaluation criteria⊠ Full ≅ Full ≅ Full 	All of the set of the submission deadline. Responses to request for a and via ⊠e-mail. days before the submission deadline. Responses to request for ation will be communicated on the website by 02 November 2020 Contract or Purchase Order will be awarded to the lowest price substantially compliant offer compliance with all requirements as specified in Annex 1
ClarificationsRequest submit Panam clarificEvaluation 	tted on or before October 31, 2020 no later than 23.59 GTM-5 Hour of the Republic of a and via 🖾 e-mail. days before the submission deadline. Responses to request for ation will be communicated on the website by 02 November 2020 Contract or Purchase Order will be awarded to the lowest price substantially compliant offer compliance with all requirements as specified in Annex 1
methodEvaluation criteria⊠ Full ⊠ FullCriteria⊠ Full ⊠ FullW Full ⊠ Full⊠ Full ⊠ FullW Full ⊠ Full⊠ Full ⊠ FullW Full ⊠ Full ⊠ FullEach or conside destinaRight not to accept any 	compliance with all requirements as specified in Annex 1
criteria⊠ FullCriteria⊠ Full⊠ Full⊠ Tecl⊠ Full⊠ Full⊠ Each or conside destinaRight not to accept any quotationUNDPRight to vary requirement at time of awardAt the cent (2 awardType of⊠ Purce	
conside destinationRight not to accept any quotationUNDP accept any PRight to vary requirement at time of awardAt the cent (2 awardType of⊠ Purc	hnical responsiveness/Full compliance to requirements and lowest price acceptance of the PO/Contract General Terms and Conditions iest Delivery /shortest lead time
accept any quotation At the requirement (increa at time of cent (2 award Type of ⊠ Purc	ffer will be evaluated based on the response capacity and compliance with the requirements, ering the aspects that are most convenient for the delivery of the lots in the different ations.
Right to vary requirement at time of awardAt the (increation cent (2)Type of⊠ Purc	is not bound to accept any quotation, nor award a contract or Purchase Order
	time of award of Contract or Purchase Order, UNDP - RBLAC reserves the right to vary use or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per 25%) of the total offer, without any change in the unit price or other terms and conditions.
be awarded	chase Order
Expected As soc date for contract award.	on as possible
of Contract and the Award	
Policies and procedures This RF UNGM Any Co registration appropriation	will publish the contract awards valued at USD 100,000 and more on the websites of the CO e corporate UNDP Web site. FQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures

The Bidder may still submit a quotation even if not registered with the UNGM, however, if the
Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract
signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications for Goods:

NR	ITEM TYPE	ITEM DESCRIPTION	QTY	
1	Long /surveyor's	"Minimum 100 ft / 30 m blade long, 3/4"" blade	60	
	tape	width;		
		Measurement scale in Metric, SAE, decimal foot		
		Materials: ABS case, stainless steel crank arm,		
		fiberglass blade;		
-		with automatic blade retract and stopper"		
2	Measuring tape	"26 ft / 8 m blade long, 1/2 to 3/4"" blade width;	60	
		Measurement scale in Metric, SAE, decimal foot		
		Materials: Metal/ABS case, fiberglass blade;		
2	Levels	with automatic blade retract and stopper"		
3	Leveis	"3 vials magnetic I-Beam type; 60		
4	String	Materials: high impact ABS"		
4	String	"Minimum 500 ft with reel;60Materials: nylon"		
-	Dinch noint /			
5	Pinch point /		60	
2	digging bar, 60" Long straight	Materials: drop forged steel with enamel finishes" "7/8"" diameter;	60	
6	alignment pry	Materials: forged high carbon steel, enamel finishes"	60	
	bar, 30"			
7	Wrecking / pry /	Materials: forged high carbon steel, enamel finishes	60	
,	crow bar, 42"	Materials. Torged high carbon steel, enamer hinsnes		
8	Wrecking / pry /	Materials: forged high carbon steel, enamel finishes	30	
5	crow bar, 24"		50	
9	Flat bar, half	Materials: forged high carbon steel, enamel finishes	60	
•	round 15"			
10	Nail puller / claw	"double ended;	60	
-		Materials: forged, heat treated, tempered steel,		
		enamel finishes"		
11	Cold chisel	"kit of minimum 3 pieces: 5/16"", 5/8"", and 3/4"" cut	60	
		sizes;		
		Materials: forged, heat treated, tempered steel,		
		enamel finishes"		
12	Hammer, claw	"20 oz / 0.6 kg weight; 1 piece forged steel head and	30	
		handle;		
		fiberglass-jacketed handle with ribbed grip"		
13	Hammer,	"64 oz / 1.8 kg weight;	60	
	blacksmith	Materials: forged, heat treated, tempered steel head;		
	fiberglass-jacketed handle with ribbed grip"			
14	Hammer, sledge	"12 lbs / 5.5 kg weight;	30	
		Materials: forged, heat treated, tempered steel head		
	fiberglass-jacketed handle with ribbed grip"			
15	Concrete mesh	"Materials: Blades - chrome vanadium steel, forged,	30	
	cutter, 24"	Handle - steel tube with comfort grip;		
10	14/b 11	Cutting-edge hardness up to 48 HRC"	20	
16	Wheelbarrow	"Materials: Tray - heavy-duty steel, Handle - steel	30	
		tubes with comfort grip;		
		Load capacity: 6 cu. ft.		
17	Haalissoo	Dimensions: approx. 25 in. W x 58 in. D x 27 in. H"	60	
17	Hacksaw	"Approx. 10"" standard, adjustable blade w/ wingnut; Matorials: hoavy, duty stand har frame."	60	
10	Chourd director	Materials: heavy-duty steel bar frame;"		
18	Shovel, digging,			
10	round point	Materials: tempered steel blade, hardwood handle"		
19	Shovel, trenching	"approx. 46"" length; 60		
20	spade	Materials: tempered steel blade, hardwood handle"		
20	Shovel, square			
	point	Materials: tempered steel blade, hardwood handle"		

21			60
		approx. 40""	
		Materials: tempered steel head"	
22	Mutt	Blade / head dimension approx. 8"x4", length approx. 64"	60
23 Pick "Approx.		"Approx. weight 6 lbs / 2.7 kg; approx. length with	60
		handle 36""	
		Materials: tempered steel blade/tip, enamel coated,	
		hardwood handle"	
24	Mattock	"Approx. weight 6 lbs / 2.7 kg; approx. length with	60
		handle 36""	
		Materials: tempered steel blade/tip, enamel coated,	
25	Dala	hardwood handle"	20
25	Rake	"15-16 tine; approx 60"" length	30
		Materials: tempered steel head, hardwood handle;	
26	Machete	"Approx 18""-22"" length;	30
20	Machete	Materials: Blade - Carbon spring steel blade, Handle -	50
		wooden/plastic; "	
27	Axe, single tip	"Approx. 38"" length, 3.5 lbs / 1.6 kg weight;	30
	-, <u>0.0 vi</u> p	Materials: drop-forged, heat treated steel head,	
		hardwood handle"	
28	Hatchet, single	"Approx. 12"" length, 1.5 lbs / 0.7 kg weight;	60
	tip	Materials: drop-forged, heat treated steel head,	
		hardwood handle"	
29	Utility knife /	"with retractable blades;	60
	cutter	Dimension: approx 6"" length"	
30	Bucket	"Materials: plastic-rubber;	200
Cap. 5L"			
31	Trowel, mason's /	"Approx. blade size 10""x4-3/4"";	60
32	bricklayer's Trowel, gauging	Materials: steel blade, wooden/plastic handle" "Approx. blade size 10""x4-3/4"";	60
52	nowel, gauging	Materials: steel blade, wooden/plastic handle"	60
33	Trowel, margin	"Approx. blade size 8""x2"";	60
		Materials: steel blade, wooden/plastic handle"	
34	Trowel, pool	"Approx. blade size 16""x4"";	60
	<i>,</i> ,	Materials: steel blade, wooden/plastic handle"	
35	Trowel, concrete	"Approx. blade size 16""x4"";	60
	finishing	Materials: steel blade, wooden/plastic handle"	
36	Rebar cutter and	"Approx. 52"" length;	60
	bender	Materials: hardened steel alloy;	
		cuts and bends to 90 and 180 degrees;	
		max. cap. 5/8"", hardness 60"	
37	Handsaw,	"approx. 24"" length x 9 tooth per inch;	60
	crosscut	Hardened and tempered polished steel blade, wooden/plastic handle"	
38	Hand/manual	"keyless chuck for up to 1/4"" bits;	60
50	drill	Materials: Metal and wood construction;	00
		package including drill bits "	
39	Wood chisel	"with grip;	60
_		Materials: Hardened, tempered high-chrome carbon	-
		alloy steel blade;	
		minimum set of 6, tip sizes 1/4"", 1/2"", 3/4"", 1"", 1-	
		1/4"", 1-1/2""."	
40	Wooden plane,	"Approx. up to 6"" length, with 1-3/8"" blade width;	60
L	block	Materials: hardwood"	
41	Wooden plane,	"Approx. up to 11"" length, with 2"" blade width;	60
smoothing Materials: hardwood"			
42	Screwdriver set	"6-piece set, 1/8"", 3/16"", 1/4"" slotted head, #0, #1,	60
		#2 philips head; Materials: chrome-vanadium steel"	
43	Plier, lineman	"Approx. 8"" length; insulated, slip resistant handle;	60
			00

		Materials: drop forged chrome-vanadium steel;	
		Meets ANSI specifications"	
44	Plier, long-nose	"Approx. 8"" length; insulated, slip resistant handle;	60
	.,	Materials: drop forged chrome-vanadium steel;	
		Meets ANSI specifications"	
45	Plier,	"Approx. 8"" length; insulated, slip resistant handle;	60
	diagonal/side	Materials: drop forged chrome-vanadium steel;	
	cutting	Meets ANSI specifications"	
46	Plier, slip joint	"Approx. 8"" length; insulated, slip resistant handle;	60
		Materials: drop forged chrome-vanadium steel;	
		Meets ANSI specifications"	
47	Plier, groove joint	"Approx. 12"" length; insulated, slip resistant handle;	180
		Materials: drop forged chrome-vanadium steel;	
		Meets ANSI specifications"	
48	Wire Cutter and	"Approx. 7""length; insulated, slip resistant handle;	60
	Stripper	Jacket/wire cap: 10-18 AWG Solid and 12-20 AWG	
		Stranded"	
49	Voltage	"with led indicator; detection 50 -1000 V AC 50-60Hz;	60
	tester/detector	Materials: heavy-duty polycarbonate plastic resins;	
		Class B FCC rules;	
	A -11 - 1 - 1 - 1	Dimension: approx. length 5"""	
50	Adjustable	"6""and 10""length; slip resistant handle;	60
F /	wrench, set	Materials: drop-forged chrome vanadium steel"	<u> </u>
51	Wrench, rachet	"minimum set of 13 SAE socket (inch): 1/4, 5/16, 3/8,	60
	SAE sockets, set	7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16,	
		and 1 in.; Materials: drop forged chrome-vanadium steel;	
		Package including storage rack/bag/box"	
52	Wrench, rachet	"minimum set of 15 Metric socket (mm): 8, 9, 10, 11,	60
52	Metric sockets,	12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	00
	set	Materials: drop forged chrome-vanadium steel;	
		Package including storage rack/bag/box"	
53	Wrench, deep	"minimum set of 3/8, 1/4, and 1/2 in. drives, with flex	60
	socket, set	handles and extensions; minimum 30 combination of	
		SAE and Metric sockets;	
		Materials: drop forged chrome-vanadium steel;	
		Package including storage rack/bag/box"	
54	Wrench, pipe	"Approx. 24"" length;	60
		Materials: steel jaw, iron-cast handle"	
55	Plier, self-	"Approx. 10""length;	60
	adjusting pipe	Materials: steel alloy"	
	clamping		
56	Hacksaw, mini,	"Approx. 6"" frame and blades;	60
	for PVC	Materials: steel alloy frame, carbon steel blade"	
57	PVC and Tube	"Materials: heavy duty aluminium;	180
	Cutter	Cutting capacity up to 1-1/4""PVC, CPVC, PEX, PE, PB	
F^	Chainean	and rubber hose"	25
58	Chainsaw	"Displacement (cc): 50 - 70	25
		Engine power min. 3.0 kW	
59	Breaker hammer,	Approx. powerhead weight (Kg): 5" "with 1-1/8"" chuck;	30
23	electro-mechanic	Corded, rating 120-240 V, motor amperage 15A;	50
		Impact energy 30 - 50 ftlbs;	
		Weight 40 - 70 lbs;	
		Package to include Chisel set for concrete and	
		reinforced concrete"	
60	Demolition	"with 3/4""chuck;	30
50	hammer, electro-	Corded, rating 120-240 V, motor amperage 12A;	50
	mechanic	Impact energy 5 - 10 ftlbs;	
	meename	Weight 12 - 20 lbs;	
		Package to include Hammer chisel and bit set for	
		concrete and reinforced concrete"	
I	1		1

61	Hammer drill	"with 1/2"" 3-jaw chuck; 30	
		Cordless, 36V Lithium-ion battery;	
		torque 600 inlbs;	
		Weight 4 - 6 lbs;	
		Package to include hammer drill bit set for	
		wood/metal, brick/block, and concrete"	
62	Circular saw	"Blade diameter 6-1/2""	30
		Cordless, 36V Lithium-ion battery	
		No Load RPM 4,000	
		Package to include standard 6-1/2"" blade"	
63	Demolition	"Stroke length 1-1/4""	
	Reciprocating	Corded, rating 120-240 V, motor amperage 15A;	
	saw	No Load RPM 2,900	
		Package to include standard 1-1/4"" blade" "Blade width 3-1/4"" 30	
64	Planner	"Blade width 3-1/4""	
		Corded, rating 120-240 V, motor amperage 6A;	
		No Load RPM 15,000	
		Package to include standard 3-1/4"" blade"	
65	Angle grinder	"Wheel size 5"", Spindle Thread 5/8""-11""	30
		Amperage 9 A, No Load RPM 11,000	
		Package to include standard grinding wheel"	
66	Puller Hoist	t "Manual winch, with chaine;	
		Lifting distance > 1.5m;	
		Load > 750kg"	
67	Work lighting	5	
		Metal frame"	
68	Wood Chipper	r Assuming small/medium size wood chipper per team 6	
		of 10 workers (if only large size chipper then we can	
		halve the number in the columns on the right)	

Delivery Requirements

Delivery Requirements		
Delivery date and time	Delivery date and time Bidder shall deliver the goods within 30 days after issuance of the PO.	
Delivery Terms (INCOTERMS 2020)	DAP	
Customs clearance	Shall be done by:	
(must be linked to INCOTERM	Supplier/bidder	
Exact Address(es) of	UNHRD Aeropuerto Internacional Pacifico Edif 237 Hangar 1, Panama, República de	
Delivery Location(s)	Panamá	
Distribution of shipping	N/A	
documents (if using		
freight forwarder)		
Packing Requirements	To ensure the goods are delivered safely	
Training on Operations and Maintenance	N/A	
Warranty Period	Minimum of 1 year	
After-sales service and local service support requirements	Others contractor should ensure to the availability of spare parts if any are being repair within the warranty period	
Preferred Mode of Transport	Other as proposed by bidder	

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	17890 RSC 2020 – Replenishment Tools for Crisis and Emergencies RBLAC	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	□ Yes □ No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	□ Yes □ No
Does your Company have a written Statement of its Environmental Policy? (<i>If yes,</i> <i>provide a Copy</i>)	□ Yes □ No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade	□ Yes □ No

institutions promoting suc (If yes, provide a Copy)	ch issues				
ls your company a membe UN Global Compact	er of the	🗆 Yes 🗖 No			
Bank Information		Bank Address: IBAN: Click or f SWIFT/BIC: Clic Account Curre		e to enter text. r text.	
			vant experience		
Name of previous contracts	Cont	& Reference act Details ding e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.

Yes	No	
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: ____

- Name: Click or tap here to enter text.
- Title: Click or tap here to enter text.
- Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	17890 RSC 2020 – Replenishment Tools for Crisis and Emergencies RBLAC	Date: Click or tap to enter a date.

NR	ITEM TYPE	ITEM DESCRIPTION	QTY	QTY	UOM	UNIT PRICE	TOTAL PRICE PER ITEM
1	Long /surveyor's tape	"Minimum 100 ft / 30 m blade long, 3/4"" blade width; Measurement scale in Metric, SAE, decimal foot Materials: ABS case, stainless steel crank arm, fiberglass blade; with automatic blade retract and stopper"	60				
2	Measuring tape	"26 ft / 8 m blade long, 1/2 to 3/4"" blade width; Measurement scale in Metric, SAE, decimal foot Materials: Metal/ABS case, fiberglass blade; with automatic blade retract and stopper"	60				
3	Levels	"3 vials magnetic I-Beam type; Materials: high impact ABS"	60				
4	String	"Minimum 500 ft with reel; Materials: nylon"	60				
5	Pinch point / digging bar, 60"	"Heavy duty design; Materials: drop forged steel with enamel finishes"	60				
6	Long straight alignment pry bar, 30"	"7/8"" diameter; Materials: forged high carbon steel, enamel finishes"	60				
7	Wrecking / pry / crow bar, 42"	Materials: forged high carbon steel, enamel finishes	60				
8	Wrecking / pry / crow bar, 24"	Materials: forged high carbon steel, enamel finishes	30				
9	Flat bar, half round 15"	Materials: forged high carbon steel, enamel finishes	60				
10	Nail puller / claw	"double ended; Materials: forged, heat treated, tempered steel, enamel finishes"	60				
11	Cold chisel	"kit of minimum 3 pieces: 5/16"", 5/8"", and 3/4"" cut sizes; Materials: forged, heat treated, tempered steel, enamel finishes"	60				
12	Hammer, claw	"20 oz / 0.6 kg weight; 1 piece forged steel head and handle; fiberglass-jacketed handle with ribbed grip"	30				
13	Hammer, blacksmith	"64 oz / 1.8 kg weight; Materials: forged, heat treated, tempered steel head; fiberglass-jacketed handle with ribbed grip"	60				
14	Hammer, sledge	"12 lbs / 5.5 kg weight; Materials: forged, heat treated, tempered steel head; fiberglass-jacketed handle with ribbed grip"	30				

				1	 11
15	Concrete mesh cutter, 24"	"Materials: Blades - chrome vanadium steel, forged, Handle - steel tube with comfort grip; Cutting-edge hardness up to 48 HRC"	30		
16	Wheelbarrow	"Materials: Tray - heavy-duty steel, Handle - steel tubes with comfort grip; Load capacity: 6 cu. ft. Dimensions: approx. 25 in. W x 58 in. D x 27 in. H"	30		
17	Hacksaw	"Approx. 10"" standard, adjustable blade w/ wingnut; Materials: heavy-duty steel bar frame;"	60		
18	Shovel, digging, round point	"approx. 26"" length; with D-handle Materials: tempered steel blade, hardwood handle"	30		
19	Shovel, trenching spade	"approx. 46"" length; Materials: tempered steel blade, hardwood handle"	60		
20	Shovel, square point	"approx. 26"" length; with D-handle Materials: tempered steel blade, hardwood handle"	30		
21	Ное	"Blade / head dimension approx. 8""x8.5""; length approx. 40"" Materials: tempered steel head"	60		
22	Mutt	Blade / head dimension approx. 8"x4", length approx. 64"	60		
23	Pick	"Approx. weight 6 lbs / 2.7 kg; approx. length with handle 36"" Materials: tempered steel blade/tip, enamel coated, hardwood handle"	60		
24	Mattock	"Approx. weight 6 lbs / 2.7 kg; approx. length with handle 36"" Materials: tempered steel blade/tip, enamel coated, hardwood handle"	60		
25	Rake	"15-16 tine; approx 60"" length Materials: tempered steel head, hardwood handle; "	30		
26	Machete	"Approx 18""-22"" length; Materials: Blade - Carbon spring steel blade, Handle - wooden/plastic; "	30		
27	Axe, single tip	"Approx. 38"" length, 3.5 lbs / 1.6 kg weight; Materials: drop-forged, heat treated steel head, hardwood handle"	30		
28	Hatchet, single tip	"Approx. 12"" length, 1.5 lbs / 0.7 kg weight; Materials: drop-forged, heat treated steel head, hardwood handle"	60		
29	Utility knife / cutter	"with retractable blades; Dimension: approx 6"" length"	60		
30	Bucket	"Materials: plastic-rubber; Cap. 5L"	200		
31	Trowel, mason's / bricklayer's	"Approx. blade size 10""x4-3/4""; Materials: steel blade, wooden/plastic handle"	60		
32	Trowel, gauging	"Approx. blade size 10""x4-3/4""; Materials: steel blade, wooden/plastic handle"	60		
33	Trowel, margin	"Approx. blade size 8""x2""; Materials: steel blade, wooden/plastic handle"	60		

			60	1	r	
34	Trowel, pool	"Approx. blade size 16""x4""; Materials: steel blade, wooden/plastic handle"	60			
35	Trowel, concrete finishing	"Approx. blade size 16""x4""; Materials: steel blade, wooden/plastic handle"	60			
36	Rebar cutter and bender	"Approx. 52"" length; Materials: hardened steel alloy; cuts and bends to 90 and 180 degrees; max. cap. 5/8"", hardness 60"	60			
37	Handsaw, crosscut	"approx. 24"" length x 9 tooth per inch; Hardened and tempered polished steel blade, wooden/plastic handle"	60			
38	Hand/manual drill	"keyless chuck for up to 1/4"" bits; Materials: Metal and wood construction; package including drill bits "	60			
39	Wood chisel	"with grip; Materials: Hardened, tempered high- chrome carbon alloy steel blade; minimum set of 6, tip sizes 1/4"", 1/2"", 3/4"", 1"", 1-1/4"", 1-1/2""."	60			
40	Wooden plane, block	"Approx. up to 6"" length, with 1-3/8"" blade width; Materials: hardwood"	60			
41	Wooden plane, smoothing	"Approx. up to 11"" length, with 2"" blade width; Materials: hardwood"	60			
42	Screwdriver set	"6-piece set, 1/8"", 3/16"", 1/4"" slotted head, #0, #1, #2 philips head; Materials: chrome-vanadium steel"	60			
43	Plier, lineman	"Approx. 8"" length; insulated, slip resistant handle; Materials: drop forged chrome-vanadium steel; Meets ANSI specifications"	60			
44	Plier, long-nose	"Approx. 8"" length; insulated, slip resistant handle; Materials: drop forged chrome-vanadium steel; Meets ANSI specifications"	60			
45	Plier, diagonal/side cutting	"Approx. 8"" length; insulated, slip resistant handle; Materials: drop forged chrome-vanadium steel; Meets ANSI specifications"	60			
46	Plier, slip joint	"Approx. 8"" length; insulated, slip resistant handle; Materials: drop forged chrome-vanadium steel; Meets ANSI specifications"	60			
47	Plier, groove joint	"Approx. 12"" length; insulated, slip resistant handle; Materials: drop forged chrome-vanadium steel; Meets ANSI specifications"	180			
48	Wire Cutter and Stripper	"Approx. 7""length; insulated, slip resistant handle; Jacket/wire cap: 10-18 AWG Solid and 12- 20 AWG Stranded"	60			
49	Voltage tester/detector	"with led indicator; detection 50 -1000 V AC 50-60Hz;	60			

	60	Materials: heavy-duty polycarbonate plastic resins; Class B FCC rules; Dimension: approx. length 5"""		
	60	Dimension: approx. length 5"""		
	60			
	60			
		"6""and 10""length; slip resistant handle;	Adjustable	50
		Materials: drop-forged chrome vanadium	wrench, set	
	60	steel"	M/wawah waahat	F 4
	60	"minimum set of 13 SAE socket (inch): 1/4,	Wrench, rachet	51
		5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,	SAE sockets, set	
		13/16, 7/8, 15/16, and 1 in.; Materials: drop forged chrome-vanadium		
		steel;		
		Package including storage rack/bag/box"		
	60	"minimum set of 15 Metric socket (mm): 8,	Wrench, rachet	52
	00	9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,	Metric sockets,	
		21, 22	set	
		, Materials: drop forged chrome-vanadium		
		steel;		
		Package including storage rack/bag/box"		
	60	"minimum set of 3/8, 1/4, and 1/2 in.	Wrench, deep	53
		drives, with flex handles and extensions;	socket, set	
		minimum 30 combination of SAE and Metric		
		sockets;		
		Materials: drop forged chrome-vanadium		
		steel;		
	60		Wrench, pipe	54
	60			55
		Materials: steel alloy"		
	60	"Approx C"" from and bladas		F.C.
	60			50
			TOPPVC	
	180		PVC and Tube	57
	100			
			outto.	
	25		Chainsaw	58
		Engine power min. 3.0 kW		
		Approx. powerhead weight (Kg): 5"		
	30	"with 1-1/8"" chuck;	Breaker	59
		Corded, rating 120-240 V, motor amperage	hammer,	
		15A;	electro-	
		Impact energy 30 - 50 ftlbs;	mechanic	
		5 ,		
		5		
 			Dec. Int	
	30			60
		-		
	30		Hammer drill	61
		· · ·		
		torque 600 inlbs;		
		Weight 4 - 6 lbs;		
		Package to include hammer drill bit set for		
		wood/metal, brick/block, and concrete"		
	30	"Blade diameter 6-1/2""	Circular saw	62
		Cordless, 36V Lithium-ion battery		
		No Load RPM 4,000		
	30 30 30 30	steel; Package including storage rack/bag/box" "Approx. 24"" length; Materials: steel jaw, iron-cast handle" "Approx. 10""length; Materials: steel alloy" "Approx. 6"" frame and blades; Materials: steel alloy frame, carbon steel blade" "Materials: heavy duty aluminium; Cutting capacity up to 1-1/4""PVC, CPVC, PEX, PE, PB and rubber hose" "Displacement (cc): 50 - 70 Engine power min. 3.0 kW Approx. powerhead weight (Kg): 5" "with 1-1/8"" chuck; Corded, rating 120-240 V, motor amperage 15A; Impact energy 30 - 50 ftlbs; Weight 40 - 70 lbs; Package to include Chisel set for concrete and reinforced concrete" "with 3/4""chuck; Corded, rating 120-240 V, motor amperage 12A; Impact energy 5 - 10 ftlbs; Weight 12 - 20 lbs; Package to include Hammer chisel and bit set for concrete and reinforced concrete" "with 1/2"" 3-jaw chuck; Cordless, 36V Lithium-ion battery; torque 600 inlbs; Weight 4 - 6 lbs; Package to include hammer drill bit set for wood/metal, brick/block, and concrete" "Blade diameter 6-1/2"" Cordless, 36V Lithium-ion battery	Breaker hammer, electro- mechanic Demolition hammer, electro- mechanic Hammer drill	55 56 57 59 60 61

		Package to include standard 6-1/2"" blade"			
63	Demolition	"Stroke length 1-1/4""	30		
	Reciprocating	Corded, rating 120-240 V, motor amperage			
	saw	15A;			
		No Load RPM 2,900			
		Package to include standard 1-1/4"" blade"			
64	Planner	"Blade width 3-1/4""	30		
		Corded, rating 120-240 V, motor amperage			
		6A;			
		No Load RPM 15,000			
		Package to include standard 3-1/4"" blade"			
65	Angle grinder	"Wheel size 5"", Spindle Thread 5/8""-11""	30		
		Amperage 9 A, No Load RPM 11,000			
		Package to include standard grinding			
		wheel"			
66	Puller Hoist	"Manual winch, with chaine;	30		
		Lifting distance > 1.5m;			
		Load > 750kg"			
67	Work lighting	"Halogen bulb 500W	25		
		Metal frame"			
68	Wood Chipper	Assuming small/medium size wood chipper	60		
		per team of 10 workers (if only large size			
		chipper then we can halve the number in			
		the columns on the right)			

Currency of the Quotation: US\$	Dollar
--	--------

INCOTERMS: DAP

Total Price	
Transportation Price	
Other Charges (specify)	
Total Final and All-inclusive Price	

Compliance with Requirements

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications			Click or tap here to enter text.
Delivery Term (INCOTERMS)			Click or tap here to enter text.
Delivery Lead Time			Click or tap here to enter text.
Warranty and After-Sales Requirements			Click or tap here to enter text.
Validity of Quotation			Click or tap here to enter text.
Payment terms			Click or tap here to enter text.
Other requirements			Click or tap here to enter text.

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin:	Click or tap here to enter text.
(if export licence required this must be submitted if awarded the contract)	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.			
Exact name and address of company	Authorized Signature:		
Company NameClick or tap here to enter text.	Date:Click or tap here to enter text.		
Address: Click or tap here to enter text.	Name:Click or tap here to enter text.		
Click or tap here to enter text.	Functional Title of Authorised		
Phone No.:Click or tap here to enter text.	Signatory: Click or tap here to enter text.		
Email Address: Click or tap here to enter text.	Email Address: Click or tap here to enter text.		