





Sec. 2-2


The beneficiary			Sunshade drawings	
Project name	Rehabilitation of Al-ghurdbia school			
UNDP	SLCRR	drawing No. 2 of 10		lo. 2 of 10






sun shad top view

The beneficiary	Ubari Munici	pality Title	Sunshade drawings
Project name	Rehabilitation of Al-ghurdbia school		
UNDP	SLCRR	drawing N	o. 3 of 10







Truss Details

The beneficiary	Ubari Municipality		Title	sunshade drawings
Project name	Rehabilitation of Al-ghurdbia school			
UNDP	SLCRR	drav	ving N	o. 4 of 10

NOTES:-


- 1- All structural steel shall confirm to is:2062
- 2- All fabrication and erection of structural steel shall confirm to is:800
- 3-All welds to be 6 mm thick.continuous fillet welds unless noted otherwise.
- 4-All steel works shall be painted with one shop coat of red oxide zincchormate primer and two finish coats of enamel paint unless noted otherwise
- 5- All welding shall be as per ls:816 using electrodes confirming to is:814 Yst 310 grade






Sunshade Side View

The beneficiary	Ubari Municipality Title		Title	Sunshade drawings
Project name	Rehabilitation of Al-ghurdbia school			
UNDP	SLCRR drawing No. 5 of 11			o. 5 of 11




Details of columns , ground beams and slab for toilet

The beneficiary	Ubari Municipality		
Project name	Rehabilitation of Al-ghurdbia school		
UNDP	SLCRR	drawing No. 6 of 10	





Detail A



Details of footing & columns


The beneficiary	Ubari Municipality		
Project name	Rehabilitation of Al-ghurdbia school		
UNDP	SLCRR	drawing No. 7 of 10	








Front view



Side view



Back view

UNDP

SLCRR

drawing No. 10 of 10

The beneficiary

Ubari Municipality Title Views

Rehabilitation of Al-ghurdbia school

Project name