










DOOR SCHEDULE

DOOR TYPE				
DOOR No	D2,D3	D4,D5	D1,D6	D7,8,9,10
LOCATION	OFFICER IN CHARGE	TOILETS	RECEPTION	MALE AND FEMALE CELLS
SPECIFICATIONS	SOLID CORE DOOR	HOLLOW CORE DOOR	SOLID CORE DOOR	40 x 40 x 3 mm thick square tubes at 120mm centre to center anchored in concrete at the top and bottom through the main structural tubes
DOOR FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	75 x 75 x 5 mm thick square tubes at 1000mm centre to center anchored in concrete at the top and bottom. For the main structure
TOTAL No RQD	02	02	02	01

WINDOW SCHEDULE

WINDOW TYPE						
WINDOW No	W3,5,6,8	W4,W7	W10,W11	W1,W9	W2	
LOCATION	CELLS	CELLS	TOILETS	OFFICER IN CHARGE RECEPTION	RECEPTION	
WINDOW FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	STANDARD PRESSED STEEL FRAME	
DESCRIPTION	Y20 round bars at 100mm centre to center anchored in concrete at the top and bottom through the supporting walls	Y20 round bars at 100mm centre to center anchored in concrete at the top and bottom through the supporting walls	Top Hang Panels	side hang panels with fixed middle panel	Top Hang Panels with fixed bottom panel	
GLAZING	NO GLASS/STEEL MESH	NO GLASS/STEEL MESH	4mm clear glass	4mm clear glass	4mm clear glass	
TOTAL No RQD	04	02	02	02	01	

NOTES

1. This drawing is to be read in conjunction with all relevant engineering drawings
2. All dimensions are in millimetres unless otherwise stated.
3. When setting out follow shown figures, DO NOT SCALE OFF.
4. Excavated trenches to be inspected by the engineer prior to pouring concrete.
5. All reinforcement to be inspected by the engineer.



REPUBLIC OF ZAMBIA
MINISTRY OF HOUSING
AND INFRASTRUCTURE
DEVELOPMENT

DEP. OF PUBLIC
INFRASTRUCTURE
P.O. BOX 110094,
SOLWEZI

PROJECT TITLE :
PROPOSED CONSTRUCTION OF
MEHEBA POLICE POST &
ASSOCIATED EXTERNAL WORKS
IN
MEHEBA RESETTLEMENT
SCHEME-KALUMBILA DISTRICT,
NORTHWESTERN PROVINCE

CLIENT:
OFFICE OF THE
VICE PRESIDENT
DEPARTMENT OF RESETTLEMENT
P.O.BOX 110082,SOLWEZI
NORTHWESTERN PROVINCE

SITE: MAHEBA-KALUMBILA

SPONSOR:
UNITED NATIONS DEVELOPMENT PROGRAM
(UNDP)

DRAWING TITLE
DOOR & WINDOW

DRAWN BY:
M. J.MWIINGA

CHECKED BY:
ENG PAUL C LUSAKA

REF #: DPI-ARC-377-006

SCALE: AS SHOWN

DATE: SEPTEMBER 2020