



REQUEST FOR QUOTATION (RFQ)

Supply and Delivery of Fire-fighting Equipment and Instruments

NAME & ADDRESS OF FIRM	DATE: November 30, 2020
	REFERENCE: UNDP/RFQ/39/2020

Dear Sir / Madam:

We kindly request you to submit your quotation for **supply and delivery of fire-fighting equipment and instruments**, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **5:00PM, December 8, 2020** by *e-mail*, to procurement.np@undp.org with subject line "**Quotation for Fire-fighting Equipment (ref: UNDP/RFQ/39/2020)- {Bidder's Name}**"

Quotations submitted by email must be limited to a maximum of **25 MB** (each transmission), virus-free and no more than **6** email transmissions. They must be free from any form of virus or corrupted contents, or the quotations shall be rejected.

It shall remain your responsibility to ensure that your quotation will reach the address above on or before the deadline. Quotations that are received by UNDP after the deadline indicated above, for whatever reason, shall not be considered for evaluation.

Please take note of the following requirements and conditions pertaining to the above mentioned services:

Delivery Terms [INCOTERMS 2010] <i>(Pls. link this to price schedule)</i>	<input checked="" type="checkbox"/> DDP, Kathmandu
Customs clearance, if needed, shall be done by:	<input checked="" type="checkbox"/> Supplier/Offeror

Exact Address/es of Delivery Location/s (identify all, if multiple)	Comprehensive Disaster Risk Management Programme (CDRMP) Chakupat, Lalitpur, Nepal
UNDP Preferred Freight Forwarder, if any	Not applicable
Distribution of shipping documents (<i>if using freight forwarder</i>)	Not applicable
Latest Expected Delivery Date and Time (<i>if delivery time exceeds this, quote may be rejected by UNDP</i>)	<input checked="" type="checkbox"/> Within one month from the date of issuing contract
Delivery Schedule	<input checked="" type="checkbox"/> Required
Packing Requirements	
Mode of Transport	
Preferred Currency of Quotation ¹	<input checked="" type="checkbox"/> Local Currency: Nepalese Rupees (NPR.)
Value Added Tax on Price Quotation	<input checked="" type="checkbox"/> Must be inclusive of VAT and all other applicable indirect taxes
After-sales services required	<input checked="" type="checkbox"/> Warranty on Parts and Labor for minimum period of 1 year or as mentioned in Annex 1 – Technical Specifications and Requirements <input checked="" type="checkbox"/> Technical Support <input checked="" type="checkbox"/> Provision of replacement when pulled out for maintenance/ repair
Deadline for the Submission of Quotation	5:00PM, 08 December 2020
All documentations, including catalogs, instructions and operating manuals, shall be in this language	<input checked="" type="checkbox"/> English
Documents to be submitted	<input checked="" type="checkbox"/> Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; <input checked="" type="checkbox"/> Latest Business Registration Certificate; <input checked="" type="checkbox"/> Latest VAT/PAN Registration Certificate; <input checked="" type="checkbox"/> Latest Tax Clearance Certificate;

¹ Local vendors must comply with any applicable laws regarding doing business in other currencies. Conversion of currency into the UNDP preferred currency, if the offer is quoted differently from what is required, shall be based only on UN Operational Exchange Rate prevailing at the time of UNDP's issuance of Purchase Order.

	<input checked="" type="checkbox"/> Minimum 2 client certificates to evidence successful completion of similar services; <input checked="" type="checkbox"/> Catalogue/Brochures of proposed equipment/items; <input checked="" type="checkbox"/> Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;
Period of Validity of Quotes starting the Submission Date	<input checked="" type="checkbox"/> 90 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation.
Partial Quotes	<input checked="" type="checkbox"/> Not permitted
Payment Terms	<input checked="" type="checkbox"/> 100% upon supply and delivery of equipment and instruments
Liquidated Damages	
Evaluation Criteria	<input checked="" type="checkbox"/> Technical responsiveness/Full compliance to requirements and lowest price ² <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions
UNDP will award to:	<input checked="" type="checkbox"/> One and only one service provider
Type of Contract to be Signed	<input checked="" type="checkbox"/> UNDP's contract services
Contract General Terms and Conditions	<input checked="" type="checkbox"/> General Terms and Conditions for contracts (goods and/or services) Applicable Terms and Conditions are available at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html
Special conditions of Contract	

² UNDP reserves the right not to award the contract to the lowest priced offer, if the second lowest price among the responsive offer is found to be significantly more superior, and the price is higher than the lowest priced compliant offer by not more than 10%, and the budget can sufficiently cover the price difference. The term "more superior" as used in this provision shall refer to offers that have exceeded the pre-determined requirements established in the specifications.

Conditions for Release of Payment	<input checked="" type="checkbox"/> Written Acceptance of completion of the services, based on full compliance with RFQ requirements
Annexes to this RFQ ³	<input checked="" type="checkbox"/> Schedule of Requirement (Annex 1) <input checked="" type="checkbox"/> Form for Submission of Quotation (Annex 2) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions (Annex 3). Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process.
Contact address for Inquiries (Written inquiries only) ⁴	<i>Procurement Unit</i> <i>UNDP Nepal</i> <i>Email: query.procurement.np@undp.org</i> Written inquiries must be submitted mentioning RFQ Ref: UNDP/RFQ/39/2020 , on or before 12:00 Noon, 03 December 2020 . UNDP shall respond to the inquiries through a bulletin posted in UNDP Website: http://www.np.undp.org/content/nepal/en/home/operations/procurement.html . Inquiries received after the above date and time shall not be entertained. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

³ Where the information is available in the web, a URL for the information may simply be provided.

⁴ This contact person and address is officially designated by UNDP. If inquiries are sent to other person/s or address/es, even if they are UNDP staff, UNDP shall have no obligation to respond nor can UNDP confirm that the query was received.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP herein attached as Annex 3.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<http://www.undp.org/content/undp/en/home/operations/procurement/protestandsanctions/>

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices, and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link : http://www.un.org/depts/ptd/pdf/conduct_english.pdf

Thank you and we look forward to receiving your quotation.

Sincerely yours,



Shiva Prakash Adhikari
Procurement Associate, UNDP Nepal
November 30, 2020

Annex 1**Specification of the required instruments/equipment**

UNDP/CDRMP is implementing a project " Reducing disaster risks and enhancing emergency response capacities in multi hazard-risk prone urban areas of Nepal ". The actions aims to create a shared understanding on urban disaster risks and evolve mechanisms and measures that can aid the communities and municipal governments to address the risks and effectively respond to emergencies, with specific focus on the vulnerable population.

As a major component of the urban Disaster preparedness project its also aims to support fire fighters at the working municipalities with firefighting equipment to effectively response to fire incidences. In this regard, UNDP requests for quotation from interested suppliers, to provide services for supply of necessary equipment's required in Annex 2.

FORM FOR SUBMITTING SUPPLIER'S QUOTATION⁵

(This Form must be submitted only using the Supplier's Official Letterhead/Stationery⁶)

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer bid on **supply of instruments/equipment** in conformity with the requirements of UNDP as per RFQ Reference No. **UNDP/RFQ/39/2020**:

TABLE 1 : Offer to Supply Goods Compliant with Technical Specifications and Requirements

S.N.	List of Materials and Equipment	Unit	QYT	Rate	Total Cost	Remarks (With Specification)
1	Fire Suit, with UNDP/EU HA logo	Pcs	12			<ul style="list-style-type: none"> • PROTECTIVE JACKET • 5 CM/7,5CM YE/SI/YE STRIPING, COLOUR: NAVY BLUE • Certified as to EN 469:2005 (highest performance level Xf2, Xr2, Y2 and Z2) and EN 1149-5 • This garment is only one part of a combined protective clothing acc. to EN 469 • Material: • Outer fabric: the outer shell is made of flame- and heat resistant Nomex Tough, 195 g/m2, which consists of 75% Nomex, 23% Kevlar and 2% Carbon (prevents electrostatic charges) • Breathable membrane made of PU laminated fabric. This membrane also acts as a vapour barrier, protecting the fireman during extinguishing operations, approx. 150 g/m2 • Lining is made of quilted Nomex, non-woven, with a Nomex/Viscose blend covering, in a 270 g/m2 material • Remarks: • Comfortable, ergonomic designed protective jacket with high protection • Special designed sleeves for more freedom of movement • Arm and jacket seams with moisture blocker made of flame retardant

⁵ This serves as a guide to the Supplier in preparing the quotation and price schedule.

⁶ Official Letterhead/Stationery must indicate contact details – addresses, email, phone and fax numbers – for verification purposes

- Polyurethan coated aramid, therefore better protection against the
- penetration and soaking of water (anti-wicking barrier)
- Highly resistant zipper with double cover flap
- Flame protection collar can be pulled up under the helmet
- Sleeves width can be adjusted individually due to Velcro
- Sleeves with innovative NOMEX® knitted wristlet with thumb hole
- Due to a special construction it's not possible to pull through the
- wristlet during slip in the jacket sleeves
- Radio pockets on left side
- With two side pockets with flap; under right side pocket flap with
- strap and push button for attaching a carabine (not scope of delivery)
- 15 x 2.5 cm fleece strip above left radio pocket for attaching a name
- strip
- Holding loop for manual microphone on left
- jacket with 5 cm wide and 7,5 cm wide yellow/silver/yellow
- reflective stripes around torso, around sleeves with 7,5 cm wide
- yellow/silver/yellow reflective stripes, additional with 5 cm wide
- yellow/silver/yellow reflective stripes vertically on the front side
- Backside length 85 cm (size 52-54C)
- Sizes: 40-42 to 64-66 in 3 lengths B (164-172), C (172-180) and D (180-188)
- Weight: max. 1.7 kg
- **PROTECTIVE TROUSERS**
- 5CM/ 7,5CM YE/SI/YE STRIPING, COLOUR NAVY BLUE
- Certified as to EN 469 (highest performance level Xf2, Xr2, Y2 and Z2) and EN 1149-5
- This garment is only one part of a combined protective clothing acc. to
- EN 469

					<ul style="list-style-type: none"> • Material: • Outer fabric: the outer shell is made of flame- and heat resistant • Nomex Tough, 195 g/m², which consists of 75% Nomex, 23% Kevlar and 2% • Carbon (prevents electrostatic charges) • Breathable membrane made of PU laminated fabric. This membrane also • acts as a vapour barrier, protecting the fireman during extinguishing • operations, approx. 150 g/m² • Lining is made of quilted Nomex, non-woven, with a Nomex/Viscose • blend covering, in a 270 g/m² material • Remarks: • Comfortable, ergonomic designed protective trousers with high • protection • 5 cm wide fixed suspenders • Elastic waistband for perfect adjustment • Trousers seams with moisture blocker made of flame retardant • Polyurethan coated aramid, therefore better protection against the • penetration and soaking of water (anti-wicking barrier) • Fly with zipper and Velcro fastener covered by flap • Two side pockets with flap, lower side of pocket with pleat • 15 x 2.5 cm fleece strip for name strip on left side pocket flap • Ergonomically shaped knees with reinforcements made of • flame-retardent, silicon-carbon coated paraaramid fabric • Sewn-in knee pads made of water repellant cellulose rubber • trousers with 5 cm wide and 7,5 cm wide yellow/silver/yellow • reflective stripes around legs • Sizes: 42-44 to 60-64 in 3 lengths B (164-172), C (172-180) and D • (180-188) • Weight: max. 1.4 kg
2	Firefighting helmet with	Pcs	12		<ul style="list-style-type: none"> • The helmet system shall be Type B (3/4 shell) Firefighting helmet EN443:2008 standard to meet structural, forestry,

	(UNDP/EU HA logo)				<p>search, water, high angle, and medical fire and rescue applications.</p> <ul style="list-style-type: none"> • Shall include shell, front frame, Inner Liner, Chinstrap, Clear anti-scratch visor and Neck Protector • Outer shell and front frame shall be in Red / yellow colors and reflective striping in color to permit multiple color. • The platform must isolate the entire inside of the helmet system. No heat, flames, sparks or liquids are allowed to enter the inside. • The system provides access for use of stethoscope, cell phones and similar communication devices. • The system must be certified according to EN443-2008 including all optional tests. • The visor (face protection) and the eye protector must be certified according to EN14458-2004 for firefighting applications. • Integrated torch holder, Helmet torch system: LED explosion proof AAA batteries and holster for torch. • Any accessory must be tested and certified for and along with the system. • Certificate of Compliance for Helmet-Mask-Combination shall be submitted. • The complete system and components shall permit quick and easy assembly and disassembly for maintenance, repair, cleaning, and change of applications. Complete disassembly or reassembly shall not exceed a few minutes. • Outer shell be made from Glassfiber Composite material, lowest possible weight, extreme resistance against heat, flames, impact and penetration. Minimum requirement: 300°C surface temperature for eight minutes with no delamination. • Visor shall be min. 2mm thick with a maximum angle of view to both sides and to the top. The visor shall extend a minimum length of 20cm when deployed and fully retract inside the outer shell in the stowed position. The visor shall extend and retract without impeding the
--	-------------------	--	--	--	--

						<p>use of prescriptive eyewear and protective goggles. The visor shall extend and retract over SCBA masks.</p> <ul style="list-style-type: none"> • Size: medium and large (South Asian Size)
3	Fire fighter Safety Torch (UNDP/EU HA logo)	Pcs	6			<ul style="list-style-type: none"> • OPERATING RANGE OF up to 600 METERS • 3 Brightness Modes: HIGH - MEDIUM - LOW • 3-LED Tail Lamp for additional backlighting • Premium looking, Water Resistant & strong ABS Velvet Body Finish • Twin Soft Touch Switches conveniently placed on top of the handle • Maintenance-Free 4.5 Ah Rechargeable SLA Battery • Operation Time: Up to 8 hours • Charging Time: Up to 12 hours • Internal Battery Charger • Input Charging Voltage: 190 - 250 V AC Single Phase, 50 Hz • Adjustable Shoulder Strap for easy carry and convenience • Weight: not more than 1.5 kg. with battery
4	Fire Boots	Pairs	12			<p>Boots (Form C) protection class F2A HI3 SRC</p> <ul style="list-style-type: none"> • according to the requirements of European standard for • firefighting boots EN 15090:2012 • Use in firefighting, emergency and catastrophe • Protection against heat and foot injuries, • Protection against injuries caused by slipping, pushing, pinching, • falling over, falling or sliding objects • Full grain Buff Hide leather, Waterproof Quality • Thickness 2.2 -2.4 mm • Inner lining of breathable PU-Membrane Lining WilteX • Tongue and upper edges of black Nappa leather padding, • Dust flap with metatarsal protection

						<ul style="list-style-type: none"> • Additional rubber overcap, thread twice sunked • Anti Perforation Insole composite material • incorporated, pre-molded heel counter, • combined closure option with lacing and zipper • Safety reflector visible from side and back • Molded rubber sole with 6 mm profile • heat-resistant up to 300 °C • SRC rated slip resistant • Size: 36 – 48 • Weight: max.2.5 kg/Pair
5	Fire goggles	PCs	12			<ul style="list-style-type: none"> • Conforms to EN 166:2001 • Designed for both Indoor as well as Outdoor usage, and fitted • with light mirror coated lens, the ES 006 is an ultimate symbol • of fashion and styling, coupled with complete eye safety. • Lens Features • Optical Class 1 • Hard-coated lens for Scratch Resistance • Lens Scale Number: 2- 1.2 (clear) • Lens Scale Number: 5- 1.7 (Indoor/Outdoor) • Material: Polycarbonate • Hard-coated for Scratch Resistance
6	Fire Gloves, Medium Size	Pairs	12			<ul style="list-style-type: none"> • Fire Fighting Gloves COLOUR: DARK BLUE, CERTIFIED AS TO EN 659:2008 • Certified as to EN 659:2008 • Outer layer: <ul style="list-style-type: none"> - Back of the hand and cuff made of high quality NOMEX III with a KEVLAR nonwoven laminated • onto the backside for heat and insulation and protection against mechanical risks <ul style="list-style-type: none"> - Palm side made of siliconcarbon-mineral-coated NOMEX/KEVLAR-doubleface-fabric for

					<ul style="list-style-type: none"> • excellent dexterity, high abrasion resistance and anti-slip on wet and smooth surfaces <ul style="list-style-type: none"> - Moisture barrier and inner lining - watertight and breathable GORE-TEX X-TRAFIT moisture • barrier onto knitwear <ul style="list-style-type: none"> - all three layers are interconnected - no danger of slipping of inner layer when putting on or taking • off gloves • Remarks: <ul style="list-style-type: none"> - Flexible wristlet adjustment - With pleats on the fingers for excellent movement and optimal fit - Adjustable Velcro fastening - Polyurethane impact protectors on the back of the hand with additional heat insulation - Cuff with 3M yellow/silver/yellow reflective stripes and silver reflective braid - Hook and eye for connection - Machine washable up to 60° • Performance: • Abrasion resistance (EN 388) 4 • Cut resistance (EN 388) 4 • Tear resistance (EN 388) 4 • Puncture resistance (EN 388) 3 • Burning behaviour (EN 407) 4 • Dexterity (EN 420) 4 • Outer fabric colour: navy blue • Size: 8-12 inch Rosenbauer, SAFE GRIP 3
7	Fire Escape Mask	Pcs	8		<ul style="list-style-type: none"> • Certification: EN 136 or equivalent • Soft moulded natural rubber – EPDM mix • Inner Mask with 2 check valves

						<ul style="list-style-type: none"> • 5 straps adjustable het harness • Visor: Impact resistant Polycarbonate • High efficiency membrane • Screw in type filter cartridge with knuckle thread as per EN 148 – 1 or equivalent • Filter Cartridge per mask set
8	Petzl astro bod fast harness	Pcs	3			<ul style="list-style-type: none"> • VARIO CHEST HARNESS, When upright stability is needed, the lightweight, durable and affordable • Vario Chest is your choice. This go-to harness for gym and institutional • use is now updated to include color coordinated webbing for ease of use while putting it on. Constructed from color coded wide nylon webbing • Traditional buckles • Must be worn with a sit harness; cannot be used alone • VARIO SPEED HARNESS , With a one-size-fits-all, simple design and a revamped to include • color-coded webbing for ease of use when putting on, the Vario Speed • is a great choice for guide schools, rock gyms and outdoor programs. • Color coordinated webbing for ease of use while putting on • Large quick-adjust buckle on waistbelt is pre-threaded and doesn't require • doubling back, Single tie-in point, Quick-adjust leg loops, Constructed from • wide nylon webbing, Also recommended for gym use, One size fits all
9	Nozzle Gun	Pcs	2			<ul style="list-style-type: none"> • Multipurpose Branch 63mm dia
10	Flexible fire hose pipe (UNDP EU Logo)	Pcs	4			<ul style="list-style-type: none"> • Premium quality Rubber lined Single Jacket HoseCircular woven Jacket • made up of 100% Polyester yarnHigh Quality Synthetic EPDM Rubber • LiningLight and Flexible, Sea Water and Weather Resistant, Ageing and • Ozone ResistantISI MarkedULListedGermanischer Lloyd's • ApprovedM.E.D. 96/98/EC ApprovedConforming to BS 6391:2009 Type 1

11	Flexible fire hose pipe (UNDP EU Logo)	Pcs	1			<ul style="list-style-type: none"> • PYROPROTECT brand, non-percolating flexible fire fighting • delivery hose, three layered synthetic jacketted, with • elastomeric outer covering, resistant to liquids, chemicals, • acids, alkalies, solvents, abrasion & heat, having • 42kg/cm² burst pressure, 25kg/cm² proof pressure, • 18kg/cm² working pressure, bearing IS:636-2018 Type 3 • (Covered), in 150 mtrs length, 63mm inside dia, without • coupling. and
12	Carabiner (Lift Ascender)	PCs	6			<ul style="list-style-type: none"> • D shape is particularly suited for connection to equipment such as descenders or positioning lanyards • Aluminum carabiner is light, reducing the weight of equipment the worker at height needs to carry • May be used with a CAPTIV positioning bar to favor loading of the carabiner along the major axis, to limit the risk of it flipping and to keep it integrated with the device • Easier handling: <ul style="list-style-type: none"> - fluid interior design limits the risk of having a catch point and facilitates rotation of the carabiner - Keylock system to avoid any involuntary snagging of the carabiner • H-shaped cross-section: <ul style="list-style-type: none"> - ensures an improved strength-to-weight ratio - protects markings from abrasion • Available in three different locking systems: <ul style="list-style-type: none"> - TRIACT-LOCK: automatic locking with triple-action gate opening - BALL-LOCK: automatic locking with triple-action gate opening, with lock indicator

						<ul style="list-style-type: none"> - SCREW-LOCK: the manual screw-lock with red band provides a visual warning when the carabiner is unlocked • Also available in black (TRIACT-LOCK and SCREW-LOCK versions) and gold (TRIACT-LOCK and BALL-LOCK versions) • Specifications • Material(s): aluminum • Certification(s): CE EN 362, EAC, NFPA 1983 Technical Use
	Flexible fire hose pipe (UNDP EU Logo)		1			<ul style="list-style-type: none"> • PYROPROTECT brand, non-percolating flexible fire fighting • delivery hose, three layered synthetic jacketted, with • elastomeric outer covering, resistant to liquids, chemicals, • acids, alkalies, solvents, abrasion & heat, having • 42kg/cm² burst pressure, 25kg/cm² proof pressure, • 18kg/cm² working pressure, bearing IS:636-2018 Type 3 • (Covered) , in 90 mtrs length, 38mm inside dia, without coupling.
13	Carabiner (Figure 8 Descender Belay)	Pcs	6			<ul style="list-style-type: none"> • Fast and easy loading, Super 8 device uses a unique • design that eliminates excess material by thinning out the non-rope • bearing areas. Sold in assorted colors.Modern 8 design for smooth handling • Ideal for the retro climber or Search and Rescue professional • Works well with double 8.1 mm ropes up to 11 mm single lines
14	Grip Clamp Right Color	Pcs	6			<ul style="list-style-type: none"> • Engineered for hard-to-clean pitches, wild conditions and long days • Index Ascender is a robust workhorse for jugging in all weather. • The ascender's trigger-finger release allows for hassle-free • operation and its molded grip and lightened frame offer quick • maneuverability and mobility. With aggressive teeth, the Index • is primed for gripping icy ropes, and a large clip-in point and

						<ul style="list-style-type: none"> • left- and right-handed versions add compatibility. • Trigger-finger release for fast operation • Ergonomic dual-density grip, Lightened frame • Aggressive teeth for extra grip on icy ropes, Large carabiner clip • hole. Left- and right-handed version
15	Fire Rescue Rope	Pcs	6			<ul style="list-style-type: none"> • Material: Polyamide • Length: 30m • Diameter: 12mm • Pull force: 100kg • High-quality polyamide material, multi-strand fiber woven, more wear-resistant, not easy to absorb water. With composite tensile strength, a single rope can withstand a static tensile force of about 100 kg. • The rope adopts thermal cutting technology and has a longer service life. • Built-in steel wire, rope thickness 8MM • For family high-rise escape, fire rescue.
16	Bolt Cutting tools	Pcs	4			<ul style="list-style-type: none"> • Suitable for Cutting Metal upto 25 • HRc Hardness Generally • conforming IS5200-1998. <ul style="list-style-type: none"> • Length 600mm • Cutting Capacity in • round bar 10mm
17	Hydraulic Bolt Cutter	Pcs	4			<ul style="list-style-type: none"> • Handy Iron Cutting Tool hydraulic bolt cutter rebar cutter handheld steel bar rod cutting tool, • C-shape head design, 80 degree rotatable head for flexible operation in narrow place, • Double Speed Unit: For fast cutting, allow quick oil delivery under • no load condition, when blades contact rebar, automatically build • sufficient working pressure, Plastic Carrying Case: For easy carrying and protect tool well

18	extension ladder 3 (section)	Pcs	1			<ul style="list-style-type: none"> Ganapati, rope pull with rope break 2 supports bars two spindles for leveling purpose wall rubber castle automatic ladder lock lifting capacity-324 kg length-14 mts
19	Fire Hooks Pro bar 30"	Pcs	6			<ul style="list-style-type: none"> Length: 36"(91.44cm) Handle Diameter: 25mm Material: 45 Carbon Steel Surface Treatment: Chrome Plated Weight :5.4kg
20	multi-functional waste pick head axe	Pcs	12			<ul style="list-style-type: none"> Metal Handle with insulated, Voltage Capacity 20000 volts,350mm long. Weight: 1.5 kg
21	Breathing Apparatus (UNDP/EU HA logo)	Pcs	1			<ul style="list-style-type: none"> The SCBA shall be approved to PROPAK WITH PROMASK FULL FACE MASK AND ONE COMPOSITE AIR CYLINDER 6.8 L / 300 BAR Certified as to EN 137:2006 class II and EN 139. The Scott ProPak is an open circuit self-contained compressed air breathing apparatus, positive pressure type. <ul style="list-style-type: none"> Proven tempest demand valve Trusted high performance pneumatics 100% Kevlar webbing Easy adjust parachute style buckles New rapid adjust cylinder band design Easy upgrade path The Propak consists of back plate, flame retardant harness and a pneumatic system consisting of cylinder connector, reducer, pressure gauge, whistle and demand valve. FURTHER CERTIFICATIONS <ul style="list-style-type: none"> Lloyds Register of Shipping (SOLAS 1983) Standard AS1716 MED certifications

					<ul style="list-style-type: none"> Comes complete with ProMask and one carbon fully wrapped composite air cylinder 6.8 l / 300 bar (50 min. nominal duration), delivered empty. Weight: max.10 kg
Grand Total				-	

TABLE 2 : Estimated Operating Costs (if applicable)

List of Consumable Item/s (Include fast moving parts, if any)	Estimated Average Consumption	Unit of Measure	Unit Price	Total Price per Item
NOT APPLICABLE				

TABLE 3 : Offer to Comply with Other Conditions and Related Requirements

Other Information pertaining to our Quotation are as follows :	Your Responses		
	<i>Yes, we will comply</i>	<i>No, we cannot comply</i>	<i>If you cannot comply, pls. indicate counter proposal</i>
Delivery Lead Time			
Estimated weight/volume/dimension of the Consignment:			
Country/ies Of Origin ⁷ :	NA	NA	
Warranty and After-Sales Requirements			
a) Training on Operations and Maintenance			
b) Defects Liability Period of 1 year			
c) Service Unit to be Provided when the Purchased Unit is Under Repair	NA	NA	
d) Brand new replacement if Purchased item is not working at the time of delivery/installation	N/A	N/A	
e) Others			
Validity of Quotation			
All Provisions of the UNDP General Terms and Conditions			
Other requirements [pls. specify]	NA	NA	

⁷ If the country of origin requires Export License for the goods being procured, or other relevant documents that the country of destination may require, the supplier must submit them to UNDP if awarded the PO/contract.

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

[Name and Signature of the Supplier's Authorized Person]

[Designation]

[Date]

Annex 3

General Terms and Conditions for Services

1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the Supplier's signing and returning an acknowledgement copy of it or by timely delivery of the goods in accordance with the terms of this Purchase Order, as herein specified. Acceptance of this Purchase Order shall effect a contract between the Parties under which the rights and obligations of the Parties shall be governed solely by the terms and conditions of this Purchase Order, including these General Conditions. No additional or inconsistent provisions proposed by the Supplier shall bind UNDP unless agreed to in writing by a duly authorized official of UNDP.

2. PAYMENT

- 2.1 UNDP shall, on fulfillment of the Delivery Terms, unless otherwise provided in this Purchase Order, make payment within 30 days of receipt of the Supplier's invoice for the goods and copies of the shipping documents specified in this Purchase Order.
- 2.2 Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Purchase Order, provided payment is made within the period required by such payment terms.
- 2.3 Unless authorized by UNDP, the Supplier shall submit one invoice in respect of this Purchase Order, and such invoice must indicate the Purchase Order's identification number.
- 2.4 The prices shown in this Purchase Order may not be increased except by express written agreement of UNDP.

3. TAX EXEMPTION

- 3.1 Section 7 of the Convention on the Privileges and Immunities of the United Nations provides, inter alia, that the United Nations, including its subsidiary organs, is exempt from all direct taxes, except charges for utilities services, and is exempt from customs duties and charges of a similar nature in respect of articles imported or exported for its official use. In the event any governmental authority refuses to recognize UNDP's exemption from such taxes, duties or charges, the Supplier shall immediately consult with UNDP to determine a mutually acceptable procedure.
- 3.2 Accordingly, the Supplier authorizes UNDP to deduct from the Supplier's invoice any amount representing such taxes, duties or charges, unless the Supplier has consulted with UNDP before the payment thereof and UNDP has, in each instance, specifically authorized the Supplier to pay such taxes, duties or charges under protest. In that event, the Supplier shall provide UNDP with written evidence that payment of such taxes, duties or charges has been made and appropriately authorized.

4. RISK OF LOSS

Risk of loss, damage to or destruction of the goods shall be governed in accordance with Incoterms 2010, unless otherwise agreed upon by the Parties on the front side of this Purchase Order.

5. EXPORT LICENCES

Notwithstanding any INCOTERM 2010 used in this Purchase Order, the Supplier shall obtain any export licences required for the goods.

6. FITNESS OF GOODS/PACKAGING

The Supplier warrants that the goods, including packaging, conform to the specifications for the goods ordered under this Purchase Order and are fit for the purposes for which such goods are ordinarily used and for purposes expressly made known to the Supplier by UNDP, and are free from defects in workmanship and materials. The Supplier also warrants that the goods are contained or packaged adequately to protect the goods.

7. INSPECTION

7.1 UNDP shall have a reasonable time after delivery of the goods to inspect them and to reject and refuse acceptance of goods not conforming to this Purchase Order; payment for goods pursuant to this Purchase Order shall not be deemed an acceptance of the goods.

7.2 Inspection prior to shipment does not relieve the Supplier from any of its contractual obligations.

8. INTELLECTUAL PROPERTY INFRINGEMENT

The Supplier warrants that the use or supply by UNDP of the goods sold under this Purchase Order does not infringe any patent, design, trade-name or trade-mark. In addition, the Supplier shall, pursuant to this warranty, indemnify, defend and hold UNDP and the United Nations harmless from any actions or claims brought against UNDP or the United Nations pertaining to the alleged infringement of a patent, design, trade-name or trade-mark arising in connection with the goods sold under this Purchase Order.

9. RIGHTS OF UNDP

In case of failure by the Supplier to fulfil its obligations under the terms and conditions of this Purchase Order, including but not limited to failure to obtain necessary export licences, or to make delivery of all or part of the goods by the agreed delivery date or dates, UNDP may, after giving the Supplier reasonable notice to perform and without prejudice to any other rights or remedies, exercise one or more of the following rights:

- 9.1 Procure all or part of the goods from other sources, in which event UNDP may hold the Supplier responsible for any excess cost occasioned thereby.
- 9.2 Refuse to accept delivery of all or part of the goods.
- 9.3 Cancel this Purchase Order without any liability for termination charges or any other liability of any kind of UNDP.

10. LATE DELIVERY

Without limiting any other rights or obligations of the parties hereunder, if the Supplier will be unable to deliver the goods by the delivery date(s) stipulated in this Purchase Order, the Supplier shall (i) immediately consult with UNDP to determine the most expeditious means for delivering the goods and (ii) use an expedited means of delivery, at the Supplier's cost (unless the delay is due to Force Majeure), if reasonably so requested by UNDP.

11. ASSIGNMENT AND INSOLVENCY

- 11.1. The Supplier shall not, except after obtaining the written consent of UNDP, assign, transfer, pledge or make other disposition of this Purchase Order, or any part thereof, or any of the Supplier's rights or obligations under this Purchase Order.
- 11.2. Should the Supplier become insolvent or should control of the Supplier change by virtue of insolvency, UNDP may, without prejudice to any other rights or remedies, immediately terminate this Purchase Order by giving the Supplier written notice of termination.

12. USE OF UNDP OR UNITED NATIONS NAME OR EMBLEM

The Supplier shall not use the name, emblem or official seal of UNDP or the United Nations for any purpose.

13. PROHIBITION ON ADVERTISING

The Supplier shall not advertise or otherwise make public that it is furnishing goods or services to UNDP without specific permission of UNDP in each instance.

14. CHILD LABOUR

The Supplier represents and warrants that neither it nor any of its affiliates is engaged in any practice inconsistent with the rights set forth in the Convention on the Rights of the Child, including Article 32 thereof, which, inter alia, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral or social development.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

15. MINES

The Supplier represents and warrants that neither it nor any of its affiliates is actively and directly engaged in patent activities, development, assembly, production, trade or manufacture of mines or in such activities in respect of components primarily utilized in the manufacture of Mines. The term "Mines" means those devices defined in Article 2, Paragraphs 1, 4 and 5 of Protocol II annexed to the Convention on Prohibitions and Restrictions on the Use of Certain Conventional Weapons Which May Be Deemed to Be Excessively Injurious or to Have Indiscriminate Effects of 1980.

Any breach of this representation and warranty shall entitle UNDP to terminate this Purchase Order immediately upon notice to the Supplier, without any liability for termination charges or any other liability of any kind of UNDP.

16. SETTLEMENT OF DISPUTES

16.1 Amicable Settlement. The Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of, or relating to this Purchase Order or the breach, termination or invalidity thereof. Where the Parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place in accordance with the UNCITRAL Conciliation Rules then obtaining, or according to such other procedure as may be agreed between the Parties.

16.2 Arbitration. Unless, any such dispute, controversy or claim between the Parties arising out of or relating to this Purchase Order or the breach, termination or invalidity thereof is settled amicably under the preceding paragraph of this Section within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, such dispute, controversy or claim shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining, including its provisions on applicable law. The arbitral tribunal shall have no authority to award punitive damages. The Parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute.

17. PRIVILEGES AND IMMUNITIES

Nothing in or related to these General Terms and Conditions or this Purchase Order shall be deemed a waiver of any of the privileges and immunities of the United Nations, including its subsidiary organs.

18. SEXUAL EXPLOITATION:

18.1 The Contractor shall take all appropriate measures to prevent sexual exploitation or abuse of anyone by it or by any of its employees or any other persons who may be engaged by the Contractor to perform any services under the Contract. For these purposes, sexual activity with any person less than eighteen years of age, regardless of any laws relating to consent, shall constitute the sexual exploitation and abuse of such person. In addition, the Contractor shall refrain from, and shall take all appropriate

measures to prohibit its employees or other persons engaged by it from, exchanging any money, goods, services, offers of employment or other things of value, for sexual favors or activities, or from engaging in any sexual activities that are exploitive or degrading to any person. The Contractor acknowledges and agrees that the provisions hereof constitute an essential term of the Contract and that any breach of this representation and warranty shall entitle UNDP to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any other liability of any kind.

- 18.2 UNDP shall not apply the foregoing standard relating to age in any case in which the Contractor's personnel or any other person who may be engaged by the Contractor to perform any services under the Contract is married to the person less than the age of eighteen years with whom sexual activity has occurred and in which such marriage is recognized as valid under the laws of the country of citizenship of such Contractor's personnel or such other person who may be engaged by the Contractor to perform any services under the Contract.

19.0 OFFICIALS NOT TO BENEFIT:

The Contractor warrants that no official of UNDP or the United Nations has received or will be offered by the Contractor any direct or indirect benefit arising from this Contract or the award thereof. The Contractor agrees that breach of this provision is a breach of an essential term of this Contract.

20. AUTHORITY TO MODIFY:

Pursuant to the Financial Regulations and Rules of UNDP, only the UNDP Authorized Official possess the authority to agree on behalf of UNDP to any modification of or change in this Agreement, to a waiver of any of its provisions or to any additional contractual relationship of any kind with the Contractor. Accordingly, no modification or change in this Contract shall be valid and enforceable against UNDP unless provided by an amendment to this Agreement signed by the Contractor and jointly by the UNDP Authorized Official.