

# **REQUEST FOR QUOTATION (RFQ)**

RFQ Reference: UNDP-TUR-RFQ(MC1)-2021/004 Date: 05 February 2021

#### **SECTION 1: REQUEST FOR QUOTATION (RFQ)**

UNDP kindly requests your quotation for the procurement of "3D Printers and Other Related Supplies for Izmir, Adana and Mersin Innovation Centers" as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

Annex 4: General Terms and Conditions

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

	a.Gause
Signature:	
Name:	Sukhrob Khojimatov
Title:	Deputy Resident Representative
Date:	05 February 2021

# **SECTION 2: RFQ INSTRUCTIONS AND DATA**

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <a href="UNDP Programme and Operations Policies">UNDP Programme and Operations Policies</a> and Procedures (POPP) on Contracts and Procurement  Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.  UNDP reserves the right to cancel the procurement process at any stage without any liability of any
	kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.
Deadline for	18 February 2021, 17:00 hrs. (GMT+3, Local time-Turkey)
the Submission of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted, refer to <a href="http://www.timeanddate.com/worldclock/">http://www.timeanddate.com/worldclock/</a> .
Method of	Quotations must be submitted as follows:
Submission	☑ Dedicated Email Address
	Bid submission address: tr.procurement@undp.org
	■ File Format: PDF
	<ul> <li>File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.</li> </ul>
	<ul> <li>All files must be free of viruses and not corrupted.</li> </ul>
	<ul> <li>Max. File Size per transmission: 35 MB and no more than five email</li> </ul>
	<ul> <li>Mandatory subject of email: UNDP-TUR-RFQ(MC1)-2021/004 - 3D Printers and Other Related Supplies for Izmir, Adana and Mersin Innovation Centers</li> </ul>
	<ul> <li>Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y.</li> </ul>
	It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct, Fraud,	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: <a href="https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct">https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</a>
Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at <a href="http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit andinvestigation.html#anti">http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit andinvestigation.html#anti</a>
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall

	reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of Interest	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General Conditions of	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract
Contract	Select the applicable GTC:
	☐ General Terms and Conditions / Special Conditions for Contract.
	Applicable Terms and Conditions and other provisions are available at <u>UNDP/How-we-buy</u>
Special Conditions of	☐ Cancellation of PO/Contract if the delivery/completion is delayed by 20 calendar days
Contract	☑ UNDP shall deduct 0.5% of the total Contract Amount from the payments to be released to the Contractor for each day of delay beyond latest delivery date stipulated in Annex 1.
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.
Currency of Quotation	Quotations shall be quoted in <b>United States Dollars (USD)</b> .
Joint Venture, Consortium	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that: (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall

## or be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on **Association** behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 - 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association. Only one Bid The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder: or e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid. **Duties and** Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the taxes United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below: All prices must: ☑ be exclusive of VAT and other applicable indirect taxes It is the Proposer's responsibility to learn from relevant authorities (Ministry of Treasury and Finance) and/or to review/confirm published procedures and to consult with a certified financial consultant as needed to confirm the scope and procedures of VAT exemption application as per VAT Law, Ministry of Treasury and Finance's General Communiqués. The Contractor to be selected shall not be entitled to receive any amount over its proposal price in relation to VAT. Overall contract amount to be paid to the contractor shall not exceed the offered Total Financial Proposal Price. UNDP will provide the contractor a VAT exemption certificate covering the subject procurement. Language of **English** quotation Including documentation including catalogues, instructions and operating manuals. **Documents** Bidders shall include the following documents in their quotation: to be ☑ Annex 2: Quotation Submission Form duly completed and signed submitted 🖂 Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1

Quotation validity period	<ul> <li>☑ Trade Registry Gazette showing the establishment and shareholder structure of the company;</li> <li>☑ Valid Chamber of Commerce Registration Certificate (Original documents may be requested by UNDP and shall be presented when requested)</li> <li>☑ Copy of Signature Circular/Power of Attorney (Original documents may be requested by UNDP and shall be presented when requested)</li> <li>☑ Brochure/catalog of the offered products or link to web sites where these documents can be seen to demonstrate compliance with technical specifications</li> <li>☑ Signed and Stamped copy of ANNEX 4- General Terms and Conditions for Contracts</li> <li>Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.</li> </ul>
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	
Alternative Quotes	
Payment Terms	
Conditions for Release of Payment	<ul> <li>☑ Passing Inspection and testing</li> <li>☑ Written Acceptance of Goods, based on full compliance with RFQ requirements</li> </ul>
Contact Person for corresponde nce, notifications and clarifications	E-mail address: tr.procurement@undp.org  Att: Mr. Tunç Gürdal, Procurement Officer  Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 days before the submission deadline.
Evaluation method	☑The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer

Evaluation criteria	⊠Full compliance with all requirements as specified in Annex 1
	□ Full acceptance of the General Conditions of Contract
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement	At the time of award of Contract or Purchase Order, UNDP Turkey CO reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per
at time of award	cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	
Expected date for contract award.	01 March 2021
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with <u>UNDP Programme and Operations Policies and Procedures</u>
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at <a href="https://www.ungm.org">www.ungm.org</a> .
	The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

### **ANNEX 1: SCHEDULE OF REQUIREMENTS**

Please be informed that that Turkish version of the specifications is given for reference purpose only. In case of an inconsistency between Turkish and English versions, English version shall prevail.

Technical Specifications for Goods // Ürünler için Teknik Şartname

#		ption/Specifications of the items to	Qty	Latest	Other Conditions
"	be sup		Miktar	Delivery Date	Diğer Şartlar
		Özellikler		Teslimat	
	remm	- Ozemkie.		Süresi	
	FDM 3	D Printer (Creality 3D CR-10S Pro,	İzmir: 2	Latest 90	Guarantee: 2 years
		y 3D CR-10 V2, Anet E16; Alfawise	12111111.2	calendar days	manufacturer/distributor
		evo Tornado, Folger Tech FT-5 or		after signature	guarantee
	_	item meeting requirements specified		of the contract	Garanti: 2 yıl
	_	as minimum)		by UNDP and	üretici/satıcı garantisi
4	below	as minimum)		7	uretici/satici garantisi
1	5044	20 V (C		Contractor	
		3B Yazıcı (Creality 3D CR-10S Pro,		<b></b>	
		ty 3D CR-10 V2, Anet E16, Alfawise		En geç	
	_	Tevo Tornado, Folger Tech FT-5 veya		sözleşme 	
	aşağıd			imzalanmasını	
	karşıla	ıyan eşdeğeri)		müteakiben	
		Minimum printing size:		90. gün	Installation: On site
		300*300*400 mm			Kurulum: Teslimat
	1.1				yerinde kurulum da
		Minimum baskı boyutu:			yapılacaktır
		300*300*400 mm			
		Minimum precision: ±0.1 mm			Training: Following
					installation, training will
	1.2	Minimum hassasiyet: ±0.1 mm			be given to users.
	1.2				Eğitim: Kurulumu
					müteakiben, kullanıcılara
					eğitim verilecektir.
		Filament diameter: 1.75 mm			Operation Manual:
	1.3				Turkish
		Filament çapı: 1.75 mm			Kullanıcı Kılavuzu: Türkçe
		Nozzle temperature: Up to 250°C			
	1.4	·			
		Nozül sıcaklığı:250°C ye kadar			
		Nozzle diameter: 0.4 mm (also			
		0.2/0.3/0.6/0.8/1.0 mm nozzles also			
		have to be used)			
	1.5	The second according to the se			
		Nozül çapı: 0.4 mm			
		(0.2/0.3/0.6/0.8/1.0 mm nozüller de			
		kullanılabilmelidir)			
		Layer thickness: 0.1-0.4 mm			
	1.6	Layer tilleniless. 0.1-0.4 IIIII			
	1.0	Katman kalınlığı: 0.1-0.4 mm			
	1.7	Table calibration: Auto leveling			

		Total a litera and Observation		T	
		Tabla kalibrasyonu: Otomatik			
		seviyelendirme			
		Screen: Touch color screen			
	1.8				
		Ekran: Dokunmatik renkli ekran			
		Format: STL/OBJ/AMF			
	1.9	, ,			
		Format: STL/OBJ/AMF			
		Software: Cura/Repetier-			
		Host/Simplify 3D etc.			
	1.10	1103t/3mmpmy 3D etc.			
	1.10	Yazılım: Cura/Repetier-Host/Simplify			
		3D vb.			
	EDM 3		İzmir: 2	Latest 90	Cuarantae 2 years
		D Printer (Creality CR-10 Max,	izmir: Z		Guarantee: 2 years
		ty CR-10 S5, My 3B, FlashForge Thor		calendar days	manufacturer/distributor
		Create gMax 2; Modix Big 60 or equal		after signature	guarantee
		neeting requirements specified below		of the contract	Garanti: 2 yıl
	as min	imum)		by UNDP and	üretici/satıcı garantisi
2				Contractor	
		BB Yazıcı (Creality CR-10 Max, Creality			
	CR-10	S5, My 3B, FlashForge Thor 500,		En geç	
	gCreat	te gMax 2; Modix Big 60 veya		sözleşme	
	aşağıa	laki gereklilikleri asgari olarak		imzalanmasını	
	karşıla	ıyan eşdeğeri)		müteakiben	
		Minimum printing size:		90. gün	Installation: On site
		450*450*470 mm			Kurulum: Teslimat
	2.1				yerinde kurulum da
		Minimum baskı boyutu:			yapılacaktır
		450*450*470 mm			,
		Minimum precision: ±0.1 mm			Training: Following
		IVIIIIIII precisioni 2011 iiiii			installation, training will
		Minimum hassasiyet: ±0.1 mm			be given to users.
	2.2	William massasiyet. 10.1 mm			Eğitim: Kurulumu
					müteakiben, kullanıcılara
					eğitim verilecektir.
		Filomont diameters 4.75 mass			
	2.2	Filament diameter: 1.75 mm			Operation Manual:
	2.3	Ethania 4 75			Turkish
		Filament çapı: 1.75 mm			Kullanıcı Kılavuzu: Türkçe
		Nozzle temperature: Up to 250°C			
	2.4				
		Nozül sıcaklığı:250°C ye kadar			
		Nozzle diameter: 0.4 mm (also			
		0.2/0.3/0.6/0.8/1.0 mm nozzles also			
		have to be used)			
	2.5				
		Nozül çapı: 0.4 mm			
		(0.2/0.3/0.6/0.8/1.0 mm nozüller de			
		kullanılabilmelidir)			
		Layer thickness: 0.1-0.4 mm			
	2.6	,			
		Katman kalınlığı: 0.1-0.4 mm			
				I	

		Table calibration: Auto leveling			
		Table cameration, take to came			
	2.7	Tabla kalibrasyonu: Otomatik			
		seviyelendirme			
		Screen: Touch color screen			
	2.8				
		Ekran: Dokunmatik renkli ekran			
		Format: STL/OBJ/AMF			
	2.9				
		Format: STL/OBJ/AMF			
		Software: Cura/Repetier-			
	2.10	Host/Simplify 3D etc.			
	2.10	Yazılım: Cura/Repetier-Host/Simplify			
		3D vb.			
	Enclos	ed Portable FDM 3D Printer (Creality	İzmir: 4	Latest 90	Guarantee: 2 years
		en CR-100, ThingMaker, Tronxy C2 or		calendar days	manufacturer/distributor
	equal i	item meeting requirements specified		after signature	guarantee
	below	as minimum)		of the contract	Garanti: 2 yıl
3				by UNDP and	üretici/satıcı garantisi
		Portatif 3B FDM Yazıcı (Creality		Contractor	
		en CR-100, ThingMaker, Tronxy C2		F	
	_	aşağıdaki gereklilikleri asgari olarak ıyan eşdeğeri)		En geç sözleşme	
	Kurşılu	Minimum printing size: 100*100*80		imzalanmasını	Installation: On site
		mm		müteakiben	Kurulum: Teslimat
	3.1			90. gün	yerinde kurulum da
		Minimum baskı boyutu: 100*100*80			yapılacaktır
		mm			
		Minimum precision: ±0.2 mm			Training: Following
					installation, training will
	3.2	Minimum hassasiyet: ±0.2mm			be given to users.
					Eğitim: Kurulumu müteakiben, kullanıcılara
					eğitim verilecektir.
		Filament diameter: 1.75 mm			Operation Manual:
	3.3	Thanlette diameter. 1.73 mm			Turkish
		Filament çapı: 1.75 mm			Kullanıcı Kılavuzu: Türkçe
		Nozzle temperature: Up to 250°C			
	3.4				
		Nozül sıcaklığı:250 ℃ ye kadar			
		Nozzle diameter: 0.4 mm			
	3.5	No "Love O A see			
		Nozül çapı: 0.4 mm			
	3.6	Layer thickness: 0.1-0.4 mm			
	3.0	Katman kalınlığı: 0.1-0.4 mm			
		Format: STL/OBJ/AMF			
	3.7				
		Format: STL/OBJ/AMF			
_					

		Software: Cura/Repetier-			
	3.8	Host/Simplify 3D etc.			
	3.0	Yazılım: Cura/Repetier-Host/Simplify			
		3D vb.			
		nt dryer (eSUN eBOX, PrintDry, nt Dryer FD1, FilDry, Polymaker	İzmir: 2	Latest 90 calendar days	<b>Guarantee:</b> 2 years manufacturer/distributor
	PolyBo	x or equal item meeting		after signature	guarantee
	requirements specified below as minimum)			of the contract	Garanti: 2 yıl
4	Filame	nt kurutucusu (eSUN eBOX, PrintDry,		by UNDP and Contractor	üretici/satıcı garantisi
		nt Dryer FD1, FilDry, Polymaker			
		x veya aşağıdaki gereklilikleri asgari		En geç	
	olarak	karşılayan eşdeğeri) Function: Heating, drying and		sözleşme imzalanmasını	Installation: On site
	4.4	weighing		müteakiben	Kurulum: Teslimat
	4.1			90. gün	yerinde kurulum da
		Fonsiyon: Isitma, kurutma, tartma  Maximum heating temperature:			yapılacaktır.  Training: Following
		80°C			installation, training will
	4.2				be given to users.
	1.2	Maksimum ısıtma sıcaklığı: 80 ℃			Eğitim: Kurulumu
					müteakiben, kullanıcılara eğitim verilecektir.
		Maximum weighting load: 2 kg			Operation Manual:
	4.3	Adalasias es a Xentel es al la Carta			Turkish
		Maksimum ağırlık yükü: 2 kg Weighing error: ±0.02 kg			Kullanıcı Kılavuzu: Türkçe
	4.4				
	20 D.:	Tartım hatası: ±0.02 kg	i a	Latest 00	0
		nter enclosure cabin with Hepa filter bund installation (Makoto bo3x or	İzmir: 2	Latest 90 calendar days	<b>Guarantee:</b> 2 years manufacturer/distributor
		item meeting requirements specified		after signature	guarantee
	below as minimum)			of the contract	Garanti: 2 yıl
5		<i></i>		by UNDP and Contractor	üretici/satıcı garantisi
		filtreli ve ses izolasyonlu 3B yazıcı (Makoto bo3x veya aşağıdaki			
		ilikleri asgari olarak karşılayan		En geç	
	eşdeğe	-		sözleşme imzalanmasını	
		Minimum outside net size: 560*700*740 mm		müteakiben	Installation: On site Kurulum: Teslimat
	5.1	330 700 740 11111		90. gün	yerinde kurulum da
		Minimum net dış boyutları: 560*700*740 mm			yapılacaktır.
		Coated acoustic sponge: 4 cm,			Training: Following
		fireproof			installation, training will be given to users.
	5.2	Kaplama yapılan akustik sünger: 4			Eğitim: Kurulumu
		cm, yanmaz			müteakiben, kullanıcılara eğitim verilecektir.

		0.1: 0000 : (.1.:			T
		Cabin: 6000 series of aluminum			
		sigma frame with 4 mm aluminum			
		composite panel			
	5.3				
		Kabin: 6000 serisi alüminyum sigma			
		çerçeve ve 4 mm alüminyum			
		kompozit panel			
		Lighting: Double led lighting panel			
	5.4	Aydınlatma: Çift led aydınlatma			
		paneli			
		Air cleaning: Hepa filter with fan			
	5.5	and the second s			
	0.0	Hava temizleme: Fanlı Hepa filtresi			
	3D Pri	nter enclosure cabin with Hepa filter	İzmir: 2	Latest 90	Guarantee: 2 years
		ound installation (Makoto bo3x or	1211111 . 2	calendar days	manufacturer guarantee
		•		after signature	Garanti: 2 yıl üretici
	-	item meeting requirements specified		of the contract	
_	below	as minimum)			garantisi
6				by UNDP and	
	Hepa j	filtreli ve ses izolasyonlu 3B yazıcı		Contractor	
	kabini	(Makoto bo3x veya aşağıdaki			
	gerekl	ilikleri asgari olarak karşılayan		En geç	
	eşdeğe	eri)		sözleşme	
		Minimum outside net size:		imzalanmasını	Installation: On site
		820*740*1140 mm		müteakiben	Kurulum: Teslimat
	6.1			90. gün	yerinde kurulum da
		Minimum net dış boyutları:			yapılacaktır.
		820*740*1140 mm			, aprilabation
		Coated acoustic sponge: 4 cm,			Training: Following
		fireproof			installation, training will
					be given to users.
	6.2	Kaplama yapılan akustik sünger: 4			Eğitim: Kurulumu
		cm, yanmaz			müteakiben, kullanıcılara
		citi, yaititaz			eğitim verilecektir.
		Cabin: 6000 series of aluminum			egitiii verneeektii.
		sigma frame with 4 mm aluminum			
		composite panel			
	6.3	composite paner			
	0.5	Kabin: 6000 serisi alüminyum sigma			
		çerçeve ve 4 mm alüminyum			
		kompozit panel			
		Lighting: Double led lighting panel			
		Lighting. Double led lighting patiel			
	6.4	Audinlatma, Cift lad audinlatma			
		Aydınlatma: Çift led aydınlatma			
		paneli			
		Air cleaning: Hepa filter with fan			
	6.5	.,			
	_	Hava temizleme: Fanlı Hepa filtresi			

7	3D Scanner (Artec Eva, Einscan Pro, 3D System Sense 2, Z17OR or equal item meeting requirements specified below as minimum)  3B Tarayıcı (Artec Eva, Einscan Pro, 3D System Sense 2, Z17OR veya aşağıdaki gereklilikleri asgari olarak karşılayan eşdeğeri)		Adana:1 cal Mersin:1 aft of by Co	Latest 90 calendar days after signature of the contract by UNDP and Contractor  En geç sözleşme	Guarantee: 2 years manufacturer/distributor guarantee Garanti: 2 yıl üretici/satıcı garantisi
	7.1	Depth resolution of working distance: 0.5 m: 1 mm  Çalışma mesafesinin derinlik çözünürlüğü: 0.5 m: 1 mm		imzalanmasını müteakiben 90. gün	Installation: On site Kurulum: Teslimat yerinde kurulum da yapılacaktır.
	7.2	Maximum 3D resolution: 0.5 mm  Maksimum 3D çözünürlük: 0.5 mm			Training: Following installation, training will be given to users.  Eğitim: Kurulumu müteakiben, kullanıcılara eğitim verilecektir.
	7.3	Maximum 3D sensivity: 0.1 mm  Maksimum 3D hassasiyet: 0.1 mm			Operation Manual: Turkish Kullanıcı Kılavuzu: Türkçe
	7.4	Maximum video frame rate: 16 fps  Maksimum video kare hızı: 16 fps			
	7.5	File format: STL, PLY, OBJ  Dosya formati: STL, PLY, OBJ			
8	Turnta Autom Smart specifi  3B tara Turnta Autom Smart	natic Turntable for 3D Scanning (Artecuble, Einscan-SP, Jousoir, HP 3D natic Turntable Pro, RangeVision or equal item meeting requirements ed below as minimum)  ama için otomatik döner tabla (Artecuble, Einscan-SP, Jousoir, HP 3D natic Turntable Pro, RangeVision veya aşağıdaki gereklilikleri asgari karşılayan eşdeğeri)	izmir: 1 Adana:1 Mersin:1	Latest 90 calendar days after signature of the contract by UNDP and Contractor  En geç sözleşme imzalanmasını müteakiben	Guarantee: 2 years manufacturer/distributor guarantee Garanti: 2 yıl üretici/satıcı garantisi
	8.1	Maximum weight of object: 3 kg  Taranacak objenin maksimum ağırlığı: 3 kg		90. gün	Installation: On site Kurulum: Teslimat yerinde kurulum da yapılacaktır.
	8.2	Connectivity: Cable or Bluetooth  Bağlantı: Kablo veya Bluetooth			Training: Following installation, training will be given to users.  Eğitim: Kurulumu müteakiben, kullanıcılara eğitim verilecektir.

	8.3	Full rotation: 15 second			Operation Manual: Turkish
		Tam dönüş: 15 saniye			Kullanıcı Kılavuzu: Türkçe
		Minimum table diameter: 30 cm			
	8.4	Minimum table çapı: 30 cm			
		Turntable control: Remote control			
	8.5	Döner tablanın kontrolü: Uzaktan control			
	PCB er	ngraver and CNC machine (Creality CP-	İzmir: 2	Latest 90	Guarantee: 2 years
	01, Sn	apmaker 3in1 or equal item meeting		calendar days	manufacturer/distributor
	requir	ements specified below as minimum)		after signature	guarantee
	•	·		of the contract	Garanti: 2 yıl
9	PCB kd	azıma ve CNC makinesi (Creality CP-01,		by UNDP and	üretici/satıcı garantisi
		naker 3in1 veya aşağıdaki		Contractor	
	-	ilikleri asgari olarak karşılayan			
	eşdeğe			En geç	
		Functions: 3 in 1 (FDM printer, PCB		sözleşme	Installation: On site
		engraver-CNC, laser Ingraving)		imzalanmasını	Kurulum: Teslimat
	9.1	, , ,		müteakiben	yerinde kurulum da
		Fonsiyonlar: 3'ü 1 arada (FDM yazıcı,		90. gün	yapılacaktır
		PCB kazıyıcı-CNC, Lazer işleme)			
		Minimum printing size:			Training: Following
		125*125*125 mm			installation, training will
	0.2				be given to users.
	9.2	Minimum baskı boyutu:			Eğitim: Kurulumu
		125*125*125 mm			müteakiben, kullanıcılara
					eğitim verilecektir.
		Minimum precision: ±0.1 mm			Operation Manual:
	9.3				Turkish
		Minimum hassasiyet: ±0.1 mm			Kullanıcı Kılavuzu: Türkçe
		Filament diameter: 1.75 mm			
	9.4				
		Filament çapı: 1.75 mm			
		Nozzle diameter: 0.4 mm (also			
		0.6/0.8/1.0 mm nozzles also have to			
	9.5	be used)			
		Nozül çapı: 0.4 mm (0.6/0.8/1.0 mm			
		nozüller de kullanılabilmelidir)			
	0.0	Layer thickness: 0.1-0.4 mm			
	9.6	Katman kalınlığı 0.1.0.4 mm			
		Katman kalınlığı: 0.1-0.4 mm			
	9.7	Screen: Touch color screen			
	9.7	Ekran: Dokunmatik renkli ekran			
	9.8	Format: STL/OBJ/AMF/SVG/BMP/STEP/DXF			
	]				

	Format:
	STL/OBJ/AMF/SVG/BMP/STEP/DXF
	Minimum CNC carving and cutting
	size: 90*90 mm
9.9	
	Minimum CNC oyma ve kesme
	boyutu: 90*90 mm
	Minimum laser engraving size:
	125*125 mm
9.10	
	Minimum lazer işleme boyutu:
	125*125 mm
	Laser power: Minimum 200 mW
9.11	
	Lazer gücü: Minimum 200 mW

# The List of 3 D Printer Supplies // 3B Yazıcı Sarf Malzemeleri Listesi

#	Description/Specifications of the items to be supplied  Teknik Özellikler		Qty Miktar	Latest Delivery Date Teslimat Süresi	Other Conditions  Diğer Şartlar
10	colorFameetir minim	mm filament (eSUN, abg, tinylab, abb, 3D Innovations veya aşağıdaki ilikleri asgari olarak karşılayan eri)	All will be delivered to izmir.	Latest 90 calendar days after signature of the contract by UNDP and Contractor  En geç sözleşme	Diameter Tolerance: ±0.02 mm Çap Toleransı: ±0.02 mm
	10.1	Black color PLA filament Siyah renkli PLA filament	5 kg	imzalanmasını müteakiben 90. gün	Packing: Vacuum packing + carton box Ambalaj: Vakum ambalaj + karton kutu
	10.2	White color PLA filament Beyaz renkli PLA filament	5 kg		
	10.3	Red color PLA filament Kırmızı renkli PLA filament	3 kg		
	10.4	Blue color PLA filament Mavi renkli PLA filament	3 kg		
	10.5	Green color PLA filament Yeşil renkli PLA filament	3 kg		
	10.6	Brown color PLA filament Kahverengi renkli PLA filament	3 kg		
	10.7	Gold color PLA filament Altın renkli PLA filament	3 kg		
	10.8	Skin color PLA filament Deri renkli PLA filament	3 kg		

10.9	Yelow color PLA filament	3 kg
_5.5	Sarı renkli PLA filament	
10.10	Purple color PLA filament	3 kg
10.10	Mor renkli PLA filament	
10.11	Magenta color PLA filament	3 kg
10.11	Eflatun renkli PLA filament	
10.12	Grey color PLA filament	3 kg
10.12	Gri renkli PLA filament	
10.12	Silver color PLA filament	3 kg
10.13	Gümüş renkli PLA filament	
46 * *	Pink color PLA filament	3 kg
10.14	Pembe renkli PLA filament	- 0
	Orange color PLA filament	3 kg
10.15	Portakal renkli PLA filament	۵۵
	Transparent color PLA filament	3 kg
10.16	Şeffaf renkli PLA filament	J 18
	Natural color PLA filament	2 1/2
10.17		3 kg
	Doğal renkli PLA filament	2.1
10.18	Black color PETG filament	2 kg
	Siyah renkli PETG filament	
10.19	White color PETG filament	2 kg
	Beyaz renkli PETG filament	
10.20	Red color PETG filament	1 kg
10.20	Kırmızı renkli PETG filament	
10.21	Blue color PETG filament	1 kg
10.21	Mavi renkli PETG filament	
40.22	Green color PETG filament	1 kg
10.22	Yeşil renkli PETG filament	
	Brown color PETG filament	1 kg
10.23	Kahverengi renkli PETG filament	
	Gold color PETG filament	1 kg
10.24	Altın renkli PETG filament	- "6
	Grey color PETG filament	1 kg
10.25	Gri renkli PETG filament	ı vg
		1 1
10.26	Silver color PETG filament	1 kg
	Gümüş renkli PETG filament	4.
10.27	Yellow color PETG filament	1 kg
- · <del>- ·</del>	Sarı renkli PETG filament	1
10.28	Natural color PETG filament	1 kg
10.20	Doğal renkli PETG filament	
10.20	Natural color Flex (TPU) filament	2 kg
10.29	Doğal renkli Esnek (TPU) filament	
10.22	Black color ABS filament	1 kg
10.30	Siyah renkli ABS filament	
	White color ABS filament	1 kg
10.31	Beyaz renkli ABS filament	0
	Red color ABS filament	1 kg
10.32	Kırmızı renkli ABS filament	- 1.8
	Blue color ABS filament	1 kg
10.33	Mavi renkli ABS filament	ı vg
	IVIUVI TETIKII ADS JIIUITIETIL	

10.34	Green color ABS filament	1 kg
10.54	Yeşil renkli ABS filament	
10.25	Brown color ABS filament	1 kg
10.35	Kahverengi renkli ABS filament	
	Gold color ABS filament	1 kg
10.36	Altın renkli ABS filament	
	Grey color ABS filament	1 kg
10.37	Gri renkli ABS filament	ı ng
	-	1 1.~
10.38	Yellow color ABS filament	1 kg
	Sarı renkli ABS filament	
10.39	Natural color ABS filament	1 kg
	Doğal renkli ABS filament	
10.40	Gold color ABS filament	1 kg
10.40	Altın renkli ABS filament	
10.11	Silver color ABS filament	1 kg
10.41	Gümüş renkli ABS filament	3
	Black color HIPS filament	1 kg
10.42		± v8
	Siyah renkli HIPS filament	4 1
10.43	White color HIPS filament	1 kg
	Beyaz renkli HIPS filament	
10.44	Red color HIPS filament	1 kg
	Kırmızı renkli HIPS filament	
10.45	Blue color HIPS filament	1 kg
10.45	Mavi renkli HIPS filament	-
	Green color HIPS filament	1 kg
10.46	Yeşil renkli HIPS filament	±8
		4 l.=
10.47	Brown color HIPS filament	1 kg
	Kahverengi renkli HIPS filament	
10.48	Gold color HIPS filament	1 kg
10.70	Altın renkli HIPS filament	
10.40	Grey color HIPS filament	1 kg
10.49	Gri renkli HIPS filament	-
	Yellow color HIPS filament	1 kg
10.50	Sarı renkli HIPS filament	÷p
		1 1,~
10.51	Natural color HIPS filament	1 kg
	Doğal renkli HIPS filament	
10.52	Wood color PLA filament	2 kg
10.52	Ahşap renkli PLA filament	
10.50	Black color Nylon (PA12) filament	2 kg
10.53	Siyah renkli Naylon (PA12) filament	3
	White color Nylon (PA12) filament	2 kg
10.54	, , ,	2 Ng
	Beyaz renkli Naylon (PA12) filament	2.1
	Transparent color Nylon (PA12)	2 kg
10.55	filament	
	Şeffaf renkli Naylon (PA12) filament	
10.50	Blue color Nylon (PA) filament	1 kg
10.56	Mavi renkli Naylon (PA) filament	•
	Green color Nylon (PA) filament	1 kg
10.57	Yeşil renkli Naylon (PA) filament	± 1.2
		1 1,~
10.58	Red color Nylon (PA) filament	1 kg
	Kırmızı renkli Naylon (PA) filament	

10.59	Natural color Nylon (PA) filament Doğal renkli Naylon (PA) filament	1 kg
10.60	Carbon fiber PLA filament Karbon fiber PLA filament	1 kg
10.61	Coper HTPLA filament  Bakır HTPLA fiber filament	1 kg
10.62	Brass HTPLA filament Prinç HTPLA fiber filament	1 kg
10.63	Bronze HTPLA filament Bronz HTPLA fiber filament	1 kg
10.64	Aluminum HTPLA filament Alüminyum HTPLA fiber filament	1 kg
10.65	Tungsten HTPLA filament Tungusten HTPLA fiber filament	1 kg
10.66	Iron HTPLA filament  Demir HTPLA fiber filament	1 kg
10.67	Conductive PLA filament  iletken PLA fiber filament	1 kg
10.68	Stainless steel PLA filament Paslanmaz çelik PLA fiber filament	1 kg
10.69	Coper HTPLA filament Bakır HTPLA fiber filament	1 kg

## **Delivery Requirements**

Delivery Requirements				
Delivery date and time	Bidder shall deliver the goods within 90 days after Contract signature.			
Delivery Terms (INCOTERMS 2020)	DDP			
Exact Address(es) of Delivery Location(s)	For items that will be delivered to Adana:    Çukurova Teknoloji Geliştirme Bölgesi    Balcalı Mah. Güney Kampüs Bulv. Teknokent Sitesi D Blok No: 1    Sarıçam/ADANA  For items that will be delivered to Mersin:    Mersin Tarsus Organize Sanayi Bölgesi Yetkinlik ve Dijital Dönüşüm Merkezi    Nacarlı Köyü Mevkii P.K.: 1 Mersin  For items that will be delivered to İzmir:    İzmir Ticaret Odası, Atatürk Caddesi No: 190    Alsancak / Konak 35220 - İZMİR  Transportation related costs of items for delivery to above mentioned sites will be included in the price offer. The Contractor will not be entitled to any additional payments for tranmsporation related costs.			
Installation Requirements	Refer to Annex 1 for installation requirements. The prices quoted shall include installation expenses. No payment shall be effected to the contractor for installation related expenses.			
Training on Operations and Maintenance	Refer to Annex 1 for training requirements after installation of products. The prices quoted shall include training expenses. No payment shall be effected to the contractor for training related expenses.			
Warranty Period	Refer to Annex 1 for guarantee requirements. No payment shall be effected to the contractor for warranty related expenses.			
Covid 19 related requirements	The Contractors shall review all local regulations, as well as that of UN and UNDP concerning the measures they must take during performance of the contract in the context of COVID-19, before they submit their bids and factor relevant costs, if any, to their bids. The Contractor shall take all measures against COVID-19 imposed by local regulations as well as by UN and UNDP during performance of the contract to protect health and social rights of its own personnel, as well as UNDP personnel, Project Stakeholders and third parties. Pursuant to "Clause 12- Indemnification" of UNDP General Terms and Conditions for Contracts*, the Contractor shall indemnify, defend, and hold and save harmless, UNDP, and its officials, agents and employees, from and against all suits, proceedings, claims, demands, losses and liability of any kind or nature brought by any third party against UNDP, including, but not limited to, all litigation costs and expenses, attorney's fees, settlement payments and damages, based on, arising from, or relating to COVID-19 measures that must be taken by the Contractor in the context of the contract. UNDP shall not be held accountable for any Covid-19 related health risks or events that are caused by negligence of the Contractor and/or any other third party.			

### **ANNEX 2: QUOTATION SUBMISSION FORM**

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	UNDP-TUR-RFQ(MC1)-2021/004	Date: Click or tap to enter a date.	

#### **Company Profile**

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	☐ Yes ☐ No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	⊠ Yes □ No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	⊠ Yes □ No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	⊠ Yes □ No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	⊠ Yes □ No

Is your company a member	⊠ Yes □ No				
Bank Information		Bank Name: Cl	ick or tap here t	o enter text.	
		Bank Address: Click or tap here to enter text.			
		IBAN: Click or t	tap here to ente	r text.	
		SWIFT/BIC: Cli	ck or tap here to	enter text.	
		Account Currency: Click or tap here to enter text.			
		Bank Account Number: Click or tap here to enter text.			
	Previous relevant experience: 3 contracts				
Name of previous	Client	& Reference	Contract	Period of activity	Types of activities
contracts		act Details	Value		undertaken
inclu		ding e-mail			

### **Bidder's Declaration**

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		<b>Ethics</b> : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: <a href="https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct">https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</a> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		<b>Prohibitions, Sanctions:</b> I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.

Yes	No		
		<b>Bankruptcy</b> : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.	
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.	
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.	
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.	
Signatu	re:		
Name:	Cl	ick or tap here to enter text.	
Title:	Cl	ick or tap here to enter text.	
Date:	Cl	ick or tap to enter a date.	

#### **ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS**

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	UNDP-TUR-RFQ(MC1)-2021/004	Date: Click or tap to enter a date.	

## **Technical Compliance Table**

#			Offered technical specifications by the offeror
	supplie	ed « Özellikler	Firma tarafından teklif edilen teknik özellikler
		BD Printer (Creality 3D CR-10S Pro, Creality	Model/Brand Name:
		R-10 V2, Anet E16; Alfawise U20, Tevo	Model/Marka Adı:
		do, Folger Tech FT-5 or equal item meeting	Wodely Warka Adi.
		ements specified below as minimum)	
1	•	,	
	FDM 3B Yazıcı (Creality 3D CR-10S Pro, Creality		
	3D CR	R-10 V2, Anet E16, Alfawise U20, Tevo	
		do, Folger Tech FT-5 veya aşağıdaki	
	gerekl	ilikleri asgari olarak karşılayan eşdeğeri)	
		Minimum printing size: 300*300*400	
		mm	
	1.1	A4'-'	
		Minimum baskı boyutu: 300*300*400	
		mm Minimum precision: ±0.1 mm	
	1.2	Willing precision: 10.1 mm	
	1.2	Minimum hassasiyet: ±0.1 mm	
	Filament diameter: 1.75 mm		
	1.3		
		Filament çapı: 1.75 mm	
	Nozzle temperature: Up to 250°C		
	1.4	N "1 11" 250 26	
		Nozül sıcaklığı:250°C ye kadar	
		Nozzle diameter: 0.4 mm (also 0.2/0.3/0.6/0.8/1.0 mm nozzles also have	
		to be used)	
	1.5	to be used)	
		Nozül çapı: 0.4 mm (0.2/0.3/0.6/0.8/1.0	
		mm nozüller de kullanılabilmelidir)	
	Layer thickness: 0.1-0.4 mm		
	1.6	,	
		Katman kalınlığı: 0.1-0.4 mm	
		Table calibration: Auto leveling	
	1.7		
		Tabla kalibrasyonu: Otomatik	
		seviyelendirme	

		Canada Tarrah dalam adam	
	4.0	Screen: Touch color screen	
	1.8		
		Ekran: Dokunmatik renkli ekran	
		Format: STL/OBJ/AMF	
	1.9		
		Format: STL/OBJ/AMF	
		Software: Cura/Repetier-Host/Simplify	
		3D etc.	
	1.10	V 1 0 10 11 11 16: 15 00	
		Yazılım: Cura/Repetier-Host/Simplify 3D	
		vb.	
		D Printer (Creality CR-10 Max, Creality CR-	Brand Name // Marka Adı:
		My 3B, FlashForge Thor 500, gCreate gMax	
		odix Big 60 or equal item meeting	
_	require	ements specified below as minimum)	
2	ED1/4 2	D. Varias (Craality CD 10 May Craality CD	
		B Yazıcı (Creality CR-10 Max, Creality CR- My 3B, FlashForge Thor 500, gCreate gMax	
		dix Big 60 veya aşağıdaki gereklilikleri	
		olarak karşılayan eşdeğeri)	
	usguri	Minimum printing size: 450*450*470	
		mm	
	2.1		
	2.1	Minimum baskı boyutu: 450*450*470	
		mm	
		Minimum precision: ±0.1 mm	
	2.2	William precision: 20.1 mm	
		Minimum hassasiyet: ±0.1 mm	
		Filament diameter: 1.75 mm	
	2.3		
		Filament çapı: 1.75 mm	
		Nozzle temperature: Up to 250°C	
	2.4		
		Nozül sıcaklığı:250°C ye kadar	
		Nozzle diameter: 0.4 mm (also	
		0.2/0.3/0.6/0.8/1.0 mm nozzles also have	
	2.5	to be used)	
	د.ے		
		Nozül çapı: 0.4 mm (0.2/0.3/0.6/0.8/1.0	
		mm nozüller de kullanılabilmelidir)	
	_	Layer thickness: 0.1-0.4 mm	
	2.6		
		Katman kalınlığı: 0.1-0.4 mm	
		Table calibration: Auto leveling	
	2.7	Table ballbaras and Oliver 11	
		Tabla kalibrasyonu: Otomatik	
		seviyelendirme	
		Screen: Touch color screen	
	2.8	Ekran: Dokunmatik renkli ekran	
		ектип: Бокиптпацк гепкіі ектап	

		Format: STL/OBJ/AMF	
	2.9	Favor et STI /OBI/ANAF	
		Format: STL/OBJ/AMF Software: Cura/Repetier-Host/Simplify	
		3D etc.	
		35 000	
	2.10	Yazılım: Cura/Repetier-Host/Simplify 3D	
		vb.	
3	Enclosed Portable FDM 3D Printer (Creality Children CR-100, ThingMaker, Tronxy C2 or equal item meeting requirements specified below as minimum)		Brand Name // Marka Adı:
	_	Portatif 3B FDM Yazıcı (Creality Children	
		), ThingMaker, Tronxy C2 veya aşağıdaki	
	gerekii	ilikleri asgari olarak karşılayan eşdeğeri) Minimum printing size: 100*100*80 mm	
		Willimum printing size. 100 * 100 * 80 min	
	3.1	Minimum baskı boyutu: 100*100*80 mm	
		Minimum precision: ±0.2 mm	
	3.2	Minimum hassasiyet: ±0.2mm	
		Filament diameter: 1.75 mm	
	3.3	Filament çapı: 1.75 mm	
		Nozzle temperature: Up to 250°C	
	3.4	Nozül sıcaklığı:250°C ye kadar	
		Nozzle diameter: 0.4 mm	
	3.5	Nozül çapı: 0.4 mm	
		Layer thickness: 0.1-0.4 mm	
	3.6	Katman kalınlığı: 0.1-0.4 mm	
		Format: STL/OBJ/AMF	
	3.7	Format: STL/OBJ/AMF	
		Software: Cura/Repetier-Host/Simplify 3D etc.	
	3.8	Yazılım: Cura/Repetier-Host/Simplify 3D vb.	
	1		

4	Filament dryer (eSUN eBOX, PrintDry, Filament Dryer FD1, FilDry, Polymaker PolyBox or equal item meeting requirements specified below as minimum)		Brand Name // Marka Adı:
	Filame veya	nt kurutucusu (eSUN eBOX, PrintDry, nt Dryer FD1, FilDry, Polymaker PolyBox aşağıdaki gereklilikleri asgari olarak yan eşdeğeri)	
	4.1	Function: Heating, drying and weighing  Fonsiyon: Isitma, kurutma, tartma	
	4.2	Maximum heating temperature: 80°C  Maksimum ısıtma sıcaklığı: 80°C	
	4.3	Maximum weighting load: 2 kg  Maksimum ağırlık yükü: 2 kg	
	4.4	Weighing error: ±0.02 kg  Tartım hatası: ±0.02 kg	
5	sound	nter enclosure cabin with Hepa filter and installation (Makoto bo3x or equal item ng requirements specified below as um)	Brand Name // Marka Adı:
	(Mako	filtreli ve ses izolasyonlu 3B yazıcı kabini to bo3x veya aşağıdaki gereklilikleri asgari karşılayan eşdeğeri)	
	5.1	Minimum outside net size: 560*700*740 mm  Minimum net dış boyutları: 560*700*740	
	5.2	mm  Coated acoustic sponge: 4 cm, fireproof  Kaplama yapılan akustik sünger: 4 cm, yanmaz	
	5.3	Cabin: 6000 series of aluminum sigma frame with 4 mm aluminum composite panel	
		Kabin: 6000 serisi alüminyum sigma çerçeve ve 4 mm alüminyum kompozit panel	
	5.4	Lighting: Double led lighting panel  Aydınlatma: Çift led aydınlatma paneli	
	5.5	Air cleaning: Hepa filter with fan  Hava temizleme: Fanlı Hepa filtresi	

	3D Pri	nter enclosure cabin with Hepa filter and	Brand Name // Marka Adı:
		installation (Makoto bo3x or equal item	.,
		ng requirements specified below as	
	minim		
6	,		
	Нера	filtreli ve ses izolasyonlu 3B yazıcı kabini	
		to bo3x veya aşağıdaki gereklilikleri asgari	
	olarak	karşılayan eşdeğeri)	
		Minimum outside net size:	
		820*740*1140 mm	
	6.1		
		Minimum net dış boyutları:	
		820*740*1140 mm	
		Coated acoustic sponge: 4 cm, fireproof	
	6.2		
		Kaplama yapılan akustik sünger: 4 cm,	
		yanmaz	
		Cabin: 6000 series of aluminum sigma frame with 4 mm aluminum composite	
		panel	
	6.3	parier	
	0.5	Kabin: 6000 serisi alüminyum sigma	
		çerçeve ve 4 mm alüminyum kompozit	
		panel	
		Lighting: Double led lighting panel	
	6.4		
		Aydınlatma: Çift led aydınlatma paneli	
		Air cleaning: Hepa filter with fan	
	6.5		
		Hava temizleme: Fanlı Hepa filtresi	//
		anner (Artec Eva, Einscan Pro, 3D System	Brand Name // Marka Adı:
		2, Z17OR or equal item meeting	
7	require	ements specified below as minimum)	
,	2P Tai	rayıcı (Artec Eva, Einscan Pro, 3D System	
		2, Z17OR veya aşağıdaki gereklilikleri	
		olarak karşılayan eşdeğeri)	
	a s g u i i	Depth resolution of working distance: 0.5	
		m: 1 mm	
	7.1	Çalışma mesafesinin derinlik	
		çözünürlüğü: 0.5 m: 1 mm	
		Maximum 3D resolution: 0.5 mm	
	7.2		
		Maksimum 3D çözünürlük: 0.5 mm	
		Maximum 3D sensivity: 0.1 mm	
	7.3		
		Maksimum 3D hassasiyet: 0.1 mm	
	7 4	Maximum video frame rate: 16 fps	
	7.4	Maksimum vidaa kara hizu 16 fas	
	<u> </u>	Maksimum video kare hızı: 16 fps	

		File format: STL, PLY, OBJ	
	7.5	Documents CTL DIV ODL	
	Autom	Dosya formati: STL, PLY, OBJ ratic Turntable for 3D Scanning (Artec	Brand Name // Marka Adı:
		ble, Einscan-SP, Jousoir, HP 3D Automatic	
	Turnta	ble Pro, RangeVision Smart or equal item	
		ng requirements specified below as	
8	minim	um)	
	3B tai	rama için otomatik döner tabla (Artec	
		ble, Einscan-SP, Jousoir, HP 3D Automatic	
	Turntable Pro, RangeVision Smart veya aşağıdaki		
	gerekl	ilikleri asgari olarak karşılayan eşdeğeri)	
		Maximum weight of object: 3 kg	
	8.1	Taranacak objenin maksimum ağırlığı: 3	
		kg	
		Connectivity: Cable or Bluetooth	
	8.2		
		Bağlantı: Kablo veya Bluetooth Full rotation: 15 second	
	8.3	Full rotation: 15 second	
	0.5	Tam dönüş: 15 saniye	
		Minimum table diameter: 30 cm	
	8.4		
		Minimum table çapı: 30 cm Turntable control: Remote control	
	8.5	Turntable control: Remote control	
	0.5	Döner tablanın kontrolü: Uzaktan kontrol	
	PCB er	ngraver and CNC machine (Creality CP-01,	Brand Name // Marka Adı:
	•	naker 3in1 or equal item meeting	
	require	ements specified below as minimum)	
9	DCB k	azıma ve CNC makinesi (Creality CP-01,	
		naker 3in1 veya aşağıdaki gereklilikleri	
		olarak karşılayan eşdeğeri)	
		Functions: 3 in 1 (FDM printer, PCB	
	0.4	engraver-CNC, laser Ingraving)	
	9.1	Fonsiyonlar: 3'ü 1 arada (FDM yazıcı, PCB	
		kazıyıcı-CNC, Lazer işleme)	
		Minimum printing size: 125*125*125	
		mm	
	9.2	Minimum hasks howeter 125*125*125	
		Minimum baskı boyutu: 125*125*125 mm	
		Minimum precision: ±0.1 mm	
	9.3		
	5.3	Minimum hassasiyet: ±0.1 mm	

	Filament diameter: 1.75 mm	
9.4		
	Filament çapı: 1.75 mm	
	Nozzle diameter: 0.4 mm (also	
	0.6/0.8/1.0 mm nozzles also have to be	
9.5	used)	
	Nozül çapı: 0.4 mm (0.6/0.8/1.0 mm	
	nozüller de kullanılabilmelidir)	
9.6	Layer thickness: 0.1-0.4 mm	
9.0	Katman kalınlığı: 0.1-0.4 mm	
	Screen: Touch color screen	
9.7		
	Ekran: Dokunmatik renkli ekran	
	Format:	
	STL/OBJ/AMF/SVG/BMP/STEP/DXF	
9.8		
	Format:	
	STL/OBJ/AMF/SVG/BMP/STEP/DXF	
	Minimum CNC carving and cutting size:	
9.9	90*90 mm	
9.9	Minimum CNC oyma ve kesme boyutu:	
	90*90 mm	
	Minimum laser engraving size: 125*125	
	mm	
9.10		
	Minimum lazer işleme boyutu: 125*125	
	mm	
	Laser power: Minimum 200 mW	
9.11		
	Lazer gücü: Minimum 200 mW	

## **Financial Quotation Table**

Currency of the Quotation: United States Dollars (USD)  INCOTERMS: DDP					
Item No / Ürün No	Description / Açıklama	UOM / Birim	Qty / Adet	Unit price (USD) / Birim Fiyat	Total price (USD) / Toplam Fiyat
1.	FDM 3D Printer (Creality 3D CR-10S Pro, Creality 3D CR-10 V2, Anet E16; Alfawise U20, Tevo Tornado, Folger Tech FT-5 or equal)  FDM 3B Yazıcı (Creality 3D CR-10S Pro, Creality 3D CR-10 V2, Anet E16, Alfawise U20, Tevo Tornado, Folger Tech FT-5 veya eşdeğeri)	EA Adet	2		
2.	FDM 3D Printer (Creality CR-10 Max, Creality CR-10 S5, FlashForge Thor 500, gCreate gMax 2; Modix Big 60 or equal) FDM 3B Yazıcı (Creality CR-10 Max, Creality CR-10 S5, My 3B, FlashForge Thor 500, gCreate gMax 2; Modix Big 60 veya eşdeğeri)	EA Adet	2		
3.	Enclosed Portable FDM 3D Printer (Creality Children CR-100, ThingMaker, Tronxy C2 or equal)  Kapalı Portatif 3B FDM Yazıcı (Creality Children CR-100, ThingMaker, Tronxy C2 veya eşdeğeri)	EA Adet	4		
4.	Filament dryer (eSUN eBOX, PrintDry, Filament Dryer FD1, FilDry, Polymaker PolyBox or equal) Filament kurutucusu (eSUN eBOX, PrintDry, Filament Dryer FD1, FilDry, Polymaker PolyBox veya eşdeğeri)	EA Adet	2		
5.	3D Printer enclosure cabin with Hepa filter and sound installation (560*700*740 mm) (Makoto bo3x Creality Enclosure Cabin or equal)  Hepa filtreli ve ses izolasyonlu 3B yazıcı kabini (5 60*700* 740 mm) (Makoto bo3x Koruyucu Akustik Kutu veya eşdeğeri)	EA Adet	2		
6.	3D Printer enclosure cabin with Hepa filter and sound installation (820*740*1140 mm) (Makoto bo3x Creality Enclosure Cabin or equal)  Hepa filtreli ve ses izolasyonlu 3B yazıcı kabini (8 20*740* 1140 mm) (Makoto bo3x Koruyucu Akustik Kutu veya eşdeğeri)	EA Adet	2		

7.	3D Scanner (Artec Eva, Einscan Pro, 3D System Sense 2, Z17OR or equal) 3B Tarayıcı (Artec Eva, Einscan Pro, 3D System Sense 2, Z17OR veya eşdeğeri)	EA Adet	3		
8.	Automatic Turntable for 3D Scanning (Artec Turntable, Einscan-SP, Jousoir, HP 3D Automatic Turntable Pro, RangeVision Smart or equal 3B tarama için otomatik döner tabla (Artec Turntable, Einscan-SP, Jousoir, HP 3D Automatic Turntable Pro, RangeVision Smart veya eşdeğeri)	EA Adet	3		
9.	PCB engraver and CNC machine (Creality CP-01, Snapmaker 3in1 or equal)  PCB kazıma ve CNC makinesi (Creality CP-01, Snapmaker 3in1 veya eşdeğerleri)	EA Adet	2		
10.	PLA Filament	Kg.	57		
11.	PETG Filament	Kg.	13		
12.	Natural color Flex (TPU) filament  Doğal renkli Esnek (TPU) filament	Kg.	2		
13.	ABS Filament	Kg.	12		
14.	HIPS Filament	Kg.	10		
15.	Nylon Filament	Kg.	10		
16.	PLA Carbonfiber Filament	Kg.	1		
17.	HTPLA Filament	Kg.	7		
18.	Conductive PLA Filament  İletken PLA fiber filament	Kg.	1		
10	Stainless Steel PLA Filament	Kg.	1		
19.	Paslanmaz çelik PLA Filament				
	Total Final and All-Ir	nclusive F	rice Quo	otation (USD)	
	н	erşey da	hil toplaı	m fiyat (USD)	

#### **Compliance with Requirements**

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer	
Minimum Technical Specifications			Click or tap here to enter text.	
Delivery Term (INCOTERMS)			Click or tap here to enter text.	
Delivery Lead Time			Click or tap here to enter text.	
Warranty and After-Sales Requirements			Click or tap here to enter text.	
Validity of Quotation			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

Exact name and address of company

Company NameClick or tap here to enter text.

Address: Click or tap here to enter text.

Click or tap here to enter text.

Phone No.: Click or tap here to enter text.

Email Address:Click or tap here to enter text.

Authorized Signature:

Date: Click or tap here to enter text.

Name: Click or tap here to enter text.

**Functional Title of Authorised** 

Signatory: Click or tap here to enter text.

Email Address: Click or tap here to enter text.