

## Clarification dated February 09, 2021

## RFQ/008/IND-2021 : (Event ID - IND10-0000008382)

Supply, Installation, Training & Commissioning (SITC); and maintenance of various machines to segregate, shred, press and recycle Plastic Waste at Swachhta Kendra in Panaji, Goa

\_\_\_\_\_

In response to queries received with respect to the RFQ document for "Supply, Installation, Training & Commissioning (SITC); and maintenance of various machines to segregate, shred, press and recycle Plastic Waste at Swachhta Kendra in Panaji, Goa", the following clarifications are issued for information of all concerned.

S.	Ref.	Clause Description	Query	UNDP'S RESPONSE
No.	Clause no.			
1	Pg no. 7, Lot -2, Sr. No. 13	Other Features/ requirement:  Materials to use for: All soft	What is soft plastic and thin plastic. Please provide details.	Soft plastic is LDPE packaging plastic such as pouch, film, <i>thailas</i> and agriculture LDPE pipe.
		Plastics		r r ·
2	Pg no. 8, Lot -3, Sr. No. 1	Applicability: All thin plastics, Multi-layer plastics		Thin Plastic is all plastic packaging material less than 50 micron.
3	Pg no. 7, Lot -2, Sr. No. 12	Silo & Blower: To be provided	What is the application of Blower? If you have any reference picture, please provide the same	The blower is used to transport shredded plastic from the lower shredded bin of shredder to the cyclon. Refer appendix for picture.
4	Pg no. 7, Lot -2, Sr. No. 13		What is the output size of shredded plastic?	Output size of shredded plastic is 1" to 1.5".
5		Training, Installation & Commissioning	At the time of installation and commissioning, Machine oil, cable, Plumbing pipes with plumber and a helper are required. Please provide the scope of work for the same.	Machine Oil and cable with starting panel will be in scope of bidder, the cable from the main panel box will be provided. There is no requirement of any plumbing pipes.
6			Please provide the scope of civil work if there is any.	No civil work is required except installation of Bio- Medical Waste Incinerator and will be as per the manufacturer's recommendations.



S. No.	Ref. Clause no.	Clause Description	Query	UNDP'S RESPONSE
7			Please provide the reference picture for the equipment.	Refer Appendix.

United Nations Development Programme, 55 Lodi Estate, New Delhi - 110 003.

Email ID: vijay.thapliyal@undp.org

\_\_\_\_\_\_



## **Appendix**

Lot No. 1: Manual Tie Horizontal Baling Machine (20 HP)



Lot No. 2: Plastic Shredder with Silo Blower and Conveyor Belt





Lot No. 3: Agglomeration Machine



Lot No. 4: Extrusion Machine





Lot No. 5: Bio Medical Waste Incinerator

