

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 320-2021-UNDP-UKR-RFQ-RPP	Date: 17 March 2021

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the **provision of the vehicle for the psychological service of the Main Department of the State Emergency Service of Ukraine in the Donetsk oblast** as detailed in Annex 1 of this RFQ. This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: Manal Fouani

Name:Ms. Manal FouaniTitle:UNDP Deputy Resident RepresentativeDate:17 March 2021

aD.

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and Procedures (POPP) on Contracts and Procurement Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ. UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website. NB. If after deadline the number of bids is not enough to proceed with evaluation process, the decision about deadline prolongation can be made. For security point of view It is recommended to create 2 archive files (*.zip format only!): one should include technical proposal, another one should include financial proposal and be encrypted with password. Both files should be attached to the email letter. Herewith, absence of archives protected <u>does not lead</u> to rejection of bids. During evaluation process companies will be officially asked by UNDP procurement unit via email to			
	provide password to archive with financial proposal. Please do not include the password either to email letter or technical proposal and disclose before official request.			
Deadline for the Submission of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted, refer to <u>http://www.timeanddate.com/worldclock/.</u>			
Method of Submission	Quotations must be submitted as follows: □ E-tendering ⊠ Dedicated Email Address □ Courier / Hand delivery □ Other Click or tap here to enter text.			
	 Bid submission address: tenders.ua@undp.org File Format: .ZIP, .PDF File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted. Max. File Size per transmission: 20 MB Mandatory subject of email: 320-2021-UNDP-UKR-RFQ-RPP Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", 			
	 and the final "email no. Y of Y. It is recommended that the entire Quotation be consolidated into as few attachments as possible. The bidder should receive an email acknowledging email receipt. 			
Cost of preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.			
Supplier Code of Conduct,	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u>			

Fraud	Maraguar LINDD strictly enforces a policy of zero tolerance on proscribed practices, including fraud
Fraud, Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at
	http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_ dinvestigation.html#anti
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of Interest	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General Conditions of Contract	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract Select the applicable GTC:
	 General Terms and Conditions / Special Conditions for Contract. General Terms and Conditions for de minimis contracts (services only, less than \$50,000) General Terms and Conditions for Works
Special Conditions of Contract	 Applicable Terms and Conditions and other provisions are available at <u>UNDP/How-we-buy</u> ☑ Cancellation of PO/Contract if the delivery/completion is delayed by 30 days. ☑ Others: Liquidated damages: up to 0.1% of total contract amount per each day of delay may be applied on discretion of UNDP.
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP. Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.
Currency of Quotation	Quotations shall be quoted in: United States Dollars. Due to fluctuations in the national currency, it is recommended to indicate the price in dollars as risk mitigation measure.

	🗵 Local Currency: UAH
Joint	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium
Venture,	or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to
Consortium	act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or
or Association jointly and severally, which shall be evidenced by a duly notarized Agreement	
Association	legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the
	following:
	a) they have at least one controlling partner, director or shareholder in common; or b) any one of
	them receive or have received any direct or indirect subsidy from the other/s; or
	b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;
	d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Duties and taxes	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:
	All prices must:
	□ be inclusive of VAT and other applicable indirect taxes
	☑ be exclusive of VAT and other applicable indirect taxes
	[according to Project Card Registration № 4019-04]
Language of	English or Ukrainian, or Russian
quotation	All the documentation including catalogues, instructions and operating manuals should be in Russian or Ukrainian (additionally in English if present)
Documents	Bidders shall include the following documents in their quotation:
to be	Annex 2: Quotation Submission Form duly completed and signed
submitted	Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1.
	Copy of Latest Business Registration Certificate.
	Extract from the Register of VAT payers or single tax payers (not mandatory on submission stage
	but will be required if Offeror is selected for contract award).
	Company Profile, indicating at least 2 (two) years of experience in the field of supply of similar
	products.
	☑ At least 2 (two) positive references from previous clients.
	☑ Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer) – will be an advantage.
Quotation	Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
validity	
valially	

Price	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market
variation	factors shall be accepted at any time during the validity of the quotation after the quotation has been
	received.
Partial	
Quotes	Not permitted
Alternative	Permitted: The offers may be submitted to different Lots.
Quotes	⊠ Not permitted
Quotes	Permitted
	If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ requirements is submitted. Where the conditions for its acceptance are met, or justifications are
	clearly established, Click or tap here to enter text. reserves the right to award a contract based on
	an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly
	marked as "Main Quote" and "Alternative Quote"
Payment	☑ 100% within 30 days after receipt of goods, works and/or services and submission of payment
Terms	documentation.
	□Other Click or tap here to enter text.
Conditions	Passing Inspection [specify method, if possible]
for Release	Complete Installation
of	Passing all Testing [specify standard, if possible]
Payment	□ Completion of Training on Operation and Maintenance [specify no. of trainees, and location of
	training, if possible
	oxtimes Written Acceptance of Goods, Services and Works, based on full compliance with RFC
	requirements
	Others [pls. specify]
Contact	E-mail address: Procurement Unit, UNDP Ukraine, procurement.rpp.ua@undp.org
Person for	Attention: Quotations shall not be submitted to this address but to the address for quotation
corresponde	submission above. Otherwise, offer shall be disqualified. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission
nce, notifications	unless UNDP determines that such an extension is necessary and communicates a new deadline to
and	the Proposers.
clarifications	
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 (three) days before the
	submission deadline. Responses to request for clarification will be communicated via emai
	procurement.rpp.ua@undp.org by Procurement Unit, UNDP Ukraine.
Evaluation	⊠The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
method	□ Other Click or tap here to enter text.
Evaluation	Administrative Requirements:
criteria	☑ Offers must be submitted within the stipulated deadline.
	☑ Offers must meet required Offer Validity.
	☑ Offers have been signed by the proper authority.
	☑ Offers include requested company/organization documentation as mentioned above in
	"Documents to be submitted" section.
	☑ Officially registered company (for Ukrainian companies – company should be registered in the
	territory controlled by the government of Ukraine).
	Image: Full acceptance of the Contract General Terms and Conditions.
	Technical Requirements:
	<u>Technical Requirements:</u>
	At least 2 (two) years of experience in the field of supply of similar products.
	Technical responsiveness to stipulated requirements in specification.
	At least 2 (two) positive references from previous clients.
	Warranty for all equipment must be at least 12 (twelve) months. All equipment must have official
	warranty service in Ukraine.

	☑ Delivery of the equipment must be done within 60 (sixty) calendar days from the date of signing	
	the Contract.	
Right not toUNDP is not bound to accept any quotation, nor award a contract or Purchase Order		
accept any		
quotation		
Right to vary At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase)		
requirement	decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of	
at time of	the total offer, without any change in the unit price or other terms and conditions.	
award		
Type of	Purchase Order	
Contract to	Contract Face Sheet (Goods and or Services) (this template is also utilised for Long-Term	
be awarded	Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO,	
	etc.)	
	Contract for Works	
	□ Other Type/s of Contract [pls. specify]	
Expected	30 April 2021	
date for		
contract		
award.		
Publication	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO	
of Contract	and the corporate UNDP Web site.	
Award		
Policies and	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures	
procedures		
UNGM	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the	
registration	appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org.	
	The Bidder may still submit a quotation even if not registered with the UNGM, however, if the	
	Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract	
	signature.	
	<u>.</u>	

ANNEX 1: SCHEDULE OF REQUIREMENTS

SPECIFICATION

on the vehicle for the psychological service of the Main Department of the State Emergency Service of Ukraine in the Donetsk oblast

1. Context

The United Nations Development Programme (UNDP) has been active and present in eastern Ukraine for the past decade, prior to the conflict, with a focus on community development, civil society development, and environmental protection. Work on addressing the specific conflict-related development challenges built on this earlier engagement, established partnerships, and started in 2015 through the United Nations Recovery and Peacebuilding Programme (UN RPP). The UN RPP is a multi-donor funded framework programme formulated and led by the UNDP in collaboration with the Government of Ukraine and in cooperation with a number of partnering UN agencies (UN Women, FAO, UNFPA). The RPP was designed to respond to, and mitigate, the causes and effects of the conflict in the east of Ukraine. It is an integral component of the UNDP Country Programme and is therefore fully aligned with the United Nations Partnership Framework (UNPF).

In October 2018, four UN agencies (UNDP, UN Women, FAO and the UNFPA) have countersigned a new joint project document, funded by the EU. The overall objective of the project is to restore effective governance, support economic recovery and promote reconciliation in the crisis-affected communities of Donetsk, Luhansk and Zaporizhzhya oblasts in Ukraine, thereby enhancing the credibility and legitimacy of local governments in the government-controlled areas of the regions. It will contribute to peacebuilding and prevent further escalation of the conflict in Ukraine through effective and accountable decentralization, gender-responsive recovery planning and equal access to services, as well as enhanced economic recovery and development.

Component III of RPP "Community Security and Social Cohesion" aims, among other, on strengthening community security and social cohesion through testing innovative legal aid, access to justice, conflict resolution and peacebuilding mechanisms at local level.

One of the priorities of the project is to provide support for the establishment of modern systems for prevention, monitoring and response to emergencies, as well as work to eliminate their negative consequences. These functions are performed by the State Emergency Service of Ukraine.

The consequences of the stressful events of the armed conflict, which began in Eastern Ukraine in 2014, have a huge impact on the population living in this area. In order to prevent social tensions and minimize the consequences of armed conflict, as well as reduce the negative psychological impact of adverse factors on the affected population, psychologists of the SES of Ukraine in Donetsk oblast are actively working with the population affected by emergencies and mainly, with those who live near the contact line, conducting the following activities: counseling, individual and group psychocorrection with elements of canine therapy, mascotherapy, sand and art therapy.

At present, the psychological service is in dire need of vehicle to perform these functions, which will significantly improve the technical capabilities of the psychological service to respond quickly to calls and provide its services to more number of the affected population.

In this regard, the leadership of the Main Department of the State Emergency Service of Ukraine in Donetsk oblast requested UNDP to provide international technical assistance in the form of the purchase of a car to improve the mobility of the psychological service. This purchase will be funded by the European Union.

2. Scope of work / Technical specification

Supply by the Contractor of 1 (one) car for the Main Department of the State Emergency Service of Ukraine in Donetsk oblast in accordance with the technical specification.

Addresses for delivery:

the Main Department of the State Emergency Service of Ukraine in Donetsk oblast: Ukraine, 175 Mytropolytska str., Mariupol – 87547.

1	Key specifications of the vehicle (base model of "Renault DOKKER", "Citroen Berlingo Multispace", "Fiat Doblo", "Opel Combo", "Peugeot Rifteror" analogue with characteristics not less than specified below)		
1.1	Special purpose vehicles with a body of a standard station wagon		
1.2	Body type	station wagon	
1.3	Color	Color white	
1.4	Number of seats (with driver) 5		
1.5	Engine type	diesel	
1.6	Engine Cubic Capacity, cc	Not less than 1248	
1.7	Engine power, hp	not less than 85	
1.8	Ecological class	not lower than the level "Euro - 5"	
1.9	Gear box / TransmissionType	5-speed transmission / mechanical	
1.10	Wheel drive	4x2	
1.11	Clearance (without load), mm not less than 160		
1.12	Fuel tank	min 50 l	
1.13	13 Tyres and wheel Type Tubeless tires not less than 15"		
		Length – not less than 4360	
		Width – not less than 1750	
1.14	Dimensions of Vehicle, mm Height with railings – not less than 1840		
1.15	Material of seats	Fabric, leather	
2	Requirements for active and pa	ssive safety equipment	
2.1	Anti-lock braking system (ABS)		
2.2	Remote central locking with inte	Remote central locking with interior locking switch and two remote keys	
2.3	Frontal airbags for driver and fro	Frontal airbags for driver and front passenger	
2.4	Adaptation to dirt roads: front a	Adaptation to dirt roads: front and rear mudguards, metal engine protection	
3	Requirements for additional equipment		

3.1	Full-size spare wheel	
3.2	Additional set of winter not-studded tires on 4 wheels with a radius specified for the vehicle model	
3.3	Air conditioning or climate control system	
3.4	Power steering: electric or hydraulic	
3.5	Polyurethane or rubber mats in the cargo compartment and car interior	
3.6	User manual (operating instructions) in Ukrainian	
3.7	The package of documents is necessary for registration of a subject of purchase in service centers (divisions) of the Ministry of Internal Affairs, as a vehicles of special appointment in accordance with the legislation of Ukraine	
3.8	LIGHT: running and fog lights	
3.9	Luggage doors with glass that open 180 °	
3.10	Luggage railings on the roof	
3.11	1 car fire extinguisher, 1 set of emergency stop signs, first aid kit assembled in accordance with requirements of Ministry of internal affairs order № 396 dated 20.05.2016	
4	Requirements for special equipment	
4.1.	Acoustic panel with installation on the roof of the car «Crpena Ultra Slim» 118-XLED-150 CAΠ 118-60LED- 150 or equivalent with characteristics not less, than: water protection: not worse than IP 66; amplifier output power: not less than 150 watts; power: 12/24 V; modification: at least 60 LEDs; manipulator: yes; number of flash modes: 5 or more; presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; ability to control sound and light signals on the microphone: yes; mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 	

4.2	Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than:	
	- receiver frequency range: 403-470 MHz;	
	- transmitter frequency range: 403-470 MHz;	
	- frequency grid step: 12.5 KHz, 20 KHz, 25 KHz;	
- number of channels: not less than 1000;		
- power - 40 W;		
	 the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; 	
	- degree of protection: not less than IP 54;	
	- display: 4-character color;	
	- encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key	
	length of 256 bits;	
	- additional functions: emergency call button, bluetooth support, private call, general alert mode, text	
	messaging, GPS module;	
	- set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation	
	license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable,	
	radio connection cables, instructions.	
4.3	Color schemes and inscriptions on the car body are made in accordance with the requirements of State	
	standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and	
	special signals of operational, specialized and special vehicles.	
4.4	Year of issue - not earlier than 2020	
5	Requirements for color design of the vehicle	
	(https://hsc.gov.ua/2018/06/22/prijnyato-natsionalnij-standart-ukrayini-dstu-3849-2018/)	
	<complex-block></complex-block>	

SES emblem - from the upper edge of the door 1 cm, then the width of the red ribbon is 10 cm. From the lower edge of the red ribbon is 10 cm, then the SES emblem (30 cm); 35 cm from the left edge of the right door and the right edge of the driver's door.

Material: monomeric PVC film with a glossy surface ORACAL 641.

Colors:

Red - 031 White - 010 Blue - 049 Orange - 034 Yellow - 021

Preliminary agreement of the developed 3D-model of visualization of the car's appearance with UNDP is a prerequisite.

3. Additional terms

1. The price of the goods must include the cost of delivery of all goods to the aforementioned address.

2. Delivery must be accompanied by warranty certificates for the goods. Warranty obligations: for a period of at least 3 years or 100 thousand km. mileage (whichever comes first) for a vehicle and not less than 1 year for additional equipment. All necessary technical documentation together with package of documents needed for registration of cars in MoI service centers must be provided by the supplier on the day of delivery. All equipment must have official warranty service in Ukraine.

3. Delivery must be made within 90 calendar days from the date of signing the contract.

4. Experience and Qualification Requirements

1. Officially registered company (for Ukrainian companies – company should be registered in the territory controlled by the government of Ukraine).

2. At least 3 years of experience in the field of supply of similar products.

3. At least 2 positive references from previous clients.

5. Evaluation method

The Contract will be awarded to the technically compliant offer with the lowest price

6. Price offer and payment schedule

•The contract value must remain fixed for the duration of the contract.

• Applicants must include all costs associated with the work in their price quotation (such as the supply and installation of all materials and equipment, transportation costs etc.).

• Payments should be arranged as follows:

100% of the delivered vehicles cost is made by UNDP within 30 (thirty) calendar days from the date of all the vehicles` acceptance by UNDP and submission of originals of invoice, act of acceptance and tax invoice (if applicable).

Taking into account that purchase of services will be carried out within the project of international technical assistance, price offers/invoices for payment must be presented without VAT.

Bidders must submit their price offers in the following format:

No.	Product name and specification	Quantity of	Unit price, without	Total cost, without
	requirements	units (pcs)	VAT, indicate	VAT, indicate
			currency	currency

1	Vehicle equipped according to the specification Please indicate brand, model and parameters	1		
2	Acoustic panel with installation on the roof of the car Please indicate brand, model and parameters	1		
3	Installed car radio station Please indicate brand, model and parameters	1		
4	Color design of the vehicle	1		
TOTAL, without VAT, indicate currency				

Delivery Requirements

Delivery Requirements		
Delivery date and time Bidder shall deliver the goods within 90 (ninety) calendar days after Consignature.		
Delivery Terms (INCOTERMS 2020) DDP, Ukraine, 175 Mytropolytska str., Mariupol – 87547		
Customs clearance (must be linked to INCOTERM	 Not applicable Shall be done by: Name of organisation (where applicable) Supplier/bidder Freight Forwarder 	
Exact Address(es) of Delivery Location(s)	1. Main Department of the State Emergency Service of Ukraine in Donetsk oblast: Ukraine, 175 Mytropolytska str., Mariupol – 87547.	
Distribution of shipping documents (if using freight forwarder)	n/a	
Packing Requirements	Packaging must comply with the rules for the safe transport of goods offered.	
Training on Operations and Maintenance	n/a	
Warranty Period	At least 3 years or 100 thousand km. mileage (whichever comes first) for a vehicle and not less than 1 year for additional equipment	
After-sales service and local service support requirements	Availability of official service in Ukraine.	
Preferred Mode of Transport	Land	

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	320-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail		
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.		
Legal Address, City, Country	Click or tap here to enter text.		
Website	Click or tap here to enter text.		
Year of Registration	Click or tap here to enter text.		
Legal structure	Choose an item.		
VAT payer status	Click or tap here to enter text.		
Contract person name	Click or tap here to enter text.		
Contact person email	Click or tap here to enter text.		
Contact person phone	Click or tap here to enter text.		
Company's core activities	Click or tap here to enter text.		
Profile – describing the nature of business, field of expertise.	Click or tap here to enter text.		
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number		
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	□ Yes □ No		
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	□ Yes □ No		
Does your Company have a written Statement of its Environmental Policy? (<i>If yes,</i> <i>provide a Copy</i>)	□ Yes □ No		

Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (<i>If yes, provide a Copy</i>)	□ Yes □ No
Is your company a member of the UN Global Compact	□ Yes □ No
Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.
References	Please provide contact details of at least 2 (two) previous clients for reference and attach the signed reference letters.

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.

Yes	No	
		Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership
		proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		operations in the foreseeable ruture.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance
		for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we
		certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been
		authorised by the Organization/s to make this declaration on its/their behalf.

Signature: ____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	320-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

Table 1. Conformity to the Specification

#	Name of equipment and Technical characteristics		Conformity (Yes/No)	Offered Brand, Model and Exact characteristics (Technical characteristics should not be less / worse than those listed in the assignment)
1	Key specifications of the vehicle (base model of "Renault DOKKER", "Citroen Berlingo Multispace", "Fiat Doblo", "Opel Combo", "Peugeot Rifteror" analogue with characteristics not less than specified below)			
1.1	Special purpose vehicles with a body of a st	tandard station wagon		
1.2	Body type	station wagon		
1.3	Color	white		
1.4	Number of seats (with driver)	5		
1.5	Engine type	diesel		
1.6	Engine Cubic Capacity, cc	Not less than 1248		
1.7	Engine power, hp	not less than 85		
1.8	Ecological class	not lower than the level "Euro - 5"		
1.9	Gear box / TransmissionType	5-speed transmission / mechanical		
1.10	Wheel drive	4x2		
1.11	Clearance (without load), mm	not less than 160		
1.12	Fuel tank	min 50 l		
1.13	Tyres and wheel Type	Tubeless tires not less than 15"		
		Length – not less than 4360		
1.14	Dimensions of Vehicle, mm	Width – not less than 1750		

4	Requirements for special equipment		
3.11	1 car fire extinguisher, 1 set of emergency s assembled in accordance with requirements affairs order № 396 dated 20.05.2016		
3.10	Luggage railings on the roof		
3.9	Luggage doors with glass that open 180 °		
3.8	LIGHT: running and fog lights		
3.7	The package of documents is necessary for of purchase in service centers (divisions) of Affairs, as a vehicles of special appointment legislation of Ukraine	the Ministry of Internal	
3.6	User manual (operating instructions) in Ukra		
3.5	Polyurethane or rubber mats in the cargo co interior	ompartment and car	
3.4	Power steering: electric or hydraulic		
3.3	Air conditioning or climate control system		
3.2	Additional set of winter not-studded tires on 4 wheels with a radius specified for the vehicle model		
3.1	Full-size spare wheel		
3	Requirements for additional equipment		
2.4	Adaptation to dirt roads: front and rear m protection	udguards, metal engine	
2.3	Frontal airbags for driver and front passeng	er	
2.2	Remote central locking with interior locking keys	switch and two remote	
2.1	Anti-lock braking system (ABS)		
2	Requirements for active and passive safety	equipment	
1.15	Material of seats	Fabric, leather	
		Height with railings – not less than 1840	

 4.1. Acoustic panel with installation on the roof of the car «Crpena Ultra Slim» 118-KLED-150 CAR 118-60LED-150 or equivalent with characteristics not less, than: water protection: not worse than IP 66; amplifier output power: not less than 150 watts; power: 12/24 V; modification: at least 60 LEDs; manipulator: yees; number of flash modes: 5 or more; presence of siren tones: "WAI L," "YELP", "HI-LO", "AIRHORN"; ability to control sound and light signals on the microphone: yes; mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; the sensitivity of the receiver on the analog signal: 0.18 µV; the sensitivity of the receiver on the digital signal: 0.16 µV; degree of protection: not less than 1000; power - 40 W; the sensitivity of the receiver on the digital signal: 0.16 µV; degree of protection: not less than 1954; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alet mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits; tangent microphone with keyboard, mounting bracket, programming cable, radio conclexion cables, instructions. 4.3	
characteristics not less, than: - water protection: not worse than IP 66; - amplifier output power: not less than 150 watts; - prover: 12/24 V; - modification: at least 60 LEDs; - manipulator: yees; - number of flash modes: 5 or more; - presence of siren tones: "WAI LP", "HL-D", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - display: 4-character color;	
 - water protection: not worse than IP 66; - amplifier output power: not less than 150 watts; - power: 12/24 /; - modification: at least 60 LEDs; - manipulator: yes; - number of flash modes: 5 or more; - presence of siren tones: "WAI L", "KEUP", "HI-LO", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. - warranty card: 1. - receiver frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 µV; - the sensitivity of the receiver on the analog signal: 0.18 µV; - the sensitivity of the receiver on the analog signal: 0.16 µV; - degree of protection: not less than 150; - encryption: extended ARCA algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 43849: 2018 Road transport Color schemes, instructions. 	
 - amplifier output power: not less than 150 watts; - power: 12/24 V; - modification: at least 60 LEDs; - manipulator: yes; - number of flash modes: 5 or more; - presence of sire nones: "WAIL", "YELP", "HI-LO", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the aligt alignal: 0.16 μV; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 25	
- power: 12/24 V; - modification: at least 60 LEDs; - manipulator: yes; - number of flash modes: 5 or more; - presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key leng	
 - modification: at least 60 LEDs; - manipulator: yes; - number of flash modes: 5 or more; - presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the digital signal: 0.18 µV; - the sensitivity of the receiver on the digital signal: 0.16 µV; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keybeard, mounting bracket, pregramming cable, radio connection cables, instructions.	
 manipulator: yes; number of flash modes: 5 or more; presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; ability to control sound and light signals on the microphone: yes; mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz; 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 µV; the sensitivity of the receiver on the analog signal: 0.18 µV; the sensitivity of the receiver on the digital signal: 0.16 µV; digslay: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits; tangent microphone with keybard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car bo	
 manipulator: yes; number of flash modes: 5 or more; presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; ability to control sound and light signals on the microphone: yes; mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: 	
 - number of flash modes: 5 or more; - presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; - ability to control sound and light signals on the microphone: yes; - mounting type: fixed (mechanical); - panel dimensions, max: 1500x250 mm; - base material: Aluminum; - hull material: impact-resistant plastic; - light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits; and aster and AES encryption activation license with key length 286 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 	
 presence of siren tones: "WAI L", "YELP", "HI-LO", "AIRHORN"; ability to control sound and light signals on the microphone: yes; mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 µV; the sensitivity of the receiver on the analog signal: 0.18 µV; the sensitivity of the receiver on the analog signal: 0.16 µV; degree of protection: not less than 19 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits; and support for AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. <!--</th--><th></th>	
 ability to control sound and light signals on the microphone: yes; -mounting type: fixed (mechanical); -panel dimensions, max: 1500x250 mm; -base material: Aluminum; -hull material: impact-resistant plastic; -light panel color: blue; Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DIV4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - trespency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 µV; - the sensitivity of the receiver on the analog signal: 0.18 µV; - the sensitivity of the receiver on the digital signal: 0.16 µV; - degree of protection: not less than 1P 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 mounting type: fixed (mechanical); panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the aligtal signal: 0.16 μV; degree of protection: not less than 19 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits; and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits; and other mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 4256 bits; and attransport Color schemes, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identiffication mar	
 panel dimensions, max: 1500x250 mm; base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 40 bits and support for AES algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 base material: Aluminum; hull material: impact-resistant plastic; light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the analog signal: 0.18 μV; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 	
 hull material: impact-resistant plastic; light panel color: blue; Additional equipment: 	
 light panel color: blue; Additional equipment: universal mounting, unit: 1; instructions for use, unit: 1; warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
Additional equipment: - universal mounting, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than IP 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and Ses encryptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road tran	
 - universal mounting, unit: 1; - instructions for use, unit: 1; - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - degree of protection: not less than 1P 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
 - instructions for use, unit: 1; - warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than 1P 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
- warranty card: 1. 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: - receiver frequency range: 403-470 MHz; - transmitter frequency range: 403-470 MHz; - frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than 1P 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
 4.2 Installed car radio station - Motorola DM4601e 40W or similar with characteristics not less than: receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation license with key length 40 bits and AES encryption activation s. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
with characteristics not less than:- receiver frequency range: 403-470 MHz;- transmitter frequency range: 403-470 MHz;- frequency grid step: 12.5 KHz, 20 KHz, 25 KHz;- number of channels: not less than 1000;- power - 40 W;- the sensitivity of the receiver on the analog signal: 0.18 μV;- the sensitivity of the receiver on the digital signal: 0.16 μV;- degree of protection: not less than IP 54;- display: 4-character color;- encryption: extended ARC4 algorithm with a key length of 40 bitsand support for AES algorithm with a key length of 256 bits;- additional functions: emergency call button, bluetooth support,private call, general alert mode, text messaging, GPS module;- set: radio station, ARC4 encryption activation license with key length256 bits, tangent microphone with keyboard, mounting bracket,programming cable, radio connection cables, instructions.4.3Color schemes and inscriptions on the car body are made inaccordance with the requirements of State standard of Ukraine#3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
 receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 receiver frequency range: 403-470 MHz; transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 transmitter frequency range: 403-470 MHz; frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 frequency grid step: 12.5 KHz, 20 KHz, 25 KHz; number of channels: not less than 1000; power - 40 W; the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - number of channels: not less than 1000; - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than IP 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - power - 40 W; - the sensitivity of the receiver on the analog signal: 0.18 μV; - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than IP 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 the sensitivity of the receiver on the analog signal: 0.18 μV; the sensitivity of the receiver on the digital signal: 0.16 μV; degree of protection: not less than IP 54; display: 4-character color; encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - the sensitivity of the receiver on the digital signal: 0.16 μV; - degree of protection: not less than IP 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - degree of protection: not less than IP 54; - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - display: 4-character color; - encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 encryption: extended ARC4 algorithm with a key length of 40 bits and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 and support for AES algorithm with a key length of 256 bits; additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 - additional functions: emergency call button, bluetooth support, private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
private call, general alert mode, text messaging, GPS module; - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions.4.3Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
 - set: radio station, ARC4 encryption activation license with key length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 length 40 bits and AES encryption activation license with key length 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
 256 bits, tangent microphone with keyboard, mounting bracket, programming cable, radio connection cables, instructions. 4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and 	
programming cable, radio connection cables, instructions.4.3Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
4.3 Color schemes and inscriptions on the car body are made in accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
accordance with the requirements of State standard of Ukraine #3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
#3849: 2018 Road transport Color schemes, identification marks, inscriptions and special signals of operational, specialized and	
inscriptions and special signals of operational, specialized and	
special vehicles.	
4.4 Year of issue - not earlier than 2020	
5 Requirements for color design of the vehicle	
(https://hsc.gov.ua/2018/06/22/prijnyato-natsionalnij-standart-	
ukrayini-dstu-3849-2018/)	

— ———	-	
550MM ORACAL 641 red -031 white -010 blue -049 300MM yellow - 021		
100мм <u>РЯТУВАЛЬНА</u> 100мм <u>1000мм</u> 100мм <u>900мм</u> 100мм <u>900мм</u>		
SES emblem - from the upper edge of the door 1 cm, then the width of the red ribbon is 10 cm. From the lower edge of the red ribbon is 10 cm, then the SES emblem (30 cm); 35 cm from the left edge of the right door and the right edge of the driver's door. Material: monomeric PVC film with a glossy surface ORACAL 641.		
Colors:		
Red - 031 White - 010 Blue - 049 Orange - 034 Yellow - 021		
Preliminary agreement of the developed 3D-model of visualization of the car's appearance with UNDP is a prerequisite.		

Table 2. Financial offer for the supply of goods in accordance with the technical specification and requirements

No.	Product name and specification requirements	Quantity of units (pcs)	Unit price, without VAT, <mark>indicate</mark> currency	Total cost, without VAT, indicate currency
1	Vehicle equipped according to the specification Please indicate brand, model and parameters	1		
2	Acoustic panel with installation on the roof of the car Please indicate brand, model and parameters	1		

3	Installed car radio station Please indicate brand, model and parameters	1		
4	Color design of the vehicle			
ΤΟΤΑ	NL, without VAT, indicate currency			

Dear Partners!

The UN Office in Ukraine kindly informs you, that the purchase of goods and services, announced in the UN Office Tenders, is conducted within the framework of international technical assistance project.

Provisions of the Tax Code of Ukraine (paragraph 197.11) foresee the VAT tax exemption for operations, financed by material and technical assistance.

The procedure for obtaining the tax exemption right for operations, performed in the framework of international technical assistance projects, is regulated by the Decree #153 of the Cabinet of Ministers of Ukraine dated February 15, 2002.

In case you already have the right to apply this VAT allowance, on the date of UNDP prepayment receipt you should prepare and register a tax invoice (hereinafter - TI) in the United Register of Tax Invoices (URTI), filled in as follows:

• the column "Comprised on the operation, exempted from taxation" on the upper left part - with the mark "Without VAT";

• Section A of the TI table section (lines I-X) should contain the summarizing data on TI transactions, namely: line I - the total amount to be paid, including VAT; line IX - the total volume of goods and services delivered. Lines II-VIII of section A are not filled;

• in column 2 of section B – supplier's (seller's) services nomenclature;

• in section 3.3 of section B - service code according to the SCPS. Box 3.3 should be filled in at all stages of the services delivery;

- in columns 4 and 5 unit of services measurement;
- in column 6 quantity (volume) of services delivery;
- in column 7 the price of the service unit supply, excluding VAT;
- in column 8 VAT rate code 903;

• in column 9 – tax allowance code according to the Handbook of other tax benefits, approved by the SFS as of the date of TI submission - "14060523".

• in column 10 - supply volume, excluding VAT (prepayment amount).

Detailed instructions to be found in the materials "Tax invoice - 2017: instruction on filling out" and "New tax invoice in the samples."

Credit against VAT tax, applied on the materials purchase for the relevant construction works performance, cannot be compensated as per the paragraph #198.5 of Tax Code of Ukraine. According to the Tax Code paragraph #198.5, goods and services supply operations, exempted from VAT based on the Tax Code paragraph #197.11, the rules for calculating tax liabilities do not apply.

Using the materials bought with VAT, there is no need to compensate the credit against VAT, as well as no need to accrue tax liabilities.

Considering all mentioned above, you are kindly asked to submit your tender applications / invoices for payment without VAT, referring to the Ukrainian legislation provisions, stated in the mentioned regulatory acts.

Should you have any additional questions, please contact the offices of the State Fiscal Service of Ukraine at the place of your enterprise registration for additional clarifications of Article 52 of the Tax Code of Ukraine.

Table 3. Compliance with Requirements

	Your Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications			Click or tap here to enter text.
Delivery Term (INCOTERMS 2020): 1. Donetsk oblast: Ukraine, 175 Mytropolytska str., Mariupol – 87547			Click or tap here to enter text.
Delivery Lead Time (Delivery of equipment must be carried out within 90 (ninety) calendar days from PO/Contact signature date)			Click or tap here to enter text.
The warranty period for all equipment must be not less than 12 (twelve) months.			Click or tap here to enter text.
Availability of warranty service in Ukraine			Click or tap here to enter text.
Validity of Quotation (min. 60 days)			Click or tap here to enter text.
Payment terms			Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

Exact name and address of company	Authorized Signature:
Company Name: Click or tap here to enter text.	Date: Click or tap here to enter text.
Address: Click or tap here to enter text.	Name: Click or tap here to enter text.
Click or tap here to enter text.	Functional Title of Authorised
Phone No.: Click or tap here to enter text.	Signatory: Click or tap here to enter text.
Email Address: Click or tap here to enter text.	Email Address: Click or tap here to enter text.