

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: UNDP-TUR-RFQ(MC1)-2021/017	Date: 19 April 2021	

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the procurement of "**Equipment for Mersin Model Factory**" as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

Annex 4: General Terms and Conditions

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

a:Guine

Signature:Name:Sukhrob KhojimatovTitle:Deputy Resident RepresentativeDate:19 April 2021

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> <u>and Procedures (POPP) on Contracts and Procurement</u>
	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.
	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.
Deadline for	03 May 2021, 17:00 hrs. (GMT+3, Local time-Turkey)
the Submission of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted, refer to <u>http://www.timeanddate.com/worldclock/.</u>
Method of	Quotations must be submitted as follows:
Submission	⊠ Dedicated Email Address
	Bid submission address: tr.procurement@undp.org
	 File Format: PDF
	 File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard.
	 All files must be free of viruses and not corrupted.
	 Max. File Size per transmission: 35 MB and no more than five email
	 Mandatory subject of email: UNDP-TUR-RFQ(MC1)-2021/017 – Equipment for Mersin Model Factory
	 Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y.
	 It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct, Fraud,	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u>
Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti
Gifts and Hospitality	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall

	reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of Interest	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.
	Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.
	The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.
General Conditions of	Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract
Contract	Select the applicable GTC:
	☑ General Terms and Conditions / Special Conditions for Contract.
	Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy
Special Conditions of	⊠ Cancellation of PO/Contract if the delivery/completion is delayed by 20 calendar days
Contract	☑ UNDP shall deduct 0.5% of the total Contract Amount from the payments to be released to the Contractor for each day of delay beyond latest delivery date stipulated in Annex 1.
Eligibility	A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.
	It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.
	Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.
Currency of Quotation	Quotations shall be quoted in Turkish Liras (TRY).
Joint Venture, Consortium	If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall

or Association	be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.
	Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint Ventures, Consortium or Association.
Only one Bid	The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.
	Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:
	a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or
	b) they have the same legal representative for purposes of this RFQ; or
	c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;
	d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Duties and taxes	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:
	All prices must:
	⊠ be exclusive of VAT and other applicable indirect taxes
	It is the Proposer's responsibility to learn from relevant authorities (Ministry of Treasury and Finance) and/or to review/confirm published procedures and to consult with a certified financial consultant as needed to confirm the scope and procedures of VAT exemption application as per VAT Law, Ministry of Treasury and Finance's General Communiqués. The Contractor to be selected shall not be entitled to receive any amount over its proposal price in relation to VAT. Overall contract amount to be paid to the contractor shall not exceed the offered Total Financial Proposal Price.
	UNDP will provide the contractor a VAT exemption certificate covering the subject procurement.
Language of	English
quotation	Including documentation including catalogues, instructions and operating manuals.
Documents	Bidders shall include the following documents in their quotation:
to be submitted	Annex 2: Quotation Submission Form duly completed and signed
	Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1
	1

Quotation validity	 Trade Registry Gazette showing the establishment and shareholder structure of the company; Valid Chamber of Commerce Registration Certificate (Original documents may be requested by UNDP and shall be presented when requested) Copy of Signature Circular/Power of Attorney (Original documents may be requested by UNDP and shall be presented when requested) Brochure/catalog of the offered products or link to web sites where these documents can be seen to demonstrate compliance with technical specifications Signed and Stamped copy of ANNEX 4- General Terms and Conditions for Contracts Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been
	received.
Partial Quotes	 Permitted The bidder may submit a bid for one lot, several or all of the lots. The bidder must offer the whole of the quantities indicated for each lot. Quotations for part of the items required by any lot will be rejected.
Alternative Quotes	⊠ Not permitted
Payment Terms	 100% within 30 days after receipt of all goods and submission of payment documentation. The Contractor shall not be entitled to receive any price difference and/or additional amount from UNDP for whatsoever reason, including but not limited to increase in the costs of the Contractor or any missing goods/services in its Price Schedule to be submitted in response to this RFQ. Alternative terms of payment shall not be negotiated with the successful Offeror.
Conditions for Release of Payment	 Passing Inspection and testing Written Acceptance of Goods, based on full compliance with RFQ requirements
Contact Person for corresponde nce,	E-mail address: tr.procurement@undp.org Att: Mr. Tunç Gürdal, Procurement Officer Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission,
notifications and clarifications	unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 4 days before the submission deadline.
Evaluation method	⊠The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
Evaluation criteria	⊠Full compliance with all requirements as specified in Annex 1 ⊠Full acceptance of the General Conditions of Contract

Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP Turkey CO reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	⊠ <u>Contract Face Sheet</u> (Goods and-or Services)
Expected date for contract award.	17 May 2021
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with <u>UNDP Programme and Operations Policies and Procedures</u>
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at <u>www.ungm.org</u> . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Please be informed that that Turkish version of the specifications is given for reference purpose only. In case of an inconsistency between Turkish and English versions, English version shall prevail.

Technical Specifications for Goods // Ürünler için Teknik Şartname

LOT 1:

#		cription/Specifications of the items to be supplied nik Özellikler	Qty Miktar	Latest Delivery Date Teslimat Süresi	Other Conditions Diğer Şartlar
1		LD TRANSPORT TROLLEY LIP TAŞIMA ARABASI	1 SET	Latest 30 calendar days after signature of the contract by UNDP and Contractor <i>En geç</i> <i>sözleşme</i> <i>imzalanmasını</i> <i>müteakiben</i> <i>30. gün</i>	Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	1.1	Lifting capacity: 1 Ton Kaldırma kapasitesi: 1 Ton			Installation and Transportation : On site Installation and transportation will be included in the quoted price. No payment will be made separately for installation and transportation <i>Kurulum: Teslimat yerinde</i> <i>kurulum da yapılacaktır.</i> <i>Kurulum, teklif fiyatına</i> <i>dahildir. Bunun için ayrıca</i> <i>bir ödeme</i> <i>yapılmayacaktır.</i>
	1.2	Lifting Height: Min. 380 mm Up to 1000 mm <i>Kaldırma Yüksekliği: Min. 380 mm</i> <i>1000 mm'e kadar</i>			Training: Following installation, training will be given to users. Training will be included in the quoted price. No payment will be made separately for installation. Eğitim: Kurulumu müteakiben, kullanıcılara

	1.3 1.4 1.5	Platform tray width: Min. 510 mm Max. 600 mm Platform tabla genişliği: Min. 510 mm Maks. 600 mm Platform tray length: Min. 1000 mm Max. 1100 mm Platform tabla uzunluğu: Min. 1000 mm Max. 1100 mm Type Of The Platform Tray: Tray With Ballbearing Platform Tabla Tipi: Bilyeli Tabla	-		eğitim verilecektir. Eğitim, teklif fiyatına dahildir. Ayrıca bir ödeme yapılmayacaktır. Operation Manual: Turkish or English <i>Kullanıcı Kılavuzu:</i> Türkçe veya İngilizce
2		DABLE JIB CRANE	1 piece / 1 adet	Latest 30 calendar days after signature of the contract by UNDP and Contractor <i>En geç</i> <i>sözleşme</i> <i>imzalanmasını</i> <i>müteakiben 30.</i> <i>gün</i>	Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	2.1	Capacity of Lift: 1 ton <i>Kaldırma Kapasitesi : 1 ton</i> Boom Length: Min. 1300 mm Max. 2000 mm			Installation: On site Installation will be included in the quoted price. No payment will be made separately for installation. <i>Kurulum: Teslimat</i> <i>yerinde kurulum da</i> <i>yapılacaktır. Kurulum,</i> <i>teklif fiyatına dahildir.</i> <i>Bunun için ayrıca bir</i> <i>ödeme yapılmayacaktır.</i> Training: Following installation, training will be given to users.
	2.2				

	2.3	Capacity of lift when boom is maximum: Min. 700 kg Max. 1000 kg <i>Maksimum bumda kaldırma kapasitesi:</i>			separately for installation. Eğitim: Kurulumu müteakiben, kullanıcılara eğitim verilecektir. Eğitim, teklif fiyatına dahildir. Ayrıca bir ödeme yapılmayacaktır.
	2.4	Min. 700 kg Maks. 1000 kg Inclused lock mechanism suitable for heavy duty conditions, high maneuverability wheel Ağır iş şartlarına uygun kilit mekanizmalı,			
	2.5	manevra kabiliyeti yüksek tekerli Hydraulic valve system protecting itself against overload, weight Min. 99 kg, Max. 120 kg Aşırı yüke karşı kendini koruyan hidrolik valf sistemi, ağırlığı Min. 99 kg, Maks. 120kg			
3		RGEL VİNÇ	1 SET	Latest 30 calendar days after signature of the contract by UNDP and Contractor En geç sözleşme imzalanmasını müteakiben 30. gün	Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	3.1	Lifting capacity: 1 ton Kaldirma kapasitesi: 1 ton			Installation and Transportation : On site Installation and transportation will be included in the quoted price. No payment will be made separately for

1 1			installation and
			transportation
			Kurulum: Teslimat
			yerinde kurulum da
			yapılacaktır. Kurulum,
			teklif fiyatına dahildir.
			Bunun için ayrıca bir
			ödeme yapılmayacaktır.
		Type of mounting: Ground-mounted	Training: Following
			installation, training will
		Montaj tipi: Yere montaj	be given to users.
			Training will be included
			in the quoted price. No
			payment will be made
			separately for
	3.2		installation.
	<u> </u>		Eğitim: Kurulumu
			müteakiben, kullanıcılara
			eğitim verilecektir.
			Eğitim, teklif fiyatına
			dahildir. Ayrıca bir
			ödeme yapılmayacaktır.
		Lifting Height: Min. 4 m.	Operation Manual:
		Max. 5 m	Turkish or English
			_
1	3.3		Kullanıcı Kılavuzu:
	3.3	Kaldırma yüksekliği: Min. 4 m	_
	3.3	Max 5 m	Kullanıcı Kılavuzu:
	3.3	Max 5 m Radius: Min. 4.5 m	Kullanıcı Kılavuzu:
		Max 5 m	Kullanıcı Kılavuzu:
	3.3	Max 5 m Radius: Min. 4.5 m Max 5 m	Kullanıcı Kılavuzu:
		Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m	Kullanıcı Kılavuzu:
		Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m	Kullanıcı Kılavuzu:
		Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m	Kullanıcı Kılavuzu:
		Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m Working angle: 270 degrees	Kullanıcı Kılavuzu:
	3.4	Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m	Kullanıcı Kılavuzu:
	3.4	Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m Working angle: 270 degrees Döndürme açısı: 270 derece Lifting control type: Double speed motor	Kullanıcı Kılavuzu:
	3.4	Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m Working angle: 270 degrees Döndürme açısı: 270 derece	Kullanıcı Kılavuzu:
	3.4	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor control	Kullanıcı Kılavuzu:
	3.4	Max 5 m Radius: Min. 4.5 m Max 5 m Radyus (kol boyu): Min 4.5 m Maks. 5 m Working angle: 270 degrees Döndürme açısı: 270 derece Lifting control type: Double speed motor	Kullanıcı Kılavuzu:
	3.4	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor control	Kullanıcı Kılavuzu:
	3.4	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor controlKaldırma kontrol tipi: Çift hızlı motor kontrol	Kullanıcı Kılavuzu:
	3.4 3.5 3.6	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor controlKaldırma kontrol tipi: Çift hızlı motor kontrolTurning system: Motorised BridgeKöprü döndürme grubu: Motorlu Bridge	Kullanıcı Kılavuzu:
	3.4 3.5 3.6 3.7	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor controlKaldırma kontrol tipi: Çift hızlı motor kontrolTurning system: Motorised Bridge	Kullanıcı Kılavuzu:
	3.4 3.5 3.6	Max 5 mRadius: Min. 4.5 m Max 5 mRadyus (kol boyu): Min 4.5 m Maks. 5 mWorking angle: 270 degreesDöndürme açısı: 270 dereceLifting control type: Double speed motor controlKaldırma kontrol tipi: Çift hızlı motor kontrolTurning system: Motorised BridgeKöprü döndürme grubu: Motorlu Bridge	Kullanıcı Kılavuzu:

	Bridge and Vehicle Switch: 2 graded		
3.9	Köprü ve araba limit switch : 2 kademeli		

LOT 2:

#		cription/Specifications of the items to be supplied nik Özellikler	Qty Miktar	Latest Delivery Date Teslimat Süresi	Other Conditions Diğer Şartlar
4		ATIVE DRYING MIXER	1 SET	Latest 30 calendar days after signature of the contract by UNDP and Contractor <i>En geç</i> <i>sözleşme</i> <i>imzalanmasını</i> <i>müteakiben</i> <i>30. gün</i>	Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	4.1	Volume of tank: Min. 50 kg Max. 250 kg <i>Hazne hacmi: Min. 50kg</i> <i>Maks. 250 kg</i>			Installation and Transportation : On site Installation and transportation will be included in the quoted price. No payment will be made separately for installation and transportation <i>Kurulum: Teslimat yerinde</i> <i>kurulum da yapılacaktır.</i> <i>Kurulum, teklif fiyatına</i> <i>dahildir. Bunun için ayrıca</i> <i>bir ödeme</i> <i>yapılmayacaktır.</i>
	4.2	Heat Degree:60-100 degree (max) Isıtma Derecesi: 60-100 derece (max)			Training: Following installation, training will be given to users. Training will be included in the quoted price. No payment will be made separately for installation.

5		LD CONDITIONER	1 SET	Latest 30 calendar days after signature of the contract by UNDP and Contractor <i>En geç</i> <i>sözleşme</i> <i>imzalanmasını</i> <i>müteakiben</i> <i>30. gün</i>	Eğitim: Kurulumu müteakiben, kullanıcılara eğitim verilecektir. Eğitim, teklif fiyatına dahildir. Ayrıca bir ödeme yapılmayacaktır. Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	5.1	Heater Power: Min 9 kW Max 10 kW <i>Isıtma Gücü: Min. 9 kW</i> Maks. 10 kW			Installation and Transportation : On site Installation and transportation will be included in the quoted price. No payment will be made separately for installation and transportation Kurulum: Teslimat yerinde kurulum da yapılacaktır. Kurulum, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
	5.2	Pump Power: Min 0.75 kW Max 1 kW <i>Pompa Gücü: Min 0,75 kW</i> <i>Maks. 1 kW</i>			Training: Following installation, training will be given to users. Training will be included in the quoted price. No payment will be made separately for installation. Eğitim: Kurulumu müteakiben, kullanıcılara eğitim verilecektir. Eğitim, teklif fiyatına dahildir. Ayrıca bir ödeme yapılmayacaktır.

	Pump Flow: Min. 40 lt/min
	Max. 50 lt/min
5.3	
	Pompa Debisi: Min. 40 lt/dk
	Maks. 50 lt/dk
	Pump Pressure: Min 5.0 bar
	Max 6 bar
5.4	
	Pompa Basıncı: Min. 5.0 bar
	Maks. 6 bar
	Number of Heater Tank: 1
5.5	
	Isıtıcı Tank Sayısı :1
	Capacity of Heater Tank: Min 3 It
	Max 4 lt
5.6	
	Isıtıcı Tank Kapasitesi: Min 3 lt
	Maks. 4 It
	Max. Heat of Working: Up to 200°C
5.7	
	Maks. Çalışma Sıcaklığı: 200°C'ye kadar
	Max. Pressure of Working: 10 bar
5.8	
	Maks. Çalışma Basıncı: 10 bar
	Machine must show the mould temperature.
5.9	
	Kalıp sıcaklığını göstermelidir.

LOT 3:

	Description/Specifications of the items to be supplied Teknik Özellikler	Qty Miktar	Latest Delivery Date <i>Teslimat</i> <i>Süresi</i>	Other Conditions Diğer Şartlar
6	SHELF OF MOLD KALIP RAFI	1 SET	Latest 30 calendar days after signature of the contract by UNDP and Contractor En geç sözleşme imzalanmasını müteakiben 30. gün	Guarantee: 1 year manufacturer/distributor guarantee. Guarantee will be included in the quoted price. No payment will be made separately for guarantee. Garanti: 1 yıl üretici/satıcı garantisi. Garanti, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.

6.1	Height: 250 cm Yükseklik: 250 cm Depth: 85 cm Derinlik: 85 cm Width: 110 cm Genişlik: 110 cm	Installation and Transportation : On site Installation and transportation will be included in the quoted price. No payment will be made separately for installation and transportationKurulum: Teslimat yerinde kurulum da yapılacaktır. Kurulum, teklif fiyatına dahildir. Bunun için ayrıca bir ödeme yapılmayacaktır.
6.2	Weight Endurance per Shelf: Min. 500 kg Raf Başına Ağırlık Dayanımı: Min. 500 kg	Training:Following installation, training will be given to users. Training will be included in the
6.3	Rate of Shelf Dilation: 65% Raf Açılım Oranı: 65%	Operation Manual: Turkish or English Kullanıcı Kılavuzu: Türkçe veya İngilizce
6.4	Material Information: Alloy Steel (ST37) Malzeme Bilgisi: Alaşımlı Çelik (ST37)	
6.5	Layout Information: Ground-Mounted Yerleşim Bilgisi: Zemin Montajlı	

Delivery Requirements

Delivery Requirements				
Delivery date and time	Bidder shall deliver the goods within 30 days following the signature of the contract(s).			
Delivery Terms (INCOTERMS 2020)	DDP			
Exact Address(es) of Delivery Location(s)	Mersin Tarsus Organize Sanayi Bölgesi Yetkinlik ve Dijital Dönüşüm Merkezi Nacarlı Köyü Mevkii P.K. : 1 Mersin Transportation related costs of items for delivery to above mentioned site will be included in the price offer. The Contractor will not be entitled to any additional payments for transportation related costs.			
Installation Requirements	Refer to Annex 1 for installation requirements. The prices quoted shall include installation expenses. No payment shall be effected to the contractor for installation related expenses.			
Training on Operations and Maintenance	Refer to Annex 1 for training requirements after installation of products. The prices quoted shall include training expenses. No payment shall be effected to the contractor for training related expenses.			
Warranty Period	Refer to Annex 1 for guarantee requirements. No payment shall be effected to the contractor for warranty related expenses.			
After Sales Services	After Sales services is not in the scope of this contract. However, the contractor must demonstrate that after sales support services and spare parts will be available for 5 years period.			
Covid 19 related requirements	The Contractors shall review all local regulations, as well as that of UN and UNDP concerning the measures they must take during performance of the contract in the context of COVID-19, before they submit their bids and factor relevant costs, if any, to their bids. The Contractor shall take all measures against COVID-19 imposed by local regulations as well as by UN and UNDP during performance of the contract to protect health and social rights of its own personnel, as well as UNDP personnel, Project Stakeholders and third parties. Pursuant to "Clause 12- Indemnification" of UNDP General Terms and Conditions for Contracts*, the Contractor shall indemnify, defend, and hold and save harmless, UNDP, and its officials, agents and employees, from and against all suits, proceedings, claims, demands, losses and liability of any kind or nature brought by any third party against UNDP, including, but not limited to, all litigation costs and expenses, attorney's fees, settlement payments and damages, based on, arising from, or relating to COVID-19 measures that must be taken by the Contractor in the context of the contract. UNDP shall not be held accountable for any Covid-19 related health risks or events that are caused by negligence of the Contractor and/or any other third party.			

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	UNDP-TUR-RFQ(MC1)-2021/017	Date: Click or tap to enter a date.	

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	□ Yes □ No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	□ Yes □ No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	□ Yes □ No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	□ Yes □ No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (<i>If yes, provide</i> <i>a Copy</i>)	□ Yes □ No
Is your company a member of the UN Global Compact	□ Yes □ No
Bank Information	Bank Name: Click or tap here to enter text.
	Bank Address: Click or tap here to enter text.
	IBAN: Click or tap here to enter text.
	SWIFT/BIC: Click or tap here to enter text.
	Account Currency: Click or tap here to enter text.
	Bank Account Number: Click or tap here to enter text.

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: ____

- Name: Click or tap here to enter text.
- Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	UNDP-TUR-RFQ(MC1)-2021/017	Date: Click or tap to enter a date.	

Technical Compliance Table

Product catalogue/brochure of the proposed brand/model showing detailed technical specifications of the goods should be submitted.

Ürünlerin detaylı teknik özelliklerini gösteren, önerilen marka / modelin ürün kataloğu / broşürü sunulmalıdır.

LOT 1:

#	Description/Specifications of the items to be supplied Teknik Özellikler		Offered technical specifications by the offeror Firma tarafından teklif edilen teknik özellikler
	MOLD TRANSPORT TROLLEY		Model/Brand Name:
1			Model/Marka Adı:
1			
		Lifting capacity: 1 Ton	
	1.1	Kaldırma kapasitesi: 1 Ton	
		Lifting Height: Min. 380 mm	
		Up To. 1000 mm	
	1.2		
		Kaldırma Yüksekliği: Min. 380 mm	
	1000 mm'e kadar Platform tray width: Min. 510 mm		
		Max. 600 mm	
	1.3		
		Platform tabla genişliği: Min. 510 mm Maks. 600 mm	
		Platform tray length: Min. 1000 mm	
		Max. 1100 mm	
	1.4	Platform tabla uzunluğu: Min. 1000mm Max. 1100mm	
		Type Of The Platform Tray: Tray With	
	1.5	Ballbearing	
		Platform Tabla Tipi: Bilyeli Tabla	

	FOLDABLE JIB CRANE		Model/Brand Name:		
2	клт	LANABİLİR PERGEL VİNÇ	Model/Marka Adı:		
		Capacity of Lift: 1 ton			
	2.1				
		Kaldırma Kapasitesi : 1 ton			
		Boom Length: Min. 1300 mm			
		Max. 2000 mm			
	2.2	Bum Uzunluğu: Min. 1300 mm			
		Maks. 2000 mm			
		Capacity of lift when boom is maximum:			
		Min. 700 kg Max. 1000 kg			
	2.3	Max. 1000 kg			
		Maksimum bumda kaldırma kapasitesi:			
		Min. 700 kg			
		Maks. 1000 kg			
		Inclused lock mechanism suitable for heavy			
		duty conditions, high maneuverability wheel			
	2.4	wheel			
		Ağır iş şartlarına uygun kilit mekanizmalı,			
		manevra kabiliyeti yüksek tekerli			
		Hydraulic valve system protecting itself			
		against overload, weight Min. 99 kg, Max.			
	2.5	120 kg			
		Aşırı yüke karşı kendini koruyan hidrolik valf			
		sistemi, ağırlığı Min. 99 kg, Maks. 120kg			
	JIB C	CRANE	Model/Brand Name:		
3			Model/Marka Adı:		
	PEI	RGEL VİNÇ			
		Lifting capacity: 1 ton			
	3.1				
		Kaldirma kapasitesi: 1 ton			
		Type of mounting: Ground-mounted			
	3.2	Montaj tipi: Yere montaj			
		Lifting Height: Min. 4 m.			
		Max. 5 m			
	3.3				
		Kaldırma yüksekliği: Min. 4 m			
		Max 5 m Radius: Min. 4.5 m			
	3.4	Max 5 m			
	5.4				
L	1				

	Padwys (kal havy): Min 4 5 m
	Radyus (kol boyu): Min 4.5 m
	Maks. 5 m
	Working angle: 270 degrees
3.5	Döndürme açısı: 270 derece
	Lifting control type: Double speed motor
	control
3.6	
	Kaldurma kontrol tini: Cift hulu motor kontrol
	Kaldırma kontrol tipi: Çift hızlı motor kontrol
	Turning system: Motorised Bridge
3.7	Köprü döndürme grubu: Motorlu Bridge
	Lifting system: Chain
3.8	Kaldırma sistemi: Zincirli
	Bridge and Vehicle Switch: 2 graded
3.9	Köprü ve araba limit switch: 2 kademeli

LOT 2:

#	supp	cription/Specifications of the items to be blied hik Özellikler	Offered technical specifications by the offeror Firma tarafından teklif edilen teknik özellikler
4		ATIVE DRYING MIXER N KURUTMALI MİKSER	Model/Brand Name: Model/Marka Adı:
	4.1	Volume of tank: Min. 50 kg Max. 250 kg Hazne hacmi: Min. 50kg Maks. 250 kg	
	4.2	Heat Degree:60-100 degree (max) Isitma Derecesi: 60-100 derece (max)	
5		LD CONDITIONER	Model/Brand Name: Model/Marka Adı:
	5.1	Heater Power: Min 9 kW Max 10 kW Isıtma Gücü: Min. 9 kW Maks. 10 kW	

	Pump Power: Min 0.75 kW	
	Max 1 kW	
5.2	2	
	Pompa Gücü: Min 0,75 kW	
	Maks. 1 kW	
	Pump Flow: Min. 40 lt/min	
	Max. 50 lt/min	
5.3		
	Pompa Debisi: Min. 40 lt/dk	
	Maks. 50 lt/dk	
	Pump Pressure: Min 5.0 bar	
	Max 6 bar	
5.4		
	Pompa Basıncı: Min. 5.0 bar	
	Maks. 6 bar Number of Heater Tank: 1	
5.5	Isitici Tank Sayısı :1	
	Capacity of Heater Tank: Min 3 It	
	Max 4 lt	
5.6		
	Isıtıcı Tank Kapasitesi: Min 3 lt	
	Maks. 4 It	
	Max. Heat of Working: Up to 200°C	
5.7		
	Maks. Çalışma Sıcaklığı: 200°C'ye kadar	
	Max. Pressure of Working: 10 bar	
5.8	_	
5.0	Maks. Çalışma Basıncı: 10 bar	
	Machine must show the mould temperature.	
5.9	Kalıp sıcaklığını göstermelidir.	

LOT 3:

#	Description/Specifications of the items to be supplied <i>Teknik Özellikler</i>		Offered technical specifications by the offeror Firma tarafından teklif edilen teknik özellikler		
	SHELF OF MOLD		Model/Brand Name:		
6	KAL	IP RAFI	Model/Marka Adı:		
		Height: 250 cm			
		Yükseklik: 250 cm			
	6.1				
		Depth: 85 cm			

	Derinlik: 85 cm	
	Width: 110 cm	
	Genişlik: 110 cm	
	Weight Endurance per Shelf: Min. 500 kg	
6.2	Raf Başına Ağırlık Dayanımı: Min. 500 kg	
	Rate of Shelf Dilation: 65%	
6.3		
0.5		
	Raf Açılım Oranı: 65%	
	Material Information: Alloy Steel (ST37)	
6.4		
	Adalaana Dilaisin Alaanah Calib (CT27)	
	Malzeme Bilgisi: Alaşımlı Çelik (ST37)	
	Layout Information: Ground-Mounted	
6.5		
	Yerleşim Bilgisi: Zemin Montajlı	

Financial Quotation Table

LOT 1:

	Currency of the Quotation: Turkish Liras (TRY) INCOTERMS: DDP					
ltem No / Ürün No	Description / Açıklama	UOM / Birim	Qty / Adet	Unit price (TRY) / Birim Fiyat	Total price (TRY) / Toplam Fiyat	
1.	MOLD TRANSPORT TROLLEY	SET	1			
	KALIP TAŞIMA ARABASI					
2.	FOLDABLE JIB CRANE KATLANABİLİR PERGEL VİNÇ	PIECE / ADET	1			
3.	JIB CRANE PERGEL VİNÇ	SET	1			
	Total Final and All-Inclusive Price Quotation (TRY)					

LOT 2:

Currency of the Quotation: Turkish Liras (TRY) INCOTERMS: DDP						
ltem No / Ürün No	Description / Açıklama	UOM / Birim	Qty / Adet	Unit price (TRY) / Birim Fiyat	Total price (TRY) / Toplam Fiyat	
4.	INITATIVE DRYING MIXER	SET	1			
	ÖN KURUTMALI MİKSER					
5.	MOLD CONDITIONER	SET	1			
	KALIP ŞARTLANDIRICI					
	Total Final and All-Inclusive Price Quotation (TRY)					
	Herşey dahil toplam fiyat (TRY)					

LOT 3:

Currency of the Quotation: Turkish Liras (TRY) INCOTERMS: DDP						
Item No / Ürün No	Description / Açıklama	UOM / Birim	Qty / Adet	Unit price (TRY) / Birim Fiyat	Total price (TRY) / Toplam Fiyat	
6.	SHELF OF MOLD	SET	1			
	Total Final and All-Inclusive Price Quotation (TRY) Herşey dahil toplam fiyat (TRY)					

Compliance with Requirements

	You Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer	
Minimum Technical Specifications			Click or tap here to enter text.	
Delivery Term (INCOTERMS)			Click or tap here to enter text.	
Delivery Lead Time			Click or tap here to enter text.	
Warranty and After-Sales Requirements			Click or tap here to enter text.	
Validity of Quotation			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.				
Exact name and address of company	Authorized Signature:			
Company NameClick or tap here to enter text.	Date:Click or tap here to enter text.			
Address: Click or tap here to enter text.	Name:Click or tap here to enter text.			
Click or tap here to enter text.	Functional Title of Authorised			
Phone No.:Click or tap here to enter text.	Signatory: Click or tap here to enter text.			
Email Address:Click or tap here to enter text.	Email Address: Click or tap here to enter text.			