

AMENDMENT NO:1

Date: 26 April 2021

Subject: Amendment No:1 to Request for Quotation (RFQ) for the procurement of "Furniture for Public Education Centre in Gaziantep" within the scope of "Job Creation Component of the Turkey Resilience Project in Response to the Syria Crisis (TRP)" issued on 15 April 2021

Ref: UNDP-TUR-RFQ(MC1)-2021/016

Dear Madam/Sir,

Please find attached "Answers to Questions from Prospective Offerors" and "Revisions Made in Annex I: Schedule of Requirements" in the context of subject RFQ issued on 15 April 2021 for the procurement of "Furniture for Public Education Centre in Gaziantep" within the scope of "Job Creation Component of the Turkey Resilience Project in Response to the Syria Crisis (TRP)"

You are kindly requested to prepare and submit your quotation in response to our subject RFQ with the consideration of this amendment, with all other clauses of the RFQ remaining valid.

Please be sure that your quotation is submitted via email on or before the submission deadline on **April** 29th, 2021; 17:00 hrs. (GMT+3, Local Time-Turkey) to the email address tr.procurement@undp.org.

Attachments:

- 1- Answers to Questions from Prospective Offerors
- 2- "Revisions Made in Annex I: Schedule of Requirements"

Yours sincerely,

a. Ofull

Sukhrob Khojimatov

Deputy Resident Representative



ATTACHMENT 1- ANSWERS TO QUESTIONS FROM PROSPECTIVE OFFERORS

Question 1: It is stated in the RFQ document that the bidder shall deliver the goods within 30 days following the signature of the contract. Is it possible to extend the delivery period?

Answer 1: It is not possible to extend the delivery time for items due to project requirements (i.e. tight project timeline).

Question 2: Is it possible to provide the visuals of the furniture requested within the scope of the subject RFQ?

Answer 2: It is not possible to provide the visuals of the furniture requested within the scope of this RFQ. As clearly stated under each item in the Annex I: Schedule of Requirements, the bidders are expected to present pictures or drawings of the proposed equipment in the quotations.



ATTACHMENT 2: REVISIONS MADE IN ANNEX I: SCHEDULE OF REQUIREMENTS

The revisions are highlighted with yellow color.

With reference to Item 7 Table - for classroom under ANNEX 1: Schedule of Requirements of the RFQ (pg. 11);

The original clause;

7	Table -	- for	6	Latest 30 calendar	
	classro	oom		days after signature of the contract by	
	Masa	- sınıf için			
	7.1	Dimension: 120Lx120Wx75H (cm)		UNDP and	
		Ebat: 360x120x75H (yükseklik) (cm)		Contractor	
	7.2	Main metal frame shall be manufactured from hollow 30x30x1,5 mm metal profile. Each module should have 4 legs		En geç sözleşme imzalanmasını	
		Ana taşıyıcı profiller 30x30x1,5 mm profil borudan imal edilmiş olmalıdır. Hermodül 4 ayaklı olmalıdır.		müteakiben 30. gün	
	7.3	All wooden boards including the table should be of 18mm thick melamine coated chipboard.			
		Üst Tabla 18 mm melamin kaplı yonga levha/suntalam olmalıdır			
	7.4	All sides on the edges of the tables board should be PVC coated			
		Üst tabla 4 kenar PVC ile kaplanmış olmalıdır			
	7.5	All metal bearings that has direct contact with the floor should have plastic footing, there should be			
		Yere basan kısımlarda sert plastik pabuç kullanılmış olmalıdır			
	7.6	Pictures or the drawings of the proposed equipment should be presented in the proposal			
		Önerilecek olan malzemenin resimleri veya çizimleri teklifte yer almalıdır.			

Is amended to read as;

7	Table - for		6	Latest 30 calendar
	classroom			days after signature
	Masa	- sınıf için	of the contract by	
	7.1	Dimension: 120Lx120Wx75H (cm)		UNDP and
		Ebat: 120x120x75H (yükseklik) (cm)		Contractor
	7.2	Main metal frame shall be manufactured from hollow 30x30x1,5 mm metal profile. Each module should have 4 legs		En geç sözleşme imzalanmasını
		Ana taşıyıcı profiller 30x30x1,5 mm profil borudan imal edilmiş olmalıdır. Hermodül 4 ayaklı olmalıdır.		müteakiben 30. gün



7.3	All wooden boards including the table should be of
	18mm thick melamine coated chipboard.
	Üst Tabla 18 mm melamin kaplı yonga
	levha/suntalam olmalıdır
7.4	All sides on the edges of the tables board should be
	PVC coated
	Üst tabla 4 kenar PVC ile kaplanmış olmalıdır
7.5	All metal bearings that has direct contact with the
	floor should have plastic footing, there should be
	Yere basan kısımlarda sert plastik pabuç kullanılmış
	olmalıdır
7.6	Pictures or the drawings of the proposed
	equipment should be presented in the proposal
	Önerilecek olan malzemenin resimleri veya çizimleri
	teklifte yer almalıdır.