

REQUEST FOR QUOTATION (RFQ)

| RFQ Referer | nce: 262-2021-UNDP-UKR-RFQ-RPP | Date: 21 May 2021 |
|-------------|--------------------------------|--------------------------|
| | | |

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of sports rehabilitation equipment for physical and psychological rehabilitation sanatorium of ATO and JFO ex-combatants and their families in Zhytomyr oblast, Berdychiv raion as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Aden Signature:

Name:Ms. Agnes KochanTitle:UNDP Ukraine Operations ManagerDate:21-May-2021

Ml

SECTION 2: RFQ INSTRUCTIONS AND DATA

| Introduction Deadline for the Submission of Quotation Method of Submission | Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and Procedures (POPP) on Contracts and Procurement Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ. UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website. 23:59 (Kyiv Time, GMT+3) 03-June-2021 If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/. For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone. Quotations must be submitted as follows: □ E-tendering ② Dedicated Email Address □ Courier / Hand delivery □ Other Click or tap here to enter text. Bid submission address: tenders.ua@undp.org • File Format: *.ZIP, *.PDF • File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. • All files must be free of viruses and not corrupted. • Max. File Size per transmission: 20 Mb • Mandatory subject of email: 262-2021-UNDP-UKR-RFQ-RPP • Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y. • It is recommended that the entire Quotation be consolidated into as few attachments as |
|--|--|
| | possible. The bidder should receive an email acknowledging email receipt. |
| Cost of preparation of quotation | UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process. |
| Supplier Code of Conduct, Fraud, Corruption, | All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti |
| Gifts and Hospitality | Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall |

| | reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract. |
|-------------------------|---|
| Conflict of Interest | UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified. |
| | Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ. |
| | The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid. |
| General | Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the |
| Conditions of | General Conditions of Contract |
| Contract | Select the applicable GTC: |
| | General Terms and Conditions / Special Conditions for Contract. |
| | General Terms and Conditions for de minimis contracts (services only, less than \$50,000) |
| | General Terms and Conditions for Works |
| | Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy |
| Special | Cancellation of PO/Contract if the delivery/completion is delayed by 30 days. |
| Conditions of | Others: Liquidated damages: up to 0.1% of total contract amount per each day of delay may be |
| Contract | applied on discretion of UNDP |
| Eligibility | A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP. |
| | It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP. Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the |
| | country, or through an authorized representative. |
| Currency of | Quotations shall be quoted in |
| Quotation | United States Dollars |
| | |
| | Local Currency: UAH |
| Joint | If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium |
| Venture, | or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to |
| Consortium | act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or |
| or Association | Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. |
| | |

| | Defente Clauses 10 - 24 under Calicitation nation far dataile on the applicable provisions on laint |
|--------------|---|
| | Refer to Clauses 19 – 24 under <u>Solicitation policy</u> for details on the applicable provisions on Joint |
| Only one Did | Ventures, Consortium or Association. The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, |
| Only one Bid | Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, |
| | Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. |
| | Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the |
| | following: |
| | a) they have at least one controlling partner, director or shareholder in common; or b) any one of |
| | them receive or have received any direct or indirect subsidy from the other/s; or |
| | b) they have the same legal representative for purposes of this RFQ; or |
| | c) they have a relationship with each other, directly or through common third parties, that puts them |
| | in a position to have access to information about, or influence on the Bid of, another Bidder regarding |
| | this RFQ process; |
| | d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid |
| | under its name as lead Bidder; or |
| | e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid |
| | received for this RFQ process. This condition relating to the personnel, does not apply to |
| | subcontractors being included in more than one Bid. |
| Duties and | Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the |
| taxes | United Nations, including UNDP as a subsidiary organ of the General Assembly of the United |
| | Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from |
| | customs restrictions, duties, and charges of a similar nature in respect of articles imported or |
| | exported for its official use. All quotations shall be submitted net of any direct taxes and any other |
| | taxes and duties, unless otherwise specified below: |
| | All prices must: |
| | □ be inclusive of VAT and other applicable indirect taxes |
| | I be exclusive of VAT and other applicable indirect taxes |
| Language of | according to Project Card Registration № 4206-02 |
| quotation | ☐ English (preferred), and/or ☐ Ukrainian, and/or ☐ Russian In case of submission in Ukrainian or Russian languages, bidders may be requested for provision of |
| quotation | English translation of separate parts of the bid or bid as a whole. |
| | All the documentation including catalogues, instructions and operating manuals should be in |
| | Ukrainian (and additionally in English/Russian if available) |
| Documents | Bidders shall include the following documents in their quotation: |
| to be | \boxtimes Annex 2: Quotation Submission Form duly completed and signed; |
| submitted | Annex 3: Technical and Financial Offer duly completed and signed and in |
| | accordance with the Schedule of Requirements in Annex ; |
| | ⊠ Company Profile; |
| | Registration certificate; |
| | \boxtimes At least 2 positive recommendation letters from previous clients. |
| Quotation | Quotations shall remain valid for 60 days days from the deadline for the Submission of Quotation. |
| validity | |
| period | |
| Price | No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market |
| variation | factors shall be accepted at any time during the validity of the quotation after the quotation has been |
| | received. |
| Partial | ⊠ Not permitted |
| Quotes | Permitted Insert conditions for partial quotes and ensure that the requirements are properly |
| | listed in lots to allow partial quotes |
| Alternative | ⊠ Not permitted |
| | Permitted |
| Quotes | |
| Quotes | If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ |
| Quotes | |

| | an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly | |
|----------------|--|--|
| | marked as "Main Quote" and "Alternative Quote" | |
| Payment | ■ 100% within 30 days after receipt of goods, works and/or services and submission of payment | |
| Terms | documentation. | |
| | Other Click or tap here to enter text. | |
| Conditions | Passing Inspection [specify method, if possible] Complete Installation | |
| for Release | □ Passing all Testing [specify standard, if possible] | |
| of | Completion of Training on Operation and Maintenance [specify no. of trainees, and location of | |
| Payment | training, if possible | |
| - | Written Acceptance of Goods, Services and Works, based on full compliance with RFQ | |
| | requirements | |
| | □ Others [pls. specify] | |
| Contact | Procurement Unit, | |
| Person for | UNDP Ukraine | |
| corresponde | E-mail address: procurement.rpp.ua@undp.org | |
| nce, | Attention: Quotations shall not be submitted to this address but to the address for quotation | |
| notifications | submission above. Otherwise, offer shall be disqualified. | |
| and | Any delay in UNDP's response shall be not used as a reason for extending the deadline for | |
| clarifications | submission, unless UNDP determines that such an extension is necessary and communicates a new | |
| | deadline to the Proposers. | |
| Clarifications | Requests for clarification from bidders will not be accepted any later than 7 days before the | |
| | submission deadline. Responses to request for clarification will be communicated via email by 30 | |
| | May 2021 | |
| Evaluation | The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer | |
| method | □ Other Click or tap here to enter text. | |
| Evaluation | Administrative Requirements: | |
| criteria | S Full compliance with all requirements as specified in Annex 1; | |
| | Image: Full acceptance of the Contract General Terms and Conditions; | |
| | \square Offers must be submitted within the stipulated deadline; | |
| | | |
| | Offers must meet required Offer Validity; | |
| | Offers have been signed by the authorized representative; | |
| | Offers include requested company/organization documentation as mentioned above in "Documents to be submitted" section; | |
| | ☑ Officially registered company (for Ukrainian companies – company should be registered in the territory controlled by the government of Ukraine). | |
| | Technical Requirements: | |
| | I Technical responsiveness to stipulated requirements in specification. | |
| | \boxtimes At least 2 years of experience in the field of supply of similar products. | |
| | \boxtimes At least 2 positive reference/recommendation letters from previous clients. | |
| | The warranty period for all equipment must be not less than 1 year. The supplier must include all | |
| | warranties for at least one year for all parts of the sports machines (for the soft parts, mechanisms, | |
| | etc.) | |
| | All equipment must have official warranty service in Ukraine. | |
| | Delivery of the equipment must be done within 60 (sixty) calendar days from the date of signing the Contract. | |
| Right not to | UNDP is not bound to accept any quotation, nor award a contract or Purchase Order | |
| accept any | | |
| quotation | | |
| Right to vary | At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or | |
| roquiromont | decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of | |
| requirement | the total offer, without any change in the unit price or other terms and conditions. | |

| at time of award | | | |
|---------------------|--|--|--|
| Type of | Purchase Order | | |
| Contract to | Contract Face Sheet (Goods and-or Services) (this template is also utilised for Long-Term | | |
| be awarded | Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO, | | |
| | etc.) | | |
| | Contract for Works | | |
| | Other Type/s of Contract [pls. specify] | | |
| Expected | 03 July 2021 | | |
| date for | | | |
| contract | | | |
| award. | | | |
| Publication | UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO | | |
| of Contract | and the corporate UNDP Web site. | | |
| Award | | | |
| Policies and | This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures | | |
| procedures | | | |
| UNGM | Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the | | |
| registration | appropriate level on the United Nations Global Marketplace (UNGM) website at <u>www.ungm.org</u> . | | |
| | The Bidder may still submit a quotation even if not registered with the UNGM, however, if the | | |
| | Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature. | | |

ANNEX 1: SCHEDULE OF REQUIREMENTS

SPECIFICATIONS

for sports rehabilitation equipment for physical and psychological rehabilitation sanatorium of ATO and JFO ex-combatants and their families in Zhytomyr oblast, Berdychiv raion.

1. PROJECT DESCRIPTION

Project Name: The United Nations Recovery and Peacebuilding Programme, Community Security and Social Cohesion Component

Task description: to purchase and deliver sports equipment that will be used for a day to day work in sports rehabilitation in the physical and psychological rehabilitation sanatorium of ATO and JFO excombatants and their families in Zhytomyr oblast, Berdychiv raion.

Country / Place of work: Ukraine

2. PROJECT BACKGROUND

The ongoing conflict in eastern Ukraine has had a direct and highly negative impact on social cohesion, resilience, livelihoods, community security, and the rule of law. Recognizing the need to urgently address reconstruction, economic recovery and peacebuilding needs in areas affected both directly and indirectly by the conflict, in late 2014 the Government of Ukraine requested technical assistance and financial support from the international community to assess priority recovery needs. In late 2014, the United Nations, the World Bank and the European Union conducted a Recovery and Peacebuilding Assessment, which the Cabinet of Ministers in mid-2015 endorsed.

UNDP has been active and present in eastern Ukraine for the past decade, before the conflict, focusing on community development, civil society development, and environmental protection. Work on addressing the specific conflict-related development challenges discussed above built on this earlier engagement and established partnerships and started in 2015 through **the United Nations Recovery and Peacebuilding Programme (UN RPP),** a multi-donor funded framework programme jointly implemented by four UN partnering agencies (UNDP, UN Women, FAO, UNFPA) in cooperation with the Government of Ukraine.

Four United Nations agencies are implementing the UN RPP: the United Nations Development Programme (UNDP), the UN Entity for Gender Equality and the Empowerment of Women (UN Women), the United Nations Population Fund (UNFPA) and the Food and Agriculture Organisation of the United Nations (FAO).

Twelve international partners support the Programme: the European Union (EU), the European Investment Bank (EIB), Canada, Denmark, Germany, Japan, the Netherlands, Norway, Poland, Sweden, Switzerland & the UK.

As an area-based programme specifically developed for the conflict-affected areas of eastern Ukraine, the UN RPP addresses the critical stabilization, peacebuilding, economic and governance priority needs in the east of Ukraine following the conflict's start. It considers the opportunities that have arisen from the Minsk Protocol of September 2014 and the renewal of its cease-fire provisions (the latest cease-fire having been agreed in March 2018) and fully adjusted to the humanitarian-development nexus.

The Programme's interventions are grouped under the following key Programme components, which reflect the region's priority needs:

Component I: Economic Recovery and Restoration of Critical Infrastructure

Component II: Local Governance and Decentralization Reform

Component III: Community Security and Social Cohesion (CSSC).

The Programme, which operates based on a pooled funding arrangement, follows a multi-sectoral programme-based approach and is implemented using an area-based methodology. The current project is a unifying interventions framework for 13 projects funded by 12 international partners. The management of the following assignment is entrusted to the UNDP (within the UN RPP). The Netherlands finances this particular assignment.

There are nearly 370,000 demobilized men and women (those who received ATO/JFO certificate), who require support in their return to civilian life. Reintegration is the process by which ex-combatants acquire civilian status and gain sustainable employment and income. It is essentially a social and economical process with an open time frame, primarily taking place in communities at a local level. Reintegration of ex-combatants into society is difficult because ex-combatants and their families are frequently left without livelihoods or support networks during the challenging transition to civilian identity.

Component III of the UN RPP Community Security and Social Cohesion (CSSC) aims to reach some of its goals by supporting the reintegration of ex-combatants of ATO and JFO and their families. In broader terms, the Component III activities directed at enhancing community security, civic mobilization and empowerment of communities, reconciliation, and social cohesion restoration.

There are around 400 000 ATO and JFO ex-combatants in Ukraine, not including veterans' families. Together with ex-combatants, their families are actively adapting to the return of their family member to civilian life. Physical and psychological rehabilitation efforts should ideally include the family of ex-combatant to ensure an effective transition to civilian life. a Sanatorium of physical and psychological rehabilitation of ATO and JFO veterans and their families in Zhytomyr oblast, Berdychiv raion has adapted this approach. The UN RPP, as part of the 2021 activities plan, will purchase sports equipment for the sanatorium of physical and psychological rehabilitation of ATO and JFO veterans and their families in Zhytomyr oblast, Berdychiv raion.

3. SCOPE OF WORK

1) To provide required goods according to the Specifications.

2) To deliver the goods to the designated address 160, Chudnivska str., village Skrahlivka, Berdychiv raion, Zhytomyr oblast, 13343.

4. TECHNICAL SPECIFICATIONS

Lot Nº1

| No | Product name and specification requirements | Unit measure | Required quantity |
|-----|--|-----------------|----------------------|
| 1.1 | Adjustable bench | Item | 1 |
| | Universal bench: it is possible to adjust the angle of the back and seat. Designed to train the muscles of the upper shoulder girdle, chest, abdominals, triceps, biceps. | | |
| | The basis of the bench is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer. | | |
| | The base of the soft parts is no worse than multi-layer waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer polyurethane foam. | | |
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - metal profile at least 60 * 80 mm; wall thickness not less than 3 mm. | | |
| | Backrest adjustment, 0° / 15° / 30° / 40° / 50° / 60° / 75° / 85°. | | |
| | Seat adjustment from 0° to 30° minimum. | | |
| | Dimensions (LxWxH), not less than 1315x560x450 mm. | | |
| | Maximum load not less than 220 kg. | | |
| | Warranty for all parts of the equipment for at least 1 year. | | |
| 1.2 | Bench press, horizontal | item | 1 |
| | Horizontal bench with racks for working with the Olympic barbell; for training large and small pectoral muscles, front deltas, triceps. Has at least three levels of traps for ease of exercise and safety. | | |
| | The basis of the bench is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer; chrome plating on the traps. | | |

| 1.4 | Combination rack | item | 1 |
|-----|--|------|---|
| | | | |
| | Maximum load, not less than 200 kg. | | |
| | Dimensions (LxWxH), not less than 1350x580x860 mm. | | |
| | Seat angle adjustment 23° / 27° / 31° / 36° / 40°. | | |
| | Material - metal profile not less than 60 * 80mm, wall thickness not less than 3 mm. | | |
| | Characteristics: | | |
| | Sheathing - artificial leather. | | |
| | The filling of soft parts is no worse than two-layer polyurethane foam. | | |
| | The base of the soft parts is no worse than multilayer waterproof plywood. | | |
| | The basis of the bench is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer. | | |
| | There are four soft rollers for fixing the legs; adjustable seat tilt. There is an unloading pneumatic spring in the regulation mechanism. | | |
| | For training the abdominal muscles. | | |
| 1.3 | Bench press, adjustable | item | 1 |
| | Maximum load, not less than 300 kg. | | |
| | Dimensions (LxWxH), not less than 1305x1260x1200 mm. | | |
| | Backrest adjustment - no. | | |
| | Material - not worse than a metal profile, not less than 60 \ast 80mm; wall thickness not less than 3 mm. | | |
| | Characteristics: | | |
| | Sheathing - artificial leather. | | |
| | The filling of soft parts is no worse than two-layer polyurethane foam. | | |

| | Combines a horizontal bar, parallel bars and a press stand with an emphasis on your hands. Designed for basic exercises for the back muscles, abdominals and upper shoulder girdle. The base of the rack is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer. The base of the soft parts is no worse than multilayer waterproof plywood. The filling of soft parts is no worse than two-layer polyurethane foam. Sheathing - artificial leather. Characteristics: Material - metal profile not less than 60 * 80 mm, wall thickness not less than 3 mm. Stop adjustment: no. Seat adjustment: no. Dimensions (LxWxH), not less than 1160x1110x2370 mm. Maximum load, not less than 200 kg. | | |
|-----|---|------|---|
| | Load type - free weight. | | |
| 1.5 | Thigh Abductor / Adductor Trainer Has the function to change the starting angle of the power arm before starting a workout; there is a lever associated with a spring-loaded mechanical lock. | item | 1 |
| | The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer.The cargo stack is covered with protective metal screens on both sides.There is a complete set with labels containing information about the correct use and safety requirements.All handles adjust the load and stop position - highlighted in a special color.All moving parts have a wear-resistant coating. | | |

| | The base of the soft parts is no worse than multi-layer waterproof plywood. The filling of soft parts is no worse than two-layer polyurethane foam. | | |
|-----|--|------|---|
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - metal profile at least 60 * 80 mm, wall thickness at least 3 mm. | | |
| | Backrest adjustment - no. | | |
| | Dimensions (LxWxH), not less than 1420x650x1600 mm. Parts are considered to have a wear-resistant chrome finish. | | |
| | Load type - cargo stack. | | |
| 1.6 | Smith machine | item | 1 |
| | Designed for the muscles of the legs, upper shoulder girdle and chest. | | |
| | The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer. | | |
| | There are polished stainless-steel rails and 8 roller bearings. There are additional pins for storing discs. | | |
| | There is a complete set with labels containing information about the correct use and safety requirements. | | |
| | All rubbing parts have a wear-resistant coating. | | |
| | Characteristics: | | |
| | Material - metal profile not less than 60 $*$ 80 mm, wall thickness not less than 3 mm. | | |
| | Dimensions (LxWxH), not less than 1300x2050x2205 mm. | | |
| | Load type - free weight. | | |
| | Maximum load, not less than 150 kg. | | |
| 1.7 | Back muscles workout machine | item | 1 |

| | The simulator is designed to train the back muscles. | | |
|-----|---|------|---|
| | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. | | |
| | The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer. | | |
| | There is a complete set with labels containing information about the correct use and safety requirements. | | |
| | All rubbing parts have a wear-resistant coating. | | |
| | All handles adjust the load, and the position of the stop are highlighted in a special color. | | |
| | The base of the soft parts is no worse than multi-layer waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer polyurethane foam. | | |
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - metal profile at least 60 * 80 mm, wall thickness at least 3 mm | | |
| | Dimensions (LxWxH), not less than 1415x1130x1120 mm. | | |
| | Load type - free weight, maximum load - not less than 250 kg. | | |
| | | | |
| 1.8 | Barbell (for CrossFit) | item | 1 |
| | Barbell for weightlifting, for males. | | |
| | Material - steel. | | |
| | Coatings - no worse than 2 two-layer chrome. | | |
| | The length is not less than 2200 mm, the diameter of the neck is not less than 28 mm, and the diameter of the glass is not less than 50 mm. | | |
| | Maximum load - not less than 650 kg. | | |
| | Designed for 2000 drops or more. | | |
| 1.9 | Treadmill | item | 1 |
| | | | |

| | Has an AC motor with a power of at least 3.2 HP, peak power - at least 5.0 HP; Speed range is from 0.8 km/h through at least 20 km/h; the slope of the web is not less than 0-18% there are at least 4 training programs based on heart rate. There is a display no worse than a matrix 6-window LED display, there are touch sensors for measuring heart rate and telemetry. There is a special two-layer running belt at least 2.4 mm thick; the size of the canvas is not less than 155x55cm; the maximum user weight is not less than 182 kg. | | |
|------|---|------|---|
| 1.10 | Double action elliptical trainer (orbitrack) Electromagnetic loading system (at least 20 levels); built-in DC generator; there are training programs that depend on the pulse; there is a display no worse than a matrix 6-window LED display; there are touch sensors for measuring heart rate and telemetry; stride length not less than 53 cm. Maximum user weight not less than 182 kg. | item | 1 |

5. ADDITIONAL REQUIREMENTS:

1) Delivery of goods should be accompanied by manufacturer's quality / conformity certificates. All necessary technical documentation must be provided by the supplier on the day of delivery. The supplier must include all warranties for at least one year for all parts of the sports machines (for the soft parts, mechanisms, etc.). All equipment must have official warranty service in Ukraine.

2) Delivery under the Lot must be carried out during 60 (sixty) days from the contract signing date.

6. EXPERIENCE AND QUALIFICATION REQUIREMENTS

a) Officially registered company (for Ukrainian companies – company should be registered in the territory controlled by the government of Ukraine).

b) At least 2 years of experience in the field of supply of similar products.

c) At least 2 positive reference/recommendation letters from previous clients.

The Contract will be awarded to the technically compliant offer with the lowest prices

7. PRICE OFFER AND PAYMENT SCHEDULE

•The contract value must remain fixed for the duration of the contract.

•Applicants must include all costs associated with the work in their price quotation (such as the supply of all materials and equipment, transportation costs, staff salaries, office expenses, etc.).

•Payments should be arranged as follows:

- 100% of the unit cost of the product withing 30 days from acceptance date under each Lot and and acceptance by UNDP and submission of originals of invoice, act of acceptance and tax invoice (if applicable).

Bidders must submit their price offers in the following format:

| ltem No. | Description | UOM | Q-ty | Unit price without VAT | Total price without VAT |
|-------------|---|-------|------|------------------------------------|----------------------------|
| 1 | Adjustable bench Please indicate Brand, Model and parameters | piece | 1 | | |
| 2 | Bench press, horizontal Please indicate Brand, Model and parameters | piece | 1 | | |
| 3 | Bench press, adjustable Please indicate Brand, Model and parameters | piece | 1 | | |
| 4 | Combination rack Please indicate Brand, Model and parameters | piece | 1 | | |
| 5 | Thigh Abductor / Adductor Trainer Please indicate Brand, Model and parameters | piece | 1 | | |
| 6 | Smith machine Please indicate Brand, Model and parameters | piece | 1 | | |
| 7 | Back muscles workout machine Please indicate Brand, Model and parameters | piece | 1 | | |
| 8 | Barbell (for CrossFit) Please indicate Brand, Model and parameters | piece | 1 | | |
| 9 | TreadmillPlease indicate Brand, Model and parameters | piece | 1 | | |
| 10 | Double action elliptical trainer (orbitrack) Please indicate Brand, Model and parameters | piece | 1 | | |
| | | | | Total Price the price of items) | |

Delivery Requirements

| | Delivery Requirements | | |
|--|---|--|--|
| Delivery date and time | Bidder shall deliver the goods 60 (sixty) calendar days upon Contract signing. | | |
| Delivery Terms (INCOTERMS 2020) | DDP | | |
| | Not applicable | | |
| Customs clearance | Shall be done by: | | |
| (must be linked to | Name of organisation (where applicable) | | |
| INCOTERM | 🛛 Supplier/bidder | | |
| | Freight Forwarder | | |
| Exact Address(es) of Delivery Location(s) | 160, Chudnivska str., village Skrahlivka, Berdychiv raion, Zhytomyr oblast, 13343 | | |
| Distribution of shipping | N/A | | |
| documents (if using | | | |
| freight forwarder) | | | |
| Packing Requirements | Packaging must comply with the rules for the safe transport of goods offered. | | |
| Training on Operations and Maintenance | All necessary technical documentation must be provided by the supplier on the day of delivery | | |
| Warranty Period | The supplier must include all warranties for at least one year for all parts of the sports machines (for the soft parts, mechanisms, etc.) Delivery of equipment/goods should be accompanied by manufacturer's | | |
| | warranty/conformity certificates | | |
| After-sales service and local service support requirements | ☑ All equipment must have official warranty service in Ukraine | | |
| Preferred Mode of Transport | Land | | |

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| Name of Bidder:Click or tap here to enter text. | | |
|---|---------------------------|-------------------------------------|
| RFQ reference: | 262-2021-UNDP-UKR-RFQ-RPP | Date: Click or tap to enter a date. |

Company Profile

| Item Description | Detail | |
|---|--|--|
| Legal name of bidder or Lead entity for JVs | Click or tap here to enter text. | |
| Legal Address, City, Country | Click or tap here to enter text. | |
| Website | Click or tap here to enter text. | |
| Year of Registration | Click or tap here to enter text. | |
| Legal structure | Choose an item. | |
| Are you a UNGM registered vendor? | □ Yes □ No If yes, insert UNGM Vendor Number | |
| Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate): | □ Yes □ No | |
| Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate): | □ Yes □ No | |
| Does your Company have a written Statement of its Environmental Policy? (<i>If yes,</i> <i>provide a Copy</i>) | □ Yes □ No | |
| Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (<i>If yes, provide a Copy</i>) | □ Yes □ No | |

| Is your company a membe UN Global Compact | 🗆 Yes 🗆 No | | | | | |
|--|------------|---|-------------------|--------------------|---------------------|--|
| Bank Information | | Bank Name: Cl | ick or tap here | to enter text. | | |
| | | Bank Address: Click or tap here to enter text. | | | | |
| | | IBAN: Click or tap here to enter text. | | | | |
| | | SWIFT/BIC: Cli | ck or tap here to | o enter text. | | |
| | | Account Currency: Click or tap here to enter text. | | | | |
| | | Bank Account Number: Click or tap here to enter text. | | | | |
| | | Previous rele | vant experience | e: 3 contracts | | |
| Name of previous | Client | & Reference | Contract | Period of activity | Types of activities | |
| contracts | | act Details ding e-mail | Value | | undertaken | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Bidder's Declaration

| Yes | No | |
|-----|----|--|
| | | Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them. |
| | | I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period. |
| | | Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer. |
| | | I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : <u>https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</u> and acknowledge that it provides the minimum standards expected of suppliers to the UN. |
| | | Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact. |
| | | Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. |
| | | Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future. |

| Yes | No | |
|-----|----|---|
| | | Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance |
| | | for the Offer Validity. |
| | | I/We understand and recognize that you are not bound to accept any Quotation you receive, and we |
| | | certify that the goods offered in our Quotation are new and unused. |
| | | By signing this declaration, the signatory below represents, warrants and agrees that he/she has been |
| | | authorised by the Organization/s to make this declaration on its/their behalf. |

Signature: _____

| Name: | Click or tap here to enter text. |
|--------|----------------------------------|
| Title: | Click or tap here to enter text. |
| Date: | Click or tap to enter a date. |

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

| Name of Bidder: | Click or tap here to enter text. | | |
|-----------------|----------------------------------|-------------------------------------|--|
| RFQ reference: | 262-2021-UNDP-UKR-RFQ-RPP | Date: Click or tap to enter a date. | |

Table 1. Conformity to the Specification

| # | Technical requirements (Features at least) | Conformity (Yes/No) | Offered Brand, Model and Exact characteristics (Technical characteristics should not be less / worse than those listed in the assignment) |
|----|---|-------------------------------|--|
| 1. | Adjustable benchUniversal bench: it is possible to adjust the angle of the back and seat. Designed to train the muscles of the upper shoulder girdle, chest, abdominals, triceps, biceps.The basis of the bench is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer.The base of the soft parts is no worse than multi-layer waterproof plywood.The filling of soft parts is no worse than two-layer polyurethane foam.Sheathing - artificial leather.Characteristics: Material - metal profile at least 60 * 80 mm; wall thickness not less than 3 mm.Backrest adjustment, 0° / 15° / 30° / 40° / 50° / 60° / 75° / 85°. Seat adjustment from 0° to 30° minimum.Dimensions (LxWxH), not less than 1315x560x450 mm. Maximum load not less than 220 kg. Warranty for all parts of the equipment for at least 1 year. | | |
| 2. | Bench press, horizontal Horizontal bench with racks for working with the Olympic barbell; for training large and small pectoral muscles, front deltas, triceps. Has at least three levels of traps for ease of exercise and safety. The basis of the bench is a welded frame of steel pipes; rectangular pipe profile; the pipes are coated with a polymer; chrome plating on the traps. The filling of soft parts is no worse than two-layer polyurethane foam. | | |

| | | | Γ |
|----|---|---|---|
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - not worse than a metal profile, not less than 60 st | | |
| | 80mm; wall thickness not less than 3 mm. | | |
| | Backrest adjustment - no. | | |
| | Dimensions (LxWxH), not less than 1305x1260x1200 mm. | | |
| | Maximum load, not less than 300 kg. | | |
| | Bench press, adjustable | | |
| | For training the abdominal muscles. | | |
| | There are four soft rollers for fixing the legs; adjustable | | |
| | seat tilt. There is an unloading pneumatic spring in the | | |
| | regulation mechanism. | | |
| | The basis of the bench is a welded frame of steel pipes; | | |
| | rectangular pipe profile; the pipes are coated with a | | |
| | polymer. | | |
| 2 | The base of the soft parts is no worse than multilayer | | |
| 3. | waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer | | |
| | polyurethane foam. | | |
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - metal profile not less than 60 * 80mm, wall | | |
| | thickness not less than 3 mm. | | |
| | Seat angle adjustment 23° / 27° / 31° / 36° / 40°. | | |
| | Dimensions (LxWxH), not less than 1350x580x860 mm. | | |
| | Maximum load, not less than 200 kg. | | |
| | Combination rack | | |
| | Combines a horizontal bar, parallel bars and a press stand | | |
| | with an emphasis on your hands. Designed for basic | | |
| | exercises for the back muscles, abdominals and upper | | |
| | shoulder girdle. | | |
| | The base of the rack is a welded frame of steel pipes; | | |
| | rectangular pipe profile; the pipes are coated with a | | |
| | polymer. | | |
| | The base of the soft parts is no worse than multilayer | | |
| 4. | waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer | | |
| | polyurethane foam. | | |
| | Sheathing - artificial leather. Characteristics: | | |
| | Material - metal profile not less than 60 * 80 mm, wall | | |
| | thickness not less than 3 mm. | | |
| | | | |
| | Stop adjustment: no. Seat adjustment: no. Dimensions (LxWxH), not less than 1160x1110x2370 mm. | | |
| | Maximum load, not less than 200 kg. | | |
| | Load type - free weight. | | |
| | Thigh Abductor / Adductor Trainer | | |
| _ | Has the function to change the starting angle of the power | | |
| 5. | arm before starting a workout; there is a lever associated | | |
| | with a spring-loaded mechanical lock. | | |
| | with a spinig-loaded methanical lock. | l | |

| | | 1 | 1 |
|----|--|---|---|
| | The basis of the simulator is a welded steel pipe frame; | | |
| | rectangular pipe profile; the pipes are coated with a | | |
| | polymer. | | |
| | The cargo stack is covered with protective metal screens on | | |
| | both sides. | | |
| | There is a complete set with labels containing information | | |
| | about the correct use and safety requirements. | | |
| | All handles adjust the load and stop position - highlighted in | | |
| | a special color. | | |
| | All moving parts have a wear-resistant coating. | | |
| | The base of the soft parts is no worse than multi-layer | | |
| | waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer | | |
| | polyurethane foam. | | |
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | | | |
| | Material - metal profile at least 60 * 80 mm, wall thickness at least 3 mm. | | |
| | | | |
| | Backrest adjustment - no. | | |
| | Dimensions (LxWxH), not less than 1420x650x1600 mm. | | |
| | Parts are considered to have a wear-resistant chrome | | |
| | finish. | | |
| | Load type - cargo stack. | | |
| | Smith machine | | |
| | Designed for the muscles of the legs, upper shoulder girdle | | |
| | and chest. | | |
| | The basis of the simulator is a welded steel pipe frame; | | |
| | rectangular pipe profile; the pipes are coated with a | | |
| | polymer. | | |
| | There are polished stainless-steel rails and 8 roller bearings. | | |
| | There are additional pins for storing discs. | | |
| 6. | There is a complete set with labels containing information | | |
| | about the correct use and safety requirements. | | |
| | All rubbing parts have a wear-resistant coating. | | |
| | Characteristics: | | |
| | Material - metal profile not less than 60 * 80 mm, wall | | |
| | thickness not less than 3 mm. | | |
| | Dimensions (LxWxH), not less than 1300x2050x2205 mm. | | |
| | | | |
| | Load type - free weight. | | |
| | Maximum load, not less than 150 kg. Back muscles workout machine | | |
| | The simulator is designed to train the back muscles. | | |
| 1 | | 1 | 1 |
| | - | | |
| | There is a seat height adjustment. Combined handles | | |
| | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. The basis of the simulator is a welded steel pipe frame; | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer. | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer. There is a complete set with labels containing information | | |
| 7. | There is a seat height adjustment. Combined handles (levers) for doing exercises with a vertical and horizontal grip. The basis of the simulator is a welded steel pipe frame; rectangular pipe profile; the pipes are coated with a polymer. | | |

| | | Γ | |
|-----|--|---|--|
| | All handles adjust the load, and the position of the stop are | | |
| | highlighted in a special color. | | |
| | The base of the soft parts is no worse than multi-layer | | |
| | waterproof plywood. | | |
| | The filling of soft parts is no worse than two-layer | | |
| | polyurethane foam. | | |
| | Sheathing - artificial leather. | | |
| | Characteristics: | | |
| | Material - metal profile at least 60 * 80 mm, wall thickness | | |
| | at least 3 mm | | |
| | Dimensions (LxWxH), not less than 1415x1130x1120 mm. | | |
| | Load type - free weight, maximum load - not less than 250 | | |
| | kg | | |
| | Barbell (for CrossFit) | | |
| | Barbell for weightlifting, for males. | | |
| | Material - steel. | | |
| | Coatings - no worse than 2 two-layer chrome. | | |
| 8. | The length is not less than 2200 mm, the diameter of the | | |
| | neck is not less than 28 mm, and the diameter of the glass | | |
| | is not less than 50 mm. | | |
| | Maximum load - not less than 650 kg. | | |
| | Designed for 2000 drops or more. | | |
| | Treadmill | | |
| | Has an AC motor with a power of at least 3.2 HP, peak | | |
| | power - at least 5.0 HP; | | |
| | Speed range is from 0.8 km/h through at least 20 km/h; | | |
| | the slope of the web is not less than 0-18% there are at | | |
| 9. | least 4 training programs based on heart rate. | | |
| | There is a display no worse than a matrix 6-window LED | | |
| | display, there are touch sensors for measuring heart rate | | |
| | and telemetry. There is a special two-layer running belt | | |
| | at least 2.4 mm thick; the size of the canvas is not less | | |
| | than 155x55cm; the maximum user weight is not less | | |
| | than 182 kg | | |
| | Double action elliptical trainer (orbitrack) | | |
| | Electromagnetic loading system (at least 20 levels); built-in | | |
| | DC generator; there are training programs that depend on | | |
| 10 | the pulse; there is a display no worse than a matrix 6- | | |
| | window LED display; there are touch sensors for measuring | | |
| | heart rate and telemetry; stride length not less than 53 cm. | | |
| | Maximum user weight not less than 182 kg. | | |
| 10. | than 155x55cm; the maximum user weight is not less than 182 kg Double action elliptical trainer (orbitrack) Electromagnetic loading system (at least 20 levels); built-in DC generator; there are training programs that depend on the pulse; there is a display no worse than a matrix 6- window LED display; there are touch sensors for measuring heart rate and telemetry; stride length not less than 53 cm. | | |

| Table 2. Financial offer for the supply of goods in accordance with the technical specification and | |
|---|--|
| requirements | |

| No. | Description | UOM | Q-ty | Unit price without VAT | Total price without VAT |
|-----|---|---------|------|---------------------------|----------------------------|
| 1. | Adjustable bench Please Indicate Brand, Model and parameters | piece | 1 | | |
| 2. | Bench press, horizontal <i>Please indicate Brand, Model and parameters</i> | piece | 1 | | |
| 3. | Bench press, adjustable <i>Please indicate Brand, Model and parameters</i> | piece | 1 | | |
| 4. | Combination rack <i>Please indicate Brand, Model and parameters</i> | piece | 1 | | |
| 5. | Thigh Abductor / Adductor Trainer Please indicate Brand, Model and parameters | piece | 1 | | |
| 6. | Smith machine Please indicate Brand, Model and parameters | piece | 1 | | |
| 7. | Back muscles workout machine Please indicate Brand, Model and parameters | piece | 1 | | |
| 8. | Barbell (for CrossFit) Please indicate Brand, Model and parameters | piece | 1 | | |
| 9. | Treadmill Please indicate Brand, Model and parameters | piece | 1 | | |
| 10. | Double action elliptical trainer (orbitrack) <i>Please indicate Brand, Model and parameters</i> | piece | 1 | | |
| | Transportation Price | <u></u> | | Total Price | |

Dear Partners!

The UN Office in Ukraine kindly informs you, that the purchase of goods and services, announced in the UN Office Tenders, is conducted within the framework of international technical assistance project.

Provisions of the Tax Code of Ukraine (paragraph 197.11) foresee the VAT tax exemption for operations, financed by material and technical assistance.

The procedure for obtaining the tax exemption right for operations, performed in the framework of international technical assistance projects, is regulated by the Decree #153 of the Cabinet of Ministers of Ukraine dated February 15, 2002.

In case you already have the right to apply this VAT allowance, on the date of UNDP prepayment receipt you should prepare and register a tax invoice (hereinafter - TI) in the United Register of Tax Invoices (URTI), filled in as follows:

• the column "Comprised on the operation, exempted from taxation" on the upper left part - with the mark "Without VAT";

• Section A of the TI table section (lines I-X) should contain the summarizing data on TI transactions, namely: line I - the total amount to be paid, including VAT; line IX - the total volume of goods and services delivered. Lines II-VIII of section A are not filled;

- in column 2 of section B supplier's (seller's) services nomenclature;
- in section 3.3 of section B service code according to the SCPS. Box 3.3 should be filled in at all stages of the services delivery;
- in columns 4 and 5 unit of services measurement;
- in column 6 quantity (volume) of services delivery;
- in column 7 the price of the service unit supply, excluding VAT;
- in column 8 VAT rate code 903;

• in column 9 – tax allowance code according to the Handbook of other tax benefits, approved by the SFS as of the date of TI submission - "14060523".

• in column 10 - supply volume, excluding VAT (prepayment amount). Detailed instructions to be found in the materials "Tax invoice - 2017: instruction on filling out" and "New tax invoice in the samples."

Credit against VAT tax, applied on the materials purchase for the relevant construction works performance, cannot be compensated as per the paragraph #198.5 of Tax Code of Ukraine. According to the Tax Code paragraph #198.5, goods and services supply operations, exempted from VAT based on the Tax Code paragraph #197.11, the rules for calculating tax liabilities do not apply.

Using the materials bought with VAT, there is no need to compensate the credit against VAT, as well as no need to accrue tax liabilities.

Considering all mentioned above, you are kindly asked to submit your tender applications / invoices for payment without VAT, referring to the Ukrainian legislation provisions, stated in the mentioned regulatory acts.

Should you have any additional questions, please contact the offices of the State Fiscal Service of Ukraine at the place of your enterprise registration for additional clarifications of Article 52 of the Tax Code of Ukraine.

Table 3. Compliance with Requirements

| | You Responses | | |
|---|------------------------|----------------------------|--|
| | Yes, we will comply | No, we cannot comply | If you cannot comply, pls. indicate counter - offer |
| Minimum Technical Specifications | | | Click or tap here to enter text. |
| Delivery Term (INCOTERMS) DDP – 160, Chudnivska str., village Skrahlivka, Berdychiv raion, Zhytomyr oblast, 13343 | | | Click or tap here to enter text. |
| Delivery Lead Time (Delivery of equipment must be carried out within 60 (sixty) calendar days from PO/Contact signature date) | | | Click or tap here to enter text. |
| The warranty period for all equipment must be not less than 1 year. The supplier must include all warranties for at least one year for all parts of the sports machines (for the soft parts, mechanisms, etc.). | | | Click or tap here to enter text. |
| All equipment must have official warranty service in Ukraine | | | Click or tap here to enter text. |
| Validity of Quotation (min. 60 days) | | | Click or tap here to enter text. |
| Payment terms | | | Click or tap here to enter text. |

Other Information:

| Estimated weight/volume/dimension of the Consignment: | | Click or tap here to enter text. | | | |
|--|--|---|--|--|--|
| Country/ies of Origin: (if export licence required this must be submitted if awarded the contract)Click | | or tap here to enter text. | | | |
| I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted. | | | | | |
| Exact name and address of company | | Authorized Signature: | | | |
| Company NameClick or tap here to enter text. | | Date:Click or tap here to enter text. | | | |
| Address: Click or tap here to enter text. | | Name:Click or tap here to enter text. | | | |
| Click or tap here to enter text. | | Functional Title of Authorised | | | |
| Phone No.:Click or tap here to enter text. | | Signatory:Click or tap here to enter text. | | | |
| Email Address:Click or tap here to enter text. | | Email Address: Click or tap here to enter text. | | | |