



REQUEST FOR QUOTATION (RFQ)

RFQ Reference: RFQ/LBY/SLCRR/2021/041 – Supply of three (3) submersible pumps in Derj Municipality, Libya	Date: 30 July 2021
--	--------------------

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Approved by:

Signature: _____

Name: Shohrukh Abdulloev

Title: Procurement Specialist (HoSC a.i.)

Date: 30 July 2021

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p>6 August 2021, Time: 14:00 hours, Tripoli, Libya time,</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/</p>
Method of Submission	<p>Quotations must be submitted as follows:</p> <ul style="list-style-type: none"> - By Email - Bid submission address: tenders.ly@undp.org <p>Subject of the email must start with RFQ/LBY/SLCRR/2021/041 – Supply of three (3) submersible pumps in Derj Municipality, Libya</p> <p>Business Unit: LBY10</p> <p>Case Reference: RFQ/LBY/SLCRR/2021/041</p> <ul style="list-style-type: none"> ▪ File Format: PDF, MS Word, MS Excel ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 20 MB ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti</p>
Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>

Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p>General Terms and Conditions / Special Conditions for Contract.</p> <p>General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p>General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p>Cancellation of PO/Contract if the delivery/completion is delayed by 20 days</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
Currency of Quotation	<p>Quotations shall be quoted in USD</p>
Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <p>a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or</p> <p>b) they have the same legal representative for purposes of this RFQ; or</p>

	<p>c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;</p> <p>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</p> <p>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</p>
Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p> <p>be exclusive of VAT and other applicable indirect taxes</p>
Language of quotation	<p>English</p> <p>Including documentation including catalogues, instructions and operating manuals.</p>
Documents to be submitted	<p>Bidders shall include the following documents in their quotation:</p> <ul style="list-style-type: none"> ▪ Annex 2: Quotation Submission Form duly completed and signed; ▪ Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1; ▪ Company/Firm Profile; ▪ Company/Firm registration certificate; ▪ List and value of contracts performed for the last 5 years plus client's contact details who may be contacted for further information on those contracts; ▪ Compliance Sheet duly filled and signed; ▪ Pictures/Specifications of offered products or catalogues;
Quotation validity period	<p>Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation. In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation</p>
Price variation	<p>No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.</p>
Partial Quotes	<p>Not permitted</p>
Alternative Quotes	<p>Not permitted</p>
Payment Terms	<p>100% within 30 days after receipt of goods, works and/or services and submission of payment documentation.</p>
Conditions for Release of Payment	<p>Written Acceptance of Goods, Services and Works, based on full compliance with RFQ requirements</p>
Contact Person for correspondence, notifications and clarifications	<p>E-mail address: procurement.ly@undp.org</p> <p>Subject of the email must start with: RFQ/LBY/SLCRR/2021/041</p> <p>Attention: Quotations shall not be submitted to this address but to address specified in the Method of Solicitation.</p> <p>Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.</p>
Site visit	<p>N/A</p>

Clarifications	Requests for clarification from bidders will not be accepted any later than 3 days before the submission deadline.
Evaluation method	The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Earliest Delivery /shortest lead time (30 days) from the date of contract signature <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions; <input checked="" type="checkbox"/> Availability of 12 months warranty for the equipment proposed. <input checked="" type="checkbox"/> One similar contract for the provision of similar goods
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order.
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	Purchase Order
Expected date for contract award.	20 August 2021
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS

Technical Specifications of the pumps:

Item 1 \ Submersible pump for well 1 -965 m

No.	Description	UNDP Requested specifications	Proposed specifications by the Bidder
	Motor	125 HP	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/11	
	Rated power	177 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m³/h	
	Head	208 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	
	Censors switch off when lack of well water	Censors switch off when lack of well water	
	Certification of origin	Italy	
	Warranty	1 Year	
	Submit Manufacturer certification and test reports	To be submitted during delivery	

	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	
--	--	---	--

Item 1 \ Submersible pump for well 2– 800 m

No.	Description	UNDP Requested specifications	Confirmation by Bidder
	Motor	125 HP	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/11	
	Rated power	177 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m³/h	
	Head	208 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	
	Censors switch off when lack of well water	Censors switch off when lack of well water	
	Certification of origin	Italy	
	Warranty	1 Year	
	Submit Manufacturer certification and test reports	To be submitted during delivery	
	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	

Item 2 \ Submersible pump for well 3 – 800 m

No.	Description	UNDP Requested specifications	Confirmation by Bidder
	Motor	75 HP (52Kw)	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/7	
	Rated power	106 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m³/h	
	Head	131 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	
	Censors switch off when lack of well water	Censors switch off when lack of well water	
	Certification of origin	Italy	
	Warranty	1 Year	
	Submit Manufacturer certification and test reports	To be submitted during delivery	
	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods 30 days after Contract signature.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input checked="" type="checkbox"/> UNDP (where applicable) <input type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Derj Municipality, Libya – Derj Station1, Derj Station 2 and Matis Station Previous coordination with the assigned field Engineer.
Distribution of shipping documents (if using freight forwarder)	N/A
Packing Requirements	As applicable for each item
Training on Operations and Maintenance	N/A
Warranty Period	12 months
After-sales service and local service support requirements	No

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ/LBY/SLCRR/2021/041	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No

Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.			
Previous relevant experience:				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ/LBY/SLCRR/2021/041	Date: Click or tap to enter a date.

COMPLIANCE SHEET

Item 1 \ Submersible pump 125 HP for well 1 -965 m

No.	Description	UNDP Requested specifications	Offered specifications by the Bidder
	Motor	125 HP	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/11	
	Rated power	177 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m³/h	
	Head	208 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	

	Censors switch off when lack of well water	Censors switch off when lack of well water	
	Certification of origin	Italy	
	Warranty	1 Year	
	Submit Manufacturer certification and test reports	To be submitted during delivery	
	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	

Item 1 \ Submersible pump 125 HP for well 2– 800 m

No.	Description	UNDP Requested specifications	Offered specifications by the Bidder
	Motor	125 HP	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/11	
	Rated power	177 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m ³ /h	
	Head	208 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	
	Censors switch off when lack of well water	Censors switch off when lack of well water	

	Certification of origin	Italy	
	Warranty	1 Year	
	Submit Manufacturer certification and test reports	To be submitted during delivery	
	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	

Item 2 \ Submersible pump 75 HP for well 3 – 800 m

No.	Description	UNDP Requested specifications	Offered specifications by the Bidder
	Motor	75 HP (52Kw)	
	Rated voltage	380V- 400V	
	Motor Diameter	8 inch	
	No of phase	3PH Y/D	
	Frequency	50Hz	
	Make	SAER S-181C/7	
	Rated power	106 Amp	
	Cos phi	0.83-0.80	
	Start method	Star – Delta	
	Enclosure class	IP 68	
	Insulation class	F	
	Motor Protect	Control panel	
	Thermal Protection	External	
	Built-in temperature transmitter	yes	
	Pump		
	Flow rate	108 m³/h	
	Head	131 m	
	Rated speed	2900 rpm	
	Submersible pump function	Potable water	
	Impellers, stages, pump suction interconnector, pump outlet connection, valve cap and strainer.	FeG450 steel	
	Pump shaft	AISI 431 Stainless steel	
	Water temp. range	1 – 30 °C	
	Supply of all necessary accessories	flexible hoses, control box, fittings, clamps, guide rails or weirs, lifting chain, cable of enough length and any other requirements necessary for installation	
	Electrical board		
	Phase failure multi range	Phase failure multi range	
	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	Overload at same range of the pump and must trip in at less than 10 second at locked rotor	
	Water level switch on the pump at the halve water tank level	Water level switch on the pump at the halve water tank level	
	All circuit breaker to be ABB, Schneider or equivalent	All circuit breaker to be ABB, Schneider or equivalent	
	Signal lamp	Signal lamp	
	Voltmeter wit S.S	Voltmeter wit S.S	
	Ampere meter with C.t	Ampere meter with C.t	
	Sensors switch off when lack of well water	Sensors switch off when lack of well water	
	Certification of origin	Italy	
	Warranty	1 Year	

	Submit Manufacturer certification and test reports	To be submitted during delivery	
	Submit Detail drawing brochure catalogue.	Please stamp and endorse the Data sheet provided.	

FINANCIAL OFFER

Currency of the Quotation: USD
INCOTERMS: DAP, Derj Municipality, Libya – Derj Station1, Derj Station 2 and Matis Station

Item	Description	Unit	Quantity	Unit Price USD	Total Price USD
Well with Total Depth = 965 m & Well with Total Depth = 800 m					
1	Submersible pump: Supply of a 125 hp submersible pump Type SAER S181C/11 include the electrical cable and the operating switch of the control box and the identification card and all necessary to complete the work and the approval of the sample before supply and according to the instructions of the supervisor (108 m ³ /hrs capacity, head to pump 208 m including accessories and all connections works) The bidder should provide certification of Manufacturer, Warranty Certification and Pumps Manual of Use (See Attached Compliance sheet (well 1 - 965m) and (well 2 - 800m) for the Technical Specifications)	No	2		
Well with Total Depth = 800 m					
2	Submersible pump: Supply of a 75 hp submersible pump Type SAER S181C/7 include the electrical cable and the operating switch of the control box and the identification card and all necessary to complete the work and the approval of the sample before supply and according to the instructions of the supervisor (108 m ³ /hrs capacity, head to pump 131 m including accessories and all connections works) The bidder should provide certification of Manufacturer, Warranty Certification and Pumps Manual of Use (See Attached Compliance sheet (well 3 - 800m) for the Technical Specifications)	No	1		
				TOTAL USD	

Compliance with Requirements

	You Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Warranty and After-Sales Requirements	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Other requirements <i>[pls. specify]</i>	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

Exact name and address of company Company Name: Click or tap here to enter text. Address: Click or tap here to enter text. Click or tap here to enter text. Phone No.: Click or tap here to enter text. Email Address: Click or tap here to enter text.	Authorized Signature: Date: Click or tap here to enter text. Name: Click or tap here to enter text. Functional Title of Authorised Signatory: Click or tap here to enter text. Email Address: Click or tap here to enter text.
---	--