

REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 221,578-2021-UNDP-UKR-RFQ-RPP

Date: 04 August 2021

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the supply of:

Lot 1: Computer equipment for two ASCs (Administrative Service Centers) located near the EECPs (without VAT)

and

Lot 2: Computer equipment for one ASC (Administrative Service Center) located near the EECP (with VAT), as detailed in Annex 1 to this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3: Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: _____

Name: Ms. Agnes Kochan

Title: UNDP Operations Manager

Date: 04-Aug-2021

Ma

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the <u>UNDP Programme and Operations Policies</u> and <u>Procedures (POPP) on Contracts and Procurement</u>
	Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.
	UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.
Deadline for	11:59 AM (midday, Kyiv time), August 19, 2021
the Submission of Quotation	If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/ .
	For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.
Method of	Quotations must be submitted as follows:
Submission	☐ E-tendering
	☐ Dedicated Email Address
	Courier / Hand delivery
	☐ Other Click or tap here to enter text.
	Bid submission address: tenders.ua@undp.org
	 File Format: .ZIP, .PDF File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. All files must be free of viruses and not corrupted.
	 Max. File Size per transmission: 20 MB Mandatory subject of email: 221, 578-2021-UNDP-UKR-RFQ-RPP Multiple emails must be clearly identified by indicating in the subject line "email no. X of Y", and the final "email no. Y of Y. It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of	The bidder should receive an email acknowledging email receipt. LINDR shall not be responsible for any costs associated with a Symplicy's proposation and submission.
preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code	All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge
of Conduct,	that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which
Fraud, Corruption,	includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct
Corruption,	Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office of audit and investigation.html#anti
Gifts and	Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including
Hospitality	recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.
Conflict of	UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to
Interest	UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.

Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ. The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid. General Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the **Conditions of** General Conditions of Contract Contract Select the applicable GTC: ☑ General Terms and Conditions / Special Conditions for Contract. ☐ General Terms and Conditions for de minimis contracts (services only, less than \$50,000) ☐ General Terms and Conditions for Works Applicable Terms and Conditions and other provisions are available at <u>UNDP/How-we-buy</u> Special ☑ Cancellation of PO/Contract if the delivery/completion is delayed by 30 days. **Conditions of** ☑ Others: Liquidated damages: up to 0.1% of total contract amount per each day of delay may be Contract applied on discretion of UNDP. Eligibility A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP. It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP. Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative. Quotations shall be quoted in: **Currency of** Quotation ☑ United States Dollars (USD) – strongly advised to use as a risk mitigation measure against the impact of the local currency devaluation. Payment for goods/services shall be made in local currency in accordance with UNORE exchange rate (http://treasury.un.org) on the date of payment, through bank transfer to the Contractor's account during 30 (thirty) days from the date of receipt of the original invoice, registered VAT certificate and Act of acceptance of services/goods rendered/delivered signed by both parties. □ Local Currency: UAH Joint Venture. If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), **Consortium or** Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated Association one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association. Refer to Clauses 19 - 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association. Only one Bid The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association. Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following: a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another

	Bid under its name as lead Bidder; or
	e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid
	received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Duties and	Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the
taxes	United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations,
taxes	is exempt from all direct taxes, except charges for public utility services, and is exempt from customs
	restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its
	official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties,
	unless otherwise specified below:
	All prices must:
	be exclusive of VAT and other applicable indirect taxes (for LOT 1)
	☑ be inclusive of VAT and other applicable indirect taxes (for LOT 2)
Language of	English or Ukrainian or Russian
quotation	
Documents to	Bidders shall include the following documents in their quotation:
be submitted	☑ Annex 2: Quotation Submission Form duly completed and signed
	☑ Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the
	Schedule of Requirements in Annex 1.
	☑ Copy of the latest Business (Company or Private Entrepreneur) Registration Certificate valid as at
	the date of submission.
	☑ Extract from the Register of VAT or unified tax payers (not mandatory on submission stage but will
	be required if Offeror is selected for contract award).
	☑ Company Profile, indicating at least 3 (three) years of experience in the supply of similar
	equipment.
	☑ At least 2 (two) recommendation/reference letters from previous customers / clients on similar
	projects.
	☑ Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the
	manufacturer) – will be an advantage.
Quotation	Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
validity period	
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market
	factors shall be accepted at any time during the validity of the quotation after the quotation has
	been received.
Partial Quotes	□ Not permitted
	☑ Permitted: The offers may be submitted to different Lots.
Alternative	Not permitted ■
Quotes	☐ Permitted
	If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ
	requirements is submitted. Where the conditions for its acceptance are met, or justifications are
	clearly established, Click or tap here to enter text. reserves the right to award a contract based on an
	alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as
	"Main Quote" and "Alternative Quote"
Payment Terms	☑ 100% of the total contract amount will be paid by UNDP within 30 (thirty) calendar days from the
	date of the equipment acceptance by the by UNDP at the addresses according to Attachment A and
	submission of originals of invoice, act of acceptance and tax invoice (if applicable).
C	Other Click or tap here to enter text.
Conditions for Release of	Passing Inspection [specify method, if possible]
Payment	Complete Installation
Payment	☐ Passing all Testing [specify standard, if possible]
	☐ Completion of Training on Operation and Maintenance [specify no. of trainees, and location of
	training, if possible
	☑ Written Acceptance of Goods, Services and Works, based on full compliance with RFQ
	requirements
	☐ Others [pls. specify]
Contact Person	E-mail address: procurement.rpp.ua@undp.org
for .	Attention: Quotations shall not be submitted to this address but to the address for quotation
correspondence,	submission above. Otherwise, offer shall be disqualified.
notifications and	Any delay in UNDP's response shall be not used as a reason for extending the deadline for
clarifications	submission, unless UNDP determines that such an extension is necessary and communicates a new

	deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 (three) days before the
	submission deadline. Responses to requests for clarification will be communicated via email
	procurement.rpp.ua@undp.org by Procurement Unit, UNDP Ukraine.
Evaluation	☑The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer.
method	☐ Other Click or tap here to enter text.
Evaluation	Administrative Requirements:
criteria	☑ Offers must be submitted by the due date.
	☑ Offers must meet required Offer Validity.
	☑ Offers must be signed by the proper authority.
	☑ Offers include requested company/organization documentation as mentioned above in
	"Documents to be submitted section".
	☑ Officially registered company (for Ukrainian companies – company must be registered in the
	territory controlled by the Government of Ukraine).
	☑ Full acceptance of the Contract General Terms and Conditions.
	Technical requirements:
	☑ At least three (3) years of experience in the supply of similar products.
	☑ Technical responsiveness to the requirements stipulated in the Specifications including, but not limited to, the following:
	 Delivery will be made in accordance with the UNDP agreed equipment specification.
	 All necessary technical documentation (passports, assembly diagrams, etc.) will be provided
	by the supplier on the day of delivery.
	 Date and time of the delivery will be agreed with the customer.
	All the equipment must have official warranty service in Ukraine.
	— Warranty period for all equipment is at least 12 months.
	☑ Delivery of the equipment must be completed within 100 calendar days as it is specified in Attachment A to the Specifications per relevant Lots.
	☑ Delivery, unloading and installation of the equipment and software will be provided by the Contractor.
Right not to	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
accept any	
quotation	
Right to vary	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or
requirement at	decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of
time of award	the total offer, without any change in the unit price or other terms and conditions.
Type of	☐ Purchase Order
Contract to be	☑ Contract Face Sheet (Goods and-or Services) (this template is also utilised for Long-Term
awarded	Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO,
	etc.)
	□ Contract for Works
	☐ Other Type/s of Contract [pls. specify]
Expected date	
for contract	August 2021
award.	
Publication of	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO
Contract Award	and the corporate UNDP Web site.
Policies and	This RFQ is conducted in accordance with <u>UNDP Programme and Operations Policies and Procedures</u>
procedures	Any Contract regulting from this DEO eversion will be subject to the supplier being registered at the
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org .
registration	The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS

SPECIFICATION FOR LOT 1:

Computer equipment for two ASCs (Administrative Service Centers) located near the EECPs

Project Name: UN Recovery and Peacebuilding Program, Local Governance and Decentralization ReformComponent

Customer: UN Recovery and Peacebuilding Program

Expected Delivery Date: September- December 2021 (according to the Attachment A)

Country / Place of work: Ukraine, Government-controlled area of Donetsk and Luhansk oblasts

1. BACKGROUND

The United Nations Development Programme (UNDP) has been actively working in eastern Ukraine for the past decade, prior to the conflict, focusing on community and civil society development, and environmental protection.

Since 2015, upon request from the Government of Ukraine, UNDP started its work on addressing conflict-related challenges by early engagement, establishing partnerships through the United Nations Recovery and Peacebuilding Programme (UN RPP). The UN RPP is a multi-donor funded framework programme, jointly implemented by four UN partnering agencies: UNDP, UN Women, FAO, and UNFPA in cooperation with the government of Ukraine.

The UN RPP was designed to respond to and mitigate the causes and effects of the conflict. The UN RPP is an integral component of the UNDP Country Programme. It is fully aligned with the United Nations Partnership Framework (UNPF), closely interlinked with the Democratic Governance and Reform Programme, operating national wide and in all of Ukraine's regions.

The Programme's interventions are grouped under the following key Programme components, which reflect theregion's priority needs:

Component 1: Economic Recovery and Restoration of Critical Infrastructure

Component 2: Local Governance and Decentralization Reform

Component 3: Community Security and Social Cohesion.

The Programme is pooling funds employing a multi-sectoral programme-based approach and is implementing using an area-based methodology and unifying interventions framework for 12 projects funded by 13 international partners.

In October 2018, four UN agencies (UNDP, UN Women, FAO and the UNFPA) had countersigned a new joint project document, funded by the EU. The overall objective of the project is to restore effective governance and promote reconciliation in the crisis-affected communities of Donetsk and Luhansk oblasts of Ukraine, thereby enhancing the credibility and legitimacy of local governments in the government-controlled areas (GCAs) of the oblasts. It will contribute to peacebuilding and prevent further escalation of conflict in Ukraine through effective and accountable decentralization, gender-responsive recovery planning and equal access to services, as well as enhanced community security and social cohesion.

This endeavour will be achieved through the pursuit of the following specific objectives:

- 1. To enhance local capacity for gender-responsive decentralization and administrative reforms to improve governance, local development and the delivery of services.
- 2. To stimulate employment and economic growth by assisting in Micro-, Small- and Medium Enterprise (MSME) development through demand-driven business development services and professional skills training.
- 3. To enhance social cohesion and reconciliation through the promotion of civic initiatives.
- 4. To support sector reforms and structural adjustments in health, education and critical public infrastructure to mitigate the direct impacts of the conflict.

Currently, residents of Donetsk and Luhansk oblasts along the contact line, as well as residents from NGCA, have problems obtaining quality administrative services due to the lack of a network of Administrative Services Centres (TsNAPs).

Ukrainian government has made a decision to create new Entry-Exit Checkpoints (EECPs) with special Modular Centres nearby, which are designed to create conditions for residents crossing the contact line in order to obtain the administrative services provided by Ukrainian service providers.

A Modular Centre is being set up next to the EECPs, bringing together all types of services in one place. The main functional element of this modular centre will be TsNAP.

For the equipment of the TsNAPs, it is planned to purchase computers and other office equipment, install it in the Modular Centres and thus create conditions for providing quality administrative services to the population in two locations:

- Modular centre near Stanica Luhanska EECP
- Modular centre near Mariinka EECP

2. SCOPE OF WORK

- Purchase of computers and other office equipment for the establishing of two TsNAPs in the Modular Centres
- Delivery, unloading and installation at:
 - Ukraine, Luhanska oblast, Modular centre near Stanica Luhanska EECP
 - Ukraine, Donetska oblast, Modular centre near Mariinka EECP

3. THE MAIN CHARACTERISTICS OF THE EQUIPMENT

#	Equipment (set)	Technical characteristics (Not less)	Number of pieces(pcs) in one module	Total number
1	The AIOPC HP 200 G4 21.5 "with Windows 10 Pro 64-bit OEM or analogue. Set with mouse and wireless keyboard in the colour of a Monoblock	Type – Monoblock Not less than Screen diagonal - 21.5 " Matrix type – IPS Resolution - 1920x1080 pixels Screen coverage - anti-glare Processor - not lower than Intel Core i3 Model - 10110U or similar Number of cores - from 2 Processor frequency – 2.1 GHz Random access memory (RAM) - 8 GB Memory type - DDR4 Type of storage - SSD SSD storage capacity - from 256 GB Optical drive - DVD-RW Card Reader - built-in Monoblock colour- white Wi-Fi Interfaces: 3 x USB 1 x HDMI 1 x LAN (RJ-45) 1 x combo audio jack for headphones / microphone	8	16
2	Power Strip with surgeprotection (6 sockets)	Number of sockets - 6 The maximum load current is 10 A Surge protection Maximum peak current, A: 4500 Maximum pulse voltage, B: 4500 Automatic fuse, A: 10 Maximum absorption energy (in the case of a voltage jump of 2 µs), J: 125 Cable length - 4.5 m	8	16
3	Office 2019 BOX Version(the software must be installed on the PC item 1)	Microsoft Office Home and Business 2019 Box 64-bit. Interface language: Ukrainian. software package: Word, Excel, PowerPoint, OneNote, Outlook. License type: Permanent for 1 PC	8	16
4	An uninterruptible power supply (UPS) is compatiblewith item 1 Eaton 5E 650VA USB DIN or analogue	Battery on time: 2 ms Input voltage 230 V Input voltage range 170-280 V Input frequency, Hz 50-60 Output voltage 230 V Max. output power, VA 650 Effective output power 360 watts	8	16

		Sockets with a reserve of 3 pieces CEE 7 / IEC- 320-		
		C13 Full charge time, min 360 to 90%		
		Protection short circuit overload protection		
		interference filtering data line protection		
		Protection against high-voltage pulses		
5	Multifunction unit (MFU)	Printing type:		
	Canon i-SENSYS	LaserSheet size: A4		
	MF443dw + 1 additional	Print color: Monochrome Maximum print resolution: 1200x1200 dpi		
	cartridge, or analogue	B&W printing speed: 38 sheets / min		
	cartriage, or analogue	Black cartridge life: 3100 A4 sheets (ISO / IEC	4	8
		24711)	·	
		Automatic printing on both sides: Yes		
		Interfaces: USB 2.0		
		Network interfaces: WiFi 802.11n		
		Built-in LCD screen: Yes		
		Paper density range: 60-163g / m2	4	2
6	Antivirus (must be	ESET Endpoint Security software for 2 years (8 devices)	1	2
_	installed on PC position 1)	,		
7	Dell EMC R240 serverwith	Form factor 1U // 2U Static Rails for 2-Post and 4-		
	Windows Server2016 R2	Post Racks Processor - Intel		
	Standart <i>or analogue</i>	Xeon processor series Processor model E-2124		
		Clock frequency not less 3.3 GHz Number of cores		
		not less 4 Cache capacity not less 8 MB Maximum		
		power 71 W		
		• RAM:		
		Memory type DDR4 / 2666MT / s ECC UDIMM		
		Memory capacity 24 GB	4	2
		• Disk system:	1	2
		3.5 "(LFF) / up to 4 Cabled Hard Drives and Software RAID format		
		Hard disk (included) 4pcs. for 2 TB / SATA III (SATA /		
		600) / NAS / 5400rpm / 256MB		
		SATA hard drive interface		
		 Optical drive: yes Interfaces: 		
		1GbE Base-T / x2 network controller Power supply:		
		Power supply 250W / Single, Cabled PowerSupply		
		Additionally:		
		IDRAC9 / Basic managementFeatures of TPM /2.0		
		slots / PCle Riser,		
		1x FH x8 PCle Gen3 slot,		
		1x LP x4 PCle Gen3 slot,		
	An uninterruptible	R240 / R340 Device type-linear-interactive		
8	powersupply (UPS)	Rack mount type		
	Eaton 5P 1150VA RM	Operating time at full load - 4 minutes		
	complete	Operating time at half load-11 minutes		
	with rack mounting	Input voltage range-150-294 V		
	or analogue,	Input frequency, Hz-50-60		
	compatible with	Output-sinusoid		
	position 9,11	Output voltage-230 V Max. output power, VA 1150		
		Effective output power, 770 W.		
		Sockets with a reserve - 6 pieces of IEC 320 C13	1	2
		Interfaces:		
		• USB		
		• RS232		
		relay contacts		
		1 slot for optional network / Modbus /		

		relay card		
		Rack mount kit 19 "		
		LCD display, 7 languages		
9	Server Rack MIRSAN	Height (unit) 1 U		
9	WTN19 "[20U 600x560,	Type - Wall cabinet		
	RAL	Height 20 U		
	9005 or analogue	Rack width 19 "		
	3003 of analogue	Holding capacity (static) 80 kg		
		Color RAL 9005		
		Degree of protection IP 20		
		Complete side panels - two removable side walls		
		with one-point lock		
		front door - glass with single point lock		
		rear wall - steel, with mounting holes and perforation for cable entry.	1	2
		top plate - with perforation under the fan unit		
		and adjustable cable entry with seal		
		bottom plate - with cable entry, closed with PVC		
		plug		
		caps-legs - 4 pieces, PVC (installation on a floor is		
		possible)		
		Additional options:		
		• The shelf adjustable 1U for a case 19 "500-600,		
		-		
		RAL 9005 - 2 pieces		
		• Set for fastening (screw M6, nut, washer) - 20		
		pcs.		
		Vent. panel 2 fans, thermostat included. RAL		
		9005,		
		• Console shelf 19 "1U 250, RAL 9005,		
	Router mikrotik	• Cable org. horizontal 19 "1U 5 rings, RAL 9005		
10	routerboard rb750gr3	The nominal processor frequency is 880 MHz Processor cores - 2		
	hexr analogue	RAM - 256 MB		
	Hexi unulogue	Ethernet ports 0/100/1000 5RoE input		
		Supply voltage range From 8 to 30 VUSB, type A 2.0		
		Hardware encryption is Processor MT7621A or	1	2
		similar Maximum power consumption 5 W.		
11	Ubiquiti UniFi UAP-AC-	Network interfaces- Ethernet port 10/100/1000		
	LITE Wi-Fi access point	Antennas - Two dual-band, 3 dBi each		
	oranalogue	Wi-Fi - 802.11 a / b / g / n / ac standards		
		Power supply Passive RoE 24 V Maximum		
		radiation power:		
		• 2.4 GHz		
		• 5 GHz		
		• 20 dBm		
		• 20 dBm		
		BSSID Up to four per radio station		
		Wireless security WEP, WPA-PSK, WPA-		
		enterprises (WPA / WPA2, TKIP / AES)		
		Compliance with the requirements for wireless	_	
		communication FCC, IC, CE	1	2
		Operating temperature range - from -10° C to70° C		
		Humidity during operation- from 5% to 95%		
		without condensation		
		Simultaneous customers - from 100		
		Data rate standards:		
		802.11a 6, 9, 12, 18, 24, 36, 48, 54 Mbps		
		802.11n From 6.5 Mbps to 300 Mbps (MCS0 -		
		MCS15, HT 20/40)		

802.11ac From 6.5 Mbps to 867 Mbps (MCS0 -MCS9	
NSS1 / 2, VHT 20/40/80)	
802.11b 1, 2, 5.5, 11 Mbps	
802.11g 6, 9, 12, 18, 24, 36, 48, 54 Mbps	

4. Additional requirements

Warranty condition:

- a. All necessary technical documentation (passports, certificates, etc.) must be provided by the supplier on the day of delivery.
- b. Warranty period for all equipment should be at least 12 months.

• Delivery conditions:

- a. Delivery must be made within 100 calendar days from the date of signing the contract. In two stages, in accordance with the schedule in Attachment A.
- b. Date and time of delivery must be agreed with the customer.
- c. Delivery must be made in accordance with the UNDP agreed equipment specification.
- d. Delivery, unloading and installation of equipment and software are required.
- e. Delivery must be carried out to the addresses specified in Attachment A, to the GCA in Donetsk and Luhansk oblasts.
- f. Delivery will be supervised by a UNDP representative.

5. Qualification requirements for a successful supplier

- Company with valid registration (for Ukrainian companies, registration must be obtained in the territory controlled by the Government of Ukraine).
- Experience in the supply of similar equipment for at least 3 years.

6. Evaluation method

The Contract will be awarded to the technically compliant offer with the lowest price

7. Price offer and payment schedule

- The contract price must remain fixed for the duration of the contract.
- Applicants must include all costs associated with the preparation and transportation of the equipment in their price offer.
- Payments should be arranged as follows: 100% of the total contract amount will be paid by UNDP within 30 (thirty) calendar days from the date of the equipment acceptance by the by UNDP at the addresses according to **Attachment A** and submission of originals of invoice, act of acceptance and tax invoice (if applicable).

Taking into account that purchase of services will be carried out within the project of international technical assistance, price offers/invoices for payment must be presented without VAT.

Bidders must submit their price offers in the following format:

No	Product name and technical characteristics	Number of units (units)	Unit price without VAT, currency	Total price without VAT, currency
1	The AIOPC Monoblock Indicate model and characteristics	16		
2	Power Strip with surge protection Indicatemodel and characteristics	16		
3	Office 2019	16		
4	Uninterruptible power supply (UPS) Indicate model and characteristics	16		

5	Multifunction unit (MFU) Indicate model andcharacteristics	8		
6	Antivirus	2		
7	Server Indicate model and characteristics	2		
8	Uninterruptible power supply (UPS) with rack mounting Indicate model and characteristics	2		
9	Server Rack Indicate model and characteristics	2		
10	Router Indicate model and characteristics	2		
11	Wi-Fi access point Indicate model and characteristics	2		
		Delivery	and unloading	
	Installation			
	TOTAL, without VAT, currency			

Attachment A to the Specification for Lot 1 – Delivery Address and Quantity

Nº	Equipment delivery addresses:	Delivery date:
1.	Ukraine, Luhanska oblast, Modular centre near	September- December 2021 (TBC)
	Stanica Luhanska EECP	
2	Ukraine, Donetska oblast, Modular centre near	September- December 2021 (TBC)
	Mariinka EECP	

The date and time of delivery of the equipment must be agreed with the customer.

Attachment B to the Specification for Lot 1 – Delivery Requirements

Delivery Requirements		
Delivery date and time	Bidder shall deliver the goods within 100 (one hundred) calendar days after the Contract signature.	
Delivery Terms (INCOTERMS 2020)	DDP	
Customs clearance (must be linked to INCOTERM □ Not applicable Shall be done by: □ Name of organisation (where applicable) □ Supplier/bidder □ Freight Forwarder		
Exact Address(es) of Delivery Location(s)	As per Attachment A to the Specification for Lot 1 - Delivery Address and Quantity	
Distribution of shipping documents (if using freight forwarder)	n/a	
Packing Requirements	Packaging must comply with the rules for the safe transport of goods offered.	
Training on Operations and Maintenance	n/a	
Warranty Period	Not less than 12 (twelve) months of official warranty service in Ukraine.	
After-sales service and local service support requirements	Availability of official service in Ukraine.	
Preferred Mode of Transport	Land	

SPECIFICATION FOR LOT 2:

Computer equipment for one ASC (Administrative Service Center) located near the EECP

Project Name: UN Recovery and Peacebuilding Program, Local Governance and Decentralization Reform Component

Customer: UN Recovery and Peacebuilding Program

Expected Delivery Date: September- December 2021 (according to the Attachment A)

Country / Place of work: Ukraine, Government-controlled area of Donetsk and Luhansk oblasts

1. BACKGROUND

The United Nations Development Programme (UNDP) has been active and present in eastern Ukraine for the past decade, prior to the conflict, with a focus on community development, civil society development, and environmental protection.

Since 2015, at the request of the Government of Ukraine, UNDP has been working to address specific conflict- related development challenges built on earlier engagement and established partnerships through the Recovery and Peacebuilding Programme (UN RPP).

The UN RPP is a multi-donor funded framework programme jointly implemented by several partnering UN agencies (United Nations Entity for Gender Equality and Empowerment of Women (UN Women), Food and Agriculture Organization of the United Nations (FAO), and United Nations Population Fund (UNFPA)).

The UN RPP was designed to respond to, and mitigate, the causes and effects of the conflict. It is an integral part of the UNDP Country Programme and is therefore fully aligned with the United Nations Partnership Framework. It is closely interlinked with the Democratic Governance and Reform Programme, operating nationally and in all of Ukrainian regions.

The Programme's interventions are grouped under the following key Programme components, which reflect the region's priority needs:

Component 1: Economic Recovery and Restoration of Critical Infrastructure

Component 2: Local Governance and Decentralization Reform in Ukraine

Component 3: Community Security and Social Cohesion

The Programme, which operates on the basis of a pooled funding arrangement, follows a multi-sector programme-based approach and is implemented using an area-based methodology. It is a unifying interventions framework funded by 13 international partners.

In April 2019, UNDP launched a new project called "Mobile Service Provision for the Conflict-Affected Population Eastern Ukraine" funded by the Government of Canada. The project will be implemented within the UN RPP. The overall goal of the project is to ease the burden of conflict-affected citizens of Ukraine, mainly women, whohave to travel long distances to be provided with an access to administrative and legal services. The project will be further built on the work already done by UNDP in developing a network of modern centers for the provision of administrative services, Centers for Administrative Services (hereinafter – TsNAP) in Donetsk and Luhansk oblasts:

- Developing effective gender-sensitive means of getting to TsNAPs (through mobile service units) with a focus on providing access to services for the most disadvantaged groups, such as elderly people, women with children, female-headed households, men and women with disabilities;
- Ensuring the localization of these units in real time for the target population;
- Creating an intuitive information platform (for all relevant administrative and legal aid provision services) that can be easily accessed by target groups.

The project is focused on reducing the unprecedented pressure and barriers faced by citizens of this region, mainly women, in addressing their issues through difficult access to administrative services, legal aid, and information services. These challenges also deny access to basic services, as well as interfere with the rights of the population, in particular, those of the women.

Currently, residents of Donetsk and Luhansk oblasts along the contact line, as well as residents from NGCA, have problems obtaining quality administrative services due to the lack of a network of Administrative Services Centres (TsNAPs).

Ukrainian government has made a decision to create new Entry-Exit Checkpoints (EECPs) with special Modular Centres nearby, which are designed to create conditions for residents crossing the contact line in order to obtain the administrative services provided by Ukrainian service providers.

A Modular Centre is being set up next to the EECPs, bringing together all types of services in one place. The mainfunctional element of this modular centre will be TsNAP.

For the equipment of the TsNAP, it is planned to purchase computers and other office equipment, install it in the Modular centre near Zolote EECP and thus create conditions for providing quality administrative services to the population.

2. SCOPE OF WORK

- Purchase of computers and other office equipment for the establishing of TsNAP in the ModularCentres
- Delivery, unloading and installation at:
 Ukraine, Donetska oblast, Modular centre near Zolote EECP

3. THE MAIN CHARACTERISTICS OF THE EQUIPMENT

#	Equipment (set)	Technical characteristics (Not less)	Number of pieces (pcs) in one module	Total number
1	The AIOPC HP 200 G4 21.5 "with Windows 10 Pro 64- bitOEM or analogue Set with mouse and wireless keyboard in thecolour of a Monoblock	Type – MonoblockNot less than Screen diagonal - 21.5 " Matrix type – IPS Resolution - 1920x1080 pixelsScreen coverage - anti-glare Processor - not lower than Intel Core i3Model - 10110U or similar Number of cores - from 2 Processor frequency –2.1 GHz Random access memory (RAM) - 8 GB Memory type - DDR4 Type of storage - SSD SSD storage capacity - from 256 GBOptical drive - DVD-RW Card Reader - built-in Monoblock colour- whiteWi-Fi Interfaces: 3 x USB 1 x HDMI 1 x LAN (RJ-45) 1 x combo audio jack for headphones / microphone	8	8
3	Power Strip with surgeprotection (6 sockets) Office 2019 BOX Version(the software must be installed on the PC item 1)	Number of sockets - 6 The maximum load current is 10 ASurge protection Maximum peak current, A: 4500 Maximum pulse voltage, B: 4500 Automatic fuse, A: 10 Maximum absorption energy (in the case of avoltage jump of 2 µs), J: 125 Cable length - 4.5 m Microsoft Office Home and Business 2019 Box64-bit. Interface language: Ukrainian. software package: Word, Excel, PowerPoint, OneNote, Outlook.	8	8
4	An uninterruptible power supply (UPS) is compatiblewith item 1 Eaton 5E 650VA USB DIN	License type: Permanent for 1 PC Battery on time: 2 msInput voltage 230 V Input voltage range 170-280 V Input frequency, Hz 50-60	8	8

5	or analogue Multifunction unit (MFU) Canon i-SENSYS MF443dw + 1 additional cartridge,or analogue	Output voltage 230 V Max. output power, VA 650 Effective output power 360 watts Sockets with a reserve of 3 pieces CEE 7 / IEC-320-C13 Full charge time, min 360 to 90% Protection short circuit overload protection interference filteringdata line protection Protection against high-voltage pulses Printing type: LaserSheet size: A4 Print color: Monochrome Maximum print resolution: 1200x1200 dpiB&W printing speed: 38 sheets / min Black cartridge life: 3100 A4 sheets (ISO / IEC24711) Automatic printing on both sides: Yes Interfaces: USB 2.0	4	4
		Network interfaces: WiFi 802.11nBuilt- in LCD screen: Yes		
6	Antivirus (must be	Paper density range: 60-163g / m2 ESET Endpoint Security software for 2 years (8devices)		
	installed on PC position 1)	indipolition of the second control of the se	1	1
7	Dell EMC R240 serverwith	Form factor 1U // 2U Static Rails for 2-Post and4-Post		
	Windows Server2016 R2	Racks Processor - Intel		
	Standart or analogue	Xeon processor series		
		Processor model E-2124		
		Clock frequency not less 3.3 GHz		
		Number of cores not less 4 Cache capacity not less 8 MB Maximum		
		power 71 W		
		• RAM:		
		Memory type DDR4 / 2666MT / s ECC UDIMM Memory capacity 24 GB	1	1
		• Disk system:		
		3.5"(LFF) / up to 4 Cabled Hard Drives and Software RAID format		
		Hard disk (included) 4pcs. for 2 TB / SATA III(SATA /		
		600) / NAS / 5400rpm / 256MB		
		SATA hard drive interface Optical drive: yes		
		Interfaces:		
		1GbE Base-T / x2 network controllerPower supply:		
		Power supply 250W / Single, Cabled PowerSupply		
		Additionally: IDBACO / Basis management		
		IDRAC9 / Basic management Features of TPM /2.0		
		slots / PCle Riser,		
		1x FH x8 PCIe Gen3 slot,1x LP x4 PCIe Gen3 slot,R240 / R340		
8	An uninterruptible	Device type-linear-interactive Rack		
	powersupply (UPS) Eaton 5P 1150VA RM	mount type Operating time at full load - 4 minutes		
	complete	Operating time at full load - 4 minutes Operating time at half load-11 minutes Input		
	with rack mounting	voltage range-150-294 V		
	or analogue,	Input frequency, Hz-50-60		
	compatible with	Output-sinusoid		

	position 9,11	Output voltage-230 V		
		Max. output power, VA 1150		
		Effective output power 770 W.	1	1
		Sockets with a reserve - 6 pieces of IEC 320 C13Interfaces:	_	_
		• USB		
		• RS232		
		 relay contacts 		
		 1 slot for optional network / Modbus /relay 		
		card		
		Rack mount kit 19 "		
		LCD display, 7 languages		
		Height (unit) 1 U		
9	Server rack MIRSAN	Type - Wall cabinet		
	WTN19 "[20U 600x560,	Height 20 U		
	RAL	Rack width 19 "		
	9005 or analogue	Holding capacity (static) 80 kgColor		
		RAL 9005		
		Degree of protection IP 20		
		Complete side panels - two removable side wallswith one-		
		point lock		
		front door - glass with single point lock		
		rear wall - steel, with mounting holes and		
		perforation for cable entry.	1	1
		top plate - with perforation under the fan unitand		
		adjustable cable entry with seal		
		bottom plate - with cable entry, closed with PVCplug		
		caps-legs - 4 pieces, PVC (installation on a floor ispossible)		
		Additional options:		
		• The shelf adjustable 1U for a case 19 "500-600,RAL		
		9005 - 2 pieces		
		• Set for fastening (screw M6, nut, washer) - 20pcs.		
		 Vent. panel 2 fans, thermostat included. RAL9005, 		
		• Console shelf 19 "1U 250, RAL 9005,		
		• Cable org. horizontal 19 "1U 5 rings, RAL 9005		
	Router mikrotik	The nominal processor frequency is 880 MHz		
10	routerboard rb750gr3	Processor cores - 2		
	hexor analogue	RAM - 256 MB		
		Ethernet ports 0/100/1000 5RoE		
		input	_	
		Supply voltage range From 8 to 30 VUSB,	1	1
		type A 2.0		
		Hardware encryption is		
		Processor MT7621A or similar Maximum		
		power consumption 5 W.		
		1 p		

11	Ubiquiti UniFi UAP-AC-	Network interfaces - Ethernet port 10/100/1000Antennas		
	LITE Wi-Fi access point	- Two dual-band, 3 dBi each		
	oranalogue	Wi-Fi - 802.11 a / b / g / n / ac standardsPower supply		
		Passive RoE 24 V Maximum radiation power:		
		• 2.4 GHz		
		• 5 GHz		
		• 20 dBm		
		• 20 dBm		
		BSSID Up to four per radio station		
		Wireless security WEP, WPA-PSK, WPA-		
		enterprises (WPA / WPA2, TKIP / AES)		
		Compliance with the requirements for wireless		
		communication FCC, IC, CE	_	_
		Operating temperature range - from -10° C to70° C	1	1
		Humidity during operation-from 5% to 95%without		
		condensation		
		Simultaneous customers - from 100Data		
		rate standards:		
		802.11a 6, 9, 12, 18, 24, 36, 48, 54 Mbps		
		802.11n From 6.5 Mbps to 300 Mbps (MCS0 -MCS15,		
		HT 20/40)		
		802.11ac From 6.5 Mbps to 867 Mbps (MCS0 -MCS9 NSS1		
		/ 2, VHT 20/40/80)		
		802.11b 1, 2, 5.5, 11 Mbps		
		802.11g 6, 9, 12, 18, 24, 36, 48, 54 Mbps		

4. Additional requirements

• Warranty condition:

- a. All necessary technical documentation (passports, certificates, etc.) must be provided by the supplieron the day of delivery.
- b. Warranty period for all equipment should be at least 12 months.

• Delivery conditions:

- a. Delivery must be made within 100 calendar days from the date of signing the contract.
- b. Date and time of delivery must be agreed with the customer.
- c. Delivery must be made in accordance with the UNDP agreed equipment specification.
- d. Delivery, unloading and installation of equipment and software are required.
- e. Delivery must be carried out to the addresses specified in Attachment A, to the GCA in Donetsk and Luhansk oblasts.
- f. Delivery will be supervised by a UNDP representative.

5. Qualification requirements for a successful supplier

- Company with valid registration (for Ukrainian companies, registration must be obtained in theterritory controlled by the Government of Ukraine).
- Experience in the supply of similar equipment for at least 3 years.

6. Evaluation method

The Contract will be awarded to the technically compliant offer with the lowest price

7. Price offer and payment schedule

- The contract price must remain fixed for the duration of the contract.
- Applicants must include all costs associated with the preparation and transportation of the equipment in their price offer.
- Payments should be arranged as follows: 100% of the total contract amount will be paid by UNDP within 30

(thirty) calendar days from the date of the equipment acceptance by the by UNDP at the addresses according to **Attachment A** and submission of originals of invoice, act of acceptance and tax invoice (if applicable).

Bidders must submit their price offers in the following format:

No	Product name and technical characteristics	Number of units (units)	Unit price without VAT, currency	Total price without VAT, currency
1	The AIOPC Monoblock Indicate model and characteristics	8		
2	Power Strip with surge protection Indicatemodel and characteristics	8		
3	Office 2019	8		
4	Uninterruptible power supply (UPS) Indicate model and characteristics	8		
5	Multifunction unit (MFU) Indicate model and characteristics	4		
6	Antivirus	1		
7	Server Indicate model and characteristics	1		
8	Uninterruptible power supply (UPS) with rack mounting <i>Indicate model and characteristics</i>	1		
9	Server Rack Indicate model and characteristics	1		
10	Router Indicate model and characteristics	1		
11	Wi-Fi access point	1		
	Indicate model and characteristics			
		Delivery	and unloading	
			Installation	
		TOTAL, without	t VAT, currency	
			VAT	
		In general, including	g VAT, currency	

Attachment A to the Specification for Lot 2 – Delivery Address and Quantity

Nº	Equipment delivery addresses:	Delivery date:
1	,	September- December 2021 (TBC)
	Zolote EECP	

The date and time of delivery of the equipment must be agreed with the customer.

Attachment B to the Specification for Lot 2 – Delivery Requirements

Delivery Requirements		
Delivery date and time	Bidder shall deliver the goods within 100 (one hundred) calendar days after the Contract signature.	
Delivery Terms (INCOTERMS 2020)	DDP	
Customs clearance (must be linked to INCOTERM	 Not applicable Shall be done by: Name of organisation (where applicable) \[\text{Supplier/bidder} \] \[\text{Freight Forwarder} \] 	
Exact Address(es) of Delivery Location(s)	As per Attachment A to the Specification for Lot 2 - Delivery Address and Quantity	
Distribution of shipping documents (if using freight forwarder)	n/a	
Packing Requirements	Packaging must comply with the rules for the safe transport of goods offered.	
Training on Operations and Maintenance	n/a	
Warranty Period	Not less than 12 (twelve) months of official warranty service in Ukraine.	
After-sales service and local service support requirements	Availability of official service in Ukraine.	
Preferred Mode of Transport	Land	

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	221,578-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
VAT payer status	Click or tap here to enter text.
Contract person name	Click or tap here to enter text.
Contact person email	Click or tap here to enter text.
Contact person phone	Click or tap here to enter text.
Company's core activities	Click or tap here to enter text.
Profile – describing the nature of business, field of expertise.	Click or tap here to enter text.
Are you a UNGM registered vendor?	☐ Yes ☐ No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	☐ Yes ☐ No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	☐ Yes ☐ No
Does your Company have a written Statement of its Environmental Policy? (If yes,	☐ Yes ☐ No

provide a Copy)	
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	☐ Yes ☐ No
Is your company a member of the UN Global Compact	☐ Yes ☐ No
Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.
References	Please provide contact details of at least 2 (two) previous clients for reference and attach the signed reference letters.

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.

Yes	No	
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _	
Name:	Click or tap here to enter text.
Title:	Click or tap here to enter text.
Date:	Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	221,578-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

<u>Table 1.1 – Conformity to the Specification for Lot 1</u>

	Name of equipment		
#	The characteristics should not be lower than are	Conformity	Offered Brand, Model and Exact
	listed in the assignment	(Yes/No)	characteristics
1.	The AIOPC		
	HP 200 G4 21.5 "with		
	Windows 10 Pro 64-bit OEM or analogue		
	Set with mouse and wireless keyboard in the		
	colour of a Monoblock		
	Type – Monoblock Not less than		
	Screen diagonal - 21.5 " Matrix type – IPS		
	Resolution - 1920x1080 pixels Screen coverage -		
	anti-glare		
	Processor - not lower than Intel Core i3 Model -		
	10110U or similar		
	Number of cores - from 2 Processor frequency –2.1		
	GHz		
	Random access memory (RAM) - 8 GB Memory		
	type - DDR4		
	Type of storage - SSD		
	SSD storage capacity - from 256 GB Optical drive -		
	DVD-RW		
	Card Reader - built-in Monoblock colour- white Wi-		
	Fi		
	Interfaces:		
	3 x USB		
	1 x HDMI		
	1 x LAN (RJ-45)		
	1 x combo audio jack for headphones /		
	microphone		
2.	Power Strip with surge protection (6 sockets)		
	Number of sockets - 6		
	The maximum load current is 10 A Surge		
	protection		
	Maximum peak current, A: 4500 Maximum pulse		
	voltage, B: 4500 Automatic fuse, A: 10		
	Maximum absorption energy (in the case of a		
	voltage jump of 2 μs), J: 125		
	Cable length - 4.5 m		
3.	Office 2019 BOX Version(the software must be		
	installed on the PC item 1)		
	Microsoft Office Home and Business 2019 Box 64-		
	bit.		

	Interface language: Ukrainian.	
	software package: Word, Excel, PowerPoint,	
	OneNote, Outlook.	
	License type: Permanent for 1 PC	
	**	
4.	An uninterruptible power supply (UPS) compatible	
	with item 1	
	Eaton 5E 650VA USB DIN	
	or analogue	
	Battery on time: 2 ms Input voltage 230 V	
	Input voltage range 170-280 V Input frequency, Hz	
	50-60	
	Output voltage 230 V	
	Max. output power, VA 650	
	Effective output power 360 watts	
	Sockets with a reserve of 3 pieces CEE 7 / IEC- 320-	
	C13	
	Full charge time, min 360 to 90%	
	Protection short circuit overload protection	
	interference filtering data line protection	
	Protection against high-voltage pulses	
<u> </u>		
5.	Multifunction unit (MFU) Canon i-SENSYS MF443dw	
	+ 1 additional cartridge, or analogue	
	Printing type: Laser Sheet size: A4	
	Print color: Monochrome	
	Maximum print resolution: 1200x1200 dpi B&W	
	printing speed: 38 sheets / min	
	Black cartridge life: 3100 A4 sheets (ISO / IEC	
	24711)	
	Automatic printing on both sides: Yes Interfaces:	
	USB 2.0	
	Network interfaces: WiFi 802.11n Built-in LCD	
	screen: Yes	
	Paper density range: 60-163g / m2	
6.	Antivirus (must be installed on PC position 1)	
	ESET Endpoint Security software for 2 years (8	
	devices)	
7.	Dell EMC R240 server with Windows Server 2016 R2	
/.		
	Standart or analogue	
	Form factor 1U // 2U Static Rails for 2-Post and 4-	
	Post Racks	
	Processor - Intel	
	Xeon processor series Processor model E-2124	
	Clock frequency not less 3.3 GHz Number of cores	
	not less 4 Cache capacity not less 8 MB Maximum	
	power 71 W	
	• RAM:	
	Memory type DDR4 / 2666MT / s ECC UDIMM	
	Memory capacity 24 GB	
	Disk system:	
	"(LFF) / up to 4 Cabled Hard Drives and Software	
	RAID format	
	Hard disk (included) 4pcs. for 2 TB / SATA III (SATA	
	/ 600) / NAS / 5400rpm / 256MB	
	SATA hard drive interface	
	 Optical drive: yesInterfaces: 	

		1
	1GbE Base-T / x2 network controllerPower supply:	
	Power supply 250W / Single, Cabled PowerSupply	
	Additionally:	
	IDRAC9 / Basic managementFeatures of TPM /2.0	
	slots / PCIe Riser,	
	1x FH x8 PCle Gen3 slot,1x LP x4 PCle Gen3 slot,	
	R240 / R340	
8.	An uninterruptible power supply (UPS) Eaton 5P 1150VA	
	RM complete	
	with rack mounting or analogue, compatible with	
	position 9,11	
	Device type-linear-interactive Rack mount type	
	Operating time at full load - 4 minutes Operating	
	time at half load-11 minutes Input voltage range-	
	150-294 V	
	Input frequency, Hz-50-60 Output-sinusoid	
	Output voltage-230 V	
	Max. output power, VA 1150 Effective output	
	power 770 W.	
	Sockets with a reserve - 6 pieces of IEC 320 C13	
	Interfaces:	
	• USB	
	• RS232	
	• relay contacts	
	-	
	1 slot for optional network / Modbus //sloveserd.	
	/relay card	
	Rack mount kit 19 "	
	LCD display, 7 languagesHeight (unit) 1 U	
9.	Server Rack MIRSAN WTN 19 "[20U 600x560, RAL 9005	
	or analogue	
	Type - Wall cabinet Height 20 U	
	Rack width 19 "	
	Holding capacity (static) 80 kg Color RAL 9005	
	Degree of protection IP 20	
	Complete side panels - two removable side walls	
	with one-point lock	
	front door - glass with single point lock	
	rear wall - steel, with mounting holes and	
	perforation for cable entry. top plate - with perforation under the fan unit and	
	adjustable cable entry with seal	
	bottom plate - with cable entry, closed with PVC	
	plug	
	caps-legs - 4 pieces, PVC (installation on a floor is	
	possible)	
	possible)	
	Additional options:	
	•	
	• The shelf adjustable 1U for a case 19 "500-600,	
	RAL 9005 - 2 pieces	
	Set for fastening (screw M6, nut, washer) -	
	20pcs.	
	 Vent. panel 2 fans, thermostat included. 	
	RAL9005,	
	 Console shelf 19 "1U 250, RAL 9005, 	
	Cable org. horizontal 19 "1U 5 rings, RAL 9005	

10.	Router mikrotik routerboard rb750gr3 hex r analogue	
	The nominal processor frequency is 880 MHz	
	Processor cores - 2	
	RAM - 256 MB	
	Ethernet ports 0/100/1000 5 RoE input	
	Supply voltage range From 8 to 30 V USB, type A	
	2.0	
	Hardware encryption is	
	Processor MT7621A or similar Maximum power	
	consumption 5 W.	
11.	Ubiquiti UniFi UAP-AC-LITE Wi-Fi access point or	
	analogue	
	Network interfaces- Ethernet port 10/100/1000	
	Antennas - Two dual-band, 3 dBi each	
	Wi-Fi - 802.11 a / b / g / n / ac standards Power	
	supply Passive RoE 24 V Maximum radiation	
	power:	
	• 2.4 GHz	
	• 5 GHz	
	• 20 dBm	
	• 20 dBm	
	BSSID Up to four per radio station	
	Wireless security WEP, WPA-PSK, WPA- enterprises	
	(WPA / WPA2, TKIP / AES)	
	Compliance with the requirements for wireless	
	communication FCC, IC, CE	
	Operating temperature range - from -10° C to 70°	
	С	
	Humidity during operation- from 5% to 95%	
	without condensation	
	Simultaneous customers - from 100 Data rate	
	standards:	
	802.11a 6, 9, 12, 18, 24, 36, 48, 54 Mbps	
	802.11n From 6.5 Mbps to 300 Mbps (MCS0 -	
	MCS15, HT 20/40)	
	802.11ac From 6.5 Mbps to 867 Mbps (MCS0 -	
	MCS9 NSS1 / 2, VHT 20/40/80)	
	802.11b 1, 2, 5.5, 11 Mbps	
	802.11g 6, 9, 12, 18, 24, 36, 48, 54 Mbps	

<u>Table 1.2 – Conformity to the Specification for Lot 2</u>

#	Name of equipment The characteristics should not be lower than are listed	Conformity (Yes/No)	Offered Brand, Model and Exact characteristics
	in the assignment		
2.	The AloPC HP 200 G4 21.5 "with Windows 10 Pro 64-bit OEM or analogue Set with mouse and wireless keyboard in the colour of a Monoblock Type - Monoblock Not less than Screen diagonal - 21.5 " Matrix type - IPS Resolution - 1920x1080 pixels Screen coverage - antiglare Processor - not lower than Intel Core i3 Model - 10110U or similar Number of cores - from 2 Processor frequency -2.1 GHz Random access memory (RAM) - 8 GB Memory type - DDR4 Type of storage - SSD SSD storage capacity - from 256 GB Optical drive - DVD-RW Card Reader - built-in Monoblock colour- white Wi-Fi Interfaces: 3 x USB 1 x HDMI 1 x LAN (RJ-45) 1 x combo audio jack for headphones / microphone Power Strip with surge protection (6 sockets)		
	Number of sockets - 6 The maximum load current is 10 A Surge protection Maximum peak current, A: 4500 Maximum pulse voltage, B: 4500 Automatic fuse, A: 10 Maximum absorption energy (in the case of a voltage jump of 2 μ s), J: 125 Cable length - 4.5 m		
3.	Office 2019 BOX Version (the software must be installed on the PC item 1) Microsoft Office Home and Business 2019 Box 64-bit. Interface language: Ukrainian. software package: Word, Excel, PowerPoint, OneNote, Outlook. License type: Permanent for 1 PC		
4.	An uninterruptible power supply (UPS) is compatible with item 1 Eaton 5E 650VA USB DIN or analogue Battery on time: 2 ms Input voltage 230 V Input voltage range 170-280 V Input frequency, Hz 50-60 Output voltage 230 V Max. output power, VA 650 Effective output power 360 watts Sockets with a reserve of 3 pieces CEE 7 / IEC- 320-C13 Full charge time, min 360 to 90% Protection short circuit overload protection		

	interference filesia detellar anni esta		
	interference filtering data line protection		
	Protection against high-voltage pulses		
5.	Multifunction unit (MFU) Canon i-SENSYS MF443dw		
	+ 1 additional cartridge, or analogue		
	Printing type: Laser Sheet size: A4		
	9 /.		
	Print color: Monochrome		
	Maximum print resolution: 1200x1200 dpi B&W		
	printing speed: 38 sheets / min		
	Black cartridge life: 3100 A4 sheets (ISO / IEC 24711)		
	Automatic printing on both sides: Yes Interfaces: USB		
	2.0		
	Network interfaces: WiFi 802.11n Built-in LCD screen:		
	Yes		
	Paper density range: 60-163g / m2		
6.	Antivirus (must be installed on PC position 1)		
0.			
	ESET Endpoint Security software for 2 years (8 devices)		
7.	Dell EMC R240 server with Windows Server 2016 R2		
	Standart or analogue		
	Form factor 1U // 2U Static Rails for 2-Post and 4-Post		
	Racks		
	Processor - Intel		
	Xeon processor series Processor model E-2124		
	Clock frequency not less 3.3 GHz Number of cores not		
	less 4 Cache capacity not less 8 MB Maximum power		
	71 W		
	• RAM:		
	Memory type DDR4 / 2666MT / s ECC UDIMMMemory		
	capacity 24 GB		
	Disk system:		
	3.6"(LFF) / up to 4 Cabled Hard Drives andSoftware		
	RAID format		
	Hard disk (included) 4pcs. for 2 TB / SATA III (SATA /		
	600) / NAS / 5400rpm / 256MB		
	SATA hard drive interface		
	 Optical drive: yesInterfaces: 		
	1GbE Base-T / x2 network controllerPower supply:		
	Power supply 250W / Single, Cabled PowerSupply		
	• Additionally:		
	IDRAC9 / Basic managementFeatures of TPM /2.0		
	slots / PCle Riser,		
	1x FH x8 PCle Gen3 slot,1x LP x4 PCle Gen3 slot,R240 /		
	R340		
8.	An uninterruptible power supply (UPS) Eaton 5P 1150VA RM		
	complete with rack mounting or analogue, compatible with		
	position 9,11		
	Device type-linear-interactive Rack mount type		
	Operating time at full load - 4 minutes Operating time		
	at half load-11 minutes Input voltage range-150-294 V		
	Input frequency, Hz-50-60 Output-sinusoid		
	Output voltage-230 V		
	Max. output power, VA 1150 Effective output power		
	770 W.		
	Sockets with a reserve - 6 pieces of IEC 320 C13		
	Interfaces:		
		ı	

	• USB		
	• RS232		
	relay contacts		
	 1 slot for optional network / Modbus / 		
	relay card		
	Rack mount kit 19 "		
	LCD display, 7 languagesHeight (unit) 1 U		
9.	Server rack MIRSAN WTN 19 "[20U 600x560, RAL 9005 or		
-	analogue		
	Type - Wall cabinet Height 20 U		
	Rack width 19 "		
	Holding capacity (static) 80 kg Color RAL 9005		
	Degree of protection IP 20		
	Complete side panels - two removable side walls with		
	one-point lock		
	front door - glass with single point lock		
	rear wall - steel, with mounting holes and perforation		
	for cable entry.		
	top plate - with perforation under the fan unit and		
	adjustable cable entry with seal		
	bottom plate - with cable entry, closed with PVC plug		
	caps-legs - 4 pieces, PVC (installation on a floor is possible)		
	possible		
	Additional options:		
	• The shelf adjustable 1U for a case 19 "500-600,		
	RAL 9005 - 2 pieces		
	 Set for fastening (screw M6, nut, washer) - 20 		
	pcs.		
	 Vent. panel 2 fans, thermostat included. RAL 		
	9005,		
	 Console shelf 19 "1U 250, RAL 9005, 		
	• Cable org. horizontal 19 "1U 5 rings, RAL 9005		
10.	Router mikrotik routerboard rb750gr3 hex or analogue		
	The nominal processor frequency is 880 MHz		
	Processor cores - 2		
	RAM - 256 MB		
	Ethernet ports 0/100/1000 5 RoE input		
	Supply voltage range From 8 to 30 V USB, type A 2.0		
	Hardware encryption is		
	Processor MT7621A or similar Maximum power		
	consumption 5 W.		
11.	Ubiquiti UniFi UAP-AC-LITE Wi-Fi access point or analogue		
	Network interfaces- Ethernet port 10/100/1000 Antennas - Two dual-band, 3 dBi each		
	Wi-Fi - 802.11 a / b / g / n / ac standards Power supply		
	Passive RoE 24 V Maximum radiation power:		
	• 2.4 GHz		
	• 5 GHz		
	• 20 dBm		
	• 20 dBm		
	BSSID Up to four per radio station Wireless security WEP, WPA-PSK, WPA- enterprises		
	(WPA / WPA2, TKIP / AES)		
	Compliance with the requirements for wireless		

communication FCC, IC, CE	
Operating temperature range - from -10° C to 70° C	
Humidity during operation- from 5% to 95% without	
condensation	
Simultaneous customers - from 100 Data rate	
standards:	
802.11a 6, 9, 12, 18, 24, 36, 48, 54 Mbps	
802.11n From 6.5 Mbps to 300 Mbps (MCS0 - MCS15,	
HT 20/40)	
802.11ac From 6.5 Mbps to 867 Mbps (MCS0 - MCS9	
NSS1 / 2, VHT 20/40/80)	
802.11b 1, 2, 5.5, 11 Mbps	
802.11g 6, 9, 12, 18, 24, 36, 48, 54 Mbps	

<u>Table 2.1 – Financial offer for the supply of goods in accordance with the Specification for Lot 1</u>

#	Product name and specification requirements	Number of units	Unit price, without VAT, indicate currency	Total price, without VAT, indicate currency
1.	The AIOPC Monoblock Indicate model and characteristics	16		
2.	Power Strip with surge protection Indicatemodel and characteristics	16		
3.	Office 2019	16		
4.	Uninterruptible power supply (UPS) Indicate model and characteristics	16		
5.	Multifunction unit (MFU) Indicate model andcharacteristics	8		
6.	Antivirus	2		
7.	Server Indicate model and characteristics	2		
8.	Uninterruptible power supply (UPS) with rack mounting Indicate model and characteristics	2		
9.	Server Rack Indicate model and characteristics	2		
10.	Router Indicate model and characteristics	2		
11.	Wi-Fi access point Indicate model and characteristics	2		
12.	Delivery (DDP named place of destination as per Attachment A to the Specification for Lot 1 - Delivery Address and Quantity) and unloading of the goods*			
13.	Cost of installation*			
	TOTAL	L, excluding VA	T, indicate currency	

^{*} If not included in price quoted for items 1-11 above.

<u>Table 2.2 – Financial offer for the supply of goods in accordance with the Specification for Lot 2</u>

#	Product name and specification requirements	Quantity of units, pcs.	Unit price, without VAT, indicate currency	Total price, without VAT, indicate currency
1.	The AIOPC Monoblock Indicate model and characteristics	8		
2.	Power Strip with surge protection Indicatemodel and characteristics	8		
3.	Office 2019	8		
4.	Uninterruptible power supply (UPS) Indicate model and characteristics	8		
5.	Multifunction unit (MFU) Indicate model and characteristics	4		
6.	Antivirus	1		
7.	Server Indicate model and characteristics	1		
8.	Uninterruptible power supply (UPS) with rack mounting Indicate model and characteristics	1		
9.	Server Rack Indicate model and characteristics	1		
10.	Router Indicate model and characteristics	1		
11.	Wi-Fi access point Indicate model and characteristics	1		
12.	Delivery (DDP named place of destination as per Attachment A to the Specification for Lot 2 - Delivery Address and Quantity) and unloading of the goods*			
13.	Cost of installation*			
	,	TOTAL, exc	luding VAT, currency	
			VAT	
	GRAND TO	TAL, including VA	AT, indicate currency	

^{*} If not included in price quoted for items 1-11 above.

Dear Partners!

The UN Office in Ukraine kindly informs you, that the purchase of goods and services, announced in the UN Office Tenders, is conducted within the framework of international technical assistance project.

Provisions of the Tax Code of Ukraine (paragraph 197.11) foresee the VAT tax exemption for operations, financed by material and technical assistance.

The procedure for obtaining the tax exemption right for operations, performed in the framework of international technical assistance projects, is regulated by the Decree #153 of the Cabinet of Ministers of Ukraine dated February 15, 2002.

In case you already have the right to apply this VAT allowance, on the date of UNDP prepayment receipt you should prepare and register a tax invoice (hereinafter - TI) in the United Register of Tax Invoices (URTI), filled in as follows:

- the column "Comprised on the operation, exempted from taxation" on the upper left part with the mark "Without VAT";
- Section A of the TI table section (lines I-X) should contain the summarizing data on TI transactions, namely: line I the total amount to be paid, including VAT; line IX the total volume of goods and services delivered. Lines II-VIII of section A are not filled;
- in column 2 of section B supplier's (seller's) services nomenclature;
- in section 3.3 of section B service code according to the SCPS. Box 3.3 should be filled in at all stages of the services delivery;
- in columns 4 and 5 unit of services measurement;
- in column 6 quantity (volume) of services delivery;
- in column 7 the price of the service unit supply, excluding VAT;
- in column 8 VAT rate code 903;
- in column 9 tax allowance code according to the Handbook of other tax benefits, approved by the SFS as of the date of TI submission "14060523".
- in column 10 supply volume, excluding VAT (prepayment amount).

Detailed instructions to be found in the materials "Tax invoice - 2017: instruction on filling out" and "New tax invoice in the samples."

Credit against VAT tax, applied on the materials purchase for the relevant construction works performance, cannot be compensated as per the paragraph #198.5 of Tax Code of Ukraine. According to the Tax Code paragraph #198.5, goods and services supply operations, exempted from VAT based on the Tax Code paragraph #197.11, the rules for calculating tax liabilities do not apply.

Using the materials bought with VAT, there is no need to compensate the credit against VAT, as well as no need to accrue tax liabilities.

Considering all mentioned above, you are kindly asked to submit your tender applications / invoices for payment without VAT, referring to the Ukrainian legislation provisions, stated in the mentioned regulatory acts.

Should you have any additional questions, please contact the offices of the State Fiscal Service of Ukraine at the place of your enterprise registration for additional clarifications of Article 52 of the Tax Code of Ukraine.

Table 3. Compliance with Requirements

	Your Responses			
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer	
Minimum Technical Specifications			Click or tap here to enter text.	
Delivery Term (INCOTERMS 2020):				
DDP as per locations indicated in Attachment A			Click or tap here to enter text.	
to the Specification for Lot 1 (and/or Lot 2)				
Delivery Lead Time (Delivery of equipment must				
be carried out within:				
- 100 calendar days (in two stages) for Lot 1, and			Click or tan horo to enter toyt	
- 100 calendar days for Lot 2			Click or tap here to enter text.	
from the date of signing the Contract as it is				
specified in Attachment A to the Specifications.				
The warranty period for the equipment must be				
not less than 12 (twelve) months. All equipment			Click or tap here to enter text.	
must have official warranty service in Ukraine.				
Delivery, unloading and installation of the			Click or tap here to enter text.	
equipment must be provided by the Contractor.			Click of tap fiere to effice text.	
Validity of Quotation (min. 60 days)			Click or tap here to enter text.	
Payment terms			Click or tap here to enter text.	

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.	
Exact name and address of company	Authorized Signature:
Company Name: Click or tap here to enter text.	Date: Click or tap here to enter text.
Address: Click or tap here to enter text.	Name: Click or tap here to enter text.
Click or tap here to enter text.	Functional Title of Authorised Signatory:
Phone No.: Click or tap here to enter text.	Click or tap here to enter text.
Email Address: Click or tap here to enter text.	Email Address: Click or tap here to enter text.