

REQUEST FOR QUOTATION FOR LOW-VALUE GOODS

DATE: 15/10/2021

SUBJECT: Request for Quotation for Supply of field and agricultural equipment.

REF: RFQ/077/21

DEADLINE: October 29, 2021, prior to 18:00 Tashkent time (GMT+5)

PAGES: 10

Dear Sir/Madam,

We kindly request that you provide a quotation for the goods described below:

#	PRODUCT DESCRIPTION	UOM	QTY		N <mark>[CURRECNY]</mark> HOUT VAT)
				Unit price	total price
LOT	1: Tractor				
1	Tractor Tractor weight: Operational: 4000 kg Factory shipped: 3,850 kg (+/- 100 kg) Maximum mass of the towed trailer (on unpaved and paved roads) 12,000 kg Chassis: Front drive axle - portal type, equipped with a limited slip limited slip differential. The following three modes of operation of the front axle are provided: off; turned on constantly; turns on automatically when the rear wheels slip. Bridge type: split sliding beam. Rear wheel track 1 350-2 050 mm (for a tractor with power steering); 1 410-1 970 mm (for a tractor with a mount). Front wheel track 1 430-1 990 mm Ground clearance 465 mm Longitudinal base 2 450 mm Wheel formula 4K4	pcs	1		
	The depth of the ford to be overcome is 0.85 m Ascent / descent angle on dry, not turf • 20 ° (without trailer) • 12 ° with trailer)				
	The cost of goods for Lot 1:	•		•	
	Transportation cost for Lot 1 (Delivery to the address):				
	Other costs for Lot 1 (indicate if any):				
	VAT for Lot 1 (if applicable for companies registered in t	he Repub	lic of Uzl	oekistan):	
	Total All-inclusive Bid Price for Lot 1:				

#	PRODUCT DESCRIPTION	UOM	QTY		N <mark>[CURRECNY]</mark> HOUT VAT)
				Unit price	total price
LOT	2: Field equipment				
	Binoculars				
1	Delivery scope: Neoprene carrying strap, contoured, eyepiece cover, protective front lens cover, Cordura case Prism Type: Compact roof prism optical path High-quality SCHOTT HT glass increases light transmission, especially in the blue-violet band, improves color fidelity, and enhances low-light performance Roof prism with phase-correcting coating P40 and HighLux-System HLS™ High-temperature plasma lens coating depositing system for precise optical coating placement Phase-corrected prisms reduce chromatic aberration for enhanced color rendition Scratch- and abrasion-resistant High Durable Coating (HDC) and hydrophobic AquaDura coating on outer lenses protect surfaces and cause water and oil to bead off lenses for easier cleaning and clearer vision in bad weather Magnification: 10.0X				
	Magnification: 10.0X Objective Lens Diameter: 42mm Angle of View: 6.4 degrees (actual) Field-of-View: 336' at 1000 yd / 112m at 1000 m Minimum Focus Distance: 2.9m / 9.5 ft Exit Pupil Diameter: 4.2mm Eye Relief: 16mm Adjustable Interpupillary distance: 55-75 mm Dioptric Correction: ±4 diopters Focus Type: Internal focusing via Central focusing device Twilight Factor: 20.5 Automatic diopter compensation ADC: Yes Eyepieces for eyeglass users: Yes, removable with two 2 click stops No. of lens elements (each side): 9, all with HDC coating and Leica AquaDuraTM Watertightness: Watertight to a depth of 5m/16ft Housing: Die-cast magnesium, nitrogen-filled Dimensions: 120x147x68mm / 4 3/4x5 3/4x 2 3/4 in Weight: 26.5 oz / 750 g	pcs	3		
2	Phototrap Full color resolution 16 megapixels Sensor for automatic day / night switching The Hyper Night Vision system guarantees the clarity of the image in the night conditions Camera triggering delay: 0.3 seconds Programmable shooting intervals: from 1 s to 60 minutes Burst shooting: 1 to 3 shots per burst The function of fixing / marking the date, temperature, and phase of the moon in the photo	pcs	5		

Video recording duration: from 1 s to 60 seconds,			
programmable Field Scan shooting mode takes pictures at preset time			
intervals: from 1 to 60 minutes			
Temperature range: from -20 °C to + 60 °C			
Passive infrared sensor triggers movement: from a distance			
of up to 30 m			
Duration of work from one set of batteries (lithium): up to			
12 months			
Compatible with external power supplies			
Includes a nylon tape fastening strap, 1 / 4-20 tripod socket			
Slot for SD-card (up to 32 GB) and USB. The weight of the			
device should not exceed 600 grams			
The cost of goods for Lot 2:			
Transportation cost for Lot 2 (Delivery to the address):			
Other costs for Lot 2 (indicate if any):			
VAT for Lot 2 (if applicable for companies registered in	he Republic of Uzbe	ekistan):	
Total All-inclusive Bid Price for Lot 2:			

#	PRODUCT DESCRIPTION	UOM	QTY	PRICE I (WITHO	N <mark>[USD]</mark> UT VAT)
				Unit price	total price
LOT	3: Equipment for Agriculture				
1	Laser land leveler Land laser levelling unit (complete set): 1. Laser transmitter with working range 300-600 meters 2. Control panel (control box) 3. Laser receiver sensor (mounted on mast) 4. Solenoid valve set (hydraulic valve set) 5. Mini laser sensor (laser beam detector) with clamp holder bracket 6. Cable set 7. Rechargeable battery for laser transmitter 8. Battery charger (220 V) 9. Carrying case 10. Tripod adjustable up to 330 cm 11. Measuring scale or staff 12. Electric mast	pcs	1		
2	Portable Active Sensor to Monitor Growth Parameters Portable Active Sensor to Monitor Growth Parameters system uses optical sensors to measure and quantify the variability of the crop. It then creates a targeted prescription to treat the crop variability. Operating temperature +10 C +50 C. Protection class IP 54. Used to measure plant biomass/plant health and supported crops wheat, barley, maize, triticale, sorghum, rapeseed, rice. Active light source optical sensor Displays NDVI (Normalized Difference Vegetation Index) reading.	set	1		

	Pull the trigger and NDVI measurement appeared on LCD display immediately. Charger / charging time 5VDC, 320mA max / 5 hours. Battery 3.7 V, 1130 mAh, 8 h continuous measurement. The accuracy of determining the yield 95%. • LCD display • Battery access panel • Wrist strap attachment loop • Trigger • micro USB port for charging • Remote switch connection • String attachment loop.			
3	Moisture meter Soil moisture measurement equipment - All types of soil - Waterproof sealed PVC (IP68) - Measurement volume 1,25L ? 160x100mm diameter - Portable - Average 1.5 m depth - Operating Temperature: -20°C70°C - Moisture measuring range: 0 100% volumetric water content - As well as soil temperature measuring, -15°C50°C - 5m cable with end splices (all interfaces)	pcs	1	
4	Boom sprayer (set) Technical Specifications: Pump: Pump type: Diaphragm or piston-diaphragm type Pump Speed: 540 rpm speed Fitted with manual control of nozzle pressure Fitted with a glycerin-filled pressure gauge Pump driveline: Tractor PTO Technical Specifications: Boom sprayer: Boom Length: 10 meter width No. Sections: Left, right and center sections Fitted with suspension system Fitted with spring loaded break away system Fitted with individual boom section valves (left, right, center) Fitted with a stable, manual boom lift Technical Specifications: Nozzles Boom to be supplied with flat fan ISO standard type One set nozzles, washers and caps — RED ISO color code, to be supplied loose, (i.e. packed with the sprayer but not fitted to the boom) One set nozzles, washers and caps — GREY ISO color code, to be supplied loose, (i.e. packed with the sprayer but not fitted to the boom Non-drip valves Single snap-fit nozzle holders Spray pressure tables must be supplied for all nozzles Accessories: Fitted operator's wash tank, 15 liters minimum capacity	set	1	

	PTO shaft (540 rpm) complete with approved-type safety				
	guard.				
	Compliance with International Standards:				
	• ALL SPECIFICATIONS (ITEMS 1 – 9) MUST BE FULLY				
	COMPLIANT WITH FAO GUIDELINES ON MINIMUM				
	REQUIREMENTS FOR AGRICULTURAL PESTICIDE				
	APPLICATION EQUIPMENT, Vol. II				
	http://www.fao.org/docrep/006/Y2753E/Y2753E00.HTM				
	ftp://ftp.fao.org/docrep/fao/005/y2753e/y2753e00.pdf				
	Hazard warning signs: to be in international symbols				
	Manuals:				
	 Operators handbook in Russian (or English), one for each 				
	unit				
	 W/shop manual, either hard copy or CD ROM, one per 				
	governorate.				
	 Parts catalogue, either hard copy or CD ROM, 				
	• The cost of all manuals must be included in the DDU price				
	Spare Parts:				
	• A list of manufacturer's recommended spare parts				
	sufficient for 2 years of operation must be submitted for				
	each sprayer, to include: 1 complete set of each kind of				
	nozzle plus an additional minimum of 5 nozzles of each kind.				
	Plus a selection of screws, gaskets, nozzles, caps, filters, and				
	a set of diaphragms for the pump. The list must be				
	individually itemized, costed and submitted with your bid.				
	 Spare parts to be packaged as a set with each sprayer. 				
	 State the percentage of spare parts being offered 				
	Warranty:				
	 A clear statement is required with your bid of the terms 				
	and conditions of the product warranty that will be available				
	with the goods offered.				
5	Disc Mover Conditioner				
	Installation 3-point hitch				
	Width (mower) 2250 mm				
	Mower disc quantity 5				
	Number of blades 10				
	Air Conditioning – Standard				
	The width of the air conditioner is 1550 mm				
	Width of router caps 700 mm - 1100 mm				
	Roller width approx. 900 mm - 1300 mm				
	Productivity 2.2 ha/h				
	ВОМ 540 об / мин				
	Transmission shaft protection 1200 Nm	set	1		
	Minimum power requirements 45 kW (60 Hp)				
	Weight 850 kg (with air conditioning)				
	The noise level is a maximum of 100 dB.				
	Dimensions of working parts:				
	Width 4090 mm				
	Length 1900 mm				
	Height 970 mm				
	Transport sizes (dimensions):				
	Width 2080 mm				
	Length 1150 mm				
	Height 3170 mm				
			1	1	I.

Turning position 95	
The cost of goods for Lot 3:	
Transportation cost for Lot 3 (Delivery to the address):	
Other costs for Lot 3 (indicate if any):	
VAT for Lot 3 (if applicable for companies registered in the Republic of Uzbekistan):	
Total All-inclusive Bid Price for Lot 3:	

Notes:

- 1. Partial quotations are allowed (by lots), contract will be awarded on Lot basis.
- 2. The bidders must quote genuine, branded products. UNDP may conduct post-delivery inspection at its sole discretions.
- 3. Site survey will be arranged on request (as applicable)
- 4. Brochures and Technical details of the model offered MUST be submitted with the bid offer (as applicable)

The UNDP General Terms and Conditions are an integral part of this RFQ and should be reviewed by all bidders.

http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html.

In submitting a quotation, bidders expressly accept to be bound by these General Terms and Conditions. Any Purchase Order resulting from this process shall incorporate them in full.

Please submit your quotation by completing the right column of the form below:

UNDP Requirements	Bidder's Response
Validity of Offer: ⊠ 60 calendar days In exceptional circumstances, UNDP may request the Offeror to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. In such case the extension shall be confirmed in writing, without any modification whatsoever of the Quotation.	☐ Yes ☐ No ☐ Please explain in case you chose "No":
Warranty Period Offered: ☑ Minimum of 12 consecutive months.	☐ Yes ☐ No ☐ Please explain in case you chose "No":
Description of Warranty Coverage: ☑ Standard manufacturer's Warranty.	☐ Yes ☐ No ☐ Please explain in case you chose "No":

	<u> </u>
Description of After Sales Service (as applicable):	☐ Yes ☐ No
 ✓ Warranty on the Goods and spare parts for a minimum period of 12 consecutive months; 	☐ Please explain in case you chose "No":
☐ Technical Support;	
☑ Elimination of inconsistencies and malfunctions during the warranty period, including delivery and replacement; replacement with completely new Goods if the delivered one does not comply with the Specification or cannot be repaired.	
Delivery Terms (linked to INCOTERMS 2020):	□Yes
Denvery Terms (mixed to five of Erevis 2020).	☐ No ☐ Please explain in case you chose
☑ DAP Termez for LOT 1	"No":
☑ DAP Tashkent for LOT 2	
☑ DAP Tashkent for LOT 3	
Customs clearance ¹ , if necessary, is carried out by UNDP. The equipment must be delivered to a customs post in Tashkent, Uzbekistan, to the name of UNDP for customs clearance. After completion of customs clearance, vendor is obliged to organize transportation to the exact delivery address.	
Payment Terms:	□ Yes
To Local Bidders registered in Uzbekistan: ☐ Shall be made in Uzbek Soums by means of bank transfer: 100% post-payment upon delivery of goods to the exact delivery address, and acceptance by UNDP;	□ No □ Please explain in case you chose "No":
To Foreign Bidders registered outside Uzbekistan:	
Shall be made in US Dollars or Euro by means of bank transfer: 100% post-payment upon delivery of technique to the exact delivery address and acceptance by UNDP.	
Delivery period:	□ Yes
The deadline for delivery is within 60 calendar days from the date of signing the contract by both sides.	□ No □ Please explain in case you chose "No":
Attention: If the delivery period, stated in the quotation exceeds the delivery period stated above, the respective offer may be declined!	
Application of Value Added Tax (VAT):	□ Yes

¹ Must be linked to INCO Terms chosen

 ☑ Applicable to local Bidders registered in Uzbekistan: the offer must include VAT* as a separate line (if the company is registered as a VAT payer); ☑ Applicable to foreign Bidders registered outside Uzbekistan: the offer must not include VAT. *Only for the purpose of evaluation, price comparison will be carried out exclusive of VAT! 	□ No □ Please explain in case you chose "No":
All documents, including catalogs, instructions and manuals, should be in the following language(s): ☑ Russian; and/or ☑ English	☐ Yes ☐ No ☐ Please explain in case you chose "No":
Liquidated Damages: ☑ Will be imposed in case of delay in delivery. Percentage of contract price per day of delay: 0.1%. Maximum number of days of delay: 15 calendar days. After that UNDP may terminate the contract.	☐ Accept ☐ Not accept ☐ Please explain in case you chose "Not accept":
Please confirm that your company is not included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List.	□ Not listed □ Listed □ Please explain in case you chose "Listed":
Please confirm that you accept the UN Supplier Code of Conduct, available at https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct	☐ Accept ☐ Not accept ☐ Please explain in case you chose "Not accept":

Bidder's Declaration

Yes	No	
		Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
		I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.

Yes	No	
		Ethics : In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ; has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
		I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
		Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
		Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
		Bankruptcy : I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
		Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
		I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
		By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Please, provide your offer, duly prepared on letterhead, certified by signature and seal, indicating the required information (see above), **no later than October 29, 2021, prior to 18:00 Tashkent time (GMT+5).**

YOU HAVE TWO OPTIONS FOR SUBMITING YOUR OFFER:

Option 1: **HIGHLY RECOMMENDED!**

You can send your offer in electronic form by e-mail (.pdf) to bids.uz@undp.org²
An offer submitted by e-mail should not exceed 30MB and contain viruses, should consist of no more than three mail messages.

Option 2:

You can arrange delivery of your offer by courier in a sealed envelope to the United Nations building located at: 4, Taras Shevchenko street, Tashkent 100029, Uzbekistan.

Regardless of the option you choose for submitting your offer, it must contain the following reference to the Bid, either on the envelope or in the subject of the email:

RFQ/077/21 - Supply of field and agricultural equipment³

Please, follow these instructions and be mindful of the deadline. Bids submitted through other means or to other e-mails will not be accepted.

Please note that RFQ includes 3 Lots, the contracts will be awarded by lots. Bids will be accepted for each lot separately.

UNDP will consider an award to the quotation which complies with all requirements in full and offers the lowest price. UNDP reserves the right to conduct post qualification exercise by requesting additional documents/clarifications/information if deemed necessary.

Any offer that does not meet requirements shall be rejected. UNDP is under no obligation to accept any bid.

Any request for additional information or queries must be sent/addressed to Procurement Unit three business days prior to the deadline in writing to pu.uz@undp.org.

Yours Sincerely, UNDP Uzbekistan.

² Quotations submitted to other e-mail addresses will not be accepted and will be rejected.

³ Quotations that do not contain the specified subject or reference to the tender number in the subject line of e-mail message or on the envelope will not be opened and will be rejected.