



REQUEST FOR QUOTATION (RFQ)

RFQ Reference: 726-2021-UNDP-UKR-RFQ-RPP	Date: 04 November 2021
---	------------------------

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the **procurement of equipment that provides training for emergency technicians at the ambulance station and in two medical colleges (Lysychansk and Starobilsk) of the Luhansk oblast**, as detailed in Annex 1 to this RFQ.

This Request for Quotation comprises the following documents:

- Section 1: This request letter
- Section 2: RFQ Instructions and Data
- Annex 1: Schedule of Requirements
- Annex 2: Quotation Submission Form
- Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3: Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature:  _____

Name: **Ms. Agnes Kochan**
Title: **UNDP Operations Manager**

Date: 04-Nov-2021



SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p>11:59 PM (Kyiv time), November 21, 2021</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p> <p>For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.</p>
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input type="checkbox"/> E-tendering <input checked="" type="checkbox"/> Dedicated Email Address <input type="checkbox"/> Courier / Hand delivery <input type="checkbox"/> Other Click or tap here to enter text.</p> <p>Bid submission address: tenders.ua@undp.org</p> <ul style="list-style-type: none"> ▪ File Format: .ZIP, .PDF ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 20 MB ▪ Mandatory subject of email: 726-2021-UNDP-UKR-RFQ-RPP ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. ▪ The bidder should receive an email acknowledging email receipt.
Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP’s Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_and_investigation.html#anti</p>
Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>
Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without</p>

	<p>consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p><input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p><input type="checkbox"/> General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p><input type="checkbox"/> General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p><input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 days.</p> <p><input checked="" type="checkbox"/> Others: Liquidated damages: up to 0.1% of total contract amount per each day of delay may be applied on discretion of UNDP.</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
Currency of Quotation	<p>Quotations shall be quoted in:</p> <p><input checked="" type="checkbox"/> United States Dollars (USD) – strongly advised to use as a risk mitigation measure against the impact of the local currency devaluation. Payment for goods/services shall be made in local currency in accordance with UNORE exchange rate (http://treasury.un.org) on the date of payment, through bank transfer to the Contractor's account during 30 (thirty) days from the date of receipt of the original invoice, registered VAT certificate and Act of acceptance of services/goods rendered/delivered signed by both parties.</p> <p><input checked="" type="checkbox"/> Local Currency: UAH</p>
Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <p>a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or</p> <p>b) they have the same legal representative for purposes of this RFQ; or</p>

	<p>c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process;</p> <p>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</p> <p>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</p>
Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p> <p><input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes</p> <p><input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes</p>
Language of quotation	English or Ukrainian or Russian
Documents to be submitted	<p>Bidders shall include the following documents in their quotation:</p> <p><input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed</p> <p><input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1.</p> <p><input checked="" type="checkbox"/> Copy of the latest Business (Company or Private Entrepreneur) Registration Certificate valid as at the date of submission.</p> <p><input checked="" type="checkbox"/> Extract from the Register of VAT or unified tax payers (not mandatory on submission stage but will be required if Offeror is selected for contract award).</p> <p><input checked="" type="checkbox"/> Company Profile, indicating at least 2 (two) years of experience in the sale or manufacture of equipment.</p> <p><input checked="" type="checkbox"/> At least 2 (two) recommendation/reference letters from previous customers / clients on similar projects.</p>
Quotation validity period	Quotations shall remain valid for 60 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	<p><input checked="" type="checkbox"/> Not permitted</p> <p><input type="checkbox"/> Permitted: The offers may be submitted to different Lots.</p>
Alternative Quotes	<p><input checked="" type="checkbox"/> Not permitted</p> <p><input type="checkbox"/> Permitted</p> <p>If permitted, an alternative quote may be submitted only if a conforming quote to the RFQ requirements is submitted. Where the conditions for its acceptance are met, or justifications are clearly established, Click or tap here to enter text. reserves the right to award a contract based on an alternative quote. If multiple/alternative quotes are being submitted, they must be clearly marked as "Main Quote" and "Alternative Quote"</p>
Payment Terms	<p><input checked="" type="checkbox"/> 100% of the cost of the goods supplied shall be made through bank transfer to the Contractor's account during 30 (thirty) days from the date of receipt of the original invoice, Act of acceptance of goods rendered/delivered signed by both parties and registered VAT certificate, if applicable. Partial delivery is allowed as per agreement with a UNDP at the stage of Contract signing.</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p>
Conditions for Release of Payment	<p><input type="checkbox"/> Passing Inspection [specify method, if possible]</p> <p><input type="checkbox"/> Complete Installation</p> <p><input type="checkbox"/> Passing all Testing [specify standard, if possible]</p> <p><input type="checkbox"/> Completion of Training on Operation and Maintenance [specify no. of trainees, and location of training, if possible]</p> <p><input checked="" type="checkbox"/> Written Acceptance of Goods, Services and Works, based on full compliance with RFQ requirements</p> <p><input type="checkbox"/> Others [pls. specify]</p>

Contact Person for correspondence, notifications and clarifications	E-mail address: procurement.rpp.ua@undp.org Attention: Quotations shall not be submitted to this address but to the address for quotation submission above. Otherwise, offer shall be disqualified. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 (three) days before the submission deadline. Responses to requests for clarification will be communicated via email procurement.rpp.ua@undp.org by Procurement Unit, UNDP Ukraine.
Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer. <input type="checkbox"/> Other Click or tap here to enter text.
Evaluation criteria	Administrative Requirements: <input checked="" type="checkbox"/> Offers must be submitted by the due date. <input checked="" type="checkbox"/> Offers must meet required Offer Validity. <input checked="" type="checkbox"/> Offers must be signed by the proper authority. <input checked="" type="checkbox"/> Offers include requested company/organization documentation as mentioned above in "Documents to be submitted section". <input checked="" type="checkbox"/> Officially registered company (for Ukrainian companies – company must be registered in the territory controlled by the Government of Ukraine). <input checked="" type="checkbox"/> Full acceptance of the Contract General Terms and Conditions. Technical requirements: <input checked="" type="checkbox"/> At least three (2) years of experience in the supply of similar products. <input checked="" type="checkbox"/> At least two (2) positive recommendation letters from previous clients as per supplying of similar to this Specification equipment. <input checked="" type="checkbox"/> Technical responsiveness to the requirements stipulated in the Specifications including, but not limited to, the following: – Delivery will be made in accordance with the UNDP agreed equipment specification. – All necessary technical documentation (passports, assembly diagrams, etc.) will be provided by the supplier on the day of delivery. – Date and time of the delivery will be agreed with the customer. – All the equipment must have official warranty service in Ukraine. – Warranty period for all equipment is at least 12 months. <input checked="" type="checkbox"/> Delivery of the equipment must be completed within 2,5 months from the date of signing the Contract, and the Contractor shall notify UNDP on the expected delivery date at least 2 weeks prior to the delivery. <input checked="" type="checkbox"/> Delivery and unloading of the equipment and software will be provided by the supplier.
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	<input type="checkbox"/> Purchase Order <input checked="" type="checkbox"/> Contract Face Sheet (Goods and-or Services) (this template is also utilised for Long-Term Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO, etc.) <input type="checkbox"/> Contract for Works <input type="checkbox"/> Other Type/s of Contract [pls. specify]
Expected date for contract award.	December 2021
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder

	is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.
--	---

ANNEX 1: SCHEDULE OF REQUIREMENTS

SPECIFICATION

for the equipment that provides training for emergency technicians at the ambulance station and in two medical colleges (Lysychansk and Starobilsk) of the Luhansk oblast

Project Title: UN Recovery and Peacebuilding Programme of the Local Governance and Decentralization Reform Component.

Description of the Assignment: Distribution of equipment that provides training for emergency technicians at the ambulance station and in two medical colleges (Lysychansk and Starobilsk) of the Luhansk oblast.

Expected Places of Travel: Ukraine, government-controlled areas of Luhansk oblast.

Name and position of Immediate Supervisor: Vadym Sharko, Health Governance Specialist (Local Governance and Decentralization Reform).

Name and Position of Senior Manager: Olena Ruditch, Programme Coordinator (Local Governance and Decentralization Reform).

Starting Date of the Assignment: November 2021.

Duration of the Assignment: 2.5 months.

1. Background

The ongoing conflict in eastern Ukraine has had a direct and highly negative impact on social cohesion, resilience, livelihoods, community security, and the rule of law. Recognizing the need to urgently address reconstruction, economic recovery, and peacebuilding needs in areas affected both directly and indirectly by the conflict, in late 2014 the Government of Ukraine requested technical assistance and financial support from the international community to assess priority recovery needs. In late 2014, the United Nations (UN), the World Bank (WB), and the European Union (EU) conducted a Recovery and Peacebuilding Assessment, which was endorsed by the Cabinet of Ministers in mid-2015.

The United Nations Development Programme (UNDP) has been active and present in eastern Ukraine for the past decade, prior to the conflict, with a focus on community development, civil society development, and environmental protection. Work on addressing the specific conflict-related development challenges discussed above built on this earlier engagement, established partnerships, and started in 2015 through the Recovery and Peacebuilding Programme (RPP). The RPP is a multi-donor funded framework programme formulated and led by the UNDP in collaboration with the Government of Ukraine and in cooperation with a number of partnering UN agencies (UN Entity for Gender Equality and the Empowerment of Women (UN Women), the Food and Agricultural Organization of the United Nations (FAO), and the United Nations Population Fund (UNFPA)).

The RPP was designed to respond to, and mitigate, the causes and effects of the conflict. It is based on findings of the Recovery and Peacebuilding Assessment (RPA) and is aligned to the State Target Programme for Recovery as well as to the two oblast development strategies up to 2020. It takes into account the opportunities that have arisen from the Minsk Protocol of September 2014 and the renewal of its cease-fire provisions (the latest cease-fire having been agreed in March 2018) and is also fully adjusted to the humanitarian-development nexus. It is an integral component of the UNDP Country Programme and is therefore fully aligned with the United Nations Partnership Framework (UNPF). It is closely interlinked with the Democratic Governance and Reform Programme, operating nationally and in all of Ukraine's regions, and is consistent with the SDGs, in particular SDG 16 (Peace, Justice and Strong institutions).

The Programme's interventions are grouped under the following key Programme components, which reflect the region's priority needs:

Component 1: Economic Recovery and Restoration of Critical Infrastructure

Component 2: Local Governance and Decentralization Reform

Component 3: Community Security and Social Cohesion.

The United Nations Recovery and Peacebuilding Programme (UN RPP) is being implemented by four United Nations agencies: the United Nations Development Programme (UNDP), the UN Entity for Gender Equality and the Empowerment of Women (UN Women), the United Nations Population Fund (UNFPA) and the Food and Agriculture Organization of the United Nations (FAO).

Twelve international partners support the Programme: the European Union (EU), the European Investment Bank (EIB), the U.S. Embassy in Ukraine, and the governments of Canada, Denmark, Germany, Japan, the Netherlands, Norway, Poland, Sweden & Switzerland.

In October 2018, four UN agencies (UNDP, UN Women, FAO and the UNFPA) have countersigned a new joint project document, funded by the EU. The overall objective of the project is to restore effective governance and promote reconciliation in the crisis-affected communities of Donetsk and Luhansk oblasts of Ukraine, thereby enhancing the credibility and legitimacy of local governments in the government-controlled areas. It will contribute to peace build and prevent further escalation of conflict in Ukraine through effective and accountable decentralization, gender-responsive recovery planning and equal access to services, as well as enhanced community security and social cohesion.

This endeavour will be achieved through the pursuit of the following specific objectives:

1. To enhance local capacity for gender-responsive decentralization and administrative reforms to improve governance, local development, and the delivery of services.
2. To stimulate employment and economic growth by assisting to Micro, Small, and Medium Enterprise (MSME) development through demand-driven business development services and professional skills training.
3. To enhance social cohesion and reconciliation through promotion of civic initiatives.
4. To support sector reforms and structural adjustments in health, education, and critical public infrastructure to mitigate direct impacts of the conflict.
5. To support the implementation of the Early Recovery Programme in cooperation with the European Investment Bank.

The main goal of the fourth objective is to build capacity at the local level during gender-responsive healthcare reforms.

In Ukraine, pursuant to the Order of the Ministry of Education and Science of Ukraine of 05.06.2019 No. 1269 "On approval and implementation of medico-technological documents on standardization of emergency medical care", the standard of vocational education in the working profession "Emergency medical technician" was approved. Last year, Bakhmut Medical College in Donetsk region licensed this specialization, and this year with UNDP support trained 40 emergency medical technicians for Donetsk oblast, and 20 emergency medical technicians for ambulance crews in Luhansk oblast. However, the need for such training is much greater and therefore Lysychansk and Starobielsk medical colleges are now in the process of obtaining a license. However, the material and technical database of these colleges and a training center of the Luhansk Regional Center for Emergency Care and Disaster Medicine does not meet the need to increase the number of students.

To support the study the new professions of emergency technicians for Luhansk oblast, UNDP plans to purchase and supply equipment for training rooms in Lysychansk and Starobielsk professional medical colleges and Regional center for Emergency Care and Disaster Medicine of that will contribute and sustainability of the results of the medical reform on the ground.

2. Scope of work

The Contractor will be responsible for providing the necessary equipment (following the technical documentation contained in **Table 1**) for training classes of Starobielsk and Lysychansk professional medical colleges and Luhansk Regional Center for Emergency Care and Disaster Medicine for better training of emergency medical technicians to the addresses are given in **Attachment A**.

2.1 Technical specifications

Table 1

No	Item Description	Quantity	Examples of Equipment
1	<p>Portable breathing apparatus with an oxygen cylinder</p> <p>It is used for artificial ventilation of lungs and inhalation of oxygen and oxygen-air mix at cardiopulmonary resuscitation in the conditions of transportation by the ambulance and at home. The breathing apparatus is intended for adults and children over 6 years.</p> <p>The device is pneumatic, doesn't require external power, works from any source of compressed oxygen.</p>	1 pcs	<p>https://prom.ua/p134803669-1-apparat-iskusstvennoj-ventilyatsii.html?&primelead=MS4xNg or analogue.</p>

	<p>It is compact, has a carrying handle.</p> <p>The design of the device provides for three options of use: stationary in the wards, during transportation and autonomous (portable), in rescue operations and field conditions.</p> <p>There is a possibility of giving oxygen-air mix with a concentration of oxygen instead of pure oxygen.</p> <p>Air mixture supply from 2 to 20 liters per minute.</p> <p>Oxygen concentration in oxygen-air mixture $50 \pm 10\%$.</p> <p>The ability to work from any source of compressed oxygen with an outlet pressure of 0.2 to 0.5 MPa.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Size - 235 x 163 x 103 mm. Weight without cylinder - 1.5 kg.</p> <p>Power supply: Any source of compressed O₂ with a pressure of 0.4 MPa.</p>		
2	<p>Intravenous and intramuscular injection trainers</p> <p>The intravenous injection trainer is a visual and realistic arm model.</p> <p>Tubes that mimic veins are made of latex. It shines through the skin and feels like real veins.</p> <p>"Leather" is made of silicone and reinforced with a special fabric for strength and resistance to punctures.</p> <p>The effort of inserting a needle is similar to the effort of injecting a person.</p> <p>The model is filled with elastic polyurethane, which gives it softness and elasticity.</p> <p>The base (stand) is made of fiberglass.</p> <p>The design of the trainer allows replacing any of its components in process of wear.</p> <p>The model also allows performing training with subcutaneous and intramuscular injections.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Size: 31cm x 9cm x 10cm</p> <p>Weight 500 gr</p>	5 pcs	https://prom.ua/ua/p499532278-nastolnyj-trenazher-dlya.html?&primelead=MC43NQ or analogue.
3	<p>Captometer/capnograph</p> <p>The device is designed to monitor vital physiological signs of patients from newborn to adult.</p> <ul style="list-style-type: none"> • Sensitive and accurate monitoring of EtCO₂, respiratory rate, real-time capnograms for 15 seconds • Suitable for hospital first aid, incubators, anesthesiology, respiration, sleep monitoring and intubation monitoring • 24 hours of memory with data management software • Large digital display visible from 5 meters • Comes with an adult / children's adapter, a newborn adapter, silicone protection, a USB cable, an AC adapter, CD software and instructions (GB, IT). • Final value of CO₂ • Multifunction key • Power key • USB charging and data output • Respiratory Adapter: Adult / Pediatric / Newborn <p>Technical characteristics may vary within (+10%/-10%)</p> <ul style="list-style-type: none"> • Size: 38 x 42 x 44mm • Weight: 80 g including battery and adapter. • Method: non-dispersive infrared spectroscopy • Range: 0-150 mmHg or 0-20 kPa 	1 pcs	https://prom.ua/p1374288271-kapnograf-portativnyj-capno.html or analogue.
4	<p>Defibrillator</p> <p>The cardiac defibrillator-monitor is intended for use in cardio therapeutic and resuscitation departments of inpatient medical institutions in the conditions of the ambulance.</p> <p>Characteristics:</p>	1 pcs	https://prom.ua/p1335230368-defibrilyator-dki.html or analogue.

	<p>Power supply from the network with voltage (220 ± 22) V, (50 ± 0,5) Hz or from the internal storage battery of 12 V, 3,6 Ah.</p> <p>Operating conditions - climatic performance of V category 3 according to State Standard ()#20790.</p> <p>Resistance to mechanical influences group 4 STST#20790.</p> <p>Protection against electric shock in accordance with the requirements of DSTU 3798, DSTU 3829 (IEC 601-2-4) class II.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Weight - 5.5 kg.</p> <p>Size - 390 x 380 x 120 mm.</p>		
5	<p>Intraosseous Vascular Access System</p> <p>Provides the healthcare professional with immediate access to the central bloodstream within seconds, delivering medications, intravenous fluids, and blood products to adults and children. With a cutting needle, manual drive or small drive, allows the doctor to have complete control over the process. Provides a quick and smooth entry into the medullary cavity, creating a direct channel to the central circulation.</p> <p>SPECIFICATIONS</p> <p>1 x G3 Training Power Driver</p> <p>3 set of training needles</p> <p>4 x bracelet</p> <p>4 x Connectors</p> <p>1 vascular access kit G3</p> <p>4 x stabilizer</p> <p>1 x Bone-Infant Tibia Workout</p> <p>1 x Adult Proximal Humerus Training</p> <p>1 x Adult Tibia Bone Training</p>	1 pcs	<p>https://paramedic.ua/sredstva-dlya-obucheniya/ez-io-g3-educator-kit or analogue.</p>
6	<p>Laryngeal mask airway (LMA)</p> <p>Tube for emergency intubation</p> <p>Esophageal Tracheal Double-Lumen Airway</p> <p>Designed for inpatient and out-of-hospital care, including the entire ambulance service, as well as emergency and disaster medicine teams.</p> <p>The unique design allows you to quickly insert the tube and begin ventilation of the lungs both when the tube enters the trachea and when it enters the esophagus.</p> <p>The pharyngeal cuff allows the tube to be held in the correct position and prevents breathing gas from leaking through the mouth or nose.</p> <p>An additional lumen along the entire length of the tube allows aspiration of gastric contents without interrupting ventilation.</p> <p>The esophageal cuff prevents the breathing mixture from entering the stomach and the gastric contents from entering the respiratory tract.</p> <p>Tip-to-Tip radiopaque stripe for tube position control.</p> <p>The preinstalled aluminum alloy stylet allows the tube to bend the desired shape during intubation.</p>	3 pcs	<p>https://fmed.com.ua/reanimatsiya-i-anesteziologiya/trubki-endotrakhealnye--trakheostomicheskie/trakheopischevodnaya-dvukhprosvetnaya-trubka-combitube or analogue.</p>
7	<p>Laryngoscope with a set (4 pieces) of blades of different sizes</p>	1 pcs	<p>https://prom.ua/p1156006368-laringoskop-naborom-klinkiv.html?&primelead=My4x or analogue.</p>
8	<p>Advanced childbirth simulator</p> <ul style="list-style-type: none"> Fully movable fetal mannequin with an open mouth, rising head, shoulder blades and anatomically accurate temples. Real-size lower female torso with precise anatomical landmarks such as pelvis, pelvic cavity and spine The ability to easily change the position of the fetus during childbirth, including lowering, bending, unbending, internal and external rotation and return to the original position 	1 pcs	<p>https://oniko.kiev.ua/product/s/simulators-and-trainers/akusherstvo-y-ginekologiya/akusherstvo/3603.html or analogue.</p>

	<ul style="list-style-type: none"> • Uterus with the ability of correct position of the fetus, which can be inflated to lift the fetus to practice Leopold's techniques • Easily replaceable parts • Non-slip base with handles for increased stability on the table • All variable parts are available. • For training skills: • Normal childbirth • Normal birth of the umbilical cord and placenta • Palpation and assessment of the position and presentation of the fetus • Diagnosis of all normal and abnormal positions and presentation of the fetus (for example, • facial, occipital, frontal) to demonstrate normal and complicated childbirth • Intrauterine manipulations with the fetus • Demonstration of shoulder dystocia and its management • Childbirth with breech presentation (including pure buttocks, full or incomplete leg presentation) • Palpation of fetal springs • Complete and incomplete birth of the placenta • Demonstration of placenta previa: complete, incomplete, marginal • Umbilical cord prolapse • Wrapping the umbilical cord around the neck • Cesarean section • Artificial bladder puncture (ARM or AROM, amniotomy) • Applying clamps and cutting the umbilical cord • Demonstration of suction from the mouth and nose of the newborn • Reception of Leopold • Reception of Pinar • Mariso reception • Prague reception • Woods reception • Reception of Rubin 		
9	<p>A set of splints for stretching the thigh on a stretcher (traction splint) type NSN-01</p> <p>Designed for use in ambulances, emergency medicine, sports fields, and emergency rooms.</p> <p>Specifications: For adults</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Overall dimensions in unfolded state: 136x22x18 Overall dimensions in assembled state: 90x22x18 cm Weight: 2 kg</p>	1 pcs	https://alvimedika.com.ua/uk/nosilki/289-nabor-shin-dlja-vytjagivaniija-nogi-na-nosilkah-nshn-01.html or analogue.
10	<p>Model of the human head for practicing intubation skills</p> <p>The simulator is an accurate anatomical model of the head of an adult with the organs of the digestive and respiratory systems located in it.</p> <p>The design of the model simulates the digestive and respiratory systems, including the mouth, teeth, tongue, palate, soft palate, epiglottis, larynx, bronchi, trachea, lungs, esophagus, stomach</p> <p>The pharynx is directly connected to the esophagus and stomach. The complex is fixed on a stand.</p> <p>Delivery set: 1. Model of the head, esophagus, stomach and lungs;</p>	1 pcs	https://prom.ua/ua/p106717-9887-golova-dlya-intubatsij.html or analogue.

	<p>2. Stand; Material: silicone, PVC tube, fiberglass, fiberboard. Technical characteristics may vary within (+10%/-10%) Dimensions, about mm: 250 x 300 x 600 Weight, kg: 3.5</p>		
11	<p>Educational model of adult cardiopulmonary resuscitation</p> <ul style="list-style-type: none"> • Portable model; • Fast assembly-disassembly • All the necessary anatomical recognition points, the ability to clamp the nostrils • Realistic tilt of the head, automatic closure of the airways • Instant confirmation of correctness of chest compression • Visual confirmation of the correctness of lung ventilation - visible and complete lifting of the chest during artificial ventilation • Artificial lung ventilation • Visual control of chest compression frequency by means of the controlling device (achievement of the recommended frequency ranges of compression and maintenance of necessary frequency of compression is controlled) - It is completed with replaceable systems "mouth-lungs" and individual face masks • Easy to clean, no traces of defibrillation electrodes on the skin 	1 set	<p>https://prom.ua/ua/p1205710991-uchbovi-modeli-slr.html or analogue.</p>
12	<p>A child's mannequin to learn the skills of cardiopulmonary resuscitation The mannequin realistically reproduces a three-year-old child for instruction in cardiopulmonary resuscitation techniques. Contains an additional strong structure for conducting instructions on the extension of the lower jaw and tongue to open the airway without moving the head. The technique for two rescuers allows you to ventilate the patient without lifting the lower jaw.</p>	1 pcs	<p>https://prom.ua/ua/p1205710955-maneken-tririchnoyiditini.html or analogue.</p>
13	<p>Intravenous injection simulator of type T05 a model of a human hand (shoulder, forearm and hand) mounted on a support. Elbow bend area is made of elastic material that mimics muscle tissue with protruding veins</p>	5 pcs	<p>https://prom.ua/p1045439792-trenazher-dlya-vnutrivennyh.html or analogue.</p>
14	<p>Hypodermic injection insert (2-sided) for T4 trainer</p>	5 pcs	<p>https://bucha.prom.ua/p1334362652-vstavka-dlya-podkozhnyh.html or analogue.</p>
15	<p>T13 enema and intramuscular injection simulator Model of a truncated human lower torso with a soft insert for intramuscular injections and an anus for setting an enema. The exercise machine is made of plastic. Technical characteristics may vary within (+10%/-10%) Overall dimensions 30x26.5x16cm, weight ~ 0.7 kg.</p>	5 pcs	<p>https://bucha.prom.ua/p1334362640-trenazher-postanovki-klizmy.html or analogue.</p>
16	<p>ENT simulator for the skill training in endoscopy, otoscopy and injections. Made of plastic. Technical characteristics may vary within (+10%/-10%) Overall dimensions: 24x18x33 cm., Weight – 1.2 kg</p>	2 pcs	<p>https://praimed.ua/shop/5363/desc/trenazher-dlja-lora-24kh18kh33-sm-1-2-kg-t14-praimed or analogue.</p>
17	<p>Anatomical model of the torso of the human body with 40 parts and a height of 85 cm. Brain (8 parts) - Eyeball - Vertebrae (2 parts) - Larynx - Trachea, esophagus</p>	1 pcs	<p>https://prom.ua/p1141328770-model-torsa-cheloveka.html?&primelead=MQ or analogue</p>

	<ul style="list-style-type: none"> - Heart (2 parts) - Liver - Kidneys (one half is removed) - Stomach (2 parts) - Main arteries - Bladder - Lungs (4 parts) - Pancreas - Intestine (4 parts) - Duodenum and small intestine - Large intestine (appendicitis is visible after opening) - Color-coded liver with gallbladder - Stomach (2 parts with perforation) - Aperture - Male genitals (4 parts) - Female reproductive organs (inside you can see the location of the fetus during pregnancy) - Embryo 2 parts 		
18	<p>Obstetric simulator of type A01</p> <p>The model is a plastic truncated torso of a woman, without an abdominal wall, with pelvic bones and a soft interlabial space. The mannequin imitating a fetus has a soft plastic head, the body is made of fabric with a soft stuffing.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Overall dimensions: simulator – 50x48x16 cm, weight 1250 g., doll 44x14x10 cm, weight 400gr.</p>	1 pcs	https://prom.ua/p992938249-akusherskij-trenazher-kukloj.html or analogue.

2.2 Delivery

2.1 Delivery of equipment shall be made within 2,5 months of the date of signing the contract with at least 2 weeks prior notice submitted to UNDP.

2.2 The functionality and performance of the equipment should match the characteristics and delivery must be made in accordance with the specification agreed by UNDP.

2.3 The Contractor shall ensure the delivery of the equipment in the required quantity to the address specified in **Attachment A** with the capacities of Starobielsk and Lysychansk professional medical colleges and Luhansk Regional Center for Emergency Care and Disaster Medicine in Luhansk oblast.

2.4 All necessary technical documentation shall be provided by the Supplier on the day of delivery.

2.5 Warranty period for all equipment is at least 12 months. All the equipment must have official warranty service in Ukraine.

2.3 Additional requirements

3.1 The Supplier shall provide a specification with all necessary documents for the supplied equipment.

3.2 Delivery will be supervised by a UNDP representative.

Delivery Address and Quantity

No.	Oblast	City	Delivery address	Item Number	Number of units
1	Luhansk	Starobielsk	Starobielsk medical professional college 92700, Starotaganrogska Str., 30	1	1
				2	5
				3	1
				4	1
				5	1
				6	3
				7	1
2	Luhansk	Lysychansk	Luhansk Regional Center for Emergency Care and Disaster Medicine 93113. V.Sosiury Str., 430	8	1
				9	1
				10	1
				11	1
				12	1
3	Luhansk	Lysychansk	Lysychansk medical professional college 93105 Chervona Str., 187, Lysychansk Contact person for all delivery: Vadym Sharko, Health Governance Specialist, UNDP +380952819666	13	5
				14	5
				15	5
				16	2
				17	1
				18	1
TOTAL					37

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	726-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
VAT payer status	Click or tap here to enter text.
Contract person name	Click or tap here to enter text.
Contact person email	Click or tap here to enter text.
Contact person phone	Click or tap here to enter text.
Company's core activities	Click or tap here to enter text.
Profile – describing the nature of business, field of expertise.	Click or tap here to enter text.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) <i>(If yes, provide a Copy of the valid Certificate):</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? <i>(If yes, provide a Copy of the valid Certificate):</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? <i>(If yes,</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No

<i>provide a Copy)</i>	
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues <i>(If yes, provide a Copy)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No
Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No
Bank Information	<p>Bank Name: Click or tap here to enter text.</p> <p>Bank Address: Click or tap here to enter text.</p> <p>IBAN: Click or tap here to enter text.</p> <p>SWIFT/BIC: Click or tap here to enter text.</p> <p>Account Currency: Click or tap here to enter text.</p> <p>Bank Account Number: Click or tap here to enter text.</p>
References	Please provide contact details of at least 2 (two) previous clients for reference and attach the signed reference letters.

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	726-2021-UNDP-UKR-RFQ-RPP	Date: Click or tap to enter a date.

Table 1 – Conformity to the Specification

#	Name of equipment <i>The characteristics should not be lower than are listed in the assignment</i>	Conformity (Yes/No)	Offered Brand, Model and Exact characteristics
1.	<p>Portable breathing apparatus with an oxygen cylinder It is used for artificial ventilation of lungs and inhalation of oxygen and oxygen-air mix at cardiopulmonary resuscitation in the conditions of transportation by the ambulance and at home. The breathing apparatus is intended for adults and children over 6 years. The device is pneumatic, doesn't require external power, works from any source of compressed oxygen. It is compact, has a carrying handle. The design of the device provides for three options of use: stationary in the wards, during transportation and autonomous (portable), in rescue operations and field conditions. There is a possibility of giving oxygen-air mix with a concentration of oxygen instead of pure oxygen. Air mixture supply from 2 to 20 liters per minute. Oxygen concentration in oxygen-air mixture 50 ± 10%. The ability to work from any source of compressed oxygen with an outlet pressure of 0.2 to 0.5 MPa. Technical characteristics may vary within (+10%/-10%) Size - 235 x 163 x 103 mm. Weight without cylinder - 1.5 kg. Power supply: Any source of compressed O2 with a pressure of 0.4 MPa.</p>		
2.	<p>Intravenous and intramuscular injection trainers The intravenous injection trainer is a visual and realistic arm model. Tubes that mimic veins are made of latex. It shines through the skin and feels like real veins. "Leather" is made of silicone and reinforced with a special fabric for strength and resistance to punctures. The effort of inserting a needle is similar to the effort of injecting a person. The model is filled with elastic polyurethane, which gives it softness and elasticity. The base (stand) is made of fiberglass. The design of the trainer allows replacing any of its components in process of wear. The model also allows performing training with</p>		

	<p>subcutaneous and intramuscular injections.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Size: 31cm x 9cm x 10cm</p> <p>Weight 500 gr</p>		
3.	<p>Captometer/capnograph</p> <p>The device is designed to monitor vital physiological signs of patients from newborn to adult.</p> <ul style="list-style-type: none"> • Sensitive and accurate monitoring of EtCO₂, respiratory rate, real-time capnograms for 15 seconds • Suitable for hospital first aid, incubators, anesthesiology, respiration, sleep monitoring and intubation monitoring • 24 hours of memory with data management software • Large digital display visible from 5 meters • Comes with an adult / children's adapter, a newborn adapter, silicone protection, a USB cable, an AC adapter, CD software and instructions (GB, IT). • Final value of CO₂ • Multifunction key • Power key • USB charging and data output • Respiratory Adapter: Adult / Pediatric / Newborn <p>Technical characteristics may vary within (+10%/-10%)</p> <ul style="list-style-type: none"> • Size: 38 x 42 x 44mm • Weight: 80 g including battery and adapter. • Method: non-dispersive infrared spectroscopy • Range: 0-150 mmHg or 0-20 kPa 		
4.	<p>Defibrillator</p> <p>The cardiac defibrillator-monitor is intended for use in cardio therapeutic and resuscitation departments of inpatient medical institutions in the conditions of the ambulance.</p> <p>Characteristics:</p> <p>Power supply from the network with voltage (220 ± 22) V, (50 ± 0,5) Hz or from the internal storage battery of 12 V, 3,6 Ah.</p> <p>Operating conditions - climatic performance of V category 3 according to State Standard (GOST) #20790.</p> <p>Resistance to mechanical influences group 4 STST#20790.</p> <p>Protection against electric shock in accordance with the requirements of DSTU 3798, DSTU 3829 (IEC 601-2-4) class II.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Weight - 5.5 kg.</p> <p>Size - 390 x 380 x 120 mm.</p>		
5.	<p>Intraosseous Vascular Access System</p> <p>Provides the healthcare professional with immediate access to the central bloodstream within seconds, delivering medications, intravenous fluids, and blood products to adults and children.</p> <p>With a cutting needle, manual drive or small drive, allows the doctor to have complete control over the process.</p> <p>Provides a quick and smooth entry into the medullary cavity, creating a direct channel to the central</p>		

	<p>circulation.</p> <p>SPECIFICATIONS</p> <p>1 x G3 Training Power Driver</p> <p>3 set of training needles</p> <p>4 x bracelet</p> <p>4 x Connectors</p> <p>1 vascular access kit G3</p> <p>4 x stabilizer</p> <p>1 x Bone-Infant Tibia Workout</p> <p>1 x Adult Proximal Humerus Training</p> <p>1 x Adult Tibia Bone Training</p>		
6.	<p>Laryngeal mask airway (LMA)</p> <p>Tube for emergency intubation</p> <p>Esophageal Tracheal Double-Lumen Airway</p> <p>Designed for inpatient and out-of-hospital care, including the entire ambulance service, as well as emergency and disaster medicine teams.</p> <p>The unique design allows you to quickly insert the tube and begin ventilation of the lungs both when the tube enters the trachea and when it enters the esophagus. The pharyngeal cuff allows the tube to be held in the correct position and prevents breathing gas from leaking through the mouth or nose.</p> <p>An additional lumen along the entire length of the tube allows aspiration of gastric contents without interrupting ventilation.</p> <p>The esophageal cuff prevents the breathing mixture from entering the stomach and the gastric contents from entering the respiratory tract.</p> <p>Tip-to-Tip radiopaque stripe for tube position control.</p> <p>The preinstalled aluminum alloy stylet allows the tube to bend the desired shape during intubation.</p>		
7.	<p>Laryngoscope with a set (4 pieces) of blades of different sizes</p>		
8.	<p>Advanced childbirth simulator</p> <ul style="list-style-type: none"> • Fully movable fetal mannequin with an open mouth, rising head, shoulder blades and anatomically accurate temples. • Real-size lower female torso with precise anatomical landmarks such as pelvis, pelvic cavity and spine • The ability to easily change the position of the fetus during childbirth, including lowering, bending, unbending, internal and external rotation and return to the original position • Uterus with the ability of correct position of the fetus, which can be inflated to lift the fetus to practice Leopold's techniques • Easily replaceable parts • Non-slip base with handles for increased stability on the table • All variable parts are available. <p>For training skills:</p> <ul style="list-style-type: none"> • Normal childbirth • Normal birth of the umbilical cord and placenta • Palpation and assessment of the position and presentation of the fetus 		

	<ul style="list-style-type: none"> • Diagnosis of all normal and abnormal positions and presentation of the fetus (for example, • facial, occipital, frontal) to demonstrate normal and complicated childbirth • Intrauterine manipulations with the fetus • Demonstration of shoulder dystocia and its management • Childbirth with breech presentation (including pure buttocks, full or incomplete leg presentation) • Palpation of fetal springs • Complete and incomplete birth of the placenta • Demonstration of placenta previa: complete, incomplete, marginal • Umbilical cord prolapse • Wrapping the umbilical cord around the neck • Cesarean section • Artificial bladder puncture (ARM or AROM, amniotomy) • Applying clamps and cutting the umbilical cord • Demonstration of suction from the mouth and nose of the newborn • Reception of Leopold • Reception of Pinar • Mariso reception • Prague reception • Woods reception • Reception of Rubin 		
9.	<p>A set of splints for stretching the thigh on a stretcher (traction splint) type NSN-01 Designed for use in ambulances, emergency medicine, sports fields, and emergency rooms. Specifications: For adults Technical characteristics may vary within (+10%/-10%) Overall dimensions in unfolded state: 136x22x18 Overall dimensions in assembled state: 90x22x18 cm Weight: 2 kg</p>		
10.	<p>Model of the human head for practicing intubation skills The simulator is an accurate anatomical model of the head of an adult with the organs of the digestive and respiratory systems located in it. The design of the model simulates the digestive and respiratory systems, including the mouth, teeth, tongue, palate, soft palate, epiglottis, larynx, bronchi, trachea, lungs, esophagus, stomach The pharynx is directly connected to the esophagus and stomach. The complex is fixed on a stand. Delivery set: 1. Model of the head, esophagus, stomach and lungs; 2. Stand; Material: silicone, PVC tube, fiberglass, fiberboard. Technical characteristics may vary within (+10%/-10%) Dimensions, mm: 250 x 300 x 600 Weight, kg: 3.5</p>		

11	<p>Educational model of adult cardiopulmonary resuscitation</p> <ul style="list-style-type: none"> • Portable model; • Fast assembly-disassembly • All the necessary anatomical recognition points, the ability to clamp the nostrils • Realistic tilt of the head, automatic closure of the airways • Instant confirmation of correctness of chest compression • Visual confirmation of the correctness of lung ventilation - visible and complete lifting of the chest during artificial ventilation • Artificial lung ventilation • Visual control of chest compression frequency by means of the controlling device (achievement of the recommended frequency ranges of compression and maintenance of necessary frequency of compression is controlled) - It is completed with replaceable systems "mouth-lungs" and individual face masks • Easy to clean, no traces of defibrillation electrodes on the skin 		
12	<p>A child's mannequin to learn the skills of cardiopulmonary resuscitation The mannequin realistically reproduces a three-year-old child for instruction in cardiopulmonary resuscitation techniques. Contains an additional strong structure for conducting instructions on the extension of the lower jaw and tongue to open the airway without moving the head. The technique for two rescuers allows you to ventilate the patient without lifting the lower jaw.</p>		
13	<p>Intravenous injection simulator of type T05 a model of a human hand (shoulder, forearm and hand) mounted on a support. Elbow bend area is made of elastic material that mimics muscle tissue with protruding veins</p>		
14	<p>Hypodermic injection insert (2-sided) for T4 trainer</p>		
15	<p>T13 enema and intramuscular injection simulator Model of a truncated human lower torso with a soft insert for intramuscular injections and an anus for setting an enema. The exercise machine is made of plastic. Technical characteristics may vary within (+10%/-10%) Overall dimensions 30x26.5x16cm, weight ~ 0.7 kg.</p>		
16	<p>ENT simulator for the skill training in endoscopy, otoscopy and injections. Made of plastic. Technical characteristics may vary within (+10%/-10%) Overall dimensions: 24x18x33 cm., Weight – 1.2 kg</p>		
17	<p>Anatomical model of the torso of the human body with 40 parts and a height of 85 cm. Brain (8 parts) - Eyeball - Vertebrae (2 parts) - Larynx</p>		

	<ul style="list-style-type: none"> - Trachea, esophagus - Heart (2 parts) - Liver - Kidneys (one half is removed) - Stomach (2 parts) - Main arteries - Bladder - Lungs (4 parts) - Pancreas - Intestine (4 parts) - Duodenum and small intestine - Large intestine (appendicitis is visible after opening) - Color-coded liver with gallbladder - Stomach (2 parts with perforation) - Aperture - Male genitals (4 parts) - Female reproductive organs (inside you can see the location of the fetus during pregnancy) - Embryo 2 parts 		
18	<p>Obstetric simulator of type A01</p> <p>The model is a plastic truncated torso of a woman, without an abdominal wall, with pelvic bones and a soft interlabial space. The mannequin imitating a fetus has a soft plastic head, the body is made of fabric with a soft stuffing.</p> <p>Technical characteristics may vary within (+10%/-10%)</p> <p>Overall dimensions: simulator – 50x48x16 cm, weight 1250 g., doll 44x14x10 cm, weight 400gr.</p>		

Table 2 – Financial offer for the supply of goods in accordance with the Specification

#	Product name and specification requirements	Number of units	Unit price, without VAT, indicate currency	TOTAL, without VAT, indicate currency
1.	Portable breathing apparatus with an oxygen cylinder	1 pcs		
2.	Intravenous and intramuscular injection trainers	5 pcs		
3.	Captometer/capnograph	1 pcs		
4.	Defibrillator	1 pcs		
5.	Intraosseous Vascular Access System	1 pcs		
6.	Laryngeal mask airway (LMA)	3 pcs		
7.	Laryngoscope with a set (4 pieces) of blades of different sizes	1 pcs		
8.	Advanced childbirth simulator	1 pcs		
9.	A set of splints for stretching the thigh on a stretcher (traction splint) type NSN-01	1 pcs		
10.	Model of the human head for practicing intubation skills	1 pcs		
11.	Educational model of adult cardiopulmonary resuscitation	1 set		
12.	A child's mannequin to learn the skills of cardiopulmonary resuscitation The mannequin realistically reproduces a three-year-old child for instruction in cardiopulmonary resuscitation techniques. Contains an additional strong structure for conducting instructions on the extension of the lower jaw and tongue to open the airway without moving the head. The technique for two rescuers allows you to ventilate the patient without lifting the lower jaw.	1 pcs		
13.	Intravenous injection simulator of type T05	5 pcs		
14.	Hypodermic injection insert (2-sided) for T4 trainer	5 pcs		
15.	T13 enema and intramuscular injection simulator	5 pcs		
16.	ENT simulator for the skill training in endoscopy, otoscopy and injections	2 pcs		
17.	Anatomical model of the torso of the human body with 40 parts and a height of 85 cm	1 pcs		
18.	Obstetric simulator of type A01	1 pcs		
19.	Delivery (DDP named place of destination as per Attachment A to the Specification - Delivery Address and Quantity) and unloading of the goods*			
TOTAL, without VAT, indicate currency				

* If not included in price quoted for items 1-18 above.

Dear Partners!

The UN Office in Ukraine kindly informs you, that the purchase of goods and services, announced in the UN Office Tenders, is conducted within the framework of international technical assistance project.

Provisions of the Tax Code of Ukraine (paragraph 197.11) foresee the VAT tax exemption for operations, financed by material and technical assistance.

The procedure for obtaining the tax exemption right for operations, performed in the framework of international technical assistance projects, is regulated by the Decree #153 of the Cabinet of Ministers of Ukraine dated February 15, 2002.

In case you already have the right to apply this VAT allowance, on the date of UNDP prepayment receipt you should prepare and register a tax invoice (hereinafter - TI) in the United Register of Tax Invoices (URTI), filled in as follows:

- the column "Comprised on the operation, exempted from taxation" on the upper left part - with the mark "Without VAT";*
- Section A of the TI table section (lines I-X) should contain the summarizing data on TI transactions, namely: line I - the total amount to be paid, including VAT; line IX - the total volume of goods and services delivered. Lines II-VIII of section A are not filled;*
- in column 2 of section B – supplier's (seller's) services nomenclature;*
- in section 3.3 of section B - service code according to the SCPS. Box 3.3 should be filled in at all stages of the services delivery;*
- in columns 4 and 5 - unit of services measurement;*
- in column 6 - quantity (volume) of services delivery;*
- in column 7 - the price of the service unit supply, excluding VAT;*
- in column 8 - VAT rate code 903;*
- in column 9 – tax allowance code according to the Handbook of other tax benefits, approved by the SFS as of the date of TI submission - "14060523".*
- in column 10 - supply volume, excluding VAT (prepayment amount).*

Detailed instructions to be found in the materials "Tax invoice - 2017: instruction on filling out" and "New tax invoice in the samples."

Credit against VAT tax, applied on the materials purchase for the relevant construction works performance, cannot be compensated as per the paragraph #198.5 of Tax Code of Ukraine. According to the Tax Code paragraph #198.5, goods and services supply operations, exempted from VAT based on the Tax Code paragraph #197.11, the rules for calculating tax liabilities do not apply.

Using the materials bought with VAT, there is no need to compensate the credit against VAT, as well as no need to accrue tax liabilities.

Considering all mentioned above, you are kindly asked to submit your tender applications / invoices for payment without VAT, referring to the Ukrainian legislation provisions, stated in the mentioned regulatory acts.

Should you have any additional questions, please contact the offices of the State Fiscal Service of Ukraine at the place of your enterprise registration for additional clarifications of Article 52 of the Tax Code of Ukraine.

Table 3. Compliance with Requirements

	Your Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS 2020): DDP as per locations indicated in Attachment A to the Specification	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time (Delivery of equipment must be carried out within 2,5 months from PO/Contact signature date)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
The warranty period for the equipment must be not less than 12 (twelve) months. All equipment must have official warranty service in Ukraine.	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery and unloading of equipment must be provided by supplier	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation (min. 60 days)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

I, the undersigned, certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

<p><i>Exact name and address of company</i></p> <p>Company Name: Click or tap here to enter text.</p> <p>Address: Click or tap here to enter text.</p> <p>Click or tap here to enter text.</p> <p>Phone No.: Click or tap here to enter text.</p> <p>Email Address: Click or tap here to enter text.</p>	<p>Authorized Signature:</p> <p>Date: Click or tap here to enter text.</p> <p>Name: Click or tap here to enter text.</p> <p>Functional Title of Authorised Signatory: Click or tap here to enter text.</p> <p>Email Address: Click or tap here to enter text.</p>
--	---