



REQUEST FOR QUOTATION (RFQ)

RFQ Reference: RFQ/LBY/SLCRR/2022/009 - Supply of Material and Tools for Libyan Korean Centre, Tripoli, Libya: 1. Tailoring and Sewing Department, 2. Welding department, 3. Tile and Marble installation department, 4. Mobile phone repair department, 5. Reinforced carpentry department, 6. Computer Department 7. Air-Conditioning Department.	Date: 15 February 2022
--	-------------------------------

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for:

- **LOT 1: Supply of Material and tools for Tailoring and Sewing Department for Libyan Korean Centre in Tripoli, Libya**
- **LOT 2: Supply of Material and tools for Welding Department for Libyan Korean Centre in Tripoli, Libya.**
- **LOT 3: Supply of Material and tools for Tile and Marble installation Department for Libyan Korean Centre in Tripoli, Libya.**
- **LOT 4: Supply of Material and tools for Mobile phone Department for Libyan Korean Centre in Tripoli, Libya.**
- **LOT 5: Supply of Material and tools for Reinforced Carpentry Department for Libyan Korean Centre in Tripoli, Libya.**
- **LOT 6: Supply of IT Material for Computer Department for Libyan Korean Centre in Tripoli, Libya.**
- **LOT 7: Supply of Material and tools for Cooling and Air-conditioning Department for Libyan Korean Centre in Tripoli, Libya**

As detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements

Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: _____

Name: Shohrukh Abdulloev

Title: Procurement Specialist (HoPU)

Date: 15/02/2022

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p>28 February 2022, Time: 14:00 hours, Tripoli, Libya time, ref. www.greenwichmeantime.com and via email at tenders.ly@undp.org.</p>
Site visit	N/A
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input checked="" type="checkbox"/> Dedicated Email Address at tenders.ly@undp.org.</p> <ul style="list-style-type: none"> ▪ File Format: PDF, Word and Excel formats ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 10 MB ▪ Mandatory subject of email: RFQ/LBY/SLCRR/2022/009 ▪ Multiple emails must be clearly identified by indicating in the subject line “email no. X of Y”, and the final “email no. Y of Y”. ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible.
Cost of preparation of quotation	<p>UNDP shall not be responsible for any costs associated with a Supplier’s preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.</p>
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP’s Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_and_investigation.html#anti</p>
Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>
Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders</p>

	<p>shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p><input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p><input type="checkbox"/> General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p><input type="checkbox"/> General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p><input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 days</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p> <p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative.</p>
Currency of Quotation	<p>Quotations shall be quoted in United States Dollars (USD)</p>
Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <p>a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or</p> <p>b) they have the same legal representative for purposes of this RFQ; or</p> <p>c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process.</p>

	<p>d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or</p> <p>e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.</p>
Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p> <p><input type="checkbox"/> be inclusive of VAT and other applicable indirect taxes</p> <p><input checked="" type="checkbox"/> be exclusive of VAT and other applicable indirect taxes</p>
Language of quotation	<p>English</p> <p>Including documentation including catalogues, instructions and operating manuals.</p>
Documents to be submitted	<p>Bidders shall include the following documents in their quotation:</p> <p><input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed</p> <p><input checked="" type="checkbox"/> Annex 2A: Priced BOQs duly completed and signed</p> <p><input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1</p> <p><input checked="" type="checkbox"/> Business Licenses: Valid business license in general trading.</p> <p><input checked="" type="checkbox"/> List and value of projects performed for the last 03 years plus client's contact details who may be contacted for further information on those contracts.</p> <p><input checked="" type="checkbox"/> Printed brochures/specifications relevant to the required Furniture and equipment.</p> <p><input checked="" type="checkbox"/> Copies of Contracts/POs and Completion Certificate of one similar contract as prime contractor.</p>
Quotation validity period	<p>Quotations shall remain valid for 90 days from the deadline for the Submission of Quotation.</p>
Price variation	<p>No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.</p>
Partial Quotes	<p><input type="checkbox"/> Not permitted</p> <p><input checked="" type="checkbox"/> Permitted Offerors may quote for single or multiple lots, but in any case, must quote for all items and quantities specified in each lot. Partial Quotes within each Lot will not be accepted. Evaluation of quotations will be made on Lot-wise basis</p>
Alternative Quotes	<p><input checked="" type="checkbox"/> Not permitted</p>
Payment Terms	<p><input checked="" type="checkbox"/> 100% within 30 days after receipt of goods, works and/or services and submission of payment documentation.</p> <p><input type="checkbox"/> Other</p>
Conditions for Release of Payment	<p><input checked="" type="checkbox"/> Passing Inspection and cleared by site engineer</p> <p><input checked="" type="checkbox"/> Written Acceptance of Goods, Services and Works, based on full compliance with RFQ requirements</p>
Contact Person for correspondence,	<p>E-mail address: procurement.ly@undp.org</p> <p>Attention: Quotations shall not be submitted to this address but to the address for quotation submission above. Otherwise, offer shall be disqualified.</p>

notifications and clarifications	Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.
Clarifications	Requests for clarification from bidders will not be accepted any later than 3 days before the submission deadline. Responses to request for clarification will be communicated via procurement.ly@undp.org by emails only
Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer <input checked="" type="checkbox"/> Other One or more than one vendor, depending on the following factors: Award for each Lot would be made to the "Lowest priced technically responsive, eligible and qualified" vendor. As the vendor may submit quotation for several or all lots and may be lowest priced for single or all lots, therefore one vendor may be issued a Purchase Order/ Contract for Lots where the vendor is the lowest priced technically responsive, eligible, and qualified.
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Annex-2, Annex-2A and Annex 3 duly completed and signed for the entire requirement. <input checked="" type="checkbox"/> Earliest Delivery /shortest lead time - DAP Tripoli not more than 30 days from the date of receipt of signed contract/Purchase Order). <input checked="" type="checkbox"/> Warranty
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	<input checked="" type="checkbox"/> Purchase Order <input type="checkbox"/> Contract Face Sheet (Goods and-or Services) (this template is also utilised for Long-Term Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO, etc.) <input type="checkbox"/> Contract for Goods and-or Services <input type="checkbox"/> Other Type/s of Contract [pls. specify]
Expected date for contract award.	10 March 2022
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS / Technical Specifications

LOT 1: Supply of Material and tools for Tailoring and sewing Department for Libyan Korean Centre in Tripoli, Libya.

LOT 1: Specifications Tailoring and Sewing Material			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ, Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials, labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable	-	-
1	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;	Pack	150
2	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	120
3	Blackboard calligrapher Supply blackboard calligrapher. Black, red and blue color	Packet	15
4	Abayas fabric Supply abayas fabric. Black	spool	12
5	School uniform fabric Supply school uniform fabric. Black or dark blue	spool	12
6	American satin fabric Supply American satin fabric. different colors	spool	12
7	Tulle Fabrics Supply Tulle Fabrics. different colors	spool	6
8	Joubert Fabrics Supply Joubert Fabrics. different colors.	spool	9
9	Thermal scissors Supply hot electric scissors, electric heating cloth cutter, cloth cutting tools	Piece	6
10	Iron scissors Supply iron scissors, Stainless Steel,	Piece	45
11	Design Rulers Supply rulers, used for measuring & cutting fabric strips, triangles, squares & rectangles, efferent size and according to the approval of the engineer.	Packet	15
12	Clothes measuring meter Supply clothes measuring meter, flexible fiberglass, 1m and according to the approval of the engineer.	Piece	45

13	Chalk Supply Efficient Professional Tailors Chalk Triangle Fabric Markers Sewing and according to the approval of the engineer.	Packet	9
14	Zipper for normal abayas Supply Zipper for normal abayas, Heavy Zippers for Sewing, 1m and according to the approval of the engineer.	Piece	60
15	Zipper for hidden abayas Supply Zipper for hidden abayas, Heavy Zippers for Sewing, 0.5 m	Piece	60
16	Small Zipper Supply Small Zipper for Sewing, 0.2 m	Piece	60
17	Button sewing machine Supply button sewing machine, Automatic zigzag sewing machine with compact free arm, one dial for pattern selection, Auto tripping bobbin system; drop feed for embroidery; automatic needle threading; sewing light	Piece	1
18	Cloth rolling table Supply cloth rolling table, 2.8 m* 2 m	Piece	1
19	Embroidery Machine Supply Embroidery Machine, Metal, Power Source AC, double thread	Piece	1
20	Heat press machine Supply heat press machine, 220 volts, 110 volts, 1.4KW, 40*40.	Piece	2
21	Elastic sewing machine Supply Elastic sewing machine, power Source AC,	Piece	1
22	Cotton sewing machine Supply cotton sewing machine, power Source AC,	Piece	2
23	Sewing Pins Supply Sewing Pins, 34mm x 0.52mm, Iron .	Packet	15
24	plastic thread regular machine Supply plastic thread regular machine, Transparent	Packet	15
25	Sewing machine wire Supply sewing machine wire, different colors	Packet	60
26	Sewing machine needles Supply sewing machine needles, different size	Packet	60
27	Carton's Design Supply Carton's Design 70 mm*100 mm	Piece	300
28	Overlock machine wire Supply overlocks machine wire, different colors	spool	60
29	Adhesive tape for evening dress Supply Adhesive tape for evening dress, 5m, double-sided adhesive, Main Color: Clear	Piece	15
30	Sata Guna Supply sata Guna, for more details, see the picture 	Piece	30
31	Vaseline Double Face: Supply Vaseline Double Face, Big size , For more details see the picture 	Piece	35
32	Fluca: Supply fluca, for more details see the picture 	Piece	30

33	Fibers: Supply fibers, for more details see the picture 	spool	15

Delivery Requirements - LOT 1

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the BoQ
Packing Requirements	As per the BoQ
Training on Operations and Maintenance	As per the BoQ
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the BoQ
Preferred Mode of Transport	Land

ANNEX 1: SCHEDULE OF REQUIREMENTS / Technical Specifications

LOT 2: Supply of Material and tools for Welding Department for Libyan Korean Centre in Tripoli, Libya.

LOT 2: Specification of Welding Materials and Tools			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable	-	-
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.	Piece	35
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)	Piece	70
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent.	Pack	150
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	120
5	Safety shoes The safety footwear standards same as the footwear standards Europe: END ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)	Piece	70
6	Fixed Metal Cutting Disc Supply a Metal Cutting Disc, Diameter 14 mm, Thickness: 3.2mm / Flat, Application: Cutting Metal, Aluminium Oxide Grit Resin Bonded, 2 Fibreglass Reinforcements, Manufactured to EN12413, For Ferrous Metals, Iron & Steel, For Engine Driven Power Saws Max 5,100rpm	Piece	120

7	Metal Grinding Disc Supply a Small Metal Grinding Disc, Diameter: 100mm (bigger or smaller based on machine) / Bore: 16mm (bigger or smaller based on machine), Thickness: 6.0mm / Profile: DPC, Application: Grinding Meta, Aluminium Oxide Grit Resin Bonded, Fibreglass Reinforced, For Mild Steel and Ferrous Metals, Manufactured to EN12413, For Angle Grinders, Max 15,300rpm	Piece	60
8	Metal Grinding Disc Supply a Big Metal Grinding Disc, Diameter: (small based on machine), Thickness: 6.0mm / Profile: DPC, Application: Grinding Metal, Aluminium Oxide Grit Resin Bonded, Fibreglass Reinforced, For Mild Steel and Ferrous Metals, Manufactured to EN12413, For 230mm Angle Grinders, Max 6,650rpm.	Piece	75
9	Metal Iron Square Pipe (40×40×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 40mm depth, 40mm width, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.	Piece	260
10	Metal Iron Square Pipe (30×30×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 30mm width, 30mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.	Piece	260
11	Metal Iron Square Pipe (20×20×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 20mm width, 20mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, Steel type: Hot Rolled.	Piece	60
12	Metal Iron Square Pipe (20×40×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 20mm width, 40mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.	Piece	260
13	Metal Iron Angle (40×40×2) Supply a Metal Iron Angle, with 2mm thickness, both legs are 40mm, and 6000mm length. Section Shape: Angle, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled, Angle end: Flat end.	Piece	60
14	Power Drill Machine Supply adjustable portable power drill with 850w 13mm impact drill machine. Dimensions (400X310X270) mm. Speed Type: Variable Speed. Chuck capacity: (1.5-13) mm. Motor: Copper Wire. Max. drilling capacity: Steel, 13mm; Wood, 25mm, Concrete, 13mm. weight is around 2Kg.	Piece	3
15	Hammer Power Drill Machine Supply adjustable hammer power drill with 1500w 32mm impact drill machine. Speed Type: Variable Speed. Motor: Copper Wire. Max. drilling capacity: Steel, 13mm; Wood, 40mm, Concrete, 32mm. weight is around 5.5Kg.	Piece	3
16	Power Cutter (big Angle grinder) Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 1200 W	Piece	3
17	Power Cutter (small Angle grinder) Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 800 W	Piece	3

18	Black Iron Pipe 2" Supply a Black Iron Pipe 2", with 2mm thickness, and $\varnothing = 60\text{mm}$, and 6000mm length. Section Shape: Circle, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled, Pipe end: Flat end.	Piece	75
19	Welding Machine: Supply a small welding machine. With Max. Load Power Capacity: 6.1 Input Power Voltage: AC166V V. Input Power Frequency: 50/60Hz. Rated Input Capacity KVA: 4.5. Output Current Range:40-160(MIG) A. Dimensions: (420x160x310) mm. Weight is around 7 KG or bigger.	Piece	2
20	Welding Machine Supply a Medium welding machine. With Max. Load Power Capacity: 6.1 Input Power Voltage: AC300V V. Input Power Frequency: 50/60Hz. Rated Input Capacity KVA: 4.5. Output Current Range:40-160(MIG) A. Dimensions mm:(442x184x310) mm or bigger as engineer requirement. Weight is 15Kg or bigger.	Piece	2
21	Flat Iron Supply a flat Iron ', with 4mm thickness, and 40mm width, and 6000mm length. Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.	Piece	60
22	Electric Steel Cut-Off Saw Supply an electric Steel Cut-Off Saw with Motor power:4KW, Voltage: 380V 220V Optional, (890X540X640) mm, Weight: 130KG, tongs rotary angle: $\pm 45^\circ$	Piece	2
23	Welding Electrode Rod Supply an Electrode Rod, made of mild carbon steel, Size: 3.25mm, Color: Grey / white. Length:300mm/350mm/400mm.	pack	70
24	Welding Electrode Holder Supply an Electrode holder, Handle shank material: Fiber glass, Inner material: Upper Brass Length:20-30cm, Size:3.2mm/4.0mm/2.5mm, Color: Grey/white. Length:300mm/350mm/400mm.	Piece	30
25	Textile Copper Wire Cable Supply a round textile copper wire, $\varnothing 18\text{mm}$, Electrical wire material: PVC jacket covered with textile, Copper conductor,	L.M.	25
26	Leather Welding Gloves Supply a Leather gloves, 23" Long, select shoulder split cowhide, Foam insulated back, Full cotton lining, Reinforced thumb strap.	Piece	70
27	Head protection helmets Supply head protection helmets made of high-density polyethylene and according to European specifications EN 397 Or what's equivalent to it and according to the approval of the engineer.	Piece	70
28	Welding Apron Bib Supply a full cowhide leather welding apron bib blacksmith apron protect from welding spatter. Material: Cowhide Leather. Apron for protecting clothing and skin from welding spatter. Made of weather-resistant, heavy split cowhide for durability. 2.5cm Wide Cotton Sliding length self-balancing adjuster. Quick-release buckle. Adjustable slider and divider. welded seams with 3 plies for added durability and retardant.	Piece	70
29	Welding Chipping Hammer Supply a Chipping Hammer, Rust-Resistant. Handle: Hickory. Head Weight: 12 oz. Blade Width: 1 1/4 in. Head Material: High Carbon Steel. Overall Length: 13.25 in."	Piece	30
30	Hammer: Supply hammer. Weight : 16oz/450g, hardwood handle, Heat treatment, 45# carbon steel and according to the approval of the engineer	Piece	15

31	Acetylene welding goggles (by hand) Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through with a 180-degree view. and according to the approval of the engineer.	Piece	70
32	Acetylene welding goggles (by head) Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through with a 180-degree view. and according to the approval of the engineer.	Piece	70
33	Black iron sheet 2 mm Supply a Black iron sheet, with 2mm thickness, size 2 m * 1m. according to the approval of the engineer.	Piece	60
34	Iron door locks Supply Iron door locks, made of iron. according to the approval of the engineer.	Piece	2
35	Tongs: Supply tongs, made of iron. Full Metal Handled Grip, according to the approval of the engineer.	Piece	25

Delivery Requirements - LOT 2

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW
Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

LOT 3: Supply of Material and tools for Tile and marble installation Department for Libyan Korean Centre in Tripoli, Libya

LOT 3: Specification of Welding Materials and Tools			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.	Piece	35
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)	Piece	70
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;	Pack	150
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	120
5	Ordinary Portland cement Supply ordinary Portland cement, type N 42.5 according to the Libyan Standard Specification No. 340/2009 and according to the approval of the engineer.	Bag/50 kg	12
6	White Portland cement Supply White Portland cement, according to CEM I 52,5 N as per EN 197-1 :2011 and according to the approval of the engineer	Bag/50 kg	12

7	Limestone Powder Supply Limestone powder pure with white color, powder must be clean no small or big stones (powder must be sieved), powder must be 100% limestone powder not mixed with sand. according to the Libyan Standard Specification and according to the approval of the engineer.	Bag/50 kg	30
8	Fine Aggregate (sand) Supply Fine Aggregate (sand from Zlatan city), so that its granular grade is according to the British Standards BS 882:1992 or American Standards ASTM C33-93 and according to the approval of the Engineer.	m ³	12
9	Small Coarse Aggregate (Greenall) Supply Small Coarse Aggregate (Greenall), It should be of a granular gradation as well as free of dust, clay, and impurities and according to the approval of the Engineer.	m ³	12
10	Concrete nails (different size) Supply concrete nails (different size). Made of fully steel and according to the approval of the engineer.	Packet	30
11	Porcelain Tile Supply a high-quality anti-slipage Porcelain tile for floors including grouting, size (60x60) cm, all in accordance with the specifications and the engineer's instructions and approval.	m ²	150
12	Ceramic Tile Supply a high-quality color ceramic tile for walls, including grouting, size (20x60) cm, all in accordance with the specifications and the engineer's instructions and approval.	m ²	100
13	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc., for exterior walls, 20 mm thick, (60x60) cm. All according to technical specifications and as per Engineer's approval.	m ²	30
14	Skirt Tile Supply a high-quality marble skirting with 10 cm breadth and 1cm thick. All according to technical specifications and as per Engineer's approval.	L.M	150
15	Ordinary Floor Tile Supply a high-quality floor tile for floors including grouting, size (30x30) cm, all in accordance with the specifications and the engineer's instructions and approval.	m ²	150
16	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc., for widows , 30 mm thick, width is according to the required windows need. All according to technical specifications and as per Engineer's approval.	L.M	60
17	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc, for doors , 30 mm thick, width is according to the required doors need. All according to technical specifications and as per Engineer's approval.	L.M	60
18	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc, for staircase , 30 mm thick, width and length are according to the required staircase dimensions need. All according to technical specifications and as per Engineer's approval.	L.M	30
19	Pharaonic Stones Supply Pharaonic Stones material: natural stone without clay, pores, cracks, Type Rectangular, sizes and color of stone are according to the approval of the engineer.	m ²	30
20	Interlock Block Supply some concrete I Shaped Interlocking Pavers Block, For Flooring, Thickness: 10 mm or thicker based on the engineer requirements. Resistance	m ²	120

	of compressive strength is 20Mpa or higher based on engineer requirements. Color, width and length are according to the approval of the engineer.		
21	Iron Wire Supply a Polished 3mm Galvanized Iron Wire, For Construction Industry, surface treatment zinc plated, according to the approval of the engineer.	spool	6
22	Marble Glue Supply a marble glue for marble with strong thixotropy with a long glue line, Strong bonding strength, high speed of glue curing, water resistance and oil resistance, with strong mechanical strength, easy to polish surface. according to the approval of the engineer.	Packet	12
23	Hat Supply a fabric hat Material: cotton/polyester/acrylic and etc. (Good permeability and comfortable for the perfect fit, especially for daily activities. Fine mesh fabric protects sensitive scalp from Ultraviolet, soft cotton makes it packable and crush-able, so you can bring it everywhere easily.). Shape: curved brim. Size: Adult, 58cm, according to the approval of the engineer.	Piece	70
24	Tile Spacer Supply a Tile spacer made of PCV or strong plastic. Sizes are 2mm thickness for infernal use and 3mm and 4mm for exterior use. according to the approval of the engineer.	Packet	30
25	Tile Cutter Supply a tile cutter with 1800mm tile manual push knife high precision laser infrared granite floor manual tile cutter tool. Body is made of steel (CHROMED & RECTIFIED SOLID Ø 20MM Guides made of Steel with Anti Corrosion Treatment), 800 KG HIGH BREAKING FORCE for cutting all kinds of ceramic and vitrified tiles up to 1200 MM, INCLUDES Ø 8MM SCORING WHEEL & LATERAL STOP with millimetric readings for repetitive cuts and 45° cuts.	Piece	6
26	Power Cutter Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, Soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 800 W	Piece	6
27	Disc Cutter Supply a concrete disc cutter, the diameter chosen is as required for power cutter, with 1.8mm to 2mm, Concrete Disc diamond saw blade for cutting granite circular cutter disc concrete stone asphalt laser power tool.	Piece	30
28	Disc Cutter Supply a marble disc cutter, the diameter chosen is as required for power cutter, with 1.8mm to 2mm, General Purpose Diamond Dry Cutting Diamond Saw Blade for marble, granite, concrete, stone.	Piece	30
29	Ceramic Cutter Supply a ceramic cutter with 1800mm tile manual push knife high precision laser infrared granite floor manual tile cutter tool. Body is made of steel (CHROMED & RECTIFIED SOLID Ø 20MM Guides made of Steel with Anti Corrosion Treatment), 800 KG HIGH BREAKING FORCE for cutting all kinds of ceramic and vitrified tiles up to 1200 MM, INCLUDES Ø 8MM SCORING WHEEL & LATERAL STOP with millimetric readings for repetitive cuts and 45° cuts.	Piece	6
30	Spirit Level (Levelling Scale (Water)) Supply Spirit Level. Length:30cm, Aluminium Thickness:1mm and according to the approval of the engineer.	Piece	15
31	Tube scale Supply tube codelength = 3m and according to the approval of the engineer.	Spool	15

32	Metal measuring meter (L = 10 m) Supply metal measuring meter. Size (Length/width): 10mx25mm, Self-lock function, Rubber surface and according to the approval of the engineer.	Piece	60
33	Wheelbarrow Supply wheelbarrow. Load (kg):120kg, Water Capacity(L) :60L, L*H*A*B*C(mm) :1330*630*820*380*630, Solid Wheel and according to the approval of the engineer.	Piece	12
34	Shovel: Supply shovel. Wooden handle, Length:1020mm, weight:1kg, Material: carbon steel and according to the approval of the engineer.	Piece	15
35	ANGLE square Supply ANGLE square. Length: 300mm, Blade Width: 40mm, Blade Thickness: 1.6mm, Stainless steel blade, Marking point for pencil and according to the approval of the engineer.	Piece	60
36	Aluminium Arm Supply aluminium arm. Aluminium, Length: 3m and according to the approval of the engineer.	Piece	18
37	Prolong Wire Supply prolong wire, 100m length, thickness is according to the approval of the engineer.	Spool	30
38	Prolong Thread Supply prolong thread. with white color, 100m length, 2mm, type of material is according to the approval of the engineer.	Spool	60
39	Garden Rake Supply a rake with 22 teeth. Wooden handle, Length:1020mm, weight:1kg, Material: carbon steel and according to the approval of the engineer.	Piece	12
40	Laser meter Supply Laser Levels. Measuring Range:0.05-60m, Measuring Accuracy: ±1.5mm, Laser Type:635nm, <1mW and according to the approval of the engineer.	Piece	9
41	Plastic mortar bucket Supply Plastic mortar bucket. With Funnel, 15 liter and according to the approval of the engineer.	Piece	30
42	Marker Supply a pen marker with 2mm line, the ink is fast-drying, Fast-drying, low odor, Improved color density, Locked tip - prevents tip from being pushed into barrel and according to the approval of the engineer.	Packet	60
43	builder rulers Supply builder rulers. Aluminium Ruler, Length: 80cm and according to the approval of the engineer.	Piece	60
44	Iron Wire Brush Supply Iron Wire Brush. Wooden handle, Made of fully steel and according to the approval of the engineer.	Piece	60
45	large water basin Supply large water basin. Made of high-quality plastic 1m3 and according to the approval of the engineer.	Piece	15
46	RUBBER HAMMER Supply RUBBER HAMMER. High quality rubber and according to the approval of the engineer.	Piece	60
47	Large Jaw Pliers (Clapper) Supply Large Jaw Pliers (Clapper). Big size, Made of fully steel and according to the approval of the engineer.	Piece	60
48	Floor sink with cover Supply Floor sink with cover. PVC, 20 CM *20 CM and according to the approval of the engineer	Piece	18

Delivery Requirements - LOT 3

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW
Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

LOT 4: Supply of Material and tools for Mobile phone Department for Libyan Korean Centre in Tripoli, Libya.

LOT 4: Specification of Mobile phone Material and tools			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Student desk chair with arms Table Supply student desk chair with arms Table, Tablet Top flips up for easy accessibility, Tablet Size: 12"W x 17" D x 11.5"H from the seat, Double Support Braces, black color, complete with all fitting Furniture shall be ready to be used.	Piece	35
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)	Piece	70

3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;	Pack	150
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	120
5	screen fixing Glue Supply Liquid Glue, 50 Millilitres, Liquid Adhesive Glue and according to the approval of the engineer.	Piece	15
6	Spare parts of mobile Supply spare parts of mobile, various types according to the approval of the engineer.	set	30
7	Spare parts (equipment under maintenance) Supply spare parts (equipment under maintenance), various types according to the approval of the engineer.	Piece	25
8	Various phone screen Supply Various phone screen according to the approval of the engineer.	Pack	20
9	The outer layer of the screen Supply The outer layer of the screen according to the approval of the engineer.	Piece	40
10	Safety goggles Supply safety goggles according to EN340 and according to the approval of the engineer.	Piece	40
11	Cleaning brush Supply cleaning brush according to the approval of the engineer.	Piece	40
12	Welding wire Supply welding wire, 3 mm, Length: approx. 10m according to the approval of the engineer.	Piece	60
13	Microscope Supply Microscope for Mobile Phone Repair & Welding, Large Field of Vision (7x-45x) according to the approval of the engineer.	Piece	3
14	External glass mobile screen changing machine Supply External glass mobile screen changing machine, for more information see the picture and according to the approval of the engineer.	Piece	2
15	New phone screen installer (screen freezer) Supply New phone screen installer, for more information see the picture and according to the approval of the engineer.	Piece	2
16	Power supply Supply Power supply, Sunshine DC Power Supply 5A 0-30v 0-5a Digital Programmable according to the approval of the engineer.	Piece	5
17	Heat Gun Supply Heat Gun ,250 L/Min to 380 L/Min, sugon861dx and according to the approval of the engineer.	Piece	25
18	Soldering iron Supply soldering iron (soon t3602), 80W and according to the approval of the engineer.	Piece	25

19	Odometer: Supply odometer (Excel dt9205a), Battery Powered, LCD display, Measurement Type: Mustimeter and according to the approval of the engineer.	Piece	25
20	Disassembly and installation tools (Jake my JM-8139) Supply Disassembly and installation tools, Jakemy JM-8139 45 in 1 Professional Precise Screwdriver Set Repair Kit Opening Tools for Cell phone Computer Electronic and according to the approval of the engineer.	Pack	45
21	Smoke extractor Supply smoke extractor, 5 VOLT, SMALL EXHAUST FAN, SMOKE WELDING, MICROSCOPE ABSORBING ESD, SMOKE EXTRACTION MACHINE FOR PCB PANEL PHONE WELDING REPAIR TOOLS and according to the approval of the engineer.	Piece	25
22	luminescent Supply luminescent, 50W, 100-220 V AC and according to the approval of the engineer.	Piece	25
23	Work ruler Supply work ruler, for more information see the picture and according to the approval of the engineer.	Piece	45
24	Samsung Tool Pro z3x Supply Samsung Tool Pro z3x. Battery Powered and according to the approval of the engineer.	Piece	5

Delivery Requirements - LOT 4

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW
Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

LOT 5: Supply of Material and tools for Reinforced Carpentry Department for Libyan Korean Centre in Tripoli, Libya.

LOT 5: Specification of Material and tools for Carpentry			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.	Piece	70
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)	Piece	70
3	Safety shoes The safety footwear standards same as the footwear standards Europe: EN ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)	Piece	70
4	Protective gloves Supply Protective gloves according to European standard DIN EN 374, Abrasion Resistance, Cut Resistance, Tear Resistance and Puncture resistance, different Size (Small, Medium, L and XL)	Piece	120
5	Face Mask Disposable Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent.	Pack	75
6	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	60
7	Metal measuring meter (L = 5 m) Supply metal measuring meter. Size (Length/width): 10mx25mm, Self-lock function, Rubber surface and according to the approval of the engineer.	Piece	70

8	Measuring meter (roll): Length 50m Supply Laser Levels. Length 50m, With metric, With all rubber cover and according to the approval of the engineer.	Piece	12
9	Wood saw (HAND SAW) Supply wood saw. Stainless Steel, hardwood handle or rubber and according to the approval of the engineer.	Piece	45
10	Hammer: Supply hammer. Weight : 16oz/450g, hardwood handle, Heat treatment, 45# carbon steel and according to the approval of the engineer.	Piece	40
11	Spirit Level (Levelling Scale (Water)) Supply Spirit Level. Length:30cm, Aluminium Thickness:1mm and according to the approval of the engineer.	Piece	30
12	Tube scale Supply tube scale. Length = 3m and according to the approval of the engineer.	Spool	30
13	Weight scale for construction (plumb) Supply Weight scale for construction (plumb). Weight:300g and according to the approval of the engineer.	Piece	20
14	Column wood (myrtic) (L = 3m) Supply column wood (myrtic) (L = 3m). according to the approval of the engineer.	Piece	8
15	Wood counter plaque Supply wood counter plaque. Size 12*3000*4000 mm and according to the approval of the engineer.	Piece	12
16	Paper wood (L = 3m,10cm) Supply paper wood (L = 3m). according to the approval of the engineer.	Piece	8
17	Paper wood (L = 3m,15cm) Supply paper wood (L = 3m). according to the approval of the engineer.	Piece	8
18	Ordinary screws (6 cm) Supply Ordinary screws 6 cm. Made of fully steel and according to the approval of the engineer.	Packet	30
19	Ordinary screws (10 cm) Supply Ordinary screws 10 cm. Made of fully steel and according to the approval of the engineer.	Packet	30
20	Concrete nails (different size) Supply concrete nails (different size). Made of fully steel and according to the approval of the engineer.	Packet	30
21	Limestone white blocks 30 cm x 20 cm x 15 cm Supply high-quality limestone white blocks with dimensions of 30 cm x 20 cm x 15 cm, and the compressive strength must not be less than 7 N/mm ² . and the bricks should have plane rectangular faces with parallel sizes and right-angle edges, as well shall be made from clean and good material and according to the approval of the engineer.	Piece Bag/50 kg	1000
22	Hydrated Lime Supply ordinary Hydrated Lime, according to the Libyan Standard Specification and according to the approval of the engineer.	Bag/50 kg	6
23	Shuttering Clamp Supply a shuttering clam with High Quality Formwork Accessories Mason Shuttering Clamp, Shuttering Clamp for Concrete Industrial System. Surface treatment: HDG, Painted, Powder, Galv. 110cm suitable for factories and high-rise buildings frame 70cm column and 120cm suitable for factories and high-rise buildings frame 75-80cm column.	Piece	150
24	Scaffolding Jack Steel Shoring Supply adjuster iron props for constructions jack type of Scaffolding support column, made of steel with safety load (45-50) KN. Tube length (3.2-4.87) m, Thickness of Tube (3.5/4.0) mm, Tube size (76/60) mm, Wide adjustment range 12cm, bearing plate size (150x150x8) mm, and must be powder coated.	Piece	60

25	Construction Frame Scaffolding: Supply a complete set of Frame scaffolding include 2 pieces of H frames, 2 pairs of cross braces and 4 joint pins. Frame Scaffolding Accessories: Cross Braces, Joint Pins Lock Pins, Scaffold Catwalks, Scaffold Staircases, Adjustable Bases & U Jacks, Scaffold Casters must be powder coated. Frame Scaffolding Should contain Walk Through Frames, Ladder Frames, Sidewalk Plate. Steel used Bs 1139 tube scaffolds. Standard and ledger thickness (Ø42x2.2/Ø42x2.2) mm, sizes (1500x1200) mm, weight 15Kg.	square	4
26	Carpenter Bag Supply a bag made of high-quality leather 8 pocket split leather carpenter nail & tool bag (1 large pocket, 1 medium sized pocket, 6 small pencil pockets with 2 leather hammer loops, double stitched & rivet reinforced, wide belt tunnel slot).	Piece	60

Delivery Requirements - LOT 5

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW
Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

LOT 6: Supply of IT Material for Computer Department for Libyan Korean Centre in Tripoli, Libya.

LOT 6: Specification of IT Materials			
Item	Description	Unit	Qty
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Electrical Extension Cord with Outlet Box Supply Electrical Extension Cord with Outlet Box15- 20 Amp. With Length = 20 m, four-link, Power Distribution H05VV-F 3G1,5,	Piece	20
2	Projector: Supply and fix Projector, White Brightness (3,600 ANSI Lumens), Contrast (1: 500) the lamp life up to 15000H, equipped with an internal 800mAh battery, wired and wireless control device, connectivity including HDMI, USP, VGA in and out, wall speakers and a movable base to install the projector on the ceiling, projector screen, The price of works includes supplying and fix, as well as all needed accessories.	Piece	2
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;	Pack	150
4	Handle sanitizer Supply of Alcohol solution sanitizer, Kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent	Liter	120
5	Blackboard calligrapher Supply of blackboard calligrapher (6 Red, 6 Black and 6 Blue), with dimension: 6.8 x 6.1 x 1 inches, rubber material Type; Size: Bold 5mm; Ink color (Red, Black, and Blue), bran.	Packet	30
6	Dry ink pens Supply dry ink pens. Black color and according to the approval of the engineer.	Packet	30
7	Paper (A4) Supply of white printing paper A4 Type, 500 Sheets/ pack; dimension (210 x 297 mm); multifunctional use for writing, COPIER, LASER INKJET or FAX; respecting the ISO 140001 and the ISO 9001 or equivalent	Packet	16

8	Desktop computer Supply and assemble Desktop computer: Processor: Intel® Core™ i5(3.60 GHz up to 4.30 GHz; 4 Cores, 6 MB Cache); Memory: 4 GB, Hard Drive: 500 GB,500 SSD, 4GRAM including 23-inch Monitor, Keyboard & Mouse Combo. The price of works includes supplying and assembly, as well as all needed accessories.	Piece	40
9	Desktop computer Supply and assemble Desktop computer: Processor: Intel® Core™ i7(3.60 GHz up to 4.30 GHz; 4 Cores, 6 MB Cache); Memory: 4 GB, Hard Drive: 500 GB,500 SSD, 8GRAM including 23-inch Monitor, Keyboard & Mouse Combo. The price of works includes supplying and assembly, as well as all needed accessories.	Piece	3
10	Color laser printer (3 in1) Supply and fix printing machine, hp laser printer which has the options of a wireless printer, scan, photocopy, The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.	Piece	2
11	Black and white laser printer + Ink Supply and fix printing machine, hp black and white laser printer which has the options of a wireless printer, photocopy, The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.	Piece	3
12	Master laser printer Supply and fix printing machine, Multifunction Printer, Print, Scan, Copy, Monthly Duty Cycle: Up to 150,000 Pages, Duplex Copy and Print: Automatic. The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.	Piece	1
13	Ink for Master laser printer Supply Ink. Special Feature Page yield: 480 pages, Original	Piece	3
14	UPS power supply Supply ups power supply, Backup Battery Power Supply,1500VA, Dataline Protection and according to the approval of the engineer.	Piece	40
15	Electrical network to connect devices Supply Electrical network to connect devices. Less heat generation, Suitable for Homes, Buildings, Industrial buildings and according to the approval of the engineer	Piece	1
16	MS software Supply MS software up to 6 users, 1 year subscription and according to the approval of the engineer.	Piece	7
17	Anti-virous: Supply anti-virous, up to 3 users, 1 year subscription, keeps you safe from viruses, attacks, fraud, ransomware, spyware, and cybercrime. Protects your privacy and personal data against phishing, tracking, and spying.	Piece	14
18	Wireless Mouse Supply Wireless Mouse 700mAh, Rechargeable, 2.4G Optical PC Laptop Cordless Mice with USB Nano Receiver, for Windows Computer Office, and according to the approval of the engineer.	Piece	16
19	Wireless keyboard Supply Wireless Keyboard, 2.4G Ergonomic Full Size Wireless Computer Keyboard with Wrist Rest for Windows, Mac OS Desktop/Laptop/PC, and according to the approval of the engineer.	Piece	16
20	External CD & DVD RAM Supply External CD & DVD RAM, operating: Windows XP/ 2003/ 2000/ Vista/ 7/ 8/ 10, Altus 3.0 Type C, USB 3.0, Optical Storage Write Speed: Ax 24xCD / 8xDVD, Optical Storage Read Speed: Max 24xCD / 8xDVD and according to the approval of the engineer.	Piece	4

21	Graphics card (VGA) Supply Graphics card (VGA), 8MB Graphics Card VGA PCI 32Bit for Server, Industrial Computer Multi-Display for ATI Rage XL and according to the approval of the engineer.	Piece	6
22	Case (bag) Supply case (bag). According to the approval of the engineer.	Piece	6
23	Batteries Supply batteries. High Performance Alkaline Batteries, 10-Year Shelf Life, Easy to Open Value Pack according to the approval of the engineer.	Piece	40
24	Removable Memory (Flash Pass) Supply Removable Memory (Flash Pass), Memory storage capacity 64 GB, USB Type C, USB 3.0 and according to the approval of the engineer.	Piece	30
25	Notebooks Supply Notebooks. Wire bound notebook with 70 sheets of paper, 5 pack of assorted colors, Wide ruled format (11/32 inch) promotes neat, even lines of legible writing; paper measures 10.5 by 8 inches, Sturdy front and back covers protect the paper and double as a firm surface for writing against and according to the approval of the engineer.	pack	13
26	external hard disk Supply external hard disk, Memory storage capacity 500 GB, USB Type C, USB 3.0 and according to the approval of the engineer.	Piece	6
27	Hard disk (HDD) Supply Hard disk (HDD), Memory storage capacity 500 GB, Desktop Hard Disk Drive and according to the approval of the engineer.	Piece	10
28	RAM (internal memory) Supply RAM (internal memory), 1 GB DIMM 800 MHz DDR2 SDRAM Memory and according to the approval of the engineer.	Piece	10
29	Mouse Mat Supply Mouse Mat. Mouse Mat BLACK ANTI-SLIP, MOUSE PAD MAT WITH GEL FOAM REST WRIST SUPPORT FOR PC LAPTOP - Compatible with Laser and Optical Mice and according to the approval of the engineer.	Piece	40
30	Router: Supply router .TP-Link WIFI Router, Operating System: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows8/ 8.1/10, MAC OS, NetWare, UNIX or Linux Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows8/ 8.1/10, MAC OS, NetWare, UNIX or Linux and according to the approval of the engineer.	Piece	5

Delivery Requirements - LOT 6

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW

Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

LOT 7: Supply of Material and tools for Cooling and Air-conditioning Department for Libyan Korean Centre in Tripoli, Libya.

LOT 7: Specification of Material and tools for Air-conditioning Department			
Item	Description	Unit	Qty
	<p>Notes:</p> <p>1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer</p> <p>2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents</p> <p>3. Eventual claims for extra works are covered by project general documentation of contract.</p> <p>4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"</p>		
1	<p>Helmets:</p> <p>Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.</p>	Piece	35
2	<p>Safety suit</p> <p>Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection , different Size (Small , Medium , L and XL)</p>	Piece	70
3	<p>Masks:</p> <p>Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;</p>	Pack	150
4	<p>Hand sanitizer</p> <p>Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent</p>	Liter	120

5	Safety shoes The safety footwear standards same as the footwear standards Europe: END ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)	Piece	70
6	Plain hat Supply plain hat. Made of cloth and according to the approval of the engineer.	Piece	70
7	Acid-resistant work suits Supply Acid-resistant work suits according to EN340 and according to the approval of the engineer.	Piece	70
8	Oil resistant safety shoes Supply oil resistant safety shoes according to EN ISO 20345 and according to the approval of the engineer.	Piece	70
9	Protective gloves Supply Protective gloves according to European standard DIN EN 374 and according to the approval of the engineer.	Piece	120
10	Masks Supply masks according to N 95 Or what's equivalent to it and according to the approval of the engineer.	Pack	75
11	Alcohol sanitizer Supply alcohol sanitizer Provided it contains at least 75% alcohol and according to the approval of the engineer.	Liter	60
12	Leather apron Supply leather apron. According EN ISO 11611, heat-resistant, flame-resistant, wear-resistant, heavy split and according to the approval of the engineer. .	Piece	70
13	Charging drill Supply charging drill. Medium size, 220 v and according to the approval of the engineer.	Piece	8
14	Angle grinder Supply Angle grinder. Black color and according to the approval of the engineer.	Piece	4
15	Hammer Drill machine Supply Hammer Drill machine. heavy duty and according to the approval of the engineer.	Piece	4
16	Big Binding: Supply binding.5.5-in wide jaws,6-in jaw opening (9-3/4-in when reversed),3.75-in throat depth (2.75-in when reversed),1/8-in to 3-in pipe jaw capacity,49-lbs, 360° swivel base, Gear type, locking system with double lock down bolts, 2 anvils: lower 3.5-in x 3.7-in and upper 5.2-in x 2.5-in, Acme threaded main screw. .	Piece	10
17	Iron worktable 1.2*2 supply Iron worktable size 1.2m * 2 m, Heavy duty, and according to the approval of the engineer. .	Piece	5

18	Acetylene welding goggles Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through with a 180-degree view. and according to the approval of the engineer. .	Piece	70
19	Copper pipe cutter Supply copper pipe cutter. made of superior quality steel, rubber handle and according to the approval of the engineer.	Piece	18
20	Thermometer for refrigerators Supply thermometer for refrigerators. Measures temperature ranges from -20 to 20 Celsius., Stainless-steel and according to the approval of the engineer..	Piece	6
21	Cooling oil Supply cooling oil a heat transfer fluid used to prevent its overheating, transferring the heat produced by the engine and according to the approval of the engineer.	Liter	9
22	Freon Gas cylinder Supply Freon Gas cylinder. 12KG, R134 A and according to the approval of the engineer.	Piece	6
23	Display refrigerator evaporator Supply Display refrigerator evaporator .materials: copper tube/aluminium fin and according to the approval of the engineer.	Piece	6
24	Display refrigerator condenser Supply Display refrigerator condenser. made of Aluminium and according to the approval of the engineer.	Piece	9
25	Display refrigerator thermostat (electronic) Supply Display refrigerator thermostat (electronic). made of quality materials and according to the approval of the engineer.	Piece	6
26	Refrigerator thermostat Supply refrigerator thermostat. made of quality materials and according to the approval of the engineer. .	Piece	18
27	Copper welding powder Supply copper welding powder. Welding Metal Powder is also called aluminium heat welding powder. Use proper exothermic fluxes to make the connection joints more solid and extend the using life. and according to the approval of the engineer.	box	18
28	Copper welding wire Supply copper welding wire.2 mm, Fine finishing, Rust resistance, High quality, High strength, Durability and according to the approval of the engineer. .	Pack	9
29	Silver welding wire Supply silver welding wire .1.27 mm*3.2 mm, Fine finishing, Rust resistance, High quality, High strength, Durability and according to the approval of the engineer.	Pack	9
30	Display Refrigerator Filter Supply Display Refrigerator Filter. Made of high-quality material and according to the approval of the engineer.	Piece	30
31	Refrigerator Filter Supply Refrigerator Filter. Made of high-quality material and according to the approval of the engineer.	Piece	30
32	Refrigerator evaporator (18 feet) Supply refrigerator evaporator .120 cm *140 cm, materials: copper tube/aluminium fin and according to the approval of the engineer.	Piece	12
33	Refrigerator evaporator (16 feet) Supply refrigerator evaporator .120 cm *140 cm, materials: copper tube/aluminium fin and according to the approval of the engineer.	Piece	12
34	external Refrigerator condenser (18 feet) Supply external refrigerator condenser. made of aluminium and according to the approval of the engineer.	Piece	12
35	External Refrigerator condenser (16 feet) Supply external refrigerator condenser. made of aluminium and according to the approval of the engineer.	Piece	12
36	LG Refrigerator Compressor, B12 Supply LG Refrigerator Compressor LG B12. LG Brand Original and according to the approval of the engineer.	Piece	3

37	LG Refrigerator Compressor, 1/8 Hp Supply LG Compressor (Original) 1/8 Hp, and according to the approval of the engineer.	Piece	3
38	LG Refrigerator Compressor, 1/6 Hp Supply LG Compressor (Original) 1/6 Hp, and according to the approval of the engineer.	Piece	3
39	LG Refrigerator Compressor, 1/5 Hp Supply LG Compressor (Original) 1/5 Hp, and according to the approval of the engineer.	Piece	3
40	LG Refrigerator Compressor, 1/4 Hp Supply LG Compressor (Original) 1/4 Hp, and according to the approval of the engineer.	Piece	3
41	Capillary tube Supply Capillary tube of different diameters. Made of high-quality material and according to the approval of the engineer.	Piece	12
42	Double Electric separator 32 Amp Supply Double electric separator. 32 Amp, and according to the approval of the engineer.	Piece	12
43	Double Electric separator 20 Amp Supply Double electric separator. 20 Amp, and according to the approval of the engineer	Piece	12
44	Double Electric separator 16 Amp Supply Double electric separator. 16 Amp, and according to the approval of the engineer.	Piece	12
45	Double Electric separator 8Amp Supply Double electric separator. 8 Amp, and according to the approval of the engineer.	Piece	12
46	Electric cable 1.5 mm * 2 mm Supply electric cable. Good quality, heat tolerant and according to the approval of the engineer.	spool	3
47	Electric cable 2 mm * 4 mm Supply electric cable. Good quality, heat tolerant and according to the approval of the engineer.	spool	3
48	Copper Pipe Connector 3/4" Supply Copper Pipe Connector 3/4". made of copper and according to the approval of the engineer.	Piece	60
49	Copper Pipe Connector 3/8" Supply Copper Pipe Connector 3/8". made of copper and according to the approval of the engineer.	Piece	60
50	Copper Pipe Connector 1/2" Supply Copper Pipe Connector 3/2". made of copper and according to the approval of the engineer.	Piece	60
51	Copper Pipe Connector 1/4" Supply Copper Pipe Connector 1/4". made of copper and according to the approval of the engineer.	Piece	60
52	Copper Pipe Connector 5/8" Supply Copper Pipe Connector 5/8". made of copper and according to the approval of the engineer.	Piece	60
53	Air conditioner water hose 3/4" Supply Air conditioner water hose 3/4". Made of high-quality material and according to the approval of the engineer.	spool	3
54	Air conditioner water hose 1/2" Supply Air conditioner water hose 1/2". Made of high-quality material and according to the approval of the engineer.	spool	3
55	White electrical tape Supply White electrical tape. wide ELECTRICAL INSULATION BAR, 18 METERS LONG, HIGH TEMPERATURE, and according to the approval of the engineer.	Piece	60
56	Normal electrical tape Supply electrical tape. PVC ELECTRICAL INSULATION BAR, 18 METERS LONG, HIGH TEMPERATURE, and according to the approval of the engineer.	Piece	60
57	Whiteboard calligrapher Supply whiteboard calligrapher. Black color and according to the approval of the engineer.	Packet	30
58	Pencil Supply pencil. Black color and according to the approval of the engineer.	Packet	30
59	Plastic anchor for drywall screw No.12 Supply plastic anchor for drywall screw. Material: plastic& metal, according to the approval of the engineer..	Piece	12
60	plastic anchor for drywall screw No.8	Piece	12

	Supply plastic anchor for drywall screw. Material: plastic& metal, according to the approval of the engineer.		
61	Window Air Conditioner Mounting Base Foundation Supply Window Air Conditioner Mounting Base Foundation (Air Conditioner Wall Bracket). Heavy duty and according to the approval of the engineer.	Piece	6
62	Copper tube 5/8 Supply copper tube 5/8. made of copper and according to the approval of the engineer.	spool	6
63	Copper tube 3/8 Supply copper tube 3/8. made of copper and according to the approval of the engineer.	spool	6
64	Copper tube 3/4 Supply copper tube 3/4. made of copper and according to the approval of the engineer.	spool	6
65	Copper tube 1/2 Supply copper tube 1/2. made of copper and according to the approval of the engineer.	spool	6
66	Copper tube 1/4 Supply copper tube 1/4. made of copper and according to the approval of the engineer.	spool	6
67	Electronic control panel (SG-USGBT) Supply electronic control panel (SG-USGBT). according to the approval of the engineer.	Piece	12
68	Deflector valve 12000 BUT Supply deflector valve 12000BUT. Made of high-quality material and according to the approval of the engineer.	Piece	12
69	AC thermostat Supply AC thermostat. 5 Ohm, according to the approval of the engineer.	Piece	4
70	Air conditioner two pieces 12000 BTU Supply Air conditioner two pieces. Split type unit high wall /wall mounted, heating & cooling type complete unit, and according to the approval of the engineer.	Piece	4
71	Air conditioner two pieces 9000 BTU Supply Air conditioner two pieces. Split type unit high wall /wall mounted, heating & cooling type complete unit, and according to the approval of the engineer.	Piece	4
72	Refrigerant gas R600a Supply refrigerant gas r600a, 10 KG and according to the approval of the engineer.	Piece	6
73	External Motor Start Capacitor (Micro Power 15) Supply External fan motor Capacitor, Micro Power 15 and according to the approval of the engineer. .	Piece	18
74	External Motor Start Capacitor (Micro Power 10) Supply External fan motor Capacitor, Micro Power 10 and according to the approval of the engineer.	Piece	18
75	Internal Motor Start Capacitor (Micro Power 10) Supply internal fan motor Capacitor, Micro Power 10 and according to the approval of the engineer.	Piece	18
76	Internal Motor Start Capacitor (Micro Power 7) Supply internal fan motor Capacitor, Micro Power 7 and according to the approval of the engineer.	Piece	18
77	Single Capacitor (Micro Power 50) Supply Single Capacitor, Micro Power 50 and according to the approval of the engineer.	Piece	18
78	Single Capacitor (Micro Power 60) Supply Single Capacitor, Micro Power 60 and according to the approval of the engineer.	Piece	18
79	Double Capacitor (Micro Power 30) Supply Double Capacitor, Micro Power 30 and according to the approval of the engineer.	Piece	18
80	Double Capacitor (Micro Power 40) Supply Double Capacitor, Micro Power 40 and according to the approval of the engineer. .	Piece	18
81	Copper tube flaring and splicing machine 3/4 Supply Copper tube flaring and splicing machine 3/4 and according to the approval of the engineer. .	Piece	6
82	Copper tube flaring and splicing machine 1/2 Supply Copper tube flaring and splicing machine 1/2 and according to the approval of the engineer.	Piece	6
83	Copper charging connector for refrigerators Supply Copper charging connector for refrigerators & AC and according to the approval of the engineer.	Piece	60

Delivery Requirements - LOT 7

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 30 days after contract/PO acceptance.
Delivery Terms (INCOTERMS 2020)	DAP
Customs clearance (Must be linked to INCOTERM)	<input type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (Where applicable) <input checked="" type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	Libyan Korean Centre in Tripoli Libya.
Distribution of shipping documents (if using freight forwarder)	As per the SOW
Packing Requirements	As per the SOW
Training on Operations and Maintenance	As per the SOW
Warranty Period	One Year from the date of installation/supply of goods
After-sales service and local service support requirements	As per the SOW
Preferred Mode of Transport	Land

In case of absence of items with exact specification indicated above offeror can propose items with equivalent specification with detailed description and indication of manufacturer.

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form including the Company Profile and Bidder's Declaration sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	RFQ/LBY/SLCRR/2022/009	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address City Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.
Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes insert UNGM Vendor Number
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your Company have a written Statement of its Environmental Policy? (If yes provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Does your organization demonstrate significant commitment to sustainability through some other means for example internal company policy documents on women empowerment renewable energies or membership of trade institutions promoting such issues (If yes provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No
Bank Information	Bank Name: Click or tap here to enter text.

	Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.			
Previous relevant experience: 2 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ including the RFQ Information and Data Schedule of Requirements the General Conditions of Contract and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity capability and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper illegal collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence or provide any form of personal inducement reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices or any other unethical practice with the UN or any other party and to conduct business in a manner that averts any financial operational reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual potential or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions Sanctions: I/We hereby declare that our firm its affiliates or subsidiaries or employees including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended debarred sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy are not involved in bankruptcy or receivership proceedings and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote including the price remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.


Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

Reference Number: RFQ/LBY/SLCRR/2022/009

LOT 1: Supply of Material and tools for Tailoring and sewing Department for Libyan Korean Centre in Tripoli, Libya

	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ, Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials, labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable		
1	Masks: Supply of Face Mask Disposable Adults 3PLY Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
2	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
3	Blackboard calligrapher Supply blackboard calligrapher. Black, red and blue color		
4	Abayas fabric Supply abayas fabric. Black		
5	School uniform fabric Supply school uniform fabric. Black or dark blue		
6	American satin fabric Supply American satin fabric. different colors		
7	Tulle Fabrics Supply Tulle Fabrics. different colors		
8	Joubert Fabrics Supply Joubert Fabrics. different colors.		
9	Thermal scissors Supply hot electric scissors, electric heating cloth cutter, cloth cutting tools		
10	Iron scissors Supply iron scissors, Stainless Steel,		

1 1	Design Rulers Supply rulers, used for measuring & cutting fabric strips, triangles, squares & rectangles, efferent size and according to the approval of the engineer.		
1 2	Clothes measuring meter Supply clothes measuring meter, flexible fiberglass, 1m and according to the approval of the engineer.		
1 3	Chalk Supply Efficient Professional Tailors Chalk Triangle Fabric Markers Sewing and according to the approval of the engineer.		
1 4	Zipper for normal abayas Supply Zipper for normal abayas, Heavy Zippers for Sewing, 1m and according to the approval of the engineer.		
1 5	Zipper for hidden abayas Supply Zipper for hidden abayas, Heavy Zippers for Sewing, 0.5 m		
1 6	Small Zipper Supply Small Zipper for Sewing, 0.2 m		
1 7	Button sewing machine Supply button sewing machine, Automatic zigzag sewing machine with compact free arm, one dial for pattern selection, Auto tripping bobbin system; drop feed for embroidery; automatic needle threading; sewing light		
1 8	Cloth rolling table Supply cloth rolling table, 2.8 m* 2 m		
1 9	Embroidery Machine Supply Embroidery Machine, Metal, Power Source AC, double thread		
2 0	Heat press machine Supply heat press machine, 220 volts, 110 volts, 1.4KW, 40*40.		
2 1	Elastic sewing machine Supply Elastic sewing machine, power Source AC,		
2 2	Cotton sewing machine Supply cotton sewing machine, power Source AC,		
2 3	Sewing Pins Supply Sewing Pins, 34mm x 0.52mm, Iron .		
2 4	plastic thread regular machine Supply plastic thread regular machine, Transparent		
2 5	Sewing machine wire Supply sewing machine wire, different colors		
2 6	Sewing machine needles Supply sewing machine needles, different size		
2 7	Carton's Design Supply Carton's Design 70 mm*100 mm		
2 8	Overlock machine wire Supply overlocks machine wire, different colors		
2 9	Adhesive tape for evening dress Supply Adhesive tape for evening dress, 5m, double-sided adhesive, Main Color: Clear		
3 0	Sata Guna Supply sata Guna, for more details, see the picture 		

3 1	Vaseline Double Face: Supply Vaseline Double Face,Big size , For more details see the picture 		
3 2	Fluca: Supply fluca, for more details see the picture 		
3 3	Fibers: Supply fibers, for more details see the picture 		

LOT 2: Supply of Material and tools for Welding Department for Libyan Korean Centre in Tripoli, Libya.

	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.		
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)		

3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent.		
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
5	Safety shoes The safety footwear standards same as the footwear standards Europe: END ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)		
6	Fixed Metal Cutting Disc Supply a Metal Cutting Disc, Diameter 14 mm, Thickness: 3.2mm / Flat, Application: Cutting Metal, Aluminium Oxide Grit Resin Bonded, 2 Fibreglass Reinforcements, Manufactured to EN12413, For Ferrous Metals, Iron & Steel, For Engine Driven Power Saws Max 5,100rpm		
7	Metal Grinding Disc Supply a Small Metal Grinding Disc, Diameter: 100mm (bigger or smaller based on machine) / Bore: 16mm (bigger or smaller based on machine), Thickness: 6.0mm / Profile: DPC, Application: Grinding Metal, Aluminium Oxide Grit Resin Bonded, Fibreglass Reinforced, For Mild Steel and Ferrous Metals, Manufactured to EN12413, For Angle Grinders, Max 15,300rpm		
8	Metal Grinding Disc Supply a Big Metal Grinding Disc, Diameter: (small based on machine), Thickness: 6.0mm / Profile: DPC, Application: Grinding Metal, Aluminium Oxide Grit Resin Bonded, Fibreglass Reinforced, For Mild Steel and Ferrous Metals, Manufactured to EN12413, For 230mm Angle Grinders, Max 6,650rpm.		
9	Metal Iron Square Pipe (40×40×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 40mm depth, 40mm width, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.		
10	Metal Iron Square Pipe (30×30×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 30mm width, 30mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.		

11	Metal Iron Square Pipe (20×20×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 20mm width, 20mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, Steel type: Hot Rolled.		
12	Metal Iron Square Pipe (20×40×2) Supply a Metal Iron Square Hollow Pipe, with 2mm thickness, 20mm width, 40mm depth, and 6000mm length. Section Shape: Square-rectangular, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.		
13	Metal Iron Angle (40×40×2) Supply a Metal Iron Angle, with 2mm thickness, both legs are 40mm, and 6000mm length. Section Shape: Angle, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled, Angle end: Flat end.		
14	Power Drill Machine Supply adjustable portable power drill with 850w 13mm impact drill machine. Dimensions (400X310X270) mm. Speed Type: Variable Speed. Chuck capacity: (1.5-13) mm. Motor: Copper Wire. Max. drilling capacity: Steel, 13mm; Wood, 25mm, Concrete, 13mm. weight is around 2Kg.		
15	Hammer Power Drill Machine Supply adjustable hammer power drill with 1500w 32mm impact drill machine. Speed Type: Variable Speed. Motor: Copper Wire. Max. drilling capacity: Steel, 13mm; Wood, 40mm, Concrete, 32mm. weight is around 5.5Kg.		
16	Power Cutter (big Angle grinder) Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 1200 W		
17	Power Cutter (small Angle grinder) Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, Soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 800 W		
18	Black Iron Pipe 2" Supply a Black Iron Pipe 2", with 2mm thickness, and $\varnothing = 60\text{mm}$, and 6000mm length. Section Shape: Circle, Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled, Pipe end: Flat end.		
19	Welding Machine: Supply a small welding machine. With Max. Load Power Capacity: 6.1 Input Power Voltage: AC166V V. Input Power Frequency: 50/60Hz. Rated Input Capacity KVA: 4.5. Output Current Range:40-160(MIG) A. Dimensions: (420x160x310) mm. Weight is around 7 KG or bigger.		
20	Welding Machine Supply a Medium welding machine. With Max. Load Power Capacity: 6.1 Input Power Voltage: AC300V V. Input Power		

	Frequency: 50/60Hz. Rated Input Capacity KVA: 4.5. Output Current Range:40-160(MIG) A. Dimensions mm:(442x184x310) mm or bigger as engineer requirement. Weight is 15Kg or bigger.		
21	Flat Iron Supply a flat Iron, with 4mm thickness, and 40mm width, and 6000mm length. Application: Construction, structure, oil, gas pipe, steel type: Hot Rolled.		
22	Electric Steel Cut-Off Saw Supply an electric Steel Cut-Off Saw with Motor power:4KW, Voltage: 380V 220V Optional, (890X540X640) mm, Weight: 130KG, tongs rotary angle: $\pm 45^\circ$		
23	Welding Electrode Rod Supply an Electrode Rod, made of mild carbon steel, Size: 3.25mm, Color: Grey / white. Length:300mm/350mm/400mm.		
24	Welding Electrode Holder Supply an Electrode holder, Handle shank material: Fiber glass, Inner material: Upper Brass Length:20-30cm, Size:3.2mm/4.0mm/2.5mm, Color: Grey/white. Length:300mm/350mm/400mm.		
25	Textile Copper Wire Cable Supply a round textile copper wire, $\varnothing 18$ mm, Electrical wire material: PVC jacket covered with textile, Copper conductor,		
26	Leather Welding Gloves Supply a Leather gloves, 23" Long, select shoulder split cowhide, Foam insulated back, Full cotton lining, Reinforced thumb strap.		
27	Head protection helmets Supply head protection helmets made of high-density polyethylene and according to European specifications EN 397 Or what's equivalent to it and according to the approval of the engineer.		
28	Welding Apron Bib Supply a full cowhide leather welding apron bib blacksmith apron protect from welding spatter. Material: Cowhide Leather. Apron for protecting clothing and skin from welding spatter. Made of weather-resistant, heavy split cowhide for durability. 2.5cm Wide Cotton Sliding length self-balancing adjuster. Quick-release buckle. Adjustable slider and divider. welded seams with 3 plies for added durability and retardant.		
29	Welding Chipping Hammer Supply a Chipping Hammer, Rust-Resistant. Handle: Hickory. Head Weight: 12 oz. Blade Width: 1 1/4 in. Head Material: High Carbon Steel. Overall Length: 13.25 in."		
30	Hammer: Supply hammer. Weight : 16oz/450g, hardwood handle, Heat treatment, 45# carbon steel and according to the approval of the engineer		
31	Acetylene welding goggles (by hand) Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through with a 180-degree view. and according to the approval of the engineer.		
32	Acetylene welding goggles (by head) Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through		

	with a 180-degree view. and according to the approval of the engineer.		
33	Black iron sheet 2 mm Supply a Black iron sheet, with 2mm thickness, size 2 m * 1m. according to the approval of the engineer.		
34	Iron door locks Supply Iron door locks, made of iron. according to the approval of the engineer.		
35	Tongs: Supply tongs, made of iron. Full Metal Handled Grip, according to the approval of the engineer.		

LOT 3: Supply of Material and tools for Tile and marble installation Department for Libyan Korean Centre in Tripoli, Libya.

	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.		
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)		
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
4	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid		

	Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
5	Ordinary Portland cement Supply ordinary Portland cement, type N 42.5 according to the Libyan Standard Specification No. 340/2009 and according to the approval of the engineer.		
6	White Portland cement Supply White Portland cement, according to CEM I 52,5 N as per EN 197-1 :2011 and according to the approval of the engineer		
7	Limestone Powder Supply Limestone powder pure with white color, powder must be clean no small or big stones (powder must be sieved), powder must be 100% limestone powder not mixed with sand. according to the Libyan Standard Specification and according to the approval of the engineer.		
8	Fine Aggregate (sand) Supply Fine Aggregate (sand from Zlatan city), so that its granular grade is according to the British Standards BS 882:1992 or American Standards ASTM C33-93 and according to the approval of the Engineer.		
9	Small Coarse Aggregate (Greenall) Supply Small Coarse Aggregate (Greenall), It should be of a granular gradation as well as free of dust, clay, and impurities and according to the approval of the Engineer.		
10	Concrete nails (different size) Supply concrete nails (different size). Made of fully steel and according to the approval of the engineer.		
11	Porcelain Tile Supply a high-quality anti-slippage Porcelain tile for floors including grouting, size (60x60) cm, all in accordance with the specifications and the engineer's instructions and approval.		
12	Ceramic Tile Supply a high-quality color ceramic tile for walls, including grouting, size (20x60) cm, all in accordance with the specifications and the engineer's instructions and approval.		
13	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc., for exterior walls, 20 mm thick, (60x60) cm. All according to technical specifications and as per Engineer's approval.		
14	Skirt Tile Supply a high-quality marble skirting with 10 cm breadth and 1cm thick. All according to technical specifications and as per Engineer's approval.		
15	Ordinary Floor Tile Supply a high-quality floor tile for floors including grouting, size (30x30) cm, all in accordance with the specifications and the engineer's instructions and approval.		
16	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc., for widows, 30 mm thick, width is according to the required windows need. All according to technical specifications and as per Engineer's approval.		
17	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc, for doors, 30 mm thick, width is according to the required doors need. All according to technical specifications and as per Engineer's approval.		

18	Marble Tile Supply a high-quality marble such as Carrara, Brick Shatin, etc, for staircase, 30 mm thick, width and length are according to the required staircase dimensions need. All according to technical specifications and as per Engineer's approval.		
19	Pharaonic Stones Supply Pharaonic Stones material: natural stone without clay, pores, cracks, Type Rectangular, sizes and color of stone are according to the approval of the engineer.		
20	Interlock Block Supply some concrete I Shaped Interlocking Pavers Block, For Flooring, Thickness: 10 mm or thicker based on the engineer requirements. Resistance of compressive strength is 20Mpa or higher based on engineer requirements. Color, width, and length are according to the approval of the engineer.		
21	Iron Wire Supply a Polished 3mm Galvanized Iron Wire, For Construction Industry, surface treatment zinc plated, according to the approval of the engineer.		
22	Marble Glue Supply a marble glue for marble with strong thixotropy with a long glue line, Strong bonding strength, high speed of glue curing, water resistance and oil resistance, with strong mechanical strength, easy to polish surface. according to the approval of the engineer.		
23	Hat Supply a fabric hat Material: cotton/polyester/acrylic and etc. (Good permeability and comfortable for the perfect fit, especially for daily activities. Fine mesh fabric protects sensitive scalp from Ultraviolet, soft cotton makes it packable and crush-able, so you can bring it everywhere easily.). Shape: curved brim. Size: Adult, 58cm, according to the approval of the engineer.		
24	Tile Spacer Supply a Tile spacer made of PCV or strong plastic. Sizes are 2mm thickness for infernal use and 3mm and 4mm for exterior use. according to the approval of the engineer.		
25	Tile Cutter Supply a tile cutter with 1800mm tile manual push knife high precision laser infrared granite floor manual tile cutter tool. Body is made of steel (CHROMED & RECTIFIED SOLID Ø 20MM Guides made of Steel with Anti Corrosion Treatment), 800 KG HIGH BREAKING FORCE for cutting all kinds of ceramic and vitrified tiles up to 1200 MM, INCLUDES Ø 8MM SCORING WHEEL & LATERAL STOP with millimetric readings for repetitive cuts and 45° cuts.		
26	Power Cutter Supply a cutter with Powerful motor for highest working efficiency, Capacity guard for all job-site applications, High-capacity gear set for less vibration, lower noise & longer lifespan, Height adjustable shoe allows user to cut a various depth, soft handle grip for long duration easy usage, Lock-off switch to prevent accidental action, Lock-on button for fatigue free continuous running, Carbon brush access caps for easy access and quick change. Power Consumption 800 W		
27	Disc Cutter Supply a concrete disc cutter, the diameter chosen is as required for power cutter, with 1.8mm to 2mm, Concrete Disc diamond saw blade for cutting granite circular cutter disc concrete stone asphalt laser power tool.		

28	Disc Cutter Supply a marble disc cutter, the diameter chosen is as required for power cutter, with 1.8mm to 2mm, General Purpose Diamond Dry Cutting Diamond Saw Blade for marble, granite, concrete, stone.		
29	Ceramic Cutter Supply a ceramic cutter with 1800mm tile manual push knife high precision laser infrared granite floor manual tile cutter tool. Body is made of steel (CHROMED & RECTIFIED SOLID Ø 20MM Guides made of Steel with Anti Corrosion Treatment), 800 KG HIGH BREAKING FORCE for cutting all kinds of ceramic and vitrified tiles up to 1200 MM, INCLUDES Ø 8MM SCORING WHEEL & LATERAL STOP with millimetric readings for repetitive cuts and 45° cuts.		
30	Spirit Level (Levelling Scale (Water)) Supply Spirit Level. Length:30cm, Aluminium Thickness:1mm and according to the approval of the engineer.		
31	Tube scale Supply tube codelength = 3m and according to the approval of the engineer.		
32	Metal measuring meter (L = 10 m) Supply metal measuring meter. Size (Length/width): 10mx25mm, Self-lock function, Rubber surface and according to the approval of the engineer.		
33	Wheelbarrow Supply wheelbarrow. Load (kg):120kg, Water Capacity(L) :60L, L*H*A*B*C(mm) :1330*630*820*380*630, Solid Wheel and according to the approval of the engineer.		
34	Shovel: Supply shovel. Wooden handle, Length:1020mm, weight:1kg, Material: carbon steel and according to the approval of the engineer.		
35	ANGLE square Supply ANGLE square. Length: 300mm, Blade Width: 40mm, Blade Thickness: 1.6mm, Stainless steel blade, Marking point for pencil and according to the approval of the engineer.		
36	Aluminium Arm Supply aluminium arm. Aluminium, Length: 3m and according to the approval of the engineer.		
37	Prolong Wire Supply prolong wire, 100m length, thickness is according to the approval of the engineer.		
38	Prolong Thread Supply prolong thread. with white color, 100m length, 2mm, type of material is according to the approval of the engineer.		
39	Garden Rake Supply a rake with 22 teeth. Wooden handle, Length:1020mm, weight:1kg, Material: carbon steel and according to the approval of the engineer.		
40	Laser meter Supply Laser Levels. Measuring Range:0.05-60m, Measuring Accuracy: ±1.5mm, Laser Type:635nm, <1mW and according to the approval of the engineer.		
41	Plastic mortar bucket Supply Plastic mortar bucket. With Funnel, 15 liter and according to the approval of the engineer.		
42	Marker Supply a pen marker with 2mm line, the ink is fast-drying, Fast-drying, low odor, Improved color density, Locked tip - prevents tip from being pushed into barrel and according to the approval of the engineer.		

43	builder rulers Supply builder rulers. Aluminium Ruler, Length: 80cm and according to the approval of the engineer.		
44	Iron Wire Brush Supply Iron Wire Brush. Wooden handle, Made of fully steel and according to the approval of the engineer.		
45	large water basin Supply large water basin. Made of high-quality plastic 1m3 and according to the approval of the engineer.		
46	RUBBER HAMMER Supply RUBBER HAMMER. High quality rubber and according to the approval of the engineer.		
47	Large Jaw Pliers (Clapper) Supply Large Jaw Pliers (Clapper). Big size, Made of fully steel and according to the approval of the engineer.		
48	Floor sink with cover Supply Floor sink with cover. PVC, 20 CM *20 CM and according to the approval of the engineer		

LOT 4: Supply of Material and tools for Mobile phone Department for Libyan Korean Centre in Tripoli, Libya.

	Description	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Student desk chair with arms Table Supply student desk chair with arms Table, Tablet Top flips up for easy accessibility, Tablet Size: 12"W x 17" D x 11.5"H from the seat, Double Support Braces, black color, complete with all fitting Furniture shall be ready to be used.		
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)		
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with		

	non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
5	screen fixing Glue Supply Liquid Glue, 50 Millilitres, Liquid Adhesive Glue and according to the approval of the engineer.		
6	Spare parts of mobile Supply spare parts of mobile, various types according to the approval of the engineer.		
7	Spare parts (equipment under maintenance) Supply spare parts (equipment under maintenance), various types according to the approval of the engineer.		
8	Various phone screen Supply Various phone screen according to the approval of the engineer.		
9	The outer layer of the screen Supply The outer layer of the screen according to the approval of the engineer.		
10	Safety goggles Supply safety goggles according to EN340 and according to the approval of the engineer.		
11	Cleaning brush Supply cleaning brush according to the approval of the engineer.		
12	Welding wire Supply welding wire, 3 mm, Length: approx. 10m according to the approval of the engineer.		
13	Microscope Supply Microscope for Mobile Phone Repair & Welding, Large Field of Vision (7x-45x) according to the approval of the engineer.		
14	External glass mobile screen changing machine Supply External glass mobile screen changing machine, for more information see the picture and according to the approval of the engineer.		
15	New phone screen installer (screen freezer) Supply New phone screen installer, for more information see the picture and according to the approval of the engineer.		
16	Power supply Supply Power supply, Sunshine DC Power Supply 5A 0-30v 0-5a Digital Programmable according to the approval of the engineer.		
17	Heat Gun Supply Heat Gun ,250 L/Min to 380 L/Min, sugon861dx and according to the approval of the engineer.		
18	Soldering iron Supply soldering iron (soon t3602), 80W and according to the approval of the engineer.		
19	Odometer: Supply odometer (Excel dt9205a), Battery Powered, LCD display,		

	Measurement Type: Mustimeter and according to the approval of the engineer.		
20	Disassembly and installation tools (Jake my JM-8139) Supply Disassembly and installation tools, Jakemy JM-8139 45 in 1 Professional Precise Screwdriver Set Repair Kit Opening Tools for Cell phone Computer Electronic and according to the approval of the engineer.		
21	Smoke extractor Supply smoke extractor, 5 VOLT, SMALL EXHAUST FAN, SMOKE WELDING, MICROSCOPE ABSORBING ESD, SMOKE EXTRACTION MACHINE FOR PCB PANEL PHONE WELDING REPAIR TOOLS and according to the approval of the engineer.		
22	luminescent Supply luminescent, 50W, 100-220 V AC and according to the approval of the engineer.		
23	Work ruler Supply work ruler, for more information see the picture and according to the approval of the engineer.		
24	Samsung Tool Pro z3x Supply Samsung Tool Pro z3x. Battery Powered and according to the approval of the engineer.		

LOT 5: Supply of Material and tools for Reinforced Carpentry Department for Libyan Korean Centre in Tripoli, Libya.

	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according to 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.		
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)		
3	Safety shoes The safety footwear standards same as the footwear standards Europe: EN ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water		

	vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)		
4	Protective gloves Supply Protective gloves according to European standard DIN EN 374, Abrasion Resistance, Cut Resistance, Tear Resistance and Puncture resistance, different Size (Small, Medium, L and XL)		
5	Face Mask Disposable Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
6	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
7	Metal measuring meter (L = 5 m) Supply metal measuring meter. Size (Length/width): 10mx25mm, Self-lock function, Rubber surface and according to the approval of the engineer.		
8	Measuring meter (roll): Length 50m Supply Laser Levels. Length 50m, With metric, With all rubber cover and according to the approval of the engineer.		
9	Wood saw (HAND SAW) Supply wood saw. Stainless Steel, hardwood handle or rubber and according to the approval of the engineer.		
10	Hammer: Supply hammer. Weight : 16oz/450g, hardwood handle, Heat treatment, 45# carbon steel and according to the approval of the engineer.		
11	Spirit Level (Levelling Scale (Water)) Supply Spirit Level. Length:30cm, Aluminium Thickness:1mm and according to the approval of the engineer.		
12	Tube scale Supply tube scale. Length = 3m and according to the approval of the engineer.		
13	Weight scale for construction (plumb) Supply Weight scale for construction (plumb). Weight:300g and according to the approval of the engineer.		
14	Column wood (myrtic) (L = 3m) Supply column wood (myrtic) (L = 3m). according to the approval of the engineer.		
15	Wood counter plaque Supply wood counter plaque. Size 12*3000*4000 mm and according to the approval of the engineer.		

16	Paper wood (L = 3m,10cm) Supply paper wood (L = 3m). according to the approval of the engineer.		
17	Paper wood (L = 3m,15cm) Supply paper wood (L = 3m). according to the approval of the engineer.		
18	Ordinary screws (6 cm) Supply Ordinary screws 6 cm. Made of fully steel and according to the approval of the engineer.		
19	Ordinary screws (10 cm) Supply Ordinary screws 10 cm. Made of fully steel and according to the approval of the engineer.		
20	Concrete nails (different size) Supply concrete nails (different size). Made of fully steel and according to the approval of the engineer.		
21	Limestone white blocks 30 cm x 20 cm x 15 cm Supply high-quality limestone white blocks with dimensions of 30 cm x 20 cm x 15 cm, and the compressive strength must not be less than 7 N/mm ² . and the bricks should have plane rectangular faces with parallel sizes and right-angle edges, as well shall be made from clean and good material and according to the approval of the engineer.		
22	Hydrated Lime Supply ordinary Hydrated Lime, according to the Libyan Standard Specification and according to the approval of the engineer.		
23	Shuttering Clamp Supply a shuttering clam with High Quality Formwork Accessories Mason Shuttering Clamp, Shuttering Clamp for Concrete Industrial System. Surface treatment: HDG, Painted, Powder, Galv.110cm suitable for factories and high-rise buildings frame 70cm column and 120cm suitable for factories and high-rise buildings frame 75-80cm column.		
24	Scaffolding Jack Steel Shoring Supply adjuster iron props for constructions jack type of Scaffolding support column, made of steel with safety load (45-50) KN. Tube length (3.2-4.87) m, Thickness of Tube (3.5/4.0) mm, Tube size (76/60) mm, Wide adjustment range 12cm, bearing plate size (150x150x8) mm, and must be powder coated.		
25	Construction Frame Scaffolding: Supply a complete set of Frame scaffolding include 2 pieces of H frames, 2 pairs of cross braces and 4 joint pins. Frame Scaffolding Accessories: Cross Braces, Joint Pins Lock Pins, Scaffold Catwalks, Scaffold Staircases, Adjustable Bases & U Jacks, Scaffold Casters must be powder coated. Frame Scaffolding Should contain Walk Through Frames, Ladder Frames, Sidewalk Plate. Steel used Bs 1139 tube scaffolds. Standard and ledger thickness (Ø42x2.2/Ø42x2.2) mm, sizes (1500x1200) mm, weight 15Kg.		
26	Carpenter Bag Supply a bag made of high-quality leather 8 pocket split leather carpenter nail & tool bag (1 large pocket, 1 medium sized pocket, 6 small pencil pockets with 2 leather hammer loops, double stitched & rivet reinforced, wide belt tunnel slot).		

LOT 6: Supply of IT Material for Computer Department for Libyan Korean Centre in Tripoli, Libya.




	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents 3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Electrical Extension Cord with Outlet Box Supply Electrical Extension Cord with Outlet Box 15- 20 Amp. With Length = 20 m, four-link, Power Distribution H05VV-F 3G1,5,		
2	Projector: Supply and fix Projector, White Brightness (3,600 ANSI Lumens), Contrast (1: 500) the lamp life up to 15000H, equipped with an internal 800mAh battery, wired and wireless control device, connectivity including HDMI, USB, VGA in and out, wall speakers and a movable base to install the projector on the ceiling, projector screen, The price of works includes supplying and fix, as well as all needed accessories.		
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
4	Hand sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
5	Blackboard calligrapher Supply of blackboard calligrapher (6 Red, 6 Black and 6 Blue), with dimension: 6.8 x 6.1 x 1 inches, rubber material Type; Size: Bold 5mm; Ink color (Red, Black, and Blue), brand.		

6	Dry ink pens Supply dry ink pens. Black color and according to the approval of the engineer.		
7	Paper (A4) Supply of white printing paper A4 Type, 500 Sheets/ pack; dimension (210 x 297 mm); multifunctional use for writing, COPIER, LASER INKJET or FAX; respecting the ISO 140001 and the ISO 9001 or equivalent		
8	Desktop computer Supply and assemble Desktop computer: Processor: Intel® Core™ i5(3.60 GHz up to 4.30 GHz; 4 Cores, 6 MB Cache); Memory: 4 GB, Hard Drive: 500 GB,500 SSD, 4GRAM including 23-inch Monitor, Keyboard & Mouse Combo. The price of works includes supplying and assembly, as well as all needed accessories.		
9	Desktop computer Supply and assemble Desktop computer: Processor: Intel® Core™ i7(3.60 GHz up to 4.30 GHz; 4 Cores, 6 MB Cache); Memory: 4 GB, Hard Drive: 500 GB,500 SSD, 8GRAM including 23-inch Monitor, Keyboard & Mouse Combo. The price of works includes supplying and assembly, as well as all needed accessories.		
10	Color laser printer (3 in1) Supply and fix printing machine, hp laser printer which has the options of a wireless printer, scan, photocopy, The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.		
11	Black and white laser printer + Ink Supply and fix printing machine, hp black and white laser printer which has the options of a wireless printer, photocopy, The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.		
12	Master laser printer Supply and fix printing machine, Multifunction Printer, Print, Scan, Copy, Monthly Duty Cycle: Up to 150,000 Pages, Duplex Copy and Print: Automatic. The price of works includes supplying and assembly, as well as all needed. equipment shall be ready to be used.		
13	Ink for Master laser printer Supply Ink. Special Feature Page yield: 480 pages, Original		
14	UPS power supply Supply ups power supply, Backup Battery Power Supply,1500VA, Dataline Protection and according to the approval of the engineer.		
15	Electrical network to connect devices Supply Electrical network to connect devices. Less heat generation, Suitable for Homes, Buildings, Industrial buildings and according to the approval of the engineer		
16	MS software Supply MS software up to 6 users, 1 year subscription and according to the approval of the engineer.		
17	Anti-virous: Supply anti-virous, up to 3 users, 1 year subscription, keeps you safe from viruses, attacks, fraud, ransomware, spyware, and cybercrime. Protects your privacy and personal data against phishing, tracking, and spying.		
18	Wireless Mouse Supply Wireless Mouse 700mAh, Rechargeable, 2.4G Optical PC Laptop Cordless Mice with USB Nano Receiver, for Windows Computer Office, and according to the approval of the engineer.		

19	Wireless keyboard Supply Wireless Keyboard, 2.4G Ergonomic Full Size Wireless Computer Keyboard with Wrist Rest for Windows, Mac OS Desktop/Laptop/PC, and according to the approval of the engineer.		
20	External CD & DVD RAM Supply External CD & DVD RAM, operating: Windows XP/ 2003/ 2000/ Vista/ 7/ 8/ 10, Altus 3.0 Type C, USB 3.0, Optical Storage Write Speed: Ax 24xCD / 8xDVD, Optical Storage Read Speed: Max 24xCD / 8xDVD and according to the approval of the engineer.		
21	Graphics card (VGA) Supply Graphics card (VGA), 8MB Graphics Card VGA PCI 32Bit for Server, Industrial Computer Multi-Display for ATI Rage XL and according to the approval of the engineer.		
22	Case (bag) Supply case (bag). According to the approval of the engineer.		
23	Batteries Supply batteries. High Performance Alkaline Batteries, 10-Year Shelf Life, Easy to Open Value Pack according to the approval of the engineer.		
24	Removable Memory (Flash Pass) Supply Removable Memory (Flash Pass), Memory storage capacity 64 GB, USB Type C, USB 3.0 and according to the approval of the engineer.		
25	Notebooks Supply Notebooks. Wire bound notebook with 70 sheets of paper, 5 pack of assorted colors, Wide ruled format (11/32 inch) promotes neat, even lines of legible writing; paper measures 10.5 by 8 inches, Sturdy front and back covers protect the paper and double as a firm surface for writing against and according to the approval of the engineer.		
26	external hard disk Supply external hard disk, Memory storage capacity 500 GB, USB Type C, USB 3.0 and according to the approval of the engineer.		
27	Hard disk (HDD) Supply Hard disk (HDD), Memory storage capacity 500 GB, Desktop Hard Disk Drive and according to the approval of the engineer.		
28	RAM (internal memory) Supply RAM (internal memory), 1 GB DIMM 800 MHz DDR2 SDRAM Memory and according to the approval of the engineer.		
29	Mouse Mat Supply Mouse Mat. Mouse Mat BLACK ANTI-SLIP, MOUSE PAD MAT WITH GEL FOAM REST WRIST SUPPORT FOR PC LAPTOP - Compatible with Laser and Optical Mice and according to the approval of the engineer.		
30	Router: Supply router .TP-Link WIFI Router, Operating System: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows8/ 8.1/10, MAC OS, NetWare, UNIX or Linux Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows8/ 8.1/10, MAC OS, NetWare, UNIX or Linux and according to the approval of the engineer.		

**LOT 7: Supply of Material and tools for Cooling and Air-conditioning Department for Libyan Korean Centre
in Tripoli, Libya**

	Item	Compliance YES/NO	Offered specifications/model
	Notes: 1-All bidders MUST examine the complete project documents. BOQ Schedules and Specifications. Any discrepancies between these documents are to be brought to the immediate attention of UNDP Engineer 2- Quotation given by the contractor on this BOQ are to cover any and all additional materials labor or associated costs to complete the works as documented on the complete project documents .3. Eventual claims for extra works are covered by project general documentation of contract. 4- The equipment furnished to these specifications must meet or exceed all requirements herein. Modifications of or additions to basic standard equipment of less size or capability to meet these requirements will not be acceptable"		
1	Helmets: Supply head protection helmets made of high-density polyethylene and according 29 CFR 1926.100: Refers to head protection requirements for construction, demolition, and renovation workers.		
2	Safety suit Supply Safety suits work wear working safety suit coveralls for construction worker Heat- Protection Clothing, high visibility and cut protection, different Size (Small, Medium, L and XL)		
3	Masks: Supply of Face Mask Disposable Adults 3Ply Non-Woven with Nose Clip Ear Loop Blue 50Pack; Breathable & Soft & Comfortable: face mask with the inner non-woven fabric is as soft as intimate clothing, light and breathable; disposable face mask with a 3D efficient elastic ear loop design, the length can be adjusted according to the face. It does not hurt ears for a long time wearing and it's not easy to break, Outer blue layer with non-woven fabric can effectively filter particulate pollutants in the air. Middle melt-blown cloth layer can effectively keep away from impurities. Inner absorbent white layer, which is gentle and more breathable, Color: Blue; Closure Type: Drawstring; Reusability: Single use; Brand: DHAK, Mask PR, or equivalent;		
4	Handle sanitizer Supply of Alcohol solution sanitizer, kills 99.99% of germs without water, Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds, Contains moisturizers and With Vitamin E; approx.: (21.1 x 14.5 x 26.8 cm) as a dimension, Liquid Volume: 950ml/Bottle; Alcohol Content: 62 % by Volume; brand: Germ-x, Prima or equivalent		
5	Safety shoes The safety footwear standards same as the footwear standards Europe: END ISO 20345:2011. minimum length, pressure and bump impact resistance of the toe cap. water vapor permeability and water vapor number of the upper. outsole thickness and abrasion resistance of the outsole. different Size (41, 42, 43, 44, 45)		
6	Plain hat Supply plain hat. Made of cloth and according to the approval of the engineer.		

7	Acid-resistant work suits Supply Acid-resistant work suits according to EN340 and according to the approval of the engineer.		
8	Oil resistant safety shoes Supply oil resistant safety shoes according to EN ISO 20345 and according to the approval of the engineer.		
9	Protective gloves Supply Protective gloves according to European standard DIN EN 374 and according to the approval of the engineer.		
10	Masks Supply masks according to N 95 Or what's equivalent to it and according to the approval of the engineer.		
11	Alcohol sanitizer Supply alcohol sanitizer Provided it contains at least 75% alcohol and according to the approval of the engineer.		
12	Leather apron Supply leather apron. According EN ISO 11611, heat-resistant, flame-resistant, wear-resistant, heavy split and according to the approval of the engineer. .		
13	Charging drill Supply charging drill. Medium size, 220 v and according to the approval of the engineer.		
14	Angle grinder Supply Angle grinder. Black color and according to the approval of the engineer. 		
15	Hammer Drill machine Supply Hammer Drill machine. heavy duty and according to the approval of the engineer. 		
16	Big Binding: Supply binding.5.5-in wide jaws,6-in jaw opening (9-3/4-in when reversed),3.75-in throat depth (2.75-in when reversed),1/8-in to 3-in pipe jaw capacity,49-lbs, 360° swivel base, Gear type, locking system with double lock down bolts, 2 ar 5-in x 3.7-in and upper 5.2-in x 2.5-in, Acme threaded main screw. . 		
17	Iron worktable 1.2*2 supply Iron worktable size 1.2m * 2 m, Heavy duty, and according to the approval of the engineer. .		
18	Acetylene welding goggles Supply Acetylene welding goggles. The frame is made from very durable PVC material and has anti-scratch properties to ensure long-lasting usability. The lenses are clear and easy to see through with a 180-degree view. and according to the approval of the engineer.		
19	Copper pipe cutter Supply copper pipe cutter. made of superior quality steel, rubber handle and according to the approval of the engineer.		

20	Thermometer for refrigerators Supply thermometer for refrigerators. Measures temperature ranges from -20 to 20 Celsius., Stainless-steel and according to the approval of the engineer.		
21	Cooling oil Supply cooling oil a heat transfer fluid used to prevent its overheating, transferring the heat produced by the engine and according to the approval of the engineer.		
22	Freon Gas cylinder Supply Freon Gas cylinder. 12KG, R134 A and according to the approval of the engineer.		
23	Display refrigerator evaporator Supply Display refrigerator evaporator .materials: copper tube/aluminium fin and according to the approval of the engineer.		
24	Display refrigerator condenser Supply Display refrigerator condenser. made of Aluminium and according to the approval of the engineer.		
25	Display refrigerator thermostat (electronic) Supply Display refrigerator thermostat (electronic). made of quality materials and according to the approval of the engineer.		
26	Refrigerator thermostat Supply refrigerator thermostat. made of quality materials and according to the approval of the engineer. .		
27	Copper welding powder Supply copper welding powder. Welding Metal Powder is also called aluminium heat welding powder. Use proper exothermic fluxes to make the connection joints more solid and extend the using life. and according to the approval of the engineer.		
28	Copper welding wire Supply copper welding wire.2 mm, Fine finishing, Rust resistance, High quality, High strength, Durability and according to the approval of the engineer. .		
29	Silver welding wire Supply silver welding wire .1.27 mm*3.2 mm, Fine finishing, Rust resistance, High quality, High strength, Durability and according to the approval of the engineer.		
30	Display Refrigerator Filter Supply Display Refrigerator Filter. Made of high-quality material and according to the approval of the engineer.		
31	Refrigerator Filter Supply Refrigerator Filter. Made of high-quality material and according to the approval of the engineer.		
32	Refrigerator evaporator (18 feet) Supply refrigerator evaporator .120 cm *140 cm, materials: copper tube/aluminium fin and according to the approval of the engineer.		
33	Refrigerator evaporator (16 feet) Supply refrigerator evaporator .120 cm *140 cm, materials: copper tube/aluminium fin and according to the approval of the engineer.		
34	external Refrigerator condenser (18 feet) Supply external refrigerator condenser. made of aluminium and according to the approval of the engineer.		
35	External Refrigerator condenser (16 feet) Supply external refrigerator condenser. made of aluminium and according to the approval of the engineer.		
36	LG Refrigerator Compressor, B12 Supply LG Refrigerator Compressor LG B12. LG Brand Original and according to the approval of the engineer.		
37	LG Refrigerator Compressor, 1/8 Hp Supply LG Compressor (Original) 1/8 Hp, and according to the approval of the engineer.		
38	LG Refrigerator Compressor, 1/6 Hp Supply LG Compressor (Original) 1/6 Hp, and according to the approval of the engineer.		
39	LG Refrigerator Compressor, 1/5 Hp Supply LG Compressor (Original) 1/5 Hp, and according to the approval of the engineer.		

40	LG Refrigerator Compressor, 1/4 Hp Supply LG Compressor (Original) 1/4 Hp, and according to the approval of the engineer.		
41	Capillary tube Supply Capillary tube of different diameters. Made of high quality material and according to the approval of the engineer..		
42	Double Electric separator 32 Amp Supply Double electric separator. 32 Amp, and according to the approval of the engineer.		
43	Double Electric separator 20 Amp Supply Double electric separator. 20 Amp, and according to the approval of the engineer		
44	Double Electric separator 16 Amp Supply Double electric separator. 16 Amp, and according to the approval of the engineer.		
45	Double Electric separator 8Amp Supply Double electric separator. 8 Amp, and according to the approval of the engineer.		
46	Electric cable 1.5 mm * 2 mm Supply electric cable. Good quality, heat tolerant and according to the approval of the engineer.		
47	Electric cable 2 mm * 4 mm Supply electric cable. Good quality, heat tolerant and according to the approval of the engineer.		
48	Copper Pipe Connector 3/4" Supply Copper Pipe Connector 3/4". made of copper and according to the approval of the engineer.		
49	Copper Pipe Connector 3/8" Supply Copper Pipe Connector 3/8". made of copper and according to the approval of the engineer.		
50	Copper Pipe Connector 1/2" Supply Copper Pipe Connector 3/2". made of copper and according to the approval of the engineer.		
51	Copper Pipe Connector 1/4" Supply Copper Pipe Connector 1/4". made of copper and according to the approval of the engineer.		
52	Copper Pipe Connector 5/8" Supply Copper Pipe Connector 5/8". made of copper and according to the approval of the engineer.		
53	Air conditioner water hose 3/4" Supply Air conditioner water hose 3/4". Made of high-quality material and according to the approval of the engineer.		
54	Air conditioner water hose 1/2" Supply Air conditioner water hose 1/2". Made of high-quality material and according to the approval of the engineer.		
55	White electrical tape Supply White electrical tape. wide ELECTRICAL INSULATION BAR, 18 METERS LONG, HIGH TEMPERATURE, and according to the approval of the engineer.		
56	Normal electrical tape Supply electrical tape. PVC ELECTRICAL INSULATION BAR, 18 METERS LONG, HIGH TEMPERATURE, and according to the approval of the engineer.		
57	Whiteboard calligrapher Supply whiteboard calligrapher. Black color and according to the approval of the engineer.		
58	Pencil Supply pencil. Black color and according to the approval of the engineer.		
59	Plastic anchor for drywall screw No.12 Supply plastic anchor for drywall screw. Material: plastic& metal, according to the approval of the engineer.		
60	plastic anchor for drywall screw No.8 Supply plastic anchor for drywall screw. Material: plastic& metal, according to the approval of the engineer.		
61	Window Air Conditioner Mounting Base Foundation		

	Supply Window Air Conditioner Mounting Base Foundation (Air Conditioner Wall Bracket). Heavy duty and according to the approval of the engineer.		
62	Copper tube 5/8 Supply copper tube 5/8. made of copper and according to the approval of the engineer.		
63	Copper tube 3/8 Supply copper tube 3/8. made of copper and according to the approval of the engineer.		
64	Copper tube 3/4 Supply copper tube 3/4. made of copper and according to the approval of the engineer.		
65	Copper tube 1/2 Supply copper tube 1/2. made of copper and according to the approval of the engineer.		
66	Copper tube 1/4 Supply copper tube 1/4. made of copper and according to the approval of the engineer.		
67	Electronic control panel (SG-USGBT) Supply electronic control panel (SG-USGBT). according to the approval of the engineer.		
68	Deflector valve 12000 BUT Supply deflector valve 12000BUT. Made of high-quality material and according to the approval of the engineer.		
69	AC thermostat Supply AC thermostat. 5 Ohm, according to the approval of the engineer.		
70	Air conditioner two pieces 12000 BTU Supply Air conditioner two pieces. Split type unit high wall /wall mounted, heating & cooling type complete unit, and according to the approval of the engineer.		
71	Air conditioner two pieces 9000 BTU Supply Air conditioner two pieces. Split type unit high wall /wall mounted, heating & cooling type complete unit, and according to the approval of the engineer.		
72	Refrigerant gas R600a Supply refrigerant gas r600a, 10 KG and according to the approval of the engineer.		
73	External Motor Start Capacitor (Micro Power 15) Supply External fan motor Capacitor, Micro Power 15 and according to the approval of the engineer. .		
74	External Motor Start Capacitor (Micro Power 10) Supply External fan motor Capacitor, Micro Power 10 and according to the approval of the engineer.		
75	Internal Motor Start Capacitor (Micro Power 10) Supply internal fan motor Capacitor, Micro Power 10 and according to the approval of the engineer.		
76	Internal Motor Start Capacitor (Micro Power 7) Supply internal fan motor Capacitor, Micro Power 7 and according to the approval of the engineer.		
77	Single Capacitor (Micro Power 50) Supply Single Capacitor, Micro Power 50 and according to the approval of the engineer.		
78	Single Capacitor (Micro Power 60) Supply Single Capacitor, Micro Power 60 and according to the approval of the engineer.		
79	Double Capacitor (Micro Power 30) Supply Double Capacitor, Micro Power 30 and according to the approval of the engineer.		
80	Double Capacitor (Micro Power 40) Supply Double Capacitor, Micro Power 40 and according to the approval of the engineer. .		
81	Copper tube flaring and splicing machine 3/4 Supply Copper tube flaring and splicing machine 3/4 and according to the approval of the engineer. .		
82	Copper tube flaring and splicing machine 1/2 Supply Copper tube flaring and splicing machine 1/2 and according to the approval of the engineer.		

83	Copper charging connector for refrigerators Supply Copper charging connector for refrigerators & AC and according to the approval of the engineer.		
----	--	--	--

ANNEX 3: TECHNICAL AND FINANCIAL OFFER - GOODS

Bidders are requested to complete this form sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.		
RFQ reference:	RFQ/LBY/SLCRR/2022/009	Date:	Click or tap to enter a date.

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Masks	Pack	150		
2	Handle sanitizer	Litre	120		
3	Blackboard calligrapher	Packet	15		
4	Abayas fabric	spool	12		
5	school uniform fabric	spool	12		
6	American satin fabric	spool	12		
7	Tulle Fabrics	spool	6		
8	Joubert Fabrics	spool	9		
9	Thermal scissors	Piece	6		
10	Iron scissors	Piece	45		
11	Design Rulers	Packet	15		
12	Clothes measuring meter	Piece	45		
13	Chalk	Packet	9		
14	Zipper for normal abayas	Piece	60		
15	Zipper for hidden abayas	Piece	60		
16	Small Zipper	Piece	60		

17	Button sewing machine	Piece	1		
18	Cloth rolling table	Piece	1		
19	Embroidery Machine	Piece	1		
20	Heat press machine	Piece	2		
21	Elastic sewing machine	Piece	1		
22	Cotton sewing machine	Piece	2		
23	Sewing Pins	Packet	15		
24	plastic thread regular machine	Packet	15		
25	Sewing machine wire	Packet	60		
26	Sewing machine needles	Packet	60		
27	Carton's Design	Piece	300		
28	Overlock machine wire	spool	60		
29	Adhesive tape for evening dress	Piece	15		
30	Sata Guna	Piece	30		
31	Vaseline Double Face	Piece	35		
32	Fluca	Piece	30		
33	Fibers	spool	15		
Total Final and All-inclusive Price in USD for LOT 1					

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Helmets	Piece	35		
2	Safety suit	Piece	70		
3	Masks	Pack	150		
4	Handle sanitizer	Liter	120		
5	Safety shoes	Piece	70		
6	Fixed Metal Cutting Disc	Piece	120		
7	Metal Grinding Disc	Piece	60		
8	Metal Grinding Disc	Piece	75		

9	Metal Iron Square Pipe (40×40×2)	Piece	260		
10	Metal Iron Square Pipe (30×30×2)	Piece	260		
11	Metal Iron Square Pipe (20×20×2)	Piece	60		
12	Metal Iron Square Pipe (20×40×2)	Piece	260		
13	Metal Iron Angle (40×40×2)	Piece	60		
14	Power Drill Machine	Piece	3		
15	Hammer Power Drill Machine	Piece	3		
16	Power Cutter (big Angle grinder)	Piece	3		
17	Power Cutter (small Angle grinder)	Piece	3		
18	Black Iron Pipe 2"	Piece	75		
19	Welding Machine	Piece	2		
20	Welding Machine	Piece	2		
21	Flat Iron	Piece	60		
22	Electric Steel Cut-Off Saw	Piece	2		
23	Welding Electrode Rod	pack	70		
24	Welding Electrode Holder	Piece	30		
25	Textile Copper Wire Cable	L.M.	25		
26	Leather Welding Gloves	Piece	70		
27	Head protection helmets	Piece	70		
28	Welding Apron Bib	Piece	70		
29	Welding Chipping Hammer	Piece	30		
30	Hammer	Piece	15		
31	Acetylene welding goggles (by hand)	Piece	70		
32	Acetylene welding goggles (by head)	Piece	70		
33	Black iron sheet 2 mm	Piece	60		
34	Iron door locks	Piece	2		
35	Tongs	Piece	25		
Total Final and All-inclusive Price in USD for LOT 2					

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Helmets	Piece	35		
2	Safety suit	Piece	70		
3	Masks	Pack	150		
4	Handle sanitizer	litre	120		
5	Ordinary Portland cement	Bag/50 kg	12		
6	White Portland cement:	Bag/50 kg	12		
7	Limestone Powder	Bag/50 kg	30		
8	Fine Aggregate (sand)	m ³	12		
9	Small Coarse Aggregate (Greenall)	m ³	12		
10	concrete nails (different size)	Packet	30		
11	Porcelain Tile	m ²	150		
12	Ceramic Tile	m ²	100		
13	Marble Tile	m ²	30		
14	Skirt Tile	L.M	150		
15	Ordinary Floor Tile	m ²	150		
16	Marble Tile	L.M	60		
17	Marble Tile	L.M	60		
18	Marble Tile	L.M	30		
19	Pharaonic Stones	m ²	30		
20	Interlock Block	m ²	120		
21	Iron Wire	spool	6		
22	Marble Glue	Packet	12		
23	Hat	Piece	70		
24	Tile Spacer	Packet	30		
25	Tile Cutter	Piece	6		
26	Power Cutter	Piece	6		
27	Disc Cutter	Piece	30		
28	Disc Cutter	Piece	30		

29	Ceramic Cutter	Piece	6		
30	Spirit Level (Levelling Scale (Water)	Piece	15		
31	Tube scale	Spool	15		
32	Metal measuring meter (L = 10 m)	Piece	60		
33	Wheelbarrow	Piece	12		
34	Shovel	Piece	15		
35	ANGLE square	Piece	60		
36	Aluminium arm	Piece	18		
37	Prolong Wire	Spool	30		
38	Prolong Thread	Spool	60		
39	Garden Rake	Piece	12		
40	Laser meter	Piece	9		
41	Plastic mortar bucket	Piece	30		
42	Marker	Packet	60		
43	builder rulers	Piece	60		
44	Iron Wire Brush	Piece	60		
45	Large water basin	Piece	15		
46	RUBBER HAMMER	Piece	60		
47	Large Jaw Pliers (Clapper)	Piece	60		
48	Floor sink with cover	Piece	18		
Total Final and All-inclusive Price in USD for LOT 3					

Currency of the Quotation: USD INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Student desk chair with arms Table	Piece	35		
2	Safety suit	Piece	70		
3	Masks	Pack	150		
4	Handle sanitizer	litre	120		
5	screen fixing Glue	Piece	15		

6	Spare parts of mobile	set	30		
7	Spare parts (equipment under maintenance)	Piece	25		
8	Various phone screen	Pack	20		
9	The outer layer of the screen	Piece	40		
10	Safety goggles	Piece	40		
11	Cleaning brush	Piece	40		
12	Welding wire	Piece	60		
13	Microscope	Piece	3		
14	External glass mobile screen changing machine	Piece	2		
15	New phone screen installer) screen freezer	Piece	2		
16	Power supply	Piece	5		
17	Heat Gun	Piece	25		
18	Soldering iron	Piece	25		
19	Odometer	Piece	25		
20	Disassembly and installation tools (Jake my JM-8139)	Pack	45		
21	Smoke extractor	Piece	25		
22	Luminescent	Piece	25		
23	Work ruler	Piece	45		
24	Samsung Tool Pro z3x	Piece	5		
Total Final and All-inclusive Price in USD for LOT 4					

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Helmets	Piece	70		
2	Safety suit	Piece	70		
3	Safety shoes	Piece	70		
4	Protective gloves	Piece	120		
5	Face Mask Disposable	Pack	75		

6	Handle sanitizer	litre	60		
7	Metal measuring meter (L = 5 m)	Piece	70		
8	Measuring meter (roll): Length 50m	Piece	12		
9	Wood saw (HAND SAW)	Piece	45		
10	Hammer	Piece	40		
11	Spirit Level (Levelling Scale (Water)	Piece	30		
12	Tube scale	Spool	30		
13	Weight scale for construction (plumb	Piece	20		
14	Column wood (myrtic) (L = 3m)	Piece	8		
15	Wood counter plaque	Piece	12		
16	Paper wood (L = 3m,10cm)	Piece	8		
17	Paper wood (L = 3m,15cm)	Piece	8		
18	Ordinary screws (6 cm)	Packet	30		
19	Ordinary screws (10 cm)	Packet	30		
20	concrete nails (different size)	Packet	30		
21	Limestone white blocks 30 cm x 20 cm x 15 cm	Piece	1000		
22	Hydrated Lime	Bag/50 kg	6		
23	Shuttering Clamp	Piece	150		
24	Scaffolding Jack Steel Shoring	Piece	60		
25	Construction Frame Scaffolding	square	4		
26	Carpenter Bag	Piece	60		
Total Final and All-inclusive Price in USD for LOT 5					

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price per Item USD
1	Electrical Extension Cord with Outlet Box	Piece	20		
2	Projector	Piece	2		
3	Masks	Pack	150		
4	Handle sanitizer	Liter	120		

5	Blackboard calligrapher	Packet	30		
6	Dry ink pens	Packet	30		
7	paper (A4)	Packet	16		
8	Desktop computer	Piece	40		
9	Desktop computer	Piece	3		
10	Color laser printer (3 in1)	Piece	2		
11	Black and white laser printer + Ink.	Piece	3		
12	Master laser printer	Piece	1		
13	Ink for Master laser printer	Piece	3		
14	UPS power supply	Piece	40		
15	Electrical network to connect devices	Piece	1		
16	MS software	Piece	7		
17	Anti-virus	Piece	14		
18	Wireless Mouse	Piece	16		
19	Wireless keyboard	Piece	16		
20	External CD & DVD RAM	Piece	4		
21	Graphics card (VGA)	Piece	6		
22	Case (bag)	Piece	6		
23	Batteries	Piece	40		
24	Removable Memory (Flash Pass)	Piece	30		
25	Notebooks	pack	13		
26	external hard disk	Piece	6		
27	Hard disk (HDD)	Piece	10		
28	RAM (internal memory)	Piece	10		
29	Mouse Mat	Piece	40		
30	Router	Piece	5		
Total Final and All-inclusive Price in USD for LOT 6					

Currency of the Quotation: USD					
INCOTERMS: DAP					
Item No	Description	UOM	Qty	Unit price USD	Total price in USD
1	Helmets	Piece	35		
2	Safety suit	Piece	70		
3	Masks	Pack	150		
4	Handle sanitizer	litre	120		
5	Safety shoes	Piece	70		
6	Plain hat	Piece	70		
7	Acid-resistant work suits	Piece	70		
8	Oil resistant safety shoes	Piece	70		
9	Protective gloves	Piece	120		
10	Masks	Pack	75		
11	Alcohol sanitizer	litre	60		
12	Leather apron	Piece	70		
13	Charging drill	Piece	8		
14	Angle grinder	Piece	4		
15	Hammer Drill machine	Piece	4		
16	Big Binding	Piece	10		
17	Iron worktable 1.2*2	Piece	5		
18	Acetylene welding goggles	Piece	70		
19	Copper pipe cutter	Piece	18		
20	Thermometer for refrigerators	Piece	6		
21	Cooling oil	litre	9		
22	Freon Gas cylinder	Piece	6		
23	Display refrigerator evaporator	Piece	6		
24	Display refrigerator condenser	Piece	9		
25	Display refrigerator thermostat (electronic)	Piece	6		
26	Refrigerator thermostat	Piece	18		
27	Copper welding powder	box	18		
28	Copper welding wire	Pack	9		

29	Silver welding wire	Pack	9		
30	Display Refrigerator Filter	Piece	30		
31	Refrigerator Filter	Piece	30		
32	Refrigerator evaporator (18 feet)	Piece	12		
33	Refrigerator evaporator (16 feet)	Piece	12		
34	External Refrigerator condenser (18 feet)	Piece	12		
35	External Refrigerator condenser (16 feet)	Piece	12		
36	LG Refrigerator Compressor, B12	Piece	3		
37	LG Refrigerator Compressor, 1/8 Hp	Piece	3		
38	LG Refrigerator Compressor, 1/6 Hp	Piece	3		
39	LG Refrigerator Compressor, 1/5 Hp	Piece	3		
40	LG Refrigerator Compressor, 1/4 Hp	Piece	3		
41	Capillary tube	Piece	12		
42	Double Electric separator 32 Amp	Piece	12		
43	Double Electric separator 20 Amp	Piece	12		
44	Double Electric separator 16 Amp	Piece	12		
45	Double Electric separator 8Amp	Piece	12		
46	Electric cable 1.5 mm * 2 mm	spool	3		
47	Electric cable 2 mm * 4 mm	spool	3		
48	Copper Pipe Connector 3/4"	Piece	60		
49	Copper Pipe Connector 3/8"	Piece	60		
50	Copper Pipe Connector 1/2"	Piece	60		
51	Copper Pipe Connector 1/4"	Piece	60		
52	Copper Pipe Connector 5/8"	Piece	60		
53	Air conditioner water hose 3/4"	spool	3		
54	Air conditioner water hose 1/2"	spool	3		
55	White electrical tape	Piece	60		
56	Normal electrical tape	Piece	60		
57	Whiteboard calligrapher	Packet	30		
58	Pencil	Packet	30		
59	Plastic anchor for drywall screw No.12	Piece	12		
60	Plastic anchor for drywall screw No.8	Piece	12		

61	Window Air Conditioner Mounting Base Foundation	Piece	6		
62	Copper tube 5/8	spool	6		
63	Copper tube 3/8	spool	6		
64	Copper tube 3/4	spool	6		
65	Copper tube 1/2	spool	6		
66	Copper tube 1/4	spool	6		
67	Electronic control panel (SG-USBT)	Piece	12		
68	Deflector valve 12000 BTU	Piece	12		
69	AC thermostat	Piece	4		
70	Air conditioner two pieces 12000 BTU	Piece	4		
71	Air conditioner two pieces 9000 BTU	Piece	4		
72	Refrigerant gas R600a	Piece	6		
73	External Motor Start Capacitor (Micro Power 15)	Piece	18		
74	External Motor Start Capacitor (Micro Power 10)	Piece	18		
75	Internal Motor Start Capacitor (Micro Power 10)	Piece	18		
76	Internal Motor Start Capacitor (Micro Power 7)	Piece	18		
77	Single Capacitor (Micro Power 50)	Piece	18		
78	Single Capacitor (Micro Power 60)	Piece	18		
79	Double Capacitor (Micro Power 30)	Piece	18		
80	Double Capacitor (Micro Power 40)	Piece	18		
81	Copper tube flaring and splicing machine 3/4	Piece	6		
82	Copper tube flaring and splicing machine 1/2	Piece	6		
83	Copper charging connector for refrigerators	Piece	60		
Total Final and All-inclusive Price in USD for LOT 7					

Total amount Lot 1	
Total amount Lot 2	
Total amount Lot 3	
Total amount Lot 4	
Total amount Lot 5	

Total amount Lot 6	
Total amount Lot 7	
Grand Total Lot 1+2+3+4+5+6+7	

Compliance with Requirements

	You Responses		
	Yes we will comply	No we cannot comply	If you cannot comply pls. indicate counter - offer
Minimum Technical Specifications – Annex 1	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Warranty and After-Sales Requirements	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Printed brochures/specifications relevant to the required Furniture and IT equipment.	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Inspection Requirement: Required by UNDP	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Acceptance of UNDP General Terms and Conditions	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Other requirements <i>[pls. specify]</i>	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.

Other Information:

Estimated weight/volume/dimension of the Consignment:	Click or tap here to enter text.
Country/ies of Origin: <i>(if export licence required this must be submitted if awarded the contract)</i>	Click or tap here to enter text.

I the undersigned certify that I am duly authorized to sign this quotation and bind the company below in event that the quotation is accepted.

<p><i>Exact name and address of company</i></p> <p>Company NameClick or tap here to enter text.</p> <p>Address: Click or tap here to enter text.</p> <p>Click or tap here to enter text.</p> <p>Phone No.:Click or tap here to enter text.</p> <p>Email Address:Click or tap here to enter text.</p>	<p>Authorized Signature:</p> <p>Date:Click or tap here to enter text.</p> <p>Name:Click or tap here to enter text.</p> <p>Functional Title of Authorised Signatory:Click or tap here to enter text.</p> <p>Email Address: Click or tap here to enter text.</p>
--	---