



REQUEST FOR QUOTATION (RFQ) (Goods)

| | |
|------------------------|--------------------|
| NAME & ADDRESS OF FIRM | DATE: May 26, 2022 |
| | REFERENCE: ETH3646 |

Dear Sir / Madam:

We kindly request you to submit your quotation for **Procurement of Safety Equipment (Lot 1) and Hygiene Cleaning Equipment (Lot 2)**, as detailed in Annex 1 of this RFQ. When preparing your quotation, please be guided by the form attached hereto as Annex 2.

Quotations may be submitted on or before **June 13, 2022** and through the online eTendering system <https://etendering.partneragencies.org> search for Event ID **ETH3646** as per the deadline indicated in the system itself.

Detailed user guide on how to register in the system and submit the quotations are attached to this notice. They must be .pdf format and free from any form of virus or corrupted contents, or the quotations shall be rejected.

Any request for clarification must be sent in writing, or by standard electronic communication to info.procurement@undp.org Attn: **MY**. UNDP will provide responses by uploading them in the system.

It shall remain your responsibility to ensure that your quotation will be submitted through eTendering before the deadline. Quotations that are received through email, post office or hand delivery is not accepted, for whatever reason, shall not be considered for evaluation.

Please take note of the following requirements and conditions pertaining to the supply of the abovementioned good/s:

| | | |
|--|--|--|
| Delivery Terms [INCOTERMS 2020] | <input checked="" type="checkbox"/> CIP , Bole International Airport | |
| Customs clearance ¹ , if needed, shall be done by: | UNDP - The supplier is responsible to provide the below listed documents to UNDP Logistics Officer: - AWB/BOL (original sets to be sent with shipment & electronic before shipment for pre-customs clearance) - Commercial Invoice - Packing List - Other (If required) Note: all documents shall be issued on the name of UNDP Ethiopia. A complete set of original shipping document listed above must be pouched to UNDP Ethiopia for custom clearance purpose. | |
| Exact Address/es of Delivery Location/s (identify all, if multiple) | Bishoftu/Debre Zeit, Entrepreneurship Development Institute (EDI) Ethiopia | |
| UNDP Preferred Freight Forwarder, if any ² | N/A | |
| Distribution of shipping documents (<i>if using freight forwarder</i>) | Invoice, packing list; Certificate of Origin; Original Final AWB, etc | |
| Latest Expected Delivery Date and Time (<i>if delivery time exceeds this, quote may be rejected by UNDP</i>) | <input checked="" type="checkbox"/> Within Twelve Weeks from the issuance of the Purchase Order (PO) | |
| Delivery Schedule | <input checked="" type="checkbox"/> Required; | |
| Packing Requirements | 1. As per the International standard in respect to the nature of the Goods; (As per the industry practices) 2. The goods are to be distributed to three universities and we need the equipment to be packed separately for each university. 3. Put labelling on each packing for each university | |
| Mode of Transport | <input checked="" type="checkbox"/> AIR | |
| | | |
| Preferred Currency of Quotation ³ | <input checked="" type="checkbox"/> United States Dollars | |
| Value Added Tax on Price Quotation ⁴ | <input checked="" type="checkbox"/> Must be inclusive of VAT and other applicable indirect taxes | |
| After-sales services required | <input checked="" type="checkbox"/> Not Required | |
| Deadline for the Submission of Quotation | COB, Monday, June 13, 2022 on eTendering ATLAS system | |
| All documentations, including catalogs, instructions and operating manuals, shall be in this language | <input checked="" type="checkbox"/> English | |

| | |
|---|---|
| Documents to be submitted ⁵ | <input checked="" type="checkbox"/> Duly Accomplished Form as provided in Annex 2, and in accordance with the list of requirements in Annex 1; <input checked="" type="checkbox"/> Quality Certificates for the Goods to be supplied (ISO, GMP, any other Quality Certificates as applicable etc.); <input checked="" type="checkbox"/> Technical Specifications / Product Sheets for each item <input checked="" type="checkbox"/> Latest Business Registration Certificate; <input checked="" type="checkbox"/> Manufacturer's Authorization of the Company as a Sales Agent (if Supplier is not the manufacturer); <input checked="" type="checkbox"/> Evidence/Certification of Environmental Sustainability ("Green" Standards) of the Company or the Product being supplied (if available) <input checked="" type="checkbox"/> Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List; <input checked="" type="checkbox"/> Submit/Upload: Past contract history for the Supply of Similar or Related products. Provide at least two copies of previous Contracts or Purchase Orders. <input checked="" type="checkbox"/> Minimum of 3 (three) references (name, emails and telephone) which UNDP may contact for reference checks. Alternatively, letters from clients with statements of satisfactory performance are acceptable. If any past contracts were held with the UN Agencies, please list them all. |
| Period of Validity of Quotes starting the Submission Date | <input checked="" type="checkbox"/> 90 days In exceptional circumstances, UNDP may request the Vendor to extend the validity of the Quotation beyond what has been initially indicated in this RFQ. The Proposal shall then confirm the extension in writing, without any modification whatsoever on the Quotation. |
| Partial Quotes | <input type="checkbox"/> Not permitted for line items. However, it is possible to quote either for one or both lots |
| Payment Terms ⁶ | <input checked="" type="checkbox"/> 100% upon complete delivery of goods |
| Liquidated Damages | <input checked="" type="checkbox"/> Will be imposed under the following conditions: Percentage of contract price per day of delay: 0.05% Max. no. of days of delay: 30 calendar days ; After which UNDP may terminate the contract. |
| Evaluation Criteria [check as many as applicable] | <input checked="" type="checkbox"/> Technical responsiveness/Full compliance to requirements and lowest price ⁷ <input checked="" type="checkbox"/> Full acceptance of the PO/Contract General Terms and Conditions |
| UNDP will award to: | <input checked="" type="checkbox"/> One or more Supplier, depending on the following factors: Technical evaluation and price comparison; |
| Type of Contract to be Signed | <input checked="" type="checkbox"/> Purchase Order |
| Contract General Terms and Conditions | <input checked="" type="checkbox"/> General Terms and Conditions for contracts (goods and/or services); Applicable Terms and Conditions are available at http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html |
| Special conditions of Contract | <input checked="" type="checkbox"/> Cancellation of PO/Contract if the delivery/completion is delayed by 30 calendar days; |

| | |
|--|--|
| Conditions for Release of Payment | Passing Inspection at site; Complete Installation <input checked="" type="checkbox"/> Passing all Testing at site; <input checked="" type="checkbox"/> Written Acceptance of Goods based on full compliance with RFQ requirements; |
| Annexes to this RFQ ⁸ | <input checked="" type="checkbox"/> Specifications of the Goods Required (Annex 1) <input checked="" type="checkbox"/> Form for Submission of Quotation (Annex 2) <input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions <input checked="" type="checkbox"/> Technical compliance sheet; Non-acceptance of the terms of the General Terms and Conditions (GTC) shall be grounds for disqualification from this procurement process. |
| Contact Person for Inquiries (Written inquiries only) ⁹ | <i>Procurement unit</i> MY info.procurementet@undp.org Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers. |

Goods offered shall be reviewed based on completeness and compliance of the quotation with the minimum specifications described above and any other annexes providing details of UNDP requirements.

The quotation that complies with all of the specifications, requirements and offers the lowest price, as well as all other evaluation criteria indicated, shall be selected. Any offer that does not meet the requirements shall be rejected.

Any discrepancy between the unit price and the total price (obtained by multiplying the unit price and quantity) shall be re-computed by UNDP. The unit price shall prevail and the total price shall be corrected. If the supplier does not accept the final price based on UNDP's re-computation and correction of errors, its quotation will be rejected.

After UNDP has identified the lowest price offer, UNDP reserves the right to award the contract based only on the prices of the goods in the event that the transportation cost (freight and insurance) is found to be higher than UNDP's own estimated cost if sourced from its own freight forwarder and insurance provider.

At any time during the validity of the quotation, no price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted by UNDP after it has received the quotation. At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.

Any Purchase Order that will be issued as a result of this RFQ shall be subject to the General Terms and Conditions attached hereto. The mere act of submission of a quotation implies that the vendor accepts without question the General Terms and Conditions of UNDP indicated above - <http://www.undp.org/content/undp/en/home/procurement/business/how-we-buy.html>.

UNDP is not bound to accept any quotation, nor award a contract/Purchase Order, nor be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.

Please be advised that UNDP's vendor protest procedure is intended to afford an opportunity to appeal for persons or firms not awarded a purchase order or contract in a competitive procurement process. **In the event that** you believe you have not been fairly treated, you can find detailed information about vendor protest procedures in the following link:

<https://www.undp.org/content/undp/en/home/procurement/business/protest-and-sanctions.html>

UNDP encourages every prospective Vendor to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ.

UNDP implements a zero tolerance on fraud and other proscribed practices and is committed to identifying and addressing all such acts and practices against UNDP, as well as third parties involved in UNDP activities. UNDP expects its suppliers to adhere to the UN Supplier Code of Conduct found in this link: <https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct>

Thank you and we look forward to receiving your quotation.

Sincerely yours,

Hien Dang

DRR-O

26 May 2022

Technical Specifications

Lot 1: Safety Equipment

| | Processing unit and items | UoM | Arsi University | BahirDar University | Hawassa University |
|---|---|-----|-------------------------------|-------------------------------|-------------------------------|
| | | | Qty | Qty | Qty |
| 1 | Fire Extinguisher <ul style="list-style-type: none"> - Product name: Stainless Steel fire extinguisher - Working Temperature: -30 to +60°C - Cylinder Material: Steel - Range: 5-8m - Test Pressure (Bar): 14 at 20°C - Working Pressure: 30 Bars - Extinguisher weight (kg): 13.5 - Foam extinguisher (class ABC, recommendation one per room) - One for burning fat (class D) | pcs | 4 unit of ABC and 1 unit of D | 4 unit of ABC and 1 unit of D | 4 unit of ABC and 1 unit of D |
| 2 | Smoke Detectors -standard Security Alarm DC 3V build-in lithium battery interconnected smoke alarm detector | pcs | 6 | 2 | 3 |
| 3 | Carbon Dioxide Detectors -co2 analyzer, co2 monitor 0-5000ppm | pcs | 3 | 2 | 3 |
| 4 | Exit Signs -Acrylic Double mirror exit sign emergency exit sign board | pcs | 4 | 2 | 4 |
| 5 | First Aid Kit Medical aid kit Package: 65*42*45cm | set | 4 | 1 | 4 |
| 6 | Safety Equipment Emergency Lab Safety Eyewash Station with Shower | pcs | 1 | 1 | 1 |
| 7 | Pvc Safety Working Gloves for handling equipment | box | 50 | 20 | 50 |
| 8 | Fume Hood Internal Work zone Dimensions (L x D x H)= 1420 x 680 x 1200 mm -Maximum Sash Opening=580 mm / 22.8" (standard vertical rising sash) -Inner Exhaust Outlet Diameter=252 mm / 10.0" -Light Intensity at Work Surface= 780 Lux / 72 foot candelas -Power Consumption=60W (Fluorescent Lighting & Microprocessor Control System) -Net Weight= 210 kg / 460 lbs | Pcs | 0 | 0 | 1 |
| 9 | UPS Power: 5 KVA -Weight: 10kg -Size: 565*380*190 - Output voltage: 230VAC -input voltage :48v | Pcs | 0 | 0 | 1 |

Lot 2- Hygiene / Cleaning Equipment

| | | UoM | Arsi University | Bahir Dar University | Hawassa University |
|---|--|-----|-----------------|----------------------|--------------------|
| | | | Qty | Qty | Qty |
| 1 | Plastic Basin Basins Multi-function Portable Folding Collapsible Travel Plastic Wash Basin Capacity: 10L Material: PET Type: Bath basin Size: 360 X 360 X 115 mm Shape: Circular | pcs | 6 | 6 | 2 |

| | | | | | |
|----|--|-------|-----|-----|---|
| 2 | Water Hoses for Cleaning (100'): Material: PVC Hose Length: 100.1 Feet Working pressure: 400Bar Connection: 1/4 "M-NPT Hose I.D: 0.24 "(6mm) Hose O.D: 0.48 " (12mm) | meter | 100 | 100 | 0 |
| 3 | Hose Connectors -stainless steel bsp hydraulic hose connector: Connection: both female & male Material: medium carbon steel | pcs | 2 | 2 | 0 |
| 4 | Hose Spray Nozzle-stainless steel 250 bar professional industrial hose washing spray nozzle: Pressure: Min.: 0 bar (0 psi), Max.: 350 bar (5,076.3 psi) | pcs | 4 | 4 | 4 |
| 5 | Curved Floor Squeegee (3-Pack) - hotel kitchen long handle floor wiper/floor squeegee/floor scraper <ul style="list-style-type: none"> - Usage: FLOOR - Handle Material: Aluminum - Squeegee Material: Rubber - Product name: hotel kitchen long handle floor wiper/floor squeegee/floor scraper - Material: Aluminum alloy + stainless steel + rubber - Size: 45cm/55cm/75cm - Application: Cleaning Floors | pack | 6 | 6 | 0 |
| 6 | hand truck trolley <i>Specification</i> <ul style="list-style-type: none"> ◆ Load Capacity: 150kgs 300kgs ◆ Material Stainless Steel ◆ Base Shape: Rectangular ◆ platform: hand truck trolley ◆ Size: L*W*H (cm): 90*60*90 5-inch ◆ wheel bearing Length 3 - 5 Feet | pcs | 5 | 4 | 0 |
| 7 | Janitorial Cart w/Equipment -Multifunction Cleaning Trolley Janitorial Cart <ul style="list-style-type: none"> - Product name: Plastic Cleaning Trolley - Material: PP Material - Wheels: TPR Mute Wheels - Color: Grey - Size: 112.5*51*96 cm - Package size: 88*25*55cm - Feature: Eco-friendly - Application: Hotel/Restaurant/Kitchen | pcs | 2 | 2 | 0 |
| 8 | <ul style="list-style-type: none"> • Extra Mops: Color: Green+Silver+Black Material: PP, ABS, Stainless Steel, Fiber Mop Head: 35cm /14" Rod Diameter: 2.5cm /0.98in Rod Length: 40in - 50in (adjustable) Bucket Capacity: 7.8L/11.8L/13L(1.93/3.12/3.43 Gal) 1.93 Gal Bucket Size: (L)X(W)X(H) 19 X11 X10 inch (appr.) 3.12 Gal Bucket Size: (L)X(W)X(H) 20 x 13x 12 inch (appr.) 3.43 Gal Bucket Size: (L)X(W)X(H) 19 X11 X11 inch (appr.) | pcs | 8 | 3 | 0 |
| 9 | Extra Mop Bucket -32-liter floor mop bucket thickened waterwheel squeeze bucket washing wringer | pcs | 3 | 3 | 0 |
| 10 | Soap Dispenser School/household 1300 Ml Automatic Liquid Touch Free Soap Dispenser Sensor | pcs | 3 | 3 | 0 |
| 11 | Dispenser Kitchen Tissue Holder Hand Towel Paper Dispenseranining Supplies | pcs | 3 | 3 | 0 |

| | | | | | |
|----|--|-----|-----|-----|---|
| 12 | Internal Use Crates-540 X 350 X 290 mm <ul style="list-style-type: none"> - Material: Plastic - Style: Mesh - Foldable: Yes - Product name: Crates - Plastic varieties: PP - Load-bearing: 20KG - Color: Custom Color - Application: General packaging - Features: High strength, good air permeability | pcs | 20 | 20 | 0 |
| 13 | Double kitchen sink vegetable fruit totally clean wash no leak under mount <ul style="list-style-type: none"> - Color: White, Silver - Bowl Shape: rectangular - Number of Holes: Two - Sink Style: Double Bowl - Sink Size: 700*700*(800+100)mm - Application: Kitchen | pcs | 1 | 1 | 0 |
| 14 | kitchen cleaning sponge with scouring pad | pcs | 300 | 300 | 0 |
| 15 | Hot Sink Hot Selling Wash Basin Portable Sink Foot-operated Sink With 1 Bowl <ul style="list-style-type: none"> - Surface Treatment: Brushed, Brushed - Installation Type: Wall-Hung - Bowl Shape: Rectangle - Number of Holes: One - Sink Style: "Single bowl Wash basin sink", - Product name: foot operated hand wash sink - Size: 460*460*H950mm - Backsplash: 100mm | pcs | 2 | 2 | 0 |
| 16 | Cutting board Size: (60cm * 1m) Type : plastic | Pcs | 0 | 0 | 2 |

Hien Dang
DRR-O
 May 26, 2022

FORM FOR SUBMITTING SUPPLIER'S QUOTATION¹⁰*(This Form must be submitted only using the Supplier's Official Letterhead/Stationery¹¹)*

We, the undersigned, hereby accept in full the UNDP General Terms and Conditions, and hereby offer to supply the items listed below in conformity with the specification and requirements of UNDP as per RFQ Reference No. _____:

TABLE 1: Offer to Supply Goods Compliant with Technical Specifications and Requirements**Lot 1: Safety Equipment**

| Item No. | Description/Specification of Goods | Qt. | Latest Delivery Date | Unit Price | Total Price per Item |
|----------|---|--------------------------------|----------------------|------------|----------------------|
| 1 | Fire Extinguisher <ul style="list-style-type: none"> - Product name: Stainless Steel fire extinguisher - Working Temperature: -30 to +60°C - Cylinder Material: Steel - Range: 5-8m - Test Pressure (Bar): 14 at 20°C - Working Pressure: 30 Bars - Extinguisher weight (kg): 13.5 - Foam extinguisher (class ABC, recommendation one per room) - One for burning fat (class D) | 12 unit of ABC and 3 unit of D | 12 Weeks | | |
| 2 | Smoke Detectors -standard Security Alarm DC 3V build-in lithium battery interconnected smoke alarm detector | 11 pcs | 12 Weeks | | |
| 3 | Carbon Dioxide Detectors -co2 analyzer, co2 monitor 0-5000ppm | 8 pcs | 12 Weeks | | |
| 4 | Exit Signs -Acrylic Double mirror exit sign emergency exit sign board | 10 pcs | 12 Weeks | | |
| 5 | First Aid Kit Medical aid kit Package: 65*42*45cm | 9 Set | 12 Weeks | | |
| 6 | Safety Equipment Emergency Lab Safety Eyewash Station with Shower | 3 Pcs | 12 Weeks | | |
| 7 | Pvc Safety Working Gloves for handling equipment | 120 boxes | 12 Weeks | | |
| 8 | Fume Hood Internal Work zone Dimensions (L x D x H)= 1420 x 680 x 1200 mm -Maximum Sash Opening=580 mm / 22.8" (standard vertical rising sash) -Inner Exhaust Outlet Diameter=252 mm / 10.0" -Light Intensity at Work Surface= 780 Lux / 72 foot candelas -Power Consumption=60W (Fluorescent Lighting & Microprocessor Control System) -Net Weight= 210 kg / 460 lbs | 1 Pcs | 12 Weeks | | |
| 9 | UPS Power: 5 KVA -Weight: 10kg | 1 Pcs | 12 Weeks | | |

| | | | | | |
|---|---|--|--|--|--|
| | -Size: 565*380*190 - Output voltage: 230VAC -input voltage :48v | | | | |
| Sub Total | | | | | |
| Freight and Insurance | | | | | |
| CIP ADDIS ABABA BOLE INTERNATIONAL AIRPORT | | | | | |

Lot 2- Hygiene / Cleaning Equipment

| Item No. | Description/Specification of Goods | Qt. | Latest Delivery Date | Unit Price | Total Price per Item |
|----------|---|-----------|----------------------|------------|----------------------|
| 1 | Plastic Basin Basins Multi-function Portable Folding Collapsible Travel Plastic Wash Basin Capacity: 10L Material: PET Type: Bath basin Size: 360 X 360 X 115 mm Shape: Circular | 14 pcs | 12 Weeks | | |
| 2 | Water Hoses for Cleaning (100'): Material: PVC Hose Length: 100.1 Feet Working pressure: 400Bar Connection: 1/4 "M-NPT Hose I.D: 0.24 "(6mm) Hose O.D: 0.48 " (12mm) | 200 meter | 12 Weeks | | |
| 3 | Hose Connectors -stainless steel bsp hydraulic hose connector: Connection: both female & male Material: medium carbon steel | 4 Pcs | 12 Weeks | | |
| 4 | Hose Spray Nozzle-stainless steel 250 bar professional industrial hose washing spray nozzle: Pressure: Min.: 0 bar (0 psi), Max.: 350 bar (5,076.3 psi) | 12 pcs | 12 Weeks | | |
| 5 | Curved Floor Squeegee (3-Pack) - hotel kitchen long handle floor wiper/floor squeegee/floor scraper - Usage: FLOOR - Handle Material: Aluminum - Squeegee Material: Rubber - Product name: hotel kitchen long handle floor wiper/floor squeegee/floor scraper - Material: Aluminum alloy + stainless steel + rubber - Size: 45cm/55cm/75cm Application: Cleaning Floors | 12 pack | 12 Weeks | | |
| 6 | hand truck trolley Specification ◆ Load Capacity: 150kgs 300kgs ◆ Material Stainless Steel ◆ Base Shape: Rectangular ◆ platform: hand truck trolley ◆ Size: L*W*H (cm): 90*60*90 5-inch ◆ wheel bearing Length 3 - 5 Feet | 9 pcs | 12 Weeks | | |
| 7 | Janitorial Cart w/Equipment -Multifunction Cleaning Trolley Janitorial Cart - Product name: Plastic Cleaning Trolley - Material: PP Material - Wheels: TPR Mute Wheels | | | | |

| | | | | | |
|------------------|--|---------|----------|--|--|
| | <ul style="list-style-type: none"> - Color: Grey - Size: 112.5*51*96 cm - Package size: 88*25*55cm - Feature: Eco-friendly - Application: Hotel/Restaurant/Kitchen | 4pcs | 12 Weeks | | |
| 8 | Extra Mops: Color: Green+Silver+Black Material: PP, ABS, Stainless Steel, Fiber Mop Head: 35cm /14" Rod Diameter: 2.5cm /0.98in Rod Length: 40in - 50in (adjustable) Bucket Capacity: 7.8L/11.8L/13L(1.93/3.12/3.43 Gal) 1.93 Gal Bucket Size: (L)X(W)X(H) 19 X11 X10 inch (appr.) 3.12 Gal Bucket Size: (L)X(W)X(H) 20 x 13x 12 inch (appr.) 3.43 Gal Bucket Size: (L)X(W)X(H) 19 X11 X11 inch (appr.) | 11 pcs | 12 Weeks | | |
| 9 | Extra Mop Bucket -32-liter floor mop bucket thickened waterwheel squeeze bucket washing wringer | 6 pcs | 12 Weeks | | |
| 10 | Soap Dispenser School/household 1300 Ml Automatic Liquid Touch Free Soap Dispenser Sensor | 6 pcs | 12 Weeks | | |
| 11 | Dispenser Kitchen Tissue Holder Hand Towel Paper Dispenseranng Supplies | 6 pcs | 12 Weeks | | |
| 12 | Internal Use Crates-540 X 350 X 290 mm <ul style="list-style-type: none"> - Material: Plastic - Style: Mesh - Foldable: Yes - Product name: Crates - Plastic varieties: PP - Load-bearing: 20KG - Color: Custom Color - Application: General packaging - Features: High strength, good air permeability | 40 pcs | 12 Weeks | | |
| 13 | Double kitchen sink vegetable fruit totally clean wash no leak under mount <ul style="list-style-type: none"> - Color: White, Silver - Bowl Shape: rectangular - Number of Holes: Two - Sink Style: Double Bowl - Sink Size: 700*700*(800+100)mm - Application: Kitchen | 2pcs | 12 Weeks | | |
| 14 | kitchen cleaning sponge with scouring pad | 600 pcs | 12 Weeks | | |
| 15 | Hot Sink Hot Selling Wash Basin Portable Sink Foot-operated Sink With 1 Bowl <ul style="list-style-type: none"> - Surface Treatment: Brushed, Brushed - Installation Type: Wall-Hung - Bowl Shape: Rectangle - Number of Holes: One - Sink Style: "Single bowl Wash basin sink", - Product name: foot operated hand wash sink - Size: 460*460*H950mm - Backsplash: 100mm | 4 pcs | 12 Weeks | | |
| 16 | Cutting board Size: (60cm * 1m) Type : plastic | 2 Pcs | 12 Weeks | | |
| Sub Total | | | | | |

| | | |
|--|---|--|
| | Freight and Insurance | |
| | CIP ADDIS ABABA BOLE INTERNATIONAL AIRPORT | |

TABLE 2: Offer to Comply with Other Conditions and Related Requirements

| Other Information pertaining to our Quotation are as follows: | Your Responses | | |
|---|----------------------------|-----------------------------|---|
| | <i>Yes, we will comply</i> | <i>No, we cannot comply</i> | <i>If you cannot comply, pls. indicate counter proposal</i> |
| Delivery Lead Time (12 weeks) | | | |
| Brand new replacement if Purchased Unit an old or used one | | | |
| Validity of Quotation (90 Days) | | | |
| All Provisions of the UNDP General Terms and Conditions | | | |
| Other requirements <i>[pls. specify]</i> | | | |

All other information that we have not provided automatically implies our full compliance with the requirements, terms and conditions of the RFQ.

*Hien Dang
DRR-O
26 May 2022*