



REQUEST FOR QUOTATION (RFQ)

Supply and Delivery of Fire-fighting Equipment and Instruments for CDRMP

RFQ Reference: NPL10-RFQ19-2022	Date: 29 June 2022
---------------------------------	--------------------

SECTION 1: REQUEST FOR QUOTATION (RFQ)

UNDP kindly requests your quotation for the provision of goods, works and/or services as detailed in Annex 1 of this RFQ.

This Request for Quotation comprises the following documents:

Section 1: This request letter

Section 2: RFQ Instructions and Data

Annex 1: Schedule of Requirements


Annex 2: Quotation Submission Form

Annex 3: Technical and Financial Offer

When preparing your quotation, please be guided by the RFQ Instructions and Data. Please note that quotations must be submitted using Annex 2: Quotation Submission Form and Annex 3 Technical and Financial Offer, by the method and by the date and time indicated in Section 2. It is your responsibility to ensure that your quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Thank you and we look forward to receiving your quotations.

Issued by:

Signature: 
Name: Ambika Amatya
Title: Head of Procurement Unit
Date: 29 June 2022

SECTION 2: RFQ INSTRUCTIONS AND DATA

Introduction	<p>Bidders shall adhere to all the requirements of this RFQ, including any amendments made in writing by UNDP. This RFQ is conducted in accordance with the UNDP Programme and Operations Policies and Procedures (POPP) on Contracts and Procurement</p> <p>Any Bid submitted will be regarded as an offer by the Bidder and does not constitute or imply the acceptance of the Bid by UNDP. UNDP is under no obligation to award a contract to any Bidder as a result of this RFQ.</p> <p>UNDP reserves the right to cancel the procurement process at any stage without any liability of any kind for UNDP, upon notice to the bidders or publication of cancellation notice on UNDP website.</p>
Deadline for the Submission of Quotation	<p>5.00 pm Nepal Time, 11 July 2022</p> <p>If any doubt exists as to the time zone in which the quotation should be submitted, refer to http://www.timeanddate.com/worldclock/.</p> <p>For eTendering submission - as indicated in eTendering system. Note that system time zone is in EST/EDT (New York) time zone.</p>
Method of Submission	<p>Quotations must be submitted as follows:</p> <p><input checked="" type="checkbox"/> E-tendering</p> <p><input type="checkbox"/> Dedicated Email Address</p> <p><input type="checkbox"/> Courier / Hand delivery</p> <p><input type="checkbox"/> Other Click or tap here to enter text.</p> <p>Bid submission address: https://etendering.partneragencies.org, Event ID No. NPL10-RFQ19-2022</p> <ul style="list-style-type: none"> ▪ File Format: PDF Format ▪ File names must be maximum 60 characters long and must not contain any letter or special character other than from Latin alphabet/keyboard. ▪ All files must be free of viruses and not corrupted. ▪ Max. File Size per transmission: 35 MB ▪ It is recommended that the entire Quotation be consolidated into as few attachments as possible. <p>For eTendering method, click the link https://etendering.partneragencies.org and insert Event ID information</p> <ul style="list-style-type: none"> • Insert BU Code and Event ID number: NPL10-RFQ19-2022 <p>In case your company is not registered in the e-Tendering Module, please use the following temporary username and password to register your company/firm: Username: event.guest Password: why2change</p> <p>Bidders who will be registered on the e-Tendering will be able to download the complete bidding documents from the e-Tendering website at: https://etendering.partneragencies.org. Bidders can download the complete tender documentation from the e-Tendering upon registration.</p> <p>Detailed instructions on how to submit, modify or cancel a bid in the eTendering system are provided in the eTendering system Bidder User Guide and Instructional videos available on this link: http://www.undp.org/content/undp/en/home/operations/procurement/business/procurement-notices/resources</p>

Cost of preparation of quotation	UNDP shall not be responsible for any costs associated with a Supplier's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Supplier Code of Conduct, Fraud, Corruption,	<p>All prospective suppliers must read the United Nations Supplier Code of Conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN. The Code of Conduct, which includes principles on labour, human rights, environment and ethical conduct may be found at: https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct</p> <p>Moreover, UNDP strictly enforces a policy of zero tolerance on proscribed practices, including fraud, corruption, collusion, unethical or unprofessional practices, and obstruction of UNDP vendors and requires all bidders/vendors to observe the highest standard of ethics during the procurement process and contract implementation. UNDP's Anti-Fraud Policy can be found at http://www.undp.org/content/undp/en/home/operations/accountability/audit/office_of_audit_an_dinvestigation.html#anti</p>
Gifts and Hospitality	<p>Bidders/vendors shall not offer gifts or hospitality of any kind to UNDP staff members including recreational trips to sporting or cultural events, theme parks or offers of holidays, transportation, or invitations to extravagant lunches, dinners or similar. In pursuance of this policy, UNDP: (a) Shall reject a bid if it determines that the selected bidder has engaged in any corrupt or fraudulent practices in competing for the contract in question; (b) Shall declare a vendor ineligible, either indefinitely or for a stated period, to be awarded a contract if at any time it determines that the vendor has engaged in any corrupt or fraudulent practices in competing for, or in executing a UNDP contract.</p>
Conflict of Interest	<p>UNDP requires every prospective Supplier to avoid and prevent conflicts of interest, by disclosing to UNDP if you, or any of your affiliates or personnel, were involved in the preparation of the requirements, design, specifications, cost estimates, and other information used in this RFQ. Bidders shall strictly avoid conflicts with other assignments or their own interests, and act without consideration for future work. Bidders found to have a conflict of interest shall be disqualified.</p> <p>Bidders must disclose in their Bid their knowledge of the following: a) If the owners, part-owners, officers, directors, controlling shareholders, of the bidding entity or key personnel who are family members of UNDP staff involved in the procurement functions and/or the Government of the country or any Implementing Partner receiving goods and/or services under this RFQ.</p> <p>The eligibility of Bidders that are wholly or partly owned by the Government shall be subject to UNDP's further evaluation and review of various factors such as being registered, operated and managed as an independent business entity, the extent of Government ownership/share, receipt of subsidies, mandate and access to information in relation to this RFQ, among others. Conditions that may lead to undue advantage against other Bidders may result in the eventual rejection of the Bid.</p>
General Conditions of Contract	<p>Any Purchase Order or contract that will be issued as a result of this RFQ shall be subject to the General Conditions of Contract</p> <p>Select the applicable GTC:</p> <p><input checked="" type="checkbox"/> General Terms and Conditions / Special Conditions for Contract.</p> <p><input type="checkbox"/> General Terms and Conditions for de minimis contracts (services only, less than \$50,000)</p> <p><input type="checkbox"/> General Terms and Conditions for Works</p> <p>Applicable Terms and Conditions and other provisions are available at UNDP/How-we-buy</p>
Special Conditions of Contract	<p><input type="checkbox"/> Cancellation of PO/Contract if the service is delayed by [XXX days]</p> <p><input type="checkbox"/> Others []</p>
Eligibility	<p>A vendor who will be engaged by UNDP may not be suspended, debarred, or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization. Vendors are therefore required to disclose to UNDP whether they are subject to any sanction or temporary suspension imposed by these organizations. Failure to do so may result in termination of any contract or PO subsequently issued to the vendor by UNDP.</p>

	<p>It is the Bidder's responsibility to ensure that its employees, joint venture members, sub-contractors, service providers, suppliers and/or their employees meet the eligibility requirements as established by UNDP.</p> <p>Bidders must have the legal capacity to enter a binding contract with UNDP and to deliver in the country, or through an authorized representative</p>
Currency of Quotation	Quotations shall be quoted in Nepalese Rupees
Joint Venture, Consortium or Association	<p>If the Bidder is a group of legal entities that will form or have formed a Joint Venture (JV), Consortium or Association for the Bid, they shall confirm in their Bid that : (i) they have designated one party to act as a lead entity, duly vested with authority to legally bind the members of the JV, Consortium or Association jointly and severally, which shall be evidenced by a duly notarized Agreement among the legal entities, and submitted with the Bid; and (ii) if they are awarded the contract, the contract shall be entered into, by and between UNDP and the designated lead entity, who shall be acting for and on behalf of all the member entities comprising the joint venture, Consortium or Association.</p> <p>Refer to Clauses 19 – 24 under Solicitation policy for details on the applicable provisions on Joint Ventures, Consortium or Association.</p>
Only one Bid	<p>The Bidder (including the Lead Entity on behalf of the individual members of any Joint Venture, Consortium or Association) shall submit only one Bid, either in its own name or, if a joint venture, Consortium or Association, as the lead entity of such Joint Venture, Consortium or Association.</p> <p>Bids submitted by two (2) or more Bidders shall all be rejected if they are found to have any of the following:</p> <ul style="list-style-type: none"> a) they have at least one controlling partner, director or shareholder in common; or b) any one of them receive or have received any direct or indirect subsidy from the other/s; or b) they have the same legal representative for purposes of this RFQ; or c) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about, or influence on the Bid of, another Bidder regarding this RFQ process; d) they are subcontractors to each other's Bid, or a subcontractor to one Bid also submits another Bid under its name as lead Bidder; or e) some key personnel proposed to be in the team of one Bidder participates in more than one Bid received for this RFQ process. This condition relating to the personnel, does not apply to subcontractors being included in more than one Bid.
Duties and taxes	<p>Article II, Section 7, of the Convention on the Privileges and Immunities provides, inter alia, that the United Nations, including UNDP as a subsidiary organ of the General Assembly of the United Nations, is exempt from all direct taxes, except charges for public utility services, and is exempt from customs restrictions, duties, and charges of a similar nature in respect of articles imported or exported for its official use. All quotations shall be submitted net of any direct taxes and any other taxes and duties, unless otherwise specified below:</p> <p>All prices must:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> be inclusive of VAT and other applicable indirect taxes <input type="checkbox"/> be exclusive of VAT and other applicable indirect taxes
Language of quotation	<p>English</p> <p>Including documentation including catalogues, instructions and operating manuals.</p>
Documents to be submitted	<p>Bidders shall include the following documents in their quotation:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Annex 2: Quotation Submission Form duly completed and signed <input checked="" type="checkbox"/> Annex 3: Technical and Financial Offer duly completed and signed and in accordance with the Schedule of Requirements in Annex 1 <input checked="" type="checkbox"/> Company Profile <input checked="" type="checkbox"/> Registration certificate <input checked="" type="checkbox"/> Tax registration and the latest tax clearance certificate <input checked="" type="checkbox"/> Audit Reports for the last 3 years <input checked="" type="checkbox"/> List and value of similar projects/services performed for the last three year services plus client's contact details who may be contacted for further information on those contracts

	<input checked="" type="checkbox"/> Certificate of Distributorship in the Country or Letter of Manufacturer's Authorization (If applicable, and If Supplier is not the manufacturer) <input checked="" type="checkbox"/> Minimum 2 client certificates to evidence successful completion of similar services; <input checked="" type="checkbox"/> Catalogue/Brochures of proposed equipment/items; <input checked="" type="checkbox"/> Proposed Implementation Schedule <input checked="" type="checkbox"/> All Relevant Certificates <input checked="" type="checkbox"/> Provide warranty on parts and labor for minimum period of 1 year
Quotation validity period	Quotations shall remain valid for 120 days from the deadline for the Submission of Quotation.
Price variation	No price variation due to escalation, inflation, fluctuation in exchange rates, or any other market factors shall be accepted at any time during the validity of the quotation after the quotation has been received.
Partial Quotes	<input checked="" type="checkbox"/> Not permitted
Alternative Quotes	<input checked="" type="checkbox"/> Not permitted <input type="checkbox"/> Permitted
Payment Terms	<input checked="" type="checkbox"/> Lump-sum basis
Conditions for Release of Payment	<input checked="" type="checkbox"/> Written Acceptance of completion of the services, based on full compliance with RFQ requirements <input type="checkbox"/> Others
Contact Person for correspondence, notifications and clarifications	E-mail address: query.procurement.np@undp.org Attention: Quotations shall not be submitted to this address but to the address for quotation submission above. Otherwise, offer shall be disqualified. Any delay in UNDP's response shall be not used as a reason for extending the deadline for submission, unless UNDP determines that such an extension is necessary and communicates a new deadline to the Proposers.

Clarifications	Requests for clarification from bidders will not be accepted any later than 5 days before the submission deadline. Responses to request for clarification will be communicated by posting queries and UNDP responses in UNDP procurement page before 3 days of submission deadline.
Evaluation method	<input checked="" type="checkbox"/> The Contract or Purchase Order will be awarded to the lowest price substantially compliant offer for each segment. <input type="checkbox"/> Other Click or tap here to enter text.
Evaluation criteria	<input checked="" type="checkbox"/> Full compliance with all requirements as specified in Annex 1 <input checked="" type="checkbox"/> Full acceptance of the General Conditions of Contract <input checked="" type="checkbox"/> Comprehensiveness of after-sales services <input checked="" type="checkbox"/> After-sale services Requirements – <input checked="" type="checkbox"/> Warranty on Parts and Labor for minimum period of One year <input type="checkbox"/> Others Click or tap here to enter text.
Right not to accept any quotation	UNDP is not bound to accept any quotation, nor award a contract or Purchase Order
Right to vary requirement at time of award	At the time of award of Contract or Purchase Order, UNDP reserves the right to vary (increase or decrease) the quantity of services and/or goods, by up to a maximum twenty-five per cent (25%) of the total offer, without any change in the unit price or other terms and conditions.
Type of Contract to be awarded	<input checked="" type="checkbox"/> Purchase Order <input type="checkbox"/> Contract Face Sheet (Goods and-or Services) (this template is also utilised for Long-Term Agreement) and if an LTA will be signed, specify the document that will trigger the call-off. E.g., PO, etc.) <input type="checkbox"/> Contract for Works <input type="checkbox"/> Other Type/s of Contract
Expected date for contract award.	By July 15, 2022
Publication of Contract Award	UNDP will publish the contract awards valued at USD 100,000 and more on the websites of the CO and the corporate UNDP Web site.
Policies and procedures	This RFQ is conducted in accordance with UNDP Programme and Operations Policies and Procedures
UNGM registration	Any Contract resulting from this RFQ exercise will be subject to the supplier being registered at the appropriate level on the United Nations Global Marketplace (UNGM) website at www.ungm.org . The Bidder may still submit a quotation even if not registered with the UNGM, however, if the Bidder is selected for Contract award, the Bidder must register on the UNGM prior to contract signature.

ANNEX 1: SCHEDULE OF REQUIREMENTS**List of Fire Fighting Equipment (Complete Set) :****1) Fire Helmets:**

S/N.	ITEM	SPECIFICATION	TOTAL QTY
	Fire Helmets	<ul style="list-style-type: none"> The helmet system shall be Type B (3/4 shell) Firefighting helmet EN443:2008 standard to meet structural, forestry, search, water, high angle, and medical fire and rescue applications. Shall include shell, front frame, Inner Liner, Chinstrap, Clear anti-scratch visor and Neck Protector Outer shell and front frame shall be in Red / yellow colors and reflective striping in color to permit multiple color. The platform must isolate the entire inside of the helmet system. No heat, flames, sparks or liquids are allowed to enter the inside. The system provides access for use of stethoscopes cell phones and similar communication devices. The system must be certified according to EN443-2008 including all optional tests. The visor (face protection) and the eye protector must be certified according to EN14458-2004 for firefighting applications. Integrated torch holder, Helmet torch system: LED explosion-proof AAA batteries and holster for torch. Any accessory must be tested and certified for and along with the system. Certificate of Compliance for Helmet-Mask-Combination shall be submitted. The complete system and components shall permit quick and easy assembly and disassembly for maintenance, repair, cleaning, and change of applications. Complete disassembly or reassembly shall not exceed a few minutes. Outer shell shall be made from Glassfiber Composite material, lowest possible weight, extreme resistance against heat, flames, impact and penetration. Minimum requirement: 300°C surface temperature for eight minutes with no delamination. Visor shall be min. 2mm thick with a maximum angle of view to both sides and to the top. The visor shall extend a minimum length of 20cm when deployed and fully retract inside the outer shell in the stowed position. The visor shall extend and retract without impeding the use of prescriptive eyewear and protective goggles. The visor shall extend and retract over SCBA masks. Size: medium and large (South Asian Size) 	11

2) Fires Boots:

S/N.	ITEM	SPECIFICATION	TOTAL QTY
	Fires Boots	<ul style="list-style-type: none"> Boots (Form C) protection class F2A HI3 SRC according to the requirements of European standard for firefighting boots EN 15090:2012 Use in firefighting, emergency and catastrophe Protection against heat and foot injuries, Protection against injuries caused by slipping, pushing, pinching, falling over, falling or sliding objects Full grain Buff Hide leather, Waterproof Quality Thickness 2.2 -2.4 mm Inner lining of breathable PU-Membrane Lining WilteX Tongue and upper edges of black Nappa leather padding, Dust flap with metatarsal protection Additional rubber overcap, thread twice sinked Anti-Perforation Insole composite material incorporated, pre-molded heel counter, combined closure option with lacing and zipper Safety reflector visible from side and back Molded rubber sole with 6 mm profile heat-resistant up to 300 °C SRC rated slip resistant Size: 36 – 48 Weight: max.2.5 kg/Pair 	11

3) Fire Fighting Suit (Jacket)

S/N.	ITEM	SPECIFICATION	TOTAL QTY
	Fire Fighting Suit	<p>PROTECTIVE JACKET</p> <p>5 CM/7,5CM YE/SI/YE STRIPING, COLOUR: NAVY BLUE</p> <p>Certified as to EN 469:2005 (highest performance level Xf2, Xr2, Y2 and Z2) and EN 1149-5</p> <p>This garment is only one part of a combined protective clothing acc. to EN 469</p> <p>Material:</p> <ul style="list-style-type: none"> * Outer fabric: the outer shell is made of flame- and heat resistant Nomex Tough, 195 g/m2, which consists of 75% Nomex, 23% Kevlar and 2% Carbon (prevents electrostatic charges) * Breathable membrane made of PU laminated fabric. This membrane also acts as a vapor barrier, protecting the fireman during extinguishing 	7

		<p>operations, approx. 150 g/m2</p> <p>* Lining is made of quilted Nomex, non-woven, with a Nomex/Viscose blend covering, in a 270 g/m2 material</p> <p>Remarks:</p> <p>* Comfortable, ergonomic designed protective jacket with high protection</p> <p>* Special designed sleeves for more freedom of movement</p> <p>* Arm and jacket seams with moisture blocker made of flame retardant</p> <p>Polyurethan coated aramid, therefore better protection against the penetration and soaking of water (anti-wicking barrier)</p> <p>* Highly resistant zipper with double cover flap</p> <p>* Flame protection collar can be pulled up under the helmet</p> <p>* Sleeves width can be adjusted individually due to Velcro</p> <p>* Sleeves with innovative NOMEX® knitted wristlet with thumb hole</p> <p>* Due to a special construction it's not possible to pull through the wristlet during slip in the jacket sleeves</p> <p>* Radio pockets on left side</p> <p>* With two side pockets with flap; under right side pocket flap with strap and push-button for attaching a carabine (not scope of delivery)</p> <p>* 15 x 2.5 cm fleece strip above left radio pocket for attaching a name strip</p> <p>* Holding loop for the manual microphone on left</p> <p>* Jacket with 5 cm wide and 7,5 cm wide yellow/silver/yellow reflective stripes around torso, around sleeves with 7,5 cm wide yellow/silver/yellow reflective stripes, additional with 5 cm wide yellow/silver/yellow reflective stripes vertically on the front side</p> <p>* Backside length 85 cm (size 52-54C)</p> <p>Sizes: 40-42 to 64-66 in 3 lengths B (164-172), C (172-180) and D (180-188)</p> <p>Weight: max. 1.7 kg</p>	
--	--	---	--

4) Fire Fighting Suit (TROUSERS)

S/N.	ITEM	SPECIFICATON	TOTAL QTY
	Fire Fighting Suit	<p>PROTECTIVE TROUSERS</p> <p>5CM/ 7,5CM YE/SI/YE STRIPING, COLOUR NAVY BLUE</p> <p>Certified as to EN 469 (highest performance level Xf2, Xr2, Y2 and Z2)</p> <p>and EN 1149-5</p> <p>This garment is only one part of a combined protective clothing acc. to EN 469</p> <p>Material:</p> <p>* Outer fabric: the outer shell is made of flame- and heat resistant</p>	7

		<p>Nomex Tough, 195 g/m², which consists of 75% Nomex, 23% Kevlar and 2% Carbon (prevents electrostatic charges)</p> <p>* Breathable membrane made of PU laminated fabric. This membrane also acts as a vapour barrier, protecting the fireman during extinguishing operations, approx. 150 g/m²</p> <p>* Lining is made of quilted Nomex, non-woven, with a Nomex/Viscose blend covering, in a 270 g/m² material</p> <p>Remarks:</p> <p>* Comfortable, ergonomic designed protective trousers with high protection</p> <p>* 5 cm wide fixed suspenders</p> <p>* Elastic waistband for perfect adjustment</p> <p>* Trousers seams with moisture blocker made of flame retardant Polyurethan coated aramid, therefore better protection against the penetration and soaking of water (anti-wicking barrier)</p> <p>* Fly with zipper and Velcro fastener covered by flap</p> <p>* Two side pockets with flap, lower side of pocket with pleat</p> <p>* 15 x 2.5 cm fleece strip for name strip on left side pocket flap</p> <p>* Ergonomically shaped knees with reinforcements made of flame-retardant, silicon-carbon coated paraaramid fabric</p> <p>* Sewn-in knee pads made of water repellent cellulose rubber</p> <p>* trousers with 5 cm wide and 7,5 cm wide yellow/silver/yellow reflective stripes around legs</p> <p>Sizes: 42-44 to 60-64 in 3 lengths B (164-172), C (172-180) and D (180-188)</p> <p>Weight: max. 1.4 kg</p>	
--	--	---	--

5) Fire Fighting Gloves

S/N.	Items	Specification	TOTAL QTY
	Fire Fighting Gloves	<p>COLOUR: DARK BLUE, CERTIFIED AS TO EN 659:2008</p> <p>Certified as to EN 659:2008</p> <p>Outer layer:</p> <ul style="list-style-type: none"> - Back of the hand and cuff are made of high-quality NOMEX III with a KEVLAR nonwoven laminated onto the backside for heat and insulation and protection against mechanical risks - Palm side made of silicon-carbon-mineral-coated NOMEX/KEVLAR-double face fabric for excellent dexterity, high abrasion resistance, and anti-slip on wet and smooth surfaces - Moisture barrier and inner lining - watertight and breathable GORE-TEX X-TRAFIT moisture barrier onto knitwear 	11

		<ul style="list-style-type: none"> - all three layers are interconnected - no danger of slipping of inner layer when putting on or taking off gloves <p>Remarks:</p> <ul style="list-style-type: none"> - Flexible wristlet adjustment - With pleats on the fingers for excellent movement and optimal fit - Adjustable Velcro fastening - Polyurethane impact protectors on the back of the hand with additional heat insulation - Cuff with 3M yellow/silver/yellow reflective stripes and silver reflective braid - Hook and eye for connection - Machine washable up to 60° <p>Performance:</p> <p>Abrasion resistance (EN 388) 4</p> <p>Cut resistance (EN 388) 4</p> <p>Tear resistance (EN 388) 4</p> <p>Puncture resistance (EN 388) 3</p> <p>Burning behaviour (EN 407) 4</p> <p>Dexterity (EN 420) 4</p> <p>Outer fabric colour: navy blue</p> <p>Size: 8-12 inch</p>	
--	--	---	--

6) Headlamp

S/N.	Items	Specification	
	Headlamp	<p>Powerful 500 lumen the most powerful headlamp for adventure racers who demand high output lighting. The redesigned Icon headlamp features a striking 500-lumens of power, waterproof construction and a removable, balanced battery pack</p> <p>Whether you're tackling Mount Blanc and the UTMB, the gruelling Spine Race or 50 miles into an overnight trail run, the Icon Headlamp provides an unparalleled 500 lumen output, making it most powerful light. Waterproof to 1 meter, it's fortified for mishaps, and with red, green and blue night vision modes,</p> <p>its versatile for any challenge and easily protects your night vision.</p> <p>Now with a removable battery pack that can be easily stowed in a pocket to</p> <p>preserve battery life and programmable brightness memory, the Icon can be</p> <p>customised to fit any adventure.</p> <p>Unit is completely sealed and tested to operate up to 1 meter underwater for 30 minutes.Requires no maintenance after submersion.</p>	11

7) Safety Glass Goggle

S/N.	Items	Specification	Qty
	Safety Glass Goggle	<p>Conforms to EN 166:2001</p> <p>Designed for both Indoor as well as Outdoor usage, and fitted with light mirror coated lens, the ES 006 is an ultimate symbol of fashion and styling, coupled with complete eye safety.</p> <p>Lens Features</p> <p>Optical Class 1</p> <p>Hard-coated lens for Scratch Resistance</p> <p>Lens Scale Number: 2- 1.2 (clear)</p> <p>Lens Scale Number: 5- 1.7 (Indoor/Outdoor)</p> <p>Material : Polycarbonate</p> <p>Hard-coated for Scratch Resistance</p>	11

8) Full Body Harness

S/N.	Items	Specification	Total QTY
	Full Body Harness	<p>VARIO CHEST HARNESS, When upright stability is needed, the lightweight, durable and affordable Vario Chest is your choice. This go-to harness for gym and institutional use is now updated to include color coordinated webbing for ease of use while putting it on. Constructed from color coded wide nylon webbing</p> <p>Traditional buckles</p> <p>Must be worn with a sit harness; cannot be used alone</p> <p>VARIO SPEED HARNESS , With a one-size-fits-all, simple design and a revamped to include color-coded webbing for ease of use when putting on, the Vario Speed is a great choice for guide schools, rock gyms and outdoor programs. Color coordinated webbing for ease of use while putting on</p> <p>Large quick-adjust buckle on waistbelt is pre-threaded and doesn't require doubling back, Single tie-in point, Quick-adjust leg loops, Constructed from wide nylon webbing, Also recommended for gym use, One size fits all</p>	5

9) BOLT CUTTER

S/N.	Items	Specification	Total Qty
	BOLT CUTTER	<ul style="list-style-type: none"> Suitable for Cutting Metal sheet up to 2.5 mm HRc Hardness Generally conforming IS5200-1998. Length 600mm Cutting Capacity in round bar 10mm 	4

10) GRIP CLAMP RIGHT COLOUR

S/N.	Items	Specification	Total Qty
	GRIP CLAMP RIGHT COLOUR	<ul style="list-style-type: none"> Engineered for hard-to-clean pitches, wild conditions and long days Index Ascender is a robust workhorse for juggling in all weather. The ascender's trigger-finger release allows for hassle-free operation and its molded grip and lightened frame offer quick maneuverability and mobility. With aggressive teeth, the Index is primed for gripping icy ropes, and a large clip-in point and left- and right-handed versions add compatibility. Trigger-finger release for fast operation Ergonomic dual-density grip, Lightened frame Aggressive teeth for extra grip on icy ropes, Large carabiner clip hole. Left- and right-handed version 	4

11) DESCENDER EIGHT (Figure 8) 15 KN

S/N.	Items	Specification	Total Qty
	DESCENDER EIGHT (Figure 8) 15 KN	<p>Fast and easy loading, Super 8 device uses a unique design that eliminates excess material by thinning out the non-rope bearing areas. Sold in assorted colors. Modern 8 design for smooth handling Ideal for the retro climber or Search and Rescue professional Works well with double 8.1 mm ropes up to 11 mm single lines</p>	4

12) LOCKING CARABINEER 8 KN

S/N.	Items	Specification	Total Qty
	Locking Carabineer 8 kN	<p>Description D shape is particularly suited for connection to equipment such as descenders or positioning lanyards Aluminum carabiner is light, reducing the weight of equipment the worker at height needs to carry May be used with a CAPTIV positioning bar to favor loading of the carabiner along the major axis, to limit the risk of it flipping and to keep it integrated with the device Easier handling: - fluid interior design limits the risk of having a catch point and facilitates rotation of the carabiner</p>	4

		<ul style="list-style-type: none"> - Keylock system to avoid any involuntary snagging of the carabiner - H-shaped cross-section: - ensures an improved strength-to-weight ratio - protects markings from abrasion <p>Available in three different locking systems:</p> <ul style="list-style-type: none"> - TRIACT-LOCK: automatic locking with triple-action gate opening - BALL-LOCK: automatic locking with triple-action gate opening, with lock indicator - SCREW-LOCK: the manual screw-lock with red band provides a visual warning when the carabiner is unlocked <p>Also available in black (TRIACT-LOCK and SCREW-LOCK versions) and gold (TRIACT-LOCK and BALL-LOCK versions)</p> <p>Specifications Material(s): aluminum Certification(s): CE EN 362, EAC, NFPA 1983 Technical Use</p>	
--	--	---	--

13) EXTENSION LADDER - 2 SECTIONS

S/N.	Items	Specification	Total Qty
	EXTENSION LADDER - 2 SECTIONS	Aluminum Extension Type Ladder Maximum Size:38 feet Corrosion resistant Aluminum Alloy, 2 sections, Rope pull with rope brake Wall rubber castors, Automatic ladder locks, The ladder may be used as rescue ladder for 2 persons Thickness of Aluminium: at least 1.2 mm. Extension ladder easy to carriage and transportation.	3

14) PICK HEAD FIRE AXE

S/N.	Items	Specification	Total Qty
	PICK HEAD FIRE AXE	Fiberglass or hickory handles in standard flat head, Voltage Capacity 20000 volts,350mm long. Weight: 1.5 kg	4

15) Hydraulic Bolt Cutter

S/N.	Items	Specification	Total Qty
	Hydraulic Bolt Cutter	Handy Iron Cutting Tool hydraulic bolt cutter rebar cutter handheld steel bar rod cutting tool, C-shape head design, 80 degrees rotatable head for flexible operation in narrow place, Double Speed Unit: For fast cutting, allow quick oil delivery under no-load condition, when blades contact rebar, automatically build sufficient working pressure, Plastic Carrying Case: For easy carrying and protect tool well. Cutting capacity: 4 – 12 mm, output: min 4 ton. Blades are replaced easily and quick	3

16) NOZZLE GUN

S/N.	Items	Specification	Total Qty
	Nozzle Gun	Multipurpose Branch 63mm dia. Pattern: Jet spray & fog, flow rate: min 350 lit /m	4

17) FIRE HOOKS PRO BAR 36"

S/N.	Items	Specification	Total Qty
	Fire Hooks Pro bar 36"	Length: 36"(91.44cm) Handle Diameter: 25mm Material: 45 Carbon Steel Surface Treatment: Chrome Plated Weight : 5.4kg	4

18) HOSE PIPE 50 mm – 30 mtrs.

S/N.	Items	Specification	Total Qty
	Hose Pipe 50 mm - 30 mtrs.	Premium quality Rubber lined Single Jacket Hose Circular Woven Jacket made up of 100% Polyester yarn High Quality Synthetic EPDM Rubber Lining Light and Flexible, Sea Water and Weather Resistant, Ageing and Ozone Resistant.	3

19) Hose Pipe 50 mm - 20 mtrs.

S/N.	Items	Specification	Total Qty
	Hose Pipe 50 mm - 20 mtrs.	Premium quality Rubber lined Single Jacket Hose Circular woven Jacket made up of 100% Polyester yarn High Quality Synthetic EPDM Rubber Lining Light and Flexible, Sea Water and Weather Resistant, Ageing and Ozone Resistant ISI Marked ULListed Germanischer Lloyd's Approved M.E.D. 96/98/EC Approved Conforming to BS 6391:2009 Type 1	3

20) Store Pressure Fire Extinguisher

S/N.	Items	Specification	Total Qty
	Store Pressure Fire Extinguisher	<p>Powder fire extinguishers are ideal for use on Class A, B, and C Fire Risks.</p> <p>ISI Marked</p> <p>Safe for use on live electrical equipment</p> <p>Squeeze grip operation</p> <p>Fully refillable</p> <p>Controlled discharge</p> <p>Should have wall bracket</p> <ul style="list-style-type: none"> CYLINDER MATERIAL: M.S. 	<p>85 (4 kg)</p> <p>10 (2kg)</p>

		<ul style="list-style-type: none"> • CAPACITY (KG): 6 • FIRE RATING: 3A 89B • EXTINGUISHING MEDIUM: POWDER • TEMPERATURE RANGE: -30°C to +60°C • DISCHARGE TIME: MORE THAN 13 S • DISCHARGE RANGE: MORE THAN 02 M • OPERATING PRESSURE: 15 BAR • TEST PRESSURE: 35 BAR • PRESSURERE GAUGE SHOULD PROVIDE AT HEAD <p>EXCELLENT: NITROGEN</p>	
--	--	--	--

21) Fire Ball

S/N.	Items	Specification	Total Qty
	Fire Ball	<ul style="list-style-type: none"> • Dry Fire extinguishing powder mono ammonium phosphate • Containing: 94% active material • Environment friendly • Safe for humans, animals, and plants • Lightweight • Automatic no refill • Area: 5-10 meter coverage. • Weight of extinguishing powder: 390±0.2 g. • Total weight: 400±10 g. • Diameter: 105 mm. • Warning Sound Level: 90 – 110 Decibel. (Impact Noise as ACGIH 1999 Standard) • Usability and storing temperature: Not less than -40 °C and Not over +85 °C 	39

22) Fire Blanket

S/N.	Items	Specification	Total Qty
	Fire Blanket	<ul style="list-style-type: none"> • Product shall be tested and certified to BS EN 1869 • Blanket shall be made from silicone-coated woven glass fiber fabric (totally asbestos-free) • It shall be housed in a wall-mounted red colored flat pack container • It shall allow easy and quick withdrawal of blanket from container • Shall have English and Nepalese language instruction labels with clear pictorial instructions. • The fire blanket shall be supplied in size of 6 x 4 feet. 	50

23) Fire Rescue Rope

S/N.	Items	Specification	Total Qty
	Fire Rescue Rope	<ul style="list-style-type: none"> • Material: Polyamide Length: 30m Diameter: 12mm • Pull force: 100kg • High-quality polyamide material, multi-strand fiber woven, more wear-resistant, not easy to absorb water. • With composite tensile strength, a single rope can withstand a static tensile force of about 100 kg. • The rope adopts thermal cutting technology and has a longer service life. • Built-in steel wire, rope thickness 8MM • For family high-rise escape, fire rescue. 	7 Roll

24) Fire fighter Safety Torch

S/N.	Items	Specification	Total Qty
	Fire fighter Safety Torch	<ul style="list-style-type: none"> • OPERATING RANGE OF up to 600 METERS • 3 Brightness Modes: HIGH - MEDIUM - LOW • 3-LED Tail Lamp for additional back lighting • Premium looking, Water Resistant & strong ABS Velvet Body Finish • Twin Soft Touch Switches conveniently placed on top of the handle • Maintenance-Free 4.5 Ah Rechargeable SLA Battery • Operation Time: Up to 8 hours • Charging Time: Up to 12 hours • Internal Battery Charger • Input Charging Voltage: 190 - 250 V AC Single Phase, 50 Hz • Adjustable Shoulder Strap for easy carry and convenience • Weight: not more than 1.5 kg. with battery 	7

25) Nomex inherent fire retardant coveralls

S/N.	Items	Specification	Total Qty
	Nomex inherent fire retardant coveralls	<ul style="list-style-type: none"> • High protective collar with throat guard • Front zip closure covered by storm flap • Tab for Radio • Chest pocket, two thigh pockets • Single layer unlined • Elastic in back waist 	11

26) Fire Escape Mask

S/N.	Items	Specification	Total Qty
	Fire Escape Mask	<ul style="list-style-type: none"> • Certification: EN 136 or equivalent • Soft moulded natural rubber – EPDM mix • Inner Mask with 2 check valves • 5 straps adjustable het harness • Visor: Impact resistant Polycarbonate • High efficiency membrane • Screw in type filter cartridge with knuckle thread as per EN 148 – 1 or equivalent • Filter Cartridge per mask set 	21

27) Fire Hose Pipe 2.5 inch 150 mtr.

S/N.	Items	Specification	Total Qty
	Fire Hose Pipe 2.5 inch 150 mtr.	<ul style="list-style-type: none"> • PYROPROTECT brand, non-percolating flexible fire fighting • delivery hose, three layered synthetic jacketted, with • elastomeric outer covering, resistant to liquids, chemicals, • acids, alkalies, solvents, abrasion & heat, having • 42kg/cm² burst pressure, 25kg/cm² proof pressure, • 18kg/cm² working pressure, bearing IS:636-2018 Type 3 • (Covered), in 150 mtrs length, 63mm OUTER dia, without coupling. 	5

Note: For all items test certificate should be submitted.

Delivery Requirements

Delivery Requirements	
Delivery date and time	Bidder shall deliver the goods within 45 days after Contract/PO signature.
Delivery Terms (INCOTERMS 2020)	DDP
Customs clearance (must be linked to INCOTERM)	<input checked="" type="checkbox"/> Not applicable Shall be done by: <input type="checkbox"/> Name of organisation (where applicable) <input type="checkbox"/> Supplier/bidder <input type="checkbox"/> Freight Forwarder
Exact Address(es) of Delivery Location(s)	CDRMP Office, Chakupat, Lalitpur, Nepal
Distribution of shipping documents (if using freight forwarder)	Click or tap here to enter text.
Packing Requirements	Click or tap here to enter text.
Training on Operations and Maintenance	Required
Warranty Period	As indicated in Annex 1: Schedule of Requirement
After-sales service and local service support requirements	As indicated in Annex 1: Schedule of Requirement
Preferred Mode of Transport	

ANNEX 2: QUOTATION SUBMISSION FORM

Bidders are requested to complete this form, including the Company Profile and Bidder's Declaration, sign it and return it as part of their quotation along with Annex 3: Technical and Financial Offer. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	NPL10-RFQ19-2022	Date: Click or tap to enter a date.

Company Profile

Item Description	Detail
Legal name of bidder or Lead entity for JVs	Click or tap here to enter text.
Legal Address, City, Country	Click or tap here to enter text.
Website	Click or tap here to enter text.
Year of Registration	Click or tap here to enter text.
Legal structure	Choose an item.

Are you a UNGM registered vendor?	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, insert UNGM Vendor Number			
Quality Assurance Certification (e.g. ISO 9000 or Equivalent) (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Does your Company hold any accreditation such as ISO 14001 or ISO 14064 or equivalent related to the environment? (If yes, provide a Copy of the valid Certificate):	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Does your Company have a written Statement of its Environmental Policy? (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Does your organization demonstrate significant commitment to sustainability through some other means, for example internal company policy documents on women empowerment, renewable energies or membership of trade institutions promoting such issues (If yes, provide a Copy)	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Is your company a member of the UN Global Compact	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Bank Information	Bank Name: Click or tap here to enter text. Bank Address: Click or tap here to enter text. IBAN: Click or tap here to enter text. SWIFT/BIC: Click or tap here to enter text. Account Currency: Click or tap here to enter text. Bank Account Number: Click or tap here to enter text.			
Previous relevant experience: 3 contracts				
Name of previous contracts	Client & Reference Contact Details including e-mail	Contract Value	Period of activity	Types of activities undertaken

Bidder's Declaration

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Requirements and Terms and Conditions: I/We have read and fully understand the RFQ, including the RFQ Information and Data, Schedule of Requirements, the General Conditions of Contract, and any Special Conditions of Contract. I/we confirm that the Bidder agrees to be bound by them.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm that the Bidder has the necessary capacity, capability, and necessary licenses to fully meet or exceed the Requirements and will be available to deliver throughout the relevant Contract period.
<input type="checkbox"/>	<input type="checkbox"/>	Ethics: In submitting this Quote I/we warrant that the bidder: has not entered into any improper, illegal, collusive or anti-competitive arrangements with any Competitor; has not directly or indirectly approached any representative of the Buyer (other than the Point of Contact) to lobby or solicit information in relation to the RFQ ;has not attempted to influence, or provide any form of personal inducement, reward or benefit to any representative of the Buyer.
<input type="checkbox"/>	<input type="checkbox"/>	I/We confirm to undertake not to engage in proscribed practices, , or any other unethical practice, with the UN or any other party, and to conduct business in a manner that averts any financial, operational, reputational or other undue risk to the UN and we have read the United Nations Supplier Code of Conduct : https://www.un.org/Depts/ptd/about-us/un-supplier-code-conduct and acknowledge that it provides the minimum standards expected of suppliers to the UN.
<input type="checkbox"/>	<input type="checkbox"/>	Conflict of interest: I/We warrant that the bidder has no actual, potential, or perceived Conflict of Interest in submitting this Quote or entering a Contract to deliver the Requirements. Where a Conflict of Interest arises during the RFQ process the bidder will report it immediately to the Procuring Organisation's Point of Contact.
<input type="checkbox"/>	<input type="checkbox"/>	Prohibitions, Sanctions: I/We hereby declare that our firm, its affiliates or subsidiaries or employees, including any JV/Consortium members or subcontractors or suppliers for any part of the contract is not under procurement prohibition by the United Nations, including but not limited to prohibitions derived from the Compendium of United Nations Security Council Sanctions Lists and have not been suspended, debarred, sanctioned or otherwise identified as ineligible by any UN Organization or the World Bank Group or any other international Organization.
<input type="checkbox"/>	<input type="checkbox"/>	Bankruptcy: I/We have not declared bankruptcy, are not involved in bankruptcy or receivership proceedings, and there is no judgment or pending legal action against them that could impair their operations in the foreseeable future.
<input type="checkbox"/>	<input type="checkbox"/>	Offer Validity Period: I/We confirm that this Quote, including the price, remains open for acceptance for the Offer Validity.
<input type="checkbox"/>	<input type="checkbox"/>	I/We understand and recognize that you are not bound to accept any Quotation you receive, and we certify that the goods offered in our Quotation are new and unused.
<input type="checkbox"/>	<input type="checkbox"/>	By signing this declaration, the signatory below represents, warrants and agrees that he/she has been authorised by the Organization/s to make this declaration on its/their behalf.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.

ANNEX 3: TECHNICAL AND FINANCIAL OFFER – GOODS/SERVICE

Bidders are requested to complete this form, sign it and return it as part of their bid along with Annex 2: Quotation Submission Form. The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.

Name of Bidder:	Click or tap here to enter text.	
RFQ reference:	NPL10-RFQ19-2022	Date: Click or tap to enter a date.

Currency of the Quotation: Click or tap here to enter text.					
INCOTERMS: Click or tap here to enter text.					
Item No	Description	UOM	Qty	Unit price	Total price (NPR)
1.	Fire Helmets	No	11		
2.	Fires Boots	Pair	11		
3.	Fire Fighting Suit	No	7		
4.	Fire Fighting Suit (trousers)	No	7		
5.	Fire Fighting Gloves	Pair	11		
6.	Headlamp	No	11		
7.	Safety Glass Goggle	No	11		
8.	Full Body Harness	No	5		
9.	BOLT CUTTER	no	4		
10.	GRIP CLAMP RIGHT COLOUR	No	4		
11.	DESCENDER EIGHT (Figure 8) 15 KN	No	4		
12.	Locking Carabineer 8 kN	No	4		
13.	EXTENSION LADDER - 2 SECTIONS	No	3		
14.	PICK HEAD FIRE AXE	No	4		
15.	Hydraulic Bolt Cutter	No	3		
16.	Nozzle Gun	No	4		

17.	Fire Hooks Pro bar 36"	No	4		
18.	Hose Pipe 50 mm - 30 mtrs.	No	3		
19.	Store Pressure Fire Extinguisher (4 kg)	No	85		
20.	Store Pressure Fire Extinguisher (2 kg)	No	10		
21.	Fire Ball	No	39		
22.	Fire Blanket	No	50		
23.	Fire Rescue Rope	Roll	7		
24.	Fire fighter Safety Torch	No	7		
25.	Nomex inherent fire retardant coveralls	No	11		
26.	Fire Escape Mask	No	21		
27.	Fire Hose Pipe 2.5 inch 150 mtr each (150 mtr.X 5 pcs = 750 mtr.)	No	5		
Total Price					
VAT					
Total Final and All-inclusive Price					

Compliance with Requirements

	Your Responses		
	Yes, we will comply	No, we cannot comply	If you cannot comply, pls. indicate counter - offer
Minimum Technical Specifications	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Term (INCOTERMS)	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Delivery Lead Time	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Warranty and After-Sales Requirements	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Validity of Quotation	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Payment terms	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.
Other requirements <i>[pls. specify]</i>	<input type="checkbox"/>	<input type="checkbox"/>	Click or tap here to enter text.